

GEOLOGICAL & GEOCHEMICAL REPORT

MAPPING

On the

SUMMIT PROPERTY

SUMMIT 7-16: YC56587-YC56596

Registered Owner: 45127 Yukon Inc. – 30%; Ryan Gold Corp. – 70%

SUMMIT 23-32: YC56603-YC56612

SUMMIT 33-177: YD140153-YD140297

Registered Owner: Ryan Gold Corp. – 100%

NTS #: 115P01

LONG: 142°18'8.406"W LAT: 63°6'3.991"N

MAYO MINING DISTRICT

Work Performed: June 11th, 2012 & July 3rd, 2012

Date of Report: 26 March 2013

AUTHOR OF REPORT: Dan Lake, BSc



666 Burrard Street,
Suite 600

Vancouver, British Columbia, V6C 2X8

Executive Summary

The Summit property is located in the South McQuesten area of the Yukon Territory, Canada. It can be found in the Mayo Mining District, 270 kilometers north-northwest of Whitehorse, 30 kilometers southeast of Stewart Crossing, and 55 kilometers southwest of Mayo. The property is situated within the traditional territory of the Nacho Nyak Dun First Nation along the southwestern edge of the Ddhaw Ghro habitat protection area. The terrain of the area is described as rolling hills reaching elevations of 1200 meters, moderately to densely timbered, with underlying bedrock being poorly exposed. Access to the site is by helicopter only.

The property was first staked in 2007 based on an anomalous Au value (52 ppb) in a regional stream sediment sampling. The claim block is comprised of 165 contiguous claim block that encompass an area of 3431 hectares. 20 of the claim blocks are 30% owned by 45127 Yukon Inc. and 70% by Ryan Gold Corp. The remaining 145 claim blocks are 100% owned by Ryan Gold Corp. All the claims are in good standing in accordance with the Quartz Mining Act until March 2014.

The property is underlain by Devonian-Mississippian quartzite and quartz muscovite schist of the Nasina assemblage. The geology of the area is bound by the Tintina fault to the northeast and an unnamed dextral strike-slip fault towards the western margin.

The exploration on the property is limited to the work done by Ryan Gold Corp. since staking in 2007. 480 soil samples were taken on the property in 2011 with the highest gold values ranging from 117 - 485 ppb. In 2012 a short property wide mapping and prospecting program was conducted with no significant mineralization being discovered.

Contents

Executive Summary	2
Contents	3
List of Figures	4
List of Tables.....	4
1.0 Introduction.....	5
2.0 Location & Access.....	5
3.0 Claim Information.....	5
4.0 Physiography & Climate	5
5.0 Exploration History	8
6.0 Geology	9
6.1 Regional Geology.....	9
6.2 Property Geology.....	9
7.0 Exploration Program 2012.....	11
8.0 Geochemical Analytical Procedure	11
9.0 Exploration Results 2012	14
10.0 Conclusions and Recommendations	14
11.0 Statement of Expenditures	15
12.0 References.....	21
Appendix 1 - Statement of Qualifications.....	22
Appendix 2 – Quartz Claims List	23
Appendix 3 – Geochemical Analysis Certificates	27
Appendix 4 – Sample Locations	44

List of Figures

Figure 1: Summit property location map..... 6
Figure 2: Summit property claim map. 7
Figure 3: Summit 2011 Soil Sampling 8
Figure 4: Regional Geology map, from Gordey et al. 2011 11
Figure 5: Summit 2012 rock sample locations 12
Figure 6: Summit 2012 geological observation locations 13

List of Tables

Table 1: 2012 Grab sample assay results..... 14

1.0 Introduction

Two days of mapping and prospecting were conducted on the Summit claim block in 2012. This program was run on June 11th and July 3rd, 2012 and consisted of 6 man days. 8 geological observations and 6 geochemical grab samples were taken during this survey. The geochemical samples were analyzed at the ALS Lab in Vancouver, BC.

2.0 Location & Access

The summit property is located in the Yukon within the Mayo Mining District. It can be found 270 kilometers north-northwest of Whitehorse, 30 kilometers southeast of Stewart Crossing, and 55 kilometers southwest of Mayo. The claim block is located on map sheet NTS # 115 P01. The centre of the property is located at Longitude: 142°18'8.406"W, Latitude: 63°6'3.991"N. Work performed on the site was performed by a crew that was based at the Silver Trail Inn located at Longitude: 135°50'8.387"W, Latitude: 63°37'8.194"N. The Ryan Gold Corp. crew accessed the site using a TransNorth A-star helicopter with a flying time of approximately 30 minutes. The location of the Summit property is outlined in Figure 1.

The property is located within the traditional territory of the Nacho Nyak Dun First Nations along the southwestern edge of the Ddhaw Ghro habitat protection area (Chakungal, 2011).

3.0 Claim Information

The claim block is composed of 165 contiguous claim blocks. 20 of the claim blocks are 30% owned by 45127 Yukon Inc. and 70% by Ryan Gold Corp. The remaining 145 claim blocks are 100% owned by Ryan Gold Corp. All the claims are in good standing in accordance with the Quartz Mining Act until March 2014. A complete list of the individual claims can be found in Appendix 2. The Summit property claim map is displayed in Figure 2.

4.0 Physiography & Climate

The Summit property is located in the Boreal Cordilleran Plateau region of the Yukon just south of the Tintina trench. The area was glaciated nearly 3 million years ago, in the early to middle Pleistocene (Lipovsky, 2009). It is an area of discontinuous/scattered permafrost. The elevations on the property range from 600 meters in the low lying drainages to 1200 meter rounded, vegetated summits. The area is defined as subalpine forest-shrub that contains a spruce-willow-birch ecosystem (Scudder, 1997). Outcropping bedrock on the property is minimal, with most outcrop restricted to the ridge tops and less than 10% outcrop at lower elevations (Chakungal, 2011).

The climate statistics for the Summit property are based on Canadian Climate Normals from the Mayo A station from the Nation Climate Data and Information Archive (Canada, 1971 - 2000). The station is located at Latitude: 63°37'00.000"N, Longitude: 135°52'00.000"W. The daily average temperatures for January and July are -25.7 °C and 16 °C respectively. The daily maximum temperature in July is 22.7 °C while the daily minimum temperature in

January is -31 °C. The average annual rainfall for the area is 205.3 millimeters and the average snowfall for the year is 147 centimeters.




Figure 1: Summit property location map.




Figure 2: Summit property claim map.

5.0 Exploration History

The known exploration on the property is limited to the work done by Ryan Gold Corp. A soil sampling program was conducted by Groundtruth Exploration Inc. in 2011 where 480 soil samples were taken. The sampling was based on a 50 meter spacing grid in the west central portion of the property. One soil line was traversed approximately following an elevation contour on a SE facing slope. Four samples returned Au-in-soil values greater than 100 ppb Au with the highest value of 484.7 ppb Au.

The Summit property was staked in 2007 in response to an anomalous Au value (52 ppb) obtained from a proximal creek. This creek drains the northern most slopes of the property. There are no Minfiles within the claim block but the Pearl, Phoenix and Firebird occurrences are in the area. These occurrences were staked in the early 1980's coincident with proximal placer operations.




Figure 3: Summit 2011 Soil Sampling

6.0 Geology

6.1 Regional Geology

The Summit property is within the Yukon-Tanana terrane (YTT) and is southwest of the Tintina fault. The Tintina fault is a dextral strike-slip fault with 430 kilometers of Paleogene displacement. The Yukon Tanana-terrane is a “series of mid-Paleozoic to early Mesozoic nested arc complexes” (Israel, Colpron, Roots, & Fraser). The YTT in the area is characterized by two northwest-trending belts, separated by the Willow Lake fault. The rocks to the northeast of the fault are generally undeformed or weakly altered while the rocks to the southwest are “variably deformed, metamorphosed and include: siliciclastic, pelitic and carbonate sedimentary rocks; mafic, intermediate and felsic volcanic rocks; and a wide variety of plutonic rocks ranging from ultramafic to felsic in composition (Ryan J. J., 2010) . The Summit claim block is contained within the Finlayson Assemblage, according to the Ryan et al. 2010 mapping (Figure 5), which has been offset from the previous mentioned geological belts by an unnamed dextral strike slip fault. This fault is likely another splay of the Teslin system. The bedrock geology underlying the Summit property is defined as the Nasina assemblage by the Gordey et al. mapping (2001) (Figure 4). According to the Ryan et al. 2010 mapping, the Nasina assemblage is a regionally extensive unit of the Finlayson assemblage.



6.2 Property Geology

The Summit property is exclusively underlain by the DMN – Nasina assemblage (Gordey, 2001). This unit is defined as a graphitic quartzite and muscovite quartz-rich schist, with minor metaconglomerate and metagrit. The property contains very little outcrop with most geological observations being based on float observations. Observations of the regional aeromagnetic data reveal 3 “highs” that could possibly indicate a buried plutonic body (Chakungal, 2011) .



Figure 4 -
Summit Regional Geology

Nov 28, 2012 WGS84_UTM_Zn8 By: D.L.



- Legend**
- Yukon Minor Communities
 - ▭ Property Outline
 - ydg_bedrock_geology
 - QUATERNARY
 - Q QUATERNARY
 - TERTIARY(?) AND QUATERNARY
 - TOS: SELKIRK
 - MID-CRETACEOUS
 - mkGc: CASSIAR SUITE
 - mkGc: CASSIAR SUITE
 - mkGc: SELWYN SUITE
 - mkN: MOUNT NANSEN
 - EARLY CRETACEOUS
 - EkGt: TELSIN SUITE
 - UPPER CRETACEOUS
 - ucC1: CARRACROSS
 - EARLY JURASSIC
 - EjAa: AISHIHK SUITE
 - UPPER TRIASSIC, CARNIAN AND OLDER (?)
 - trP: POVOAS
 - TRIASSIC
 - Tg: GALENA SUITE
 - PROTEROZOIC AND PALEOZOIC
 - PpA: AMPHIBOLITE
 - LATE DEVONIAN TO MISSISSIPPIAN
 - DmGw: PELLY GNESS SUITE - SOUTHWEST
 - DEVONIAN, MISSISSIPPIAN AND(?) OLDER
 - DmG: NASINA
 - DmN: NASINA
 - CARBONIFEROUS
 - CK: KLUNKIT
 - CH2: HART RIVER
 - COB3: ST. CYR
 - COB4: ST. CYR
 - CTC: TAY - CASSIAR
 - CARBONIFEROUS TO PERMIAN
 - CPA1: ANVIL
 - DEVONIAN AND MISSISSIPPIAN
 - CPMC: MOUNT CHRISTIE
 - MID-PALEOZOIC?
 - ME: EARN
 - MPN: NOGOLD
 - MIDDLE SILURIAN TO MIDDLE DEVONIAN
 - ASK: ASK
 - ORDOVICIAN TO LOWER DEVONIAN
 - ODR: ROAD RIVER - SELWYN
 - ODR1: ROAD RIVER - SELWYN
 - UPPER CAMBRIAN AND ORDOVICIAN
 - COV: RABBIT/NETLE
 - LOWER CAMBRIAN
 - IC01: GULL LAKE
 - UPPER PROTEROZOIC TO LOWER CAMBRIAN
 - PCH1: HYLAND
 - PCH2: HYLAND
 - PCH2?: HYLAND
 - PCH3: HYLAND
 - PCH4: HYLAND
 - UPCI: INGTA



1:500,000

Kilometers

7.0 Exploration Program 2012

A two day prospecting/mapping program was conducted during the field season in 2012. This survey was run on June 11th and July 3rd 2012. A total of 6 man days were completed on the property. 8 geological observations were recorded as well as 6 geochemical grab samples being taken. The prospecting and sampling was focused on the 2011 soil grid and the limited exposed outcrop on the property.

The area around the 2011 Au-in-soil anomaly is poorly exposed with only a few boulders on the south facing slopes. All but one of the boulders observed were a fine grained quartzite/schist that is weakly foliated with minor muscovite on foliation partings. These float observations were of rocks of the Nasina Assemblage. The final boulder observed was of a megacrystic quartz monzonite that is similar to the Sprague Creek Stock. This boulder is assumed to represent a dyke intruding the Nasina assemblage.

8.0 Geochemical Analytical Procedure

All geochemical “grab” samples were taken to test the mineralized potential of the rocks on the property. The samples were taken of a representative portion of the rock and removed from outcrop using a rock hammer or geo tool. The sample site was marked on a GPS and also marked with flagging tap and an aluminum tag. Once a sufficient amount of material was collected it was put in a poly sample bag. A sample tag was placed in the sample bag and also stapled to the outside of the bag. The bag was secured using a cable tie. These samples were placed in a sample string with a systematic pattern of standards, blanks and duplicates to ensure QA/QC. Samples were grouped in rice bags and secured with security tags. The samples were shipped off the site using the truck to Dawson City where they were transferred to the expeditor to be hauled to Whitehorse and processed at the ALS prep lab. Throughout the shipment process, a chain of custody paperwork trail was maintained to ensure sample security.



Once in at the ALS Lab in Whitehorse the samples are received, weighed and logged. Samples are then crushed until 80% or better passes through a 2 mm mesh screen. This resulting material is put through a riffle splitter, where a 1000 g sample is isolated and the rest is collected as reject. The sample is pulverized further until 85% or better passes through a 75 micron mesh screen. After this step the pulp material is shipped to the North Vancouver lab for analysis. The remaining reject material is stored in Whitehorse.

The material that is shipped to the North Vancouver lab is split using a riffle splitter where a 50 g sample is isolated. The reject material from this process is stored at the lab. This 50 g sample is now subjected to ICP22 and ME-MS41 assaying methods. The ICP22 is a fire assay and ICP-AES method to assay for gold, and can detect values between 0.01 ppm and 10 ppm. ME-MS41 is a 51 element analysis by aqua regia digestion and a combination of ICP-MS and ICP-AES assaying. Assays for Au, Ag, Cu, Pb, As, Zn and Sb that are above detection are then finished using a gravity method to obtain true value. Final results using the methods above are reported to Ryan Gold electronically, consisting of an excel spreadsheet and a PDF certificate of work.







Summit 2012 Geochemical sample locations		
Dec. 5, 2012	WGS84_UTM_Zn8	By: D.L.

Figure 5



Legend

-  Property Outline
-  Watercourse
-  Summit Geochemical Samples



1:18,000




Summit 2012
Geological Observations

Dec. 5, 2012

WGS84_UTM_Zn8

By: D.L.

Figure 6



Legend

Summit Geology Observations

● <all other values>

Rock Type

▲ Granodiorite

▲ Quartzite

▲ Schist

□ Property Outline

— Watercourse

0 0.125 0.25 0.5



Kilometers

1:18,000

9.0 Exploration Results 2012

No significant assay values were discovered on the Summit property in 2012. Below are the results for the 6 geochemical grab samples taken:

Sample ID	GPS Easting	GPS Northing	Rock Type	Au (gpt)	Ag (ppm)	Al (%)	As (ppm)	Cu (ppm)	Fe (%)
41509	433644.5339	6998091.182	Schist	0.027	0.03	0.23	96.1	21.9	1.3
41584	435160.623	6994578.021	Schist	0.005	0.03	1.26	11.1	16.1	2.52
41163	433436.0853	6997436.685	Quartzite	0.002	0.04	0.6	4.2	20.5	1.62
41068	433304.7301	6997344.653	Schist	0.001	0.02	0.17	11.9	20.6	0.69
41069	433459.8661	6997670.349	Quartzite	0.001	0.02	0.16	38.9	9.2	1.04
41164	433553.3291	6997552.526	Quartzite	0.0005	0.04	0.15	17.6	20.5	1.16

Table 1: 2012 Grab sample assay results

10.0 Conclusions and Recommendations

The area around the soil anomaly discovered in 2011 was prospected for the source of gold. The results found indicate that the source was not discovered this year due to poor exposure. Although no significant assay values were returned from the lab further exploration is recommended for the area. Recommendations for further exploration include:

- i) Soil sampling of the portions of the property not covered by the 2011 reconnaissance survey.
- ii) Further property scale mapping attempting to find any indications of mineralization or intrusions/dyking.
- iii) Determine areas for possible trenching if the overburden doesn't allow observation of bedrock. This trenching should be completed with the intention of selecting drill targets.

11.0 Statement of Expenditures

I, Robin Sudo,
Land Manager/Ryan Gold Corp.
of #600 - 666 Burrard St., Vancouver, B.C. V6C 2X8
Phone 250-421-0939
Client I.D. Number: 4000351
make oath and say that:

Office Date Stamp

1. I am the owner, or agent of the owner, of the mineral claim(s) to which reference is made herein.
2. I have done, or caused to be done, work, on the following mineral claim(s): (Here list claims on which work was actually done by number and name)

See attached Schedule A

SUMMIT Property

situated at Summit Lake Area Claim sheet No. 115P01
in the Mayo Mining District, to the value of at least \$11,000 dollars,
since the 11th day of June to the 5th day of July 20 12,
to represent the following mineral claims under the authority of Grouping Certificate No. _____
(Here list claims to be renewed in numerical order, by grant number and claim name, showing renewal period requested).

See attached Schedule B

3. The following is a detailed statement of such work: (Set out full particulars of the work done indicating dates work commenced and ended in the twelve months in which such work is required to be done as shown by Section 56).

See attached Schedule C- Mapping = \$11,093.76

***** REPORT TO FOLLOW *****

Sworn before me at Cranbrook BC this 4 day of March 20 13.
Donald Paolini
Barrister & Solicitor
Notary Public
R. Sudo
Owner or Authorized Agent

RYAN GOLD CORP.

**SCHEDULE A
SUMMIT PROPERTY**

Claims work was performed on:

GRANT #	CLAIM NAME & #	DISTRICT
YD140182	Summit 62	Mayo
YD140184	Summit 64	Mayo
YD140219	Summit 99	Mayo
YD140221	Summit 101	Mayo
YD140222	Summit 102	Mayo
YD140224	Summit 104	Mayo

RYAN GOLD CORP.

SCHEDULE B
SUMMIT Claims

Claims to be renewed:

Grant #	Claim Name & #	Expiry Date	Units	# of Years	\$100/Yr	\$5 Fee/Yr	New Expiry Date
YC56587 - YC56596	Summit 7 - 16	March 11, 2014	10	1	\$1,000.00	\$50.00	March 11, 2015
YC56603 - YC56612	Summit 23 - 32	March 11, 2014	10	1	\$1,000.00	\$50.00	March 11, 2015
YD140153 - YD140180	Summit 33 - 60	March 11, 2014	28	1	\$2,800.00	\$140.00	March 11, 2015
YD140181 - YD140186	Summit 61 - 66	March 11, 2013	6	1	\$600.00	\$30.00	March 11, 2014
YD140187 - YD140204	Summit 67 - 84	March 11, 2014	18	1	\$1,800.00	\$90.00	March 11, 2015
YD140205 - YD140210	Summit 85 - 90	March 11, 2013	6	1	\$600.00	\$30.00	March 11, 2014
YD140211 - YD140224	Summit 91 - 104	March 11, 2014	14	1	\$1,400.00	\$70.00	March 11, 2015
YD140225 - YD140232	Summit 105 - 112	March 11, 2014	8	0	\$0.00	\$0.00	---
YD140233 - YD140238	Summit 113 - 118	March 11, 2013	6	1	\$600.00	\$30.00	March 11, 2014
YD140239 - YD140246	Summit 119 - 126	March 11, 2014	8	0	\$0.00	\$0.00	---
YD140247 - YD140252	Summit 127 - 132	March 11, 2013	6	1	\$600.00	\$30.00	March 11, 2014
YD140253 - YD140260	Summit 133 - 140	March 11, 2014	8	0	\$0.00	\$0.00	---
YD140261 - YD140266	Summit 141 - 146	March 11, 2013	6	1	\$600.00	\$30.00	March 11, 2014
YD140267 - YD140297	Summit 147 - 177	March 11, 2014	31	0	\$0.00	\$0.00	---

165

\$11,000.00	\$550.00
WORK \$	FEES

CERTIFICATE OF WORK

Schedule C - Mapping & Rock Sampling
SUMMIT Claims**MAPPING/ROCK SAMPLING PROGRAM:**

a total of 6.5 man days were required to do geological mapping & collect 6 rock samples on the SUMMIT claims from June 11 & July 5/12

Description		Rate	Unit	Total
CONTRACTORS:				
Minconsult Exploration Services, Coldstream, B.C.				
Sr. Geologist	per day	\$ 905.00	1	\$ 905.00
Geologist	per day	\$ 605.00	1	\$ 605.00
Sr. Prospector	per day	\$ 550.00	1	\$ 550.00
Field Tech	per day	\$ 550.00	1.5	\$ 825.00
WAGES:				
Project Geologist	per day	\$ 425.00	1	\$ 425.00
Jr. Geologist/Geotech	per day	\$ 300.00	1	\$ 300.00
CONSUMABLE SAMPLING SUPPLIES:				
Flagging, Metal ID Tags, Sample Bags, Ore Bags, Rice Bags, etc.	per sample	\$ 1.00	6	\$ 6.00
MAPS&REPRODUCTIONS/SUPPLIES:				
				\$ 50.00
EQUIPMENT RENTAL (per unit, per day):				
Iridium Satellite Phone: 1 per crew, charge 10 min/day	per day&min	\$ 35.00	1	\$ 35.00
Radio: ICOM Handheld: 1 per person	per day	\$ 5.00	6	\$ 30.00
Handheld GPS/Camera/Data Recorder	per day	\$ 15.00	6	\$ 90.00
ACCOMODATION and FOOD:				
Food	per day	\$ 50.00	6	\$ 300.00
Camp	per day	\$ 35.00	6	\$ 210.00
TRANSPORTATION:				
Truck Rental/Driving Force, Whitehorse, YT	per day	\$ 185.00	1	\$ 185.00
HELICOPTER SUPPORT:				
Trans North Helicopter, Whitehorse, YK-\$1,575/hr rate & Fuel	per hour+FUEL	\$ 1,575.00	2.8	\$ 5,433.76
ANALYTICAL ANALYSIS COSTS:				
ALS Canada Ltd., North Vancouver, B.C./ROCK	per sample	\$ 49.00	6	\$ 294.00
REPORT WRITING:				\$ 850.00
MAPPING/ROCK SAMPLING PROGRAM =				\$ 11,093.76

430000

435000

440000

7000000

7000000


6995000

6995000

430000

435000

440000



Legend

- Rock Samples
- Mapping Points
- 20120806Quartz_Selection




RYAN GOLD CORP.

Summit Claim Work

Sept. 21, 2012	WGS84_UTM_Zn8	By: C.W.
----------------	---------------	----------

1:50,000



12.0 References

- Canada, E. (1971 - 2000). *Canadian Climate Normals 1971 - 2000: Mayo A*. Retrieved November 2012, from National Climate Data and Information Archive:
http://www.climate.weatheroffice.gc.ca/climate_normals/results_e.html?stnID=1572&lang=e&dCode=1&province=YT&provBut=Search&month1=0&month2=12
- Chakungal, J. (2011). *Assessment Report: Soil Survey on the Summit Property*.
- Colpron, M., Nelson, J. L., & Murphy, D. C. (2007). Northern Cordilleran terranes and their interactions through time. *Yukon Geological Survey/ British Columbia Geological Survey*.
- Doherty, A. (2004). *Report on the Tin claims, 43-101*.
- Doherty, R. A. (2004). *Report on the Tin Claims*. Aurum Geological Consultants Inc.
- Environment Canada. (1971-2000). *Canadian Climate Normals 1971-2000, Dawson City, YK*. Retrieved November 2012, from National Climate Data and Information Archive:
http://www.climate.weatheroffice.gc.ca/climate_normals/results_e.html?stnID=1535&lang=e&dCode=0&StationName=DAWSON&SearchType=Contains&province=ALL&provBut=&month1=0&month2=12
- Gordey, S. a. (2001). *Bedrock Geology, Yukon Territory*. Geological Survey of Canada, Open File 3754 and Exploration and Geological Services Division, Yukon Indian and Northern Affairs Canada, Open File 2001-1.
- Israel, S., Colpron, M., Roots, C., & Fraser, T. (n.d.). *Overview of Yukon Geology*. Yukon Geological Survey.
- Lipovsky, J. B. (2009). Pre-Reid surficial geology investigations in southwest McQuesten map area (115P). *Yukon Exploration and Geology 2009, K.E. MacFarlane, L.H. Weston and L.R. Blackburn, Yukon Geological Survey*, 103-117.
- Lowe, C., Miles, W., Kung, R., & Makepeace, A. (2003). Aeromagnetic data over the Yukon Territory in Yukon digital Geology, Version 2.0, S.P. Gordey and A.J. Makepeace (comp.). *Geology Survey of Canada Open File 1749 and Yukon Geological Survey Open File 2003-9(D)*.
- McFaull, A. (1990). *United Keno Hill Mines Ltd. 1988 Assessment Report*.
- Ryan, J. J. (2010). Bedrock geology of southwest McQuesten (NTS 115P) and part of northern Carmacks (NTS 115I) map area. *Yukon Exploration and Geology 2009, K.E. MacFarlane, L.H. Weston and L.R. Blackburn (eds.)*, *Yukon Geological Survey*, p. 159 -184.
- Ryan, S. (2007). *Geochemical Report, Tin Claims*.
- Ryan, S. (2008). *Geochemical Report, Tin Claims*.
- Scudder, G. (1997). Environment of the Yukon. *Insects of the Yukon. Biological Survey of Canada*, 13-57.

Appendix 1 - Statement of Qualifications

Daniel Jonathan Lake, BSc, G.I.T.
#5 2466 West 4th Ave
Vancouver, B.C. V6K1P3

Certificate of Author

1. I, Daniel J. Lake, G.I.T., am a Geologist in Training, employed by Ryan Gold Corp. at Suite 600 – 666 Burrard St. Vancouver, BC. V6C 2X8
2. I am a member- in-training in good standing of the Association of Professional Engineers and Geoscientists of Alberta.
3. I am a graduate of the University of Alberta with a B.Sc. (2009) in geology.
4. I have practiced my profession continuously since graduation in 2009, and have been involved in mineral exploration in Canada, Australia and Mexico.
 - a. The foregoing report is based on study of available data and company reports.

Dated at Vancouver this day the Monday, February 25th, 2012.



Appendix 2 – Quartz Claims List

District	Grant Number	Claim Name	Claim #	Claim Owner	Recording Date	Staking Date	Claim Expiry Date
Mayo	YD140293	Summit	173	Ryan Gold Corp. - 100%	11/03/2011	02/03/2011	11/03/2014
Mayo	YD140294	Summit	174	Ryan Gold Corp. - 100%	11/03/2011	02/03/2011	11/03/2014
Mayo	YD140295	Summit	175	Ryan Gold Corp. - 100%	11/03/2011	02/03/2011	11/03/2014
Mayo	YD140296	Summit	176	Ryan Gold Corp. - 100%	11/03/2011	02/03/2011	11/03/2014
Mayo	YD140297	Summit	177	Ryan Gold Corp. - 100%	11/03/2011	02/03/2011	11/03/2014

Appendix 3 – Geochemical Analysis Certificates



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

Page: 1
 Finalized Date: 28-JUN-2012
 Account: RYGCOR

CERTIFICATE WH12132944

Project: Mahtin, McQuesten & Summit

P.O. No.: MH12-002

This report is for 60 Rock samples submitted to our lab in Whitehorse, YT, Canada on 13-JUN-2012.

The following have access to data associated with this certificate:

HUA JIN

ANDY RANDELL

CARRIE WONG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Au-ICP22	Au 50g FA ICP-AES finish	ICP-AES
As-OG46	Ore Grade As - Aqua Regia	VARIABLE
ME-MS41	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES

To: RYAN GOLD CORP.
 ATTN: ANDY RANDELL
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

Page: 2 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2012
 Account: RYGCOR

Project: Mahtin, McQuesten & Summit

CERTIFICATE OF ANALYSIS WH12132944

Sample Description	Method Analyte Units LOR	WEI- 21	Au- ICP22	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Recvd Wt. kg .02	Au ppm 0.001	Ag ppm 0.01	Al % 0.01	As ppm 0.1	Au ppm 0.2	B ppm 10	Ba ppm 10	Be ppm 0.05	Bi ppm 0.01	Ca % 0.01	Cd ppm 0.01	Ce ppm 0.02	Co ppm 0.1	Cr ppm 1
41201		2.88	0.003	0.23	6.18	205	<0.2	<10	520	2.02	1.20	2.44	0.08	32.5	9.7	80
41202		2.99	0.028	0.68	1.81	6580	<0.2	<10	140	0.99	27.6	1.37	1.41	55.3	10.1	58
41203		2.72	0.004	0.31	4.09	302	<0.2	<10	470	1.32	1.05	1.69	0.20	29.2	9.5	94
41204		2.98	0.003	0.32	2.45	15.5	<0.2	<10	1380	0.85	0.56	3.69	1.15	122.5	20.6	157
41205		2.17	0.003	0.26	5.41	382	<0.2	<10	270	1.42	0.85	2.39	0.13	28.8	12.9	65
41206		2.44	0.005	0.34	6.21	37.1	<0.2	10	150	1.98	1.07	3.36	0.07	33.5	8.6	54
41207		4.39	0.024	0.33	4.26	57.0	<0.2	10	30	1.26	2.32	3.83	0.24	34.7	2.9	6
41208		3.06	0.189	2.06	1.56	955	0.2	<10	10	0.75	117.5	2.25	0.26	12.40	5.2	11
41209		2.28	0.004	0.34	5.22	36.5	<0.2	20	60	1.39	2.56	8.53	0.42	51.3	1.3	8
41210		2.91	0.024	0.11	4.53	9.6	<0.2	10	100	1.03	1.28	3.63	0.15	36.6	1.4	5
41211		3.14	0.133	0.11	4.10	13.5	<0.2	10	90	0.88	4.68	4.94	0.27	37.3	1.9	6
41212		3.41	0.216	0.47	2.43	15.8	0.2	30	60	0.75	5.60	4.00	0.36	36.5	2.3	10
41213		3.61	0.056	0.23	3.69	200	<0.2	10	430	0.74	5.42	9.03	0.23	32.4	4.5	7
41214		0.08	1.725	0.02	1.40	0.5	1.8	<10	80	0.55	0.02	0.59	0.02	19.35	16.3	48
41215		0.08	0.190	0.02	1.38	0.4	0.2	<10	50	0.55	0.02	0.58	0.02	19.75	18.1	46
41216		0.13	0.001	0.02	1.71	0.4	<0.2	<10	50	0.65	0.02	0.70	0.03	24.0	22.6	57
41217		0.11	0.001	0.02	1.67	0.6	<0.2	<10	50	0.66	0.02	0.68	0.02	23.8	22.9	57
41804		1.85	0.013	9.77	0.13	55.3	<0.2	<10	20	0.10	0.08	0.11	123.5	6.52	1.6	11
41805		2.51	0.974	2.96	0.10	>10000	0.9	<10	80	<0.05	0.16	0.02	9.92	5.29	1.6	13
41504		1.62	0.002	0.04	0.76	11.4	<0.2	<10	70	0.14	0.10	0.03	0.27	41.6	7.9	13
41505		1.89	0.003	0.11	1.34	16.3	<0.2	<10	30	0.14	0.08	1.06	0.11	21.8	8.4	30
41506		1.70	0.002	0.09	1.62	5.2	<0.2	<10	90	0.25	0.44	0.06	0.07	104.5	3.8	20
41507		1.99	0.001	0.01	0.06	4.3	<0.2	<10	30	<0.05	0.03	0.02	0.05	7.03	1.0	15
41508		1.48	0.003	0.26	0.10	14.5	<0.2	<10	290	<0.05	0.05	0.01	0.06	7.96	1.0	13
41509		1.49	0.027	0.03	0.23	96.1	<0.2	<10	130	0.12	0.13	0.09	0.03	7.48	4.3	7
41058		Not Recvd														
41059		1.22	0.017	0.45	0.24	12.1	<0.2	<10	170	0.09	0.07	0.02	0.06	14.30	0.2	14
41060		1.42	0.001	0.07	0.47	1.7	<0.2	<10	10	0.07	0.10	0.01	0.03	24.2	3.9	14
41061		1.63	0.001	0.09	2.11	14	<0.2	<10	60	0.49	0.34	16.30	0.25	29.0	3.3	8
41062		1.23	0.001	0.09	2.92	10	<0.2	<10	70	0.57	0.17	14.85	0.29	28.3	3.3	9
41063		1.48	0.684	4.09	2.74	372	0.7	<10	30	0.61	27.9	3.27	1.32	41.4	32.6	8
41064		1.47	8.84	14.95	2.05	2330	9.9	<10	10	0.65	970	5.29	1.69	5.75	26.5	15
41065		1.17	0.032	0.20	0.37	44.4	<0.2	<10	10	0.13	0.99	0.05	0.07	18.70	4.2	10
41066		1.86	0.017	0.64	0.16	211	<0.2	<10	60	0.05	1.35	0.02	0.13	15.10	0.4	10
41067		1.04	0.001	0.03	0.27	5.0	<0.2	<10	30	0.11	0.21	0.03	0.05	16.50	4.1	9
41068		0.86	0.001	0.02	0.17	11.9	<0.2	<10	80	0.09	0.14	0.02	0.01	8.83	1.7	6
41069		0.85	0.001	0.02	0.16	38.9	<0.2	<10	80	0.07	0.04	0.02	0.03	5.58	1.2	10
41157		1.09	0.004	0.06	1.10	3.0	<0.2	<10	40	0.14	0.54	0.07	0.08	22.7	16.1	15
41158		1.22	0.004	0.38	2.84	69.9	<0.2	<10	70	0.41	0.14	8.12	0.30	43.7	43.3	249
41159		2.09	0.001	0.04	0.35	11.8	<0.2	<10	30	0.10	0.08	0.03	0.03	13.05	0.9	10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2012
 Account: RYGCOR

Project: Mahtin, McQuesten & Summit

CERTIFICATE OF ANALYSIS WH12132944

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Cs ppm	Cu ppm	Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %
41201		61.5	40.4	2.06	20.1	0.17	0.45	0.02	0.007	1.67	17.3	41.9	2.04	92	1.35	0.59
41202		23.0	19.3	2.28	8.90	0.20	1.17	0.01	0.019	0.33	28.4	55.3	1.06	222	0.93	0.09
41203		79.6	73.4	2.49	13.25	0.18	0.12	<0.01	0.010	1.86	15.4	50.6	2.62	110	1.34	0.27
41204		48.4	40.3	4.57	10.50	0.33	0.24	0.01	0.049	2.02	56.6	41.3	2.48	860	3.10	0.05
41205		38.8	84.8	2.84	17.55	0.21	0.48	0.01	0.017	1.34	15.7	57.1	1.76	95	0.65	0.39
41206		16.75	31.9	3.21	18.85	0.18	0.22	<0.01	0.020	0.71	18.4	54.0	0.95	141	0.44	0.18
41207		24.4	12.1	0.53	11.60	0.14	0.57	<0.01	0.015	0.04	18.0	8.3	0.09	142	0.12	0.33
41208		16.65	628	4.70	5.64	0.29	0.23	0.01	0.078	0.05	6.8	10.3	0.10	253	0.15	0.31
41209		2.84	46.8	0.46	13.45	0.15	0.48	0.01	0.030	0.05	29.1	4.7	0.06	267	0.13	0.34
41210		2.64	8.4	0.39	12.25	0.13	0.44	0.01	0.009	0.07	19.9	7.9	0.05	95	0.22	0.43
41211		5.38	17.6	0.58	12.80	0.14	0.39	<0.01	0.022	0.05	20.8	6.6	0.07	174	0.21	0.28
41212		5.66	3.0	0.61	7.30	0.24	0.40	<0.01	0.045	0.02	20.1	4.0	0.10	211	0.14	0.10
41213		10.60	88.8	1.03	10.30	0.09	0.16	<0.01	0.012	0.12	18.9	11.9	0.24	149	0.19	0.43
41214		0.16	21.7	2.59	5.26	0.09	0.27	<0.01	0.008	0.31	10.8	1.5	1.11	386	1.42	0.47
41215		0.17	24.1	2.79	5.48	0.10	0.31	<0.01	0.007	0.31	11.1	1.6	1.31	385	1.69	0.49
41216		0.19	27.6	3.45	6.76	0.13	0.30	<0.01	0.009	0.35	13.5	2.0	1.70	459	1.59	0.60
41217		0.19	28.0	3.39	6.75	0.13	0.31	<0.01	0.009	0.35	13.3	2.0	1.66	446	1.51	0.59
41804		1.03	81.0	2.67	0.48	0.05	0.03	0.40	7.63	0.07	4.1	0.5	0.03	267	0.49	0.01
41805		0.69	25.3	2.25	0.56	<0.05	0.02	0.24	1.525	0.07	3.2	0.3	<0.01	73	0.39	0.01
41504		0.33	12.7	1.79	2.29	<0.05	0.09	<0.01	0.018	0.17	20.1	8.7	0.26	163	0.19	0.03
41505		1.14	31.5	3.89	4.19	0.09	0.19	<0.01	0.013	0.18	11.3	10.0	0.93	717	0.27	0.03
41506		0.82	43.1	4.52	5.84	0.20	0.19	0.01	0.013	0.23	53.3	12.4	0.68	214	1.91	0.03
41507		0.06	3.5	1.01	0.28	<0.05	0.02	<0.01	<0.005	0.01	3.6	0.2	0.01	288	0.24	0.02
41508		0.27	8.5	1.18	0.44	<0.05	<0.02	<0.01	0.005	0.05	4.6	0.4	0.01	213	0.43	0.01
41509		0.45	21.9	1.30	0.70	<0.05	0.17	0.01	0.006	0.08	3.8	1.6	0.02	82	1.53	0.01
41058																
41059		1.40	22.1	0.97	1.39	0.05	0.09	0.14	0.038	0.13	8.5	0.7	0.02	55	1.95	0.01
41060		0.38	12.1	1.59	1.69	0.07	0.03	<0.01	0.005	0.02	11.2	6.6	0.18	97	0.19	0.03
41061		5.27	10.6	0.45	5.87	0.08	0.08	<0.01	0.008	0.10	15.4	6.7	0.14	192	0.19	0.31
41062		5.70	7.2	0.43	8.17	0.09	0.09	0.01	0.006	0.15	15.2	10.6	0.17	192	0.20	0.37
41063		0.91	1920	6.75	8.68	0.31	0.08	0.01	0.092	0.07	22.0	7.4	0.08	115	0.54	0.54
41064		7.63	3020	1.73	6.00	0.11	0.06	0.25	0.620	0.09	2.4	11.4	0.35	245	1.11	0.45
41065		0.88	46.4	5.81	1.45	0.10	0.10	0.11	0.009	0.03	8.6	1.1	0.03	139	0.36	0.01
41066		0.77	9.8	0.97	0.97	<0.05	0.05	0.47	0.007	0.11	9.4	1.1	0.01	49	0.45	0.01
41067		0.14	9.5	1.13	0.76	<0.05	0.02	<0.01	0.006	0.03	9.4	0.5	0.01	289	0.40	0.01
41068		0.19	20.6	0.69	0.62	<0.05	0.14	<0.01	<0.005	0.13	4.8	0.6	0.02	44	0.18	0.01
41069		0.32	9.2	1.04	0.75	<0.05	0.07	<0.01	<0.005	0.09	2.9	1.4	0.06	113	0.35	0.01
41157		0.49	23.4	2.27	3.53	0.08	0.04	<0.01	0.006	0.09	10.0	21.8	0.53	863	0.16	0.02
41158		0.40	165.0	6.82	11.95	0.41	0.04	0.01	0.103	0.01	22.6	29.8	3.09	1830	1.69	0.01
41159		0.61	6.0	0.90	0.79	<0.05	0.02	<0.01	<0.005	0.11	7.4	6.9	0.06	72	0.22	0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

Page: 2 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2012
 Account: RYGCOR

Project: Mahtin, McQuesten & Summit

CERTIFICATE OF ANALYSIS WH12132944

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Nb ppm	Ni ppm	P ppm	Pb ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Sn ppm	Sr ppm	Ta ppm	Te ppm	Th ppm
		0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.01	0.01	0.2	
41201		0.25	29.9	1010	16.4	179.0	0.001	0.09	3.93	11.1	1.2	9.0	159.5	0.01	0.02	11.9
41202		1.06	8.5	760	53.8	31.6	<0.001	0.36	6.71	7.1	5.0	2.8	77.8	0.01	0.56	16.8
41203		0.27	38.3	3300	7.4	221	0.016	0.23	3.97	6.2	2.6	5.6	170.0	0.01	0.03	10.7
41204		0.92	32.8	2180	29.2	169.5	0.002	0.27	3.23	12.5	1.7	1.9	151.0	0.02	0.03	18.5
41205		0.51	27.5	800	8.2	127.0	0.001	0.28	1.81	9.0	1.7	3.1	179.5	0.01	0.02	10.1
41206		0.72	20.4	570	8.6	84.3	0.001	1.02	2.44	8.8	0.7	5.6	193.5	0.02	0.03	12.1
41207		0.88	4.4	940	16.3	4.0	<0.001	0.01	4.37	1.5	0.6	12.0	264	0.02	0.05	9.3
41208		0.84	5.4	1040	3.7	2.6	<0.001	1.97	7.06	1.6	16.2	21.9	21.1	0.02	0.50	3.4
41209		1.28	3.3	1210	9.3	4.5	<0.001	<0.01	8.55	2.1	0.6	21.0	313	0.03	0.02	10.5
41210		1.25	2.9	1090	7.8	3.9	<0.001	<0.01	0.77	1.4	0.4	6.1	261	0.03	0.03	9.8
41211		1.12	4.1	1120	8.5	2.7	<0.001	0.03	3.04	2.8	0.5	11.0	214	0.03	0.10	8.8
41212		1.30	3.4	1060	16.8	1.7	<0.001	0.01	14.40	2.5	0.4	15.0	112.0	0.02	0.20	7.0
41213		0.66	8.5	720	10.8	8.1	<0.001	0.26	2.50	2.4	1.0	3.4	265	0.03	0.10	8.0
41214		2.40	56.2	940	5.0	13.4	<0.001	0.02	0.07	1.6	0.4	0.6	190.0	0.04	<0.01	1.6
41215		2.45	65.7	920	6.9	14.8	<0.001	0.02	0.05	1.8	0.4	0.7	174.5	0.06	<0.01	1.6
41216		3.05	81.7	1190	6.4	16.1	<0.001	0.02	<0.05	2.1	0.5	0.7	219	0.08	0.01	2.2
41217		3.04	82.7	1170	6.0	16.0	<0.001	0.02	<0.05	2.1	0.5	0.7	214	0.07	0.01	1.9
41804		<0.05	4.8	160	>10000	3.5	<0.001	0.18	8160	0.7	0.5	2.1	11.0	<0.01	<0.01	2.7
41805		<0.05	2.0	130	4950	2.9	<0.001	0.33	2600	1.7	0.9	3.0	17.9	<0.01	0.10	1.8
41504		0.06	17.1	150	23.0	9.5	<0.001	<0.01	9.07	1.0	<0.2	<0.2	7.3	<0.01	0.01	12.0
41505		0.10	26.5	300	10.8	8.9	<0.001	0.02	4.05	3.0	0.3	<0.2	53.4	<0.01	0.01	4.3
41506		0.05	7.7	370	30.7	11.1	<0.001	0.03	1.22	2.0	0.6	<0.2	16.5	<0.01	0.02	19.5
41507		<0.05	3.2	100	3.0	0.6	<0.001	0.01	1.23	0.7	<0.2	<0.2	2.0	<0.01	<0.01	2.2
41508		<0.05	4.6	50	82.9	2.4	<0.001	0.03	16.60	0.9	<0.2	0.2	3.2	<0.01	0.01	3.6
41509		<0.05	16.0	480	12.6	4.2	<0.001	0.01	7.39	1.2	0.6	<0.2	5.5	<0.01	0.04	2.5
41058																
41059		0.18	2.1	1010	15.5	7.8	0.002	0.06	10.75	1.5	1.9	0.3	26.3	0.01	0.02	2.0
41060		0.05	14.2	140	10.9	1.5	<0.001	0.01	0.70	2.3	0.2	<0.2	2.6	<0.01	<0.01	6.8
41061		0.66	9.0	1090	15.5	12.5	<0.001	0.07	6.13	1.0	0.7	1.6	375	0.01	0.01	7.5
41062		0.86	8.1	1010	12.8	19.0	<0.001	0.05	2.80	1.0	0.7	0.5	422	0.02	0.01	7.8
41063		0.77	40.5	1290	13.4	2.9	0.001	4.14	2.99	1.0	41.4	4.3	115.0	0.02	0.59	10.6
41064		0.47	14.6	990	14.5	5.3	0.002	0.49	9.82	1.4	10.9	19.6	93.4	<0.01	12.85	2.8
41065		0.08	17.6	280	9.1	2.1	<0.001	0.03	22.3	0.8	0.4	<0.2	3.4	<0.01	0.02	7.0
41066		<0.05	1.3	60	38.4	7.3	<0.001	0.04	11.70	0.5	0.3	0.2	6.0	<0.01	0.03	4.7
41067		<0.05	10.2	100	7.8	1.8	<0.001	0.01	1.08	1.1	0.2	<0.2	2.3	<0.01	0.01	4.8
41068		0.06	6.8	130	0.8	6.4	<0.001	0.03	12.85	0.8	0.2	<0.2	1.9	<0.01	0.01	1.2
41069		0.06	9.0	150	0.8	5.9	<0.001	0.01	5.50	1.6	<0.2	<0.2	1.7	<0.01	0.02	1.0
41157		0.08	23.0	330	3.1	5.7	<0.001	0.01	0.78	1.9	0.2	<0.2	7.7	<0.01	0.04	7.5
41158		0.19	176.5	1690	12.2	0.6	0.001	0.03	3.52	22.7	1.2	0.2	275	0.01	0.02	2.8
41159		0.05	5.8	80	5.5	5.6	<0.001	<0.01	1.28	0.6	<0.2	<0.2	1.3	<0.01	0.01	2.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2012
 Account: RYGCOR

Project: Mahtin, McQuesten & Summit

CERTIFICATE OF ANALYSIS WH12132944

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Pb- OG46	As- OG46
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm	Pb %	As %
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.01
41201		0.157	2.26	1.29	86	0.19	10.40	24	17.9		
41202		0.138	0.26	6.18	54	3.88	11.40	96	41.4		
41203		0.143	2.70	6.45	232	0.16	15.05	39	8.7		
41204		0.402	1.59	4.02	149	1.00	30.0	121	25.5		
41205		0.192	1.56	1.43	68	0.55	8.91	33	19.1		
41206		0.162	0.85	0.85	47	0.25	8.09	32	8.1		
41207		0.098	0.03	1.44	7	0.41	8.78	26	22.0		
41208		0.048	0.08	0.48	8	1.08	5.13	17	4.6		
41209		0.094	0.04	1.67	7	0.38	10.15	27	18.3		
41210		0.081	0.03	1.18	5	0.53	8.49	19	13.4		
41211		0.073	0.03	1.53	6	0.38	7.74	23	13.4		
41212		0.093	0.02	1.39	10	0.35	6.96	46	15.5		
41213		0.062	0.08	1.12	6	0.58	7.19	17	5.4		
41214		0.324	0.03	0.62	41	0.11	3.87	35	22.8		
41215		0.351	0.03	0.59	45	0.11	4.06	37	23.5		
41216		0.437	0.03	0.73	56	0.11	4.89	45	24.9		
41217		0.440	0.03	0.66	56	0.11	4.83	45	26.3		
41804		<0.005	0.22	0.70	1	<0.05	1.87	1120	1.0	1.030	
41805		<0.005	0.33	1.70	1	<0.05	0.38	57	1.2		1.55
41504		<0.005	0.05	0.57	5	<0.05	2.45	47	3.6		
41505		0.012	0.07	0.48	18	0.05	4.23	79	8.4		
41506		<0.005	0.08	2.35	14	0.05	6.56	67	8.3		
41507		<0.005	<0.02	0.09	1	<0.05	0.93	4	0.6		
41508		<0.005	0.04	0.10	<1	<0.05	0.61	13	0.5		
41509		<0.005	0.03	0.26	8	0.05	2.37	68	9.0		
41058											
41059		<0.005	1.45	1.73	25	0.25	3.27	3	5.1		
41060		<0.005	0.02	0.64	5	<0.05	2.16	30	1.0		
41061		0.059	0.10	0.57	5	1.38	9.75	9	2.1		
41062		0.066	0.14	0.61	6	0.38	9.45	11	2.8		
41063		0.062	0.15	0.97	5	4.25	6.71	63	1.9		
41064		0.047	0.13	0.93	10	230	5.68	95	1.5		
41065		<0.005	0.17	1.11	6	0.97	1.86	37	4.2		
41066		<0.005	0.31	1.44	3	0.38	1.29	<2	2.7		
41067		<0.005	0.02	0.31	2	0.09	2.15	16	0.9		
41068		<0.005	0.04	0.29	4	0.12	1.04	7	6.5		
41069		<0.005	0.03	0.23	6	0.09	0.94	12	3.4		
41157		0.005	0.04	0.29	9	0.09	2.63	60	1.4		
41158		0.009	0.11	0.74	148	0.49	18.40	69	2.2		
41159		<0.005	0.05	0.46	2	0.05	1.44	19	0.8		



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2012
 Account: RYGCOR

Project: Mahtin, McQuesten & Summit

CERTIFICATE OF ANALYSIS WH12132944

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP22 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
41160		.02	0.001	0.01	0.01	0.1	0.2	<10	40	0.12	0.24	0.03	0.05	31.0	13.6	14
41161			0.011	0.97	0.24	32.6	<0.2	<10	30	0.06	0.24	0.01	0.01	23.4	0.4	12
41162			0.001	0.03	0.13	2.3	<0.2	<10	50	<0.05	0.05	0.13	0.04	9.98	1.0	11
41163			0.002	0.04	0.60	4.2	<0.2	<10	70	0.12	0.04	0.04	0.01	9.42	2.8	14
41164			<0.001	0.04	0.15	17.6	<0.2	<10	70	0.07	0.08	0.03	0.02	6.58	2.0	8
44256			0.001	0.03	0.24	16.4	<0.2	<10	<10	0.05	0.06	0.26	0.18	9.10	4.5	13
44257			0.001	0.11	0.20	22.2	<0.2	<10	30	0.05	0.14	0.01	0.04	17.65	0.7	9
44258			0.001	0.06	0.79	3.9	<0.2	<10	40	0.09	0.28	0.52	1.81	28.8	4.9	15
44259			<0.001	0.12	0.18	6.3	<0.2	<10	60	0.07	0.26	0.13	0.04	16.20	1.6	11
44260			0.001	0.05	4.52	<2	<0.2	<10	920	1.07	0.11	17.70	0.17	19.40	8.0	48
44261			<0.001	0.34	2.78	14	<0.2	<10	200	0.74	2.95	16.15	1.03	23.8	4.3	27
44262			0.003	0.31	1.96	12.6	<0.2	<10	1010	0.52	0.16	0.06	0.18	78.3	8.8	30
44263			0.001	0.03	0.51	<2	<0.2	<10	160	0.16	0.04	23.6	0.07	18.95	3.3	5
44264			0.011	0.02	2.07	2.6	<0.2	<10	370	0.27	0.03	0.23	0.42	47.9	15.1	26
44265			0.001	0.01	0.91	2.7	<0.2	<10	50	0.12	0.04	0.15	0.03	20.6	6.5	33
44270			0.200	0.02	1.36	0.3	0.2	<10	40	0.74	0.02	0.56	0.02	20.0	17.6	45
44271			<0.001	0.02	1.72	0.4	<0.2	<10	50	0.84	0.02	0.69	0.03	25.0	22.6	58
44272			1.790	0.02	1.42	0.4	1.7	<10	80	0.73	0.01	0.60	0.03	20.8	16.8	48
41166			1.785	0.02	1.47	0.5	1.8	<10	80	0.76	0.01	0.61	0.03	21.4	16.5	50
41167			0.196	0.02	1.42	0.4	0.2	<10	50	0.71	0.02	0.58	0.02	20.3	18.1	47

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2012
 Account: RYGCOR

Project: Mahtin, McQuesten & Summit

CERTIFICATE OF ANALYSIS WH12132944

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
41160		0.45	17.4	2.83	3.55	0.09	0.04	<0.01	0.007	0.10	14.9	15.4	0.42	294	0.32	0.02
41161		0.59	22.7	1.53	1.62	0.06	0.07	0.53	0.005	0.13	12.5	1.6	0.01	37	0.41	0.01
41162		0.32	2.4	0.76	0.40	<0.05	<0.02	<0.01	<0.005	0.09	4.8	0.4	0.01	273	0.25	0.01
41163		0.29	20.5	1.62	2.30	0.05	0.11	<0.01	<0.005	0.12	4.4	4.4	0.21	148	0.27	0.01
41164		0.16	20.5	1.16	0.66	<0.05	0.08	<0.01	0.005	0.10	3.5	0.7	0.04	106	0.38	0.01
44256		0.40	6.5	1.00	0.92	<0.05	<0.02	<0.01	<0.005	0.01	3.7	3.3	0.10	234	0.20	0.01
44257		0.34	4.9	0.60	0.67	<0.05	0.03	<0.01	<0.005	0.12	8.9	1.5	0.02	79	0.17	0.01
44258		0.21	8.3	1.85	2.47	0.06	0.07	<0.01	<0.005	0.11	14.6	13.5	0.32	146	0.16	0.02
44259		0.32	6.7	0.90	0.51	<0.05	0.03	<0.01	<0.005	0.15	7.6	2.3	0.02	180	0.20	0.02
44260		3.62	10.1	2.05	11.85	0.13	0.15	0.02	0.031	1.16	10.6	29.1	1.73	317	0.21	0.40
44261		12.75	14.4	1.09	7.30	0.09	0.28	0.01	0.026	0.33	11.6	20.0	0.64	271	0.17	0.24
44262		2.58	50.5	4.01	6.59	0.18	0.11	0.02	0.024	0.30	42.6	32.9	0.77	149	0.89	0.01
44263		0.62	5.2	0.75	1.18	<0.05	0.15	0.02	0.015	0.10	10.4	6.9	0.89	188	0.35	0.02
44264		1.67	15.3	3.77	6.39	0.12	0.17	<0.01	0.016	0.22	23.2	24.0	1.17	304	0.61	0.02
44265		0.60	5.9	2.02	2.91	0.06	0.03	<0.01	0.012	0.06	9.9	16.3	0.62	246	0.31	0.01
44270		0.16	23.2	2.74	4.69	0.09	0.29	<0.01	0.006	0.30	10.9	2.6	1.29	364	1.37	0.48
44271		0.18	28.0	3.36	5.93	0.12	0.29	<0.01	0.009	0.36	13.6	3.1	1.69	439	1.57	0.60
44272		0.15	22.1	2.63	4.84	0.10	0.28	<0.01	0.008	0.31	11.3	2.4	1.13	374	1.41	0.48
41166		0.15	21.7	2.69	4.76	0.10	0.28	0.01	0.008	0.33	11.7	2.3	1.15	380	1.44	0.49
41167		0.16	24.1	2.83	4.87	0.10	0.26	0.01	0.006	0.31	11.1	2.6	1.34	376	1.39	0.50



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2012
 Account: RYGCOR

Project: Mahtin, McQuesten & Summit

CERTIFICATE OF ANALYSIS WH12132944

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb ppm 0.05	Ni ppm 0.2	P ppm 10	Pb ppm 0.2	Rb ppm 0.1	Re ppm 0.001	S % 0.01	Sb ppm 0.05	Sc ppm 0.1	Se ppm 0.2	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.01	Te ppm 0.01	Th ppm 0.2
41160		<0.05	29.8	160	15.5	4.9	<0.001	0.01	0.46	1.5	0.2	<0.2	6.5	<0.01	0.01	5.8
41161		<0.05	1.7	20	5.2	6.4	<0.001	0.01	5.50	0.6	0.4	0.2	1.9	<0.01	0.02	3.7
41162		<0.05	2.6	50	3.1	4.3	<0.001	0.01	1.42	0.3	<0.2	<0.2	3.0	<0.01	<0.01	2.7
41163		0.06	22.3	180	0.7	6.9	<0.001	<0.01	1.45	1.1	0.2	<0.2	2.8	<0.01	0.02	1.6
41164		<0.05	8.9	230	2.8	5.0	<0.001	0.02	7.10	1.2	0.2	<0.2	1.7	<0.01	0.02	1.0
44256		0.13	13.7	30	3.0	1.4	<0.001	<0.01	0.22	0.7	0.2	<0.2	8.5	<0.01	<0.01	0.4
44257		0.07	2.1	20	14.8	7.9	<0.001	<0.01	0.29	0.9	<0.2	0.3	1.8	<0.01	0.01	4.8
44258		0.10	12.8	130	11.5	5.2	<0.001	<0.01	0.14	1.1	0.2	<0.2	69.8	<0.01	0.03	6.6
44259		0.13	4.1	180	48.0	7.5	<0.001	<0.01	0.13	0.4	<0.2	<0.2	9.1	<0.01	0.02	6.1
44260		0.22	13.7	1130	12.9	63.9	<0.001	0.04	2.80	8.6	0.6	1.0	645	<0.01	0.02	7.1
44261		0.80	7.8	1110	36.2	36.0	<0.001	0.01	3.11	3.7	0.6	12.0	510	0.01	0.01	7.5
44262		0.06	22.7	850	9.2	17.6	0.002	0.06	12.90	3.8	1.1	0.3	35.3	<0.01	0.03	7.6
44263		0.09	3.8	380	4.6	5.6	0.001	0.04	0.36	2.3	0.6	<0.2	965	<0.01	0.02	2.8
44264		0.10	17.9	860	5.4	13.1	<0.001	<0.01	122.5	3.4	0.4	0.2	14.2	0.01	0.01	4.9
44265		<0.05	12.0	420	4.2	4.3	<0.001	<0.01	9.87	2.0	0.2	<0.2	6.7	<0.01	<0.01	1.9
44270		2.46	66.8	900	6.7	15.7	<0.001	0.01	0.06	1.7	0.3	0.6	170.5	0.05	0.01	1.6
44271		2.68	85.5	1170	6.4	17.0	<0.001	0.01	<0.05	2.0	0.4	0.7	216	0.06	0.01	2.0
44272		2.21	60.6	940	4.9	14.6	<0.001	0.01	<0.05	1.7	0.3	0.6	188.5	0.03	0.01	1.8
41166		2.39	59.9	960	5.0	14.9	<0.001	0.01	0.05	1.6	0.3	0.6	193.0	0.04	<0.01	1.9
41167		2.39	69.1	920	7.0	16.0	<0.001	0.01	<0.05	1.7	0.4	0.7	175.0	0.04	0.01	1.6

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-JUN-2012
 Account: RYGCOR

Project: Mahtin, McQuesten & Summit

CERTIFICATE OF ANALYSIS WH12132944

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	Pb- OG46	As- OG46
		Tl	Tl	U	V	W	Y	Zn	Zr	Pb	As
		%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.001	0.01
41160		<0.005	0.03	1.03	8	<0.05	2.37	68	1.7		
41161		<0.005	0.08	0.16	4	0.07	1.51	3	3.5		
41162		<0.005	0.03	0.20	1	<0.05	1.25	3	0.5		
41163		<0.005	0.03	0.32	12	0.07	1.74	25	4.5		
41164		<0.005	0.03	0.22	6	0.08	1.13	10	3.4		
44256		0.012	0.02	0.40	2	0.07	3.67	25	<0.5		
44257		<0.005	0.08	0.14	1	0.10	1.49	9	1.0		
44258		0.005	0.03	0.32	6	<0.05	3.64	49	2.2		
44259		0.009	0.04	0.29	1	<0.05	2.33	8	0.9		
44260		0.132	0.28	0.80	52	0.16	10.10	58	6.4		
44261		0.099	0.28	0.99	28	1.57	11.60	91	10.9		
44262		0.008	0.40	0.54	40	0.22	5.00	95	4.9		
44263		<0.005	0.03	0.61	5	<0.05	6.84	23	7.0		
44264		0.026	0.25	0.32	40	<0.05	8.50	83	7.5		
44265		<0.005	0.03	0.19	22	<0.05	2.79	29	1.9		
44270		0.351	0.03	0.59	45	0.10	3.90	37	21.9		
44271		0.448	0.03	0.67	57	0.09	4.84	46	23.1		
44272		0.332	0.03	0.59	42	0.10	3.73	36	21.7		
41166		0.338	0.03	0.65	43	0.10	3.86	36	21.9		
41167		0.361	0.03	0.56	46	0.09	3.98	38	20.4		

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
713 - 4TH AVENUE, LOT 12, BLOCK HD
P.O. BOX 5070
DAWSON CITY YT Y0B 1G0

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-JUN-2012
Account: RYGCOR

Project: Mahtin, McQuesten & Summit

CERTIFICATE OF ANALYSIS WH12132944

Method	CERTIFICATE COMMENTS
ME- MS41 ME- MS41	Interference: Ca > 10% on ICP- MS As, ICP- AES results shown. Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

Page: 1
 Finalized Date: 31-JUL-2012
 Account: RYGCOR

CERTIFICATE WH12164210

Project: Mahtin
 P.O. No.: MH12-006
 This report is for 17 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 14-JUL-2012.

The following have access to data associated with this certificate:

HUA JIN

ANDY RANDELL

CARRIE WONG

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 24	Pulp Login - Rcd w/o Barcode
LOG- 22	Sample login - Rcd w/o BarCode
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 32	Pulverize 1000g to 85% < 75 um
BAG- 01	Bulk Master for Storage
PUL- QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au- ICP22	Au 50g FA ICP- AES finish	ICP- AES
ME- MS41	51 anal. aqua regia ICPMS	

To: RYAN GOLD CORP.
 ATTN: ANDY RANDELL
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 31-JUL-2012
 Account: RYGCOR

Project: Mahtin

CERTIFICATE OF ANALYSIS WH12164210

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. kg	Au- ICP22 Au ppm	ME- MS41 Ag ppm	ME- MS41 Al %	ME- MS41 As ppm	ME- MS41 Au ppm	ME- MS41 B ppm	ME- MS41 Ba ppm	ME- MS41 Be ppm	ME- MS41 Bi ppm	ME- MS41 Ca %	ME- MS41 Cd ppm	ME- MS41 Ce ppm	ME- MS41 Co ppm	ME- MS41 Cr ppm
41584		2.04	0.005	0.03	1.26	11.1	<0.2	<10	60	0.17	0.53	0.04	0.03	39.8	5.7	29
41585		1.20	0.001	0.05	0.45	1.4	<0.2	<10	10	0.16	0.10	0.24	0.08	8.53	4.4	34
41039		1.56	0.001	0.03	1.10	2.0	<0.2	<10	50	0.12	0.17	0.39	0.10	41.5	6.5	23
41040		0.14	1.790	0.02	1.42	0.7	1.8	<10	80	0.78	0.02	0.61	0.02	22.0	17.4	51
41041		1.86	0.003	0.05	0.23	60.3	<0.2	<10	40	0.13	0.12	<0.01	0.02	15.75	0.4	27
41042		2.02	0.003	0.22	2.23	3.1	<0.2	<10	80	0.40	0.38	0.95	0.14	16.75	8.5	40
41043		0.94	0.001	0.04	1.77	0.3	<0.2	<10	50	0.13	0.17	0.01	0.01	32.9	2.8	26
41044		1.58	<0.001	0.08	2.39	2.5	<0.2	<10	450	0.88	0.15	1.48	0.17	49.8	8.2	117
41045		1.20	0.001	0.08	1.60	0.3	<0.2	<10	30	0.16	0.23	0.01	0.01	42.3	2.7	23
41046		1.40	0.001	0.04	0.51	1.5	<0.2	<10	30	0.11	0.17	0.06	0.06	27.0	4.4	26
41047		0.12	0.194	0.01	1.35	0.5	0.2	<10	40	0.68	0.02	0.57	0.02	20.0	17.3	47
41048		0.16	<0.001	0.02	1.65	0.9	<0.2	<10	50	0.89	0.02	0.67	0.03	23.7	23.3	58
44301		1.50	0.196	0.45	2.35	457	0.2	<10	150	0.74	2.55	0.80	1.45	37.5	7.6	52
41109		1.38	0.019	1.66	0.25	140.5	<0.2	<10	30	0.30	0.38	0.01	0.60	20.2	2.6	34
41768		1.62	0.003	0.13	5.63	32.0	<0.2	10	130	1.77	0.29	5.44	0.17	47.8	9.1	35
41769		2.40	0.004	5.50	0.83	753	<0.2	<10	20	0.96	9.14	0.20	0.99	14.45	7.2	13
41770		2.26	0.006	0.20	2.89	30.5	<0.2	<10	220	0.59	0.51	1.60	0.13	54.8	40.5	1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 31-JUL-2012
 Account: RYGCOR

Project: Mahtin

CERTIFICATE OF ANALYSIS WH12164210

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	
		Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
41584		0.15	16.1	2.52	4.02	0.05	0.02	<0.01	0.011	0.17	22.7	11.6	0.47	279	1.40	0.04
41585		0.67	22.1	1.08	1.20	<0.05	0.04	<0.01	0.009	0.03	3.4	5.1	0.17	168	5.65	0.02
41039		0.29	11.3	2.63	3.68	<0.05	0.09	<0.01	0.010	0.08	19.0	22.2	0.49	756	1.31	0.02
41040		0.14	22.3	2.64	5.29	0.06	0.29	<0.01	0.008	0.32	11.6	2.2	1.12	390	1.38	0.47
41041		0.31	18.6	1.86	1.09	<0.05	0.02	0.19	<0.005	0.18	7.9	2.8	0.02	41	2.52	0.01
41042		2.79	72.2	2.52	5.99	0.07	0.02	<0.01	0.034	0.27	7.5	17.1	0.56	364	1.93	0.11
41043		0.29	29.9	3.66	5.39	0.05	0.25	0.01	0.009	0.12	17.0	27.2	0.82	194	1.02	0.02
41044		11.60	0.9	3.38	10.45	0.17	1.02	<0.01	0.022	0.72	26.8	50.0	1.55	594	0.71	0.07
41045		0.39	13.3	3.61	5.16	0.05	0.16	0.01	0.009	0.09	20.1	22.0	0.72	177	0.72	0.03
41046		1.37	11.4	1.54	1.76	<0.05	0.13	<0.01	0.007	0.07	12.5	10.5	0.22	361	2.44	0.02
41047		0.15	22.7	2.75	4.94	0.06	0.31	<0.01	0.009	0.30	11.0	2.3	1.28	378	1.30	0.47
41048		0.17	27.2	3.34	6.15	0.08	0.32	<0.01	0.010	0.35	13.5	2.8	1.62	437	1.46	0.57
44301		5.32	70.9	2.80	9.63	0.08	0.06	0.02	0.041	0.61	20.0	47.8	0.68	213	1.28	0.17
41109		0.73	39.0	2.18	1.03	<0.05	0.02	0.02	0.038	0.13	8.7	1.0	0.02	89	3.86	0.01
41768		5.54	22.6	1.20	16.45	0.13	0.19	0.01	0.006	0.39	25.9	33.6	0.37	70	1.06	0.49
41769		1.83	4230	36.9	4.61	1.71	0.17	0.01	0.204	0.04	7.7	19.8	0.52	69	0.38	0.01
41770		48.2	131.0	7.05	14.40	0.23	0.18	<0.01	0.042	1.81	24.0	74.3	2.03	492	2.10	0.12



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

Page: 2 - C
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 31-JUL-2012
 Account: RYGCOR

Project: Mahtin

CERTIFICATE OF ANALYSIS WH12164210

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Nb ppm 0.05	Ni ppm 0.2	P ppm 10	Pb ppm 0.2	Rb ppm 0.1	Re ppm 0.001	S % 0.01	Sb ppm 0.05	Sc ppm 0.1	Se ppm 0.2	Sn ppm 0.2	Sr ppm 0.2	Ta ppm 0.01	Te ppm 0.01	Th ppm 0.2
41584		0.21	15.2	210	7.1	7.7	<0.001	0.01	0.07	1.7	<0.2	<0.2	6.8	<0.01	0.02	8.6
41585		0.39	20.2	370	10.0	2.1	<0.001	0.02	0.35	0.6	<0.2	0.4	25.8	<0.01	<0.01	1.5
41039		0.07	17.5	190	12.1	3.8	<0.001	0.01	0.11	1.7	<0.2	<0.2	9.1	<0.01	0.01	7.7
41040		2.25	60.4	960	5.2	12.1	<0.001	0.01	0.06	1.1	<0.2	0.7	192.0	0.02	<0.01	1.6
41041		0.21	2.4	90	3.1	7.3	<0.001	0.01	8.92	0.4	<0.2	0.2	1.4	<0.01	0.01	2.9
41042		0.36	15.9	190	5.9	22.3	<0.001	0.34	0.22	3.5	0.4	1.1	92.9	<0.01	0.05	5.4
41043		0.07	5.2	110	12.9	5.5	<0.001	0.03	0.12	1.2	<0.2	<0.2	4.4	<0.01	<0.01	6.4
41044		0.89	11.1	950	8.9	66.7	<0.001	0.01	0.38	12.0	0.5	1.8	57.5	<0.01	<0.01	13.9
41045		<0.05	6.0	230	6.3	5.4	<0.001	0.04	0.51	1.5	<0.2	<0.2	6.9	<0.01	0.01	9.0
41046		0.15	11.5	150	4.6	4.4	<0.001	0.01	0.89	0.9	<0.2	<0.2	6.6	<0.01	0.04	5.7
41047		2.50	66.2	910	6.9	12.4	<0.001	0.02	<0.05	0.9	<0.2	0.7	169.5	0.04	<0.01	1.6
41048		3.03	83.3	1160	6.2	13.3	<0.001	0.01	<0.05	1.0	<0.2	0.7	210	0.06	<0.01	1.7
44301		0.77	21.9	170	8.2	66.6	<0.001	0.40	1.35	5.5	0.4	6.7	56.2	<0.01	0.07	15.7
41109		0.20	6.0	220	1195	8.6	<0.001	0.01	369	1.0	<0.2	1.3	1.7	<0.01	0.01	3.7
41768		0.87	16.8	880	18.5	36.0	0.001	0.25	2.97	2.2	0.3	1.8	267	0.04	<0.01	12.2
41769		0.72	27.1	210	7.5	3.8	<0.001	>10.0	2.24	1.9	23.9	42.7	4.4	<0.01	0.02	1.9
41770		2.04	12.0	2630	3.1	103.0	0.001	0.66	0.65	8.1	1.6	3.9	71.2	0.01	0.01	2.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
 713 - 4TH AVENUE, LOT 12, BLOCK HD
 P.O. BOX 5070
 DAWSON CITY YT Y0B 1G0

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 31-JUL-2012
 Account: RYGCOR

Project: Mahtin

CERTIFICATE OF ANALYSIS WH12164210

Sample Description	Method Analyte Units LOR	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41	ME- MS41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
		0.005	0.02	0.05	1	0.05	0.05	2	0.5
41584		<0.005	0.04	0.27	11	0.61	4.92	46	0.9
41585		0.014	0.02	0.45	5	0.16	3.93	19	1.5
41039		<0.005	0.02	0.46	10	0.06	4.78	47	3.5
41040		0.341	0.03	0.58	43	0.10	3.56	37	21.6
41041		<0.005	0.06	0.20	3	0.09	0.89	15	0.9
41042		0.112	0.18	0.72	30	1.02	4.78	43	0.6
41043		<0.005	0.05	0.70	12	<0.05	1.08	75	9.3
41044		0.243	0.56	2.61	79	0.25	15.55	69	42.3
41045		<0.005	0.04	0.86	13	<0.05	1.29	58	5.9
41046		<0.005	0.04	0.58	4	<0.05	2.69	17	6.3
41047		0.355	0.04	0.51	45	0.11	3.66	38	21.8
41048		0.451	0.03	0.57	56	0.09	4.31	47	24.0
44301		0.149	0.68	0.83	43	4.85	5.86	118	1.6
41109		<0.005	0.13	0.41	3	0.18	1.58	314	0.9
41768		0.167	0.30	0.85	24	0.48	8.69	24	5.3
41769		0.033	0.07	0.75	17	0.08	3.43	24	5.0
41770		0.619	1.29	0.48	289	0.37	16.20	107	4.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: RYAN GOLD CORP.
713 - 4TH AVENUE, LOT 12, BLOCK HD
P.O. BOX 5070
DAWSON CITY YT Y0B 1G0

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 31-JUL-2012
Account: RYGCOR

Project: Mahtin

CERTIFICATE OF ANALYSIS WH12164210

Method	CERTIFICATE COMMENTS
ME- MS41	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g).

Appendix 4 – Sample Locations

SAMPLE ID	SAMPLE TYPE	Sample Date	PROSPECT	Elevation (m)	UTM Zone	Easting	Northing	RockType	Au	Ag	As	Bi	B	Ca	Ce	Cd	Co	Cr	Cu	Fe	Ga	Ge	Hf	Hg	Ir	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	Pb	P	Rb	Re	S	Sb	Se	Sr	Ta	Tb	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr					
41584	rock	03-Jul-12	Summit	1210	08N	435161	6994578	Schist	0.005	0.03	1.26	11.1	0.17	60	0.53	5	0.04	39.8	0.03	5.7	29	16.1	0.15	2.52	4.02	0.05	0.02	0.005	0.011	0.17	22.7	11.6	0.47	279	1.4	0.04	0.21	15.2	7.1	0.021	7.7	0.001	0.1	0.07	1.7	0.1	6.8	0.01	0.005	0.02	8.6	0.003	0.04	0.27	11	0.51	4.92	46	0.0
41068	rock	11-Jun-12	Summit	888.7	08N	433305	6997345	Schist	0.001	0.02	0.17	11.9	0.09	80	0.14	5	0.02	8.83	0.01	1.7	6	20.6	0.19	0.69	0.62	0.03	0.14	0.005	0.003	0.13	4.8	0.6	0.02	44	0.18	0.01	0.06	6.8	0.8	0.013	6.4	0.001	0.1	12.85	0.8	0.2	1.9	0.03	0.005	0.01	1.2	0.003	0.04	0.29	4	0.12	1.04	7	6.5
41069	rock	11-Jun-12	Summit	951.9	08N	433460	6997670	Quartzite	0.001	0.02	0.16	38.9	0.07	80	0.04	5	0.02	5.58	0.03	1.2	10	9.2	0.32	1.04	0.75	0.03	0.07	0.005	0.003	0.09	2.9	1.4	0.06	113	0.35	0.01	0.06	9	0.8	0.015	5.9	0.001	0.1	5.5	1.6	0.1	1.7	0.01	0.005	0.02	1	0.003	0.03	0.23	6	0.09	0.94	12	3.4
41163	rock	11-Jun-12	Summit	886.6	08N	433436	6997437	Quartzite	0.002	0.04	0.6	4.2	0.12	70	0.04	5	0.04	9.42	0.01	2.8	14	20.5	0.29	1.62	2.3	0.05	0.11	0.005	0.003	0.12	4.4	4.4	0.21	148	0.27	0.01	0.06	22.3	0.7	0.018	6.9	0.001	0.1	1.45	1.1	0.2	2.8	0.005	0.005	0.02	1.6	0.003	0.03	0.32	12	0.07	1.74	25	4.5
41164	rock	11-Jun-12	Summit	892.7	08N	433553	6997553	Quartzite	0.0005	0.04	0.15	17.6	0.07	70	0.08	5	0.03	6.58	0.02	2	8	20.5	0.16	1.16	0.66	0.03	0.08	0.005	0.005	0.1	3.5	0.7	0.04	106	0.38	0.01	0.025	8.9	2.8	0.023	5	0.001	0.1	7.1	1.2	0.2	1.7	0.02	0.005	0.02	1	0.003	0.03	0.22	6	0.08	1.13	10	3.4
41509	rock	11-Jun-12	Summit	1044.3	08N	433645	6998091	Schist	0.027	0.03	0.23	96.1	0.12	130	0.13	5	0.09	7.48	0.03	4.3	7	21.9	0.45	1.3	0.7	0.03	0.17	0.01	0.006	0.08	3.8	1.6	0.02	82	1.53	0.01	0.025	16	12.6	0.048	4.2	0.001	0.1	7.39	1.2	0.6	5.5	0.01	0.005	0.04	2.5	0.003	0.03	0.26	8	0.05	2.37	68	9