ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 West Hastings Street
Vancouver, B.C. V6B1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOCHEMICAL SAMPLING AND GEOLOGICAL MAPPING

at the

NAD PROPERTY

Nad 1-76 YD113331-YD113406

NTS 105O/13 & 106B/04
Latitude 64°00' N; Longitude 131°54' W

Mayo Mining District
Yukon Territory

Field work performed between June 15 and 21, 2012

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

S. Drechsler, B.Sc., P.Geo.

April 2013

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	1
GEOMORPHOLOGY AND CLIMATE	2
REGIONAL GEOLOGY	3
PROPERTY GEOLOGY	5
REGIONAL MINERALIZATION	7
MINERALIZATION	7
STREAM SEDIMENT AND SOIL GEOCHEMISTRY	8
DISCUSSION AND CONCLUSIONS	10
REFERENCES	12

APPENDICES

I STATEMENT OF QUALIFICATIONS

II ROCK SAMPLE DESCRIPTIONS

III CERTIFICATES OF ANALYSIS

IV STATEMENT OF EXPENDITURES

FIGURES

No.	Description	Follows Page
1	Property Location	1
2	Claim Locations	1
3	Rackla Belt Regional Geology	4
4	Idealized Regional Cross-Section	5
5	General Property Geology	5
6	Detailed Geology	6
7	Stratigraphic Column	6
8	2012 Sample Locations	7
9	Arsenic Geochemistry	7
10	Gold Geochemistry	7
11	Thallium Geochemistry	7
12	Mercury Geochemistry	7
13	Antimony Geochemistry	7

TABLES

No.	Description	Page
I	Regional Lithological Units	5
II	Rock Type Descriptions for Detailed Map Area	6
III	Significant Rock Sample Results	8
IV	Threshold and Peak Values for Soil Samples	9

INTRODUCTION

The Nad property covers a sizeable gold and pathfinder geochemical anomaly associated with arsenic sulphide mineralization, which is a key indicator for Carlin-type gold deposits. This anomaly lies 400 m along strike from and within the same stratigraphic horizon as Anthill Resources Ltd.'s new Venus gold discovery, where initial drilling returned 9.76 g/t gold over 38.7 m (Anthill Resources, 2013). This mineralized horizon is located within a favourable geological belt known as the Rackla Belt, which also hosts ATAC Resources Ltd.'s highly prospective Carlin-type Osiris and Conrad gold discoveries 24 km to the northwest. The property is one of several claim blocks comprising Strategic Metals Ltd.'s wholly owned Midas Touch Project.

This report describes geochemical sampling and geological mapping that was conducted between June 15 and 21, 2012 by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals. The author supervised the program and interpreted all resulting data. Her Statement of Qualifications is in Appendix I.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Nad property consists of 76 contiguous mineral claims located in east-central Yukon at latitude 64°00′ north and longitude 131°54′ west, on NTS map sheets 105O/13 and 106B/04 (Figure 1). The property covers an area of approximately 1580 ha (15.8 km^2). The claims are registered with the Mayo Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. Specifics concerning claim registration are tabulated below, while the locations of individual claims are shown on Figure 2.

Claim Name	Grant Number	Expiry Date*
Nad 1-76	YD113331-YD113406	March 15, 2020


* Expiry dates include 2012 work that has been filed for assessment credit but not yet accepted.


The Nad property lies 200 km east-northeast of the town of Mayo, the nearest supply centre. The closest road access is at the community of Keno City, which is situated about 46 km by road northeast of Mayo.

Access to and from the property in 2012 involved fixed-wing aircraft to a temporary staging area at the Stewart airstrip, located about 16 km to the west-northwest of the Nad property. From there, mobilization to and from the property were performed with a Bell 206 LongRanger helicopter operated by Fireweed Helicopters from Strategic Metals' Rackla camp.

HISTORY AND PREVIOUS WORK

In 1990, the Geological Survey of Canada (GSC) conducted a low-density stream sediment and water sampling survey on NTS map sheet 105O (Friske et al., 1991). One sample taken from a creek draining the southeastern part of the current Nad property returned background results for all elements of interest.


STRATEGIC METALS LTD.
FIGURE 1
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
PROPERTY LOCATION
NAD PROPERTY
0
250 km
UTM ZONE 7, NAD 83, 105O/13 & 106B/04
FILE: ...2012/Nad/Figures/F_1_Property_Location.wor
DATE: APR 2013
ALASKA
YUKON
NAD PROPERTY
RACKLA BELT
Dawson
Mayo
NORTHWEST TERRITORIES
Faro
Carmacks
Ross River
Haines Junction
Whitehorse
Watson Lake
Skagway
Atlin
Haines
BRITISH COLUMBIA
Dease Lake
Juneau
Telegraph Creek


T.N.
2°27.6'
24°19'
Grid north
Magnetic north
Annual change
decreasing 26.9'
356000 mE
358000 mE
360000 mE
7102000 mN
7100000 mN
1640 m
1500 m
1760 m
NAD 75 YD113405
NAD 76 YD113406
NAD 59 YD113389
NAD 60 YD113390
NAD 43 YD113373
NAD 44 YD113374
NAD 27 YD113357
NAD 28 YD113358
NAD 13 YD113343
NAD 14 YD113344
NAD 73 YD113403
NAD 74 YD113404
NAD 57 YD113387
NAD 58 YD113388
NAD 41 YD113371
NAD 42 YD113372
NAD 25 YD113355
NAD 26 YD113356
NAD 11 YD113341
NAD 12 YD113342
NAD 71 YD113401
NAD 72 YD113402
NAD 55 YD113385
NAD 56 YD113386
NAD 39 YD113369
NAD 40 YD113370
NAD 23 YD113353
NAD 24 YD113354
NAD 9 YD113339
NAD 10 YD113340
NAD 69 YD113399
NAD 70 YD113400
NAD 53 YD113383
NAD 54 YD113384
NAD 37 YD113367
NAD 38 YD113368
NAD 21 YD113351
NAD 22 YD113352
NAD 7 YD113337
NAD 8 YD113338
NAD 67 YD113397
NAD 68 YD113398
NAD 51 YD113381
NAD 52 YD113382
NAD 35 YD113365
NAD 36 YD113366
NAD 19 YD113349
NAD 20 YD113350
NAD 5 YD113335
NAD 6 YD113336
NAD 65 YD113395
NAD 66 YD113396
NAD 49 YD113379
NAD 50 YD113380
NAD 33 YD113363
NAD 34 YD113364
NAD 17 YD113347
NAD 18 YD113348
NAD 3 YD113333
NAD 4 YD113334
NAD 63 YD113393
NAD 64 YD113394
NAD 47 YD113377
NAD 48 YD113378
NAD 31 YD113361
NAD 32 YD113362
NAD 15 YD113345
NAD 16 YD113346
NAD 1 YD113331
NAD 2 YD113332
NAD 61 YD113391
NAD 62 YD113392
NAD 45 YD113375
NAD 46 YD113376
NAD 29 YD113359
NAD 30 YD113360
Property boundary as shown by Mining Recorder
Property boundary as surveyed by Strategic Metals
Property boundary unsurveyed
STRATEGIC METALS LTD.
FIGURE 2
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
CLAIM LOCATIONS
NAD PROPERTY
0
2 km
UTM ZONE 9, NAD 83, 105O/13, 106B/04
FILE: ...2012/NAD/Figures/F_2_Claim_Location.WOR
DATE: APR 2013

In 2001, the GSC completed a low-density stream sediment and water sampling survey on NTS map sheet 106B (Héon, 2003). A sample collected from the main creek draining the property, near its western border, yielded 13.9 ppm mercury, 110 ppm arsenic and 0.63 ppm antimony with background gold and thallium results.

In 2008, ATAC conducted a regional stream sediment sampling program focussed on PGM-rich nickel deposits associated with ultramafic intrusions. Four samples were taken from the west-central part of the property and two samples were collected to the immediate northeast. One sample collected from the property yielded a weakly anomalous gold value of 14 ppb with a moderately anomalous antimony value of 2 ppm. All other gold pathfinder elements returned background results.

In 2009, ATAC followed up strong arsenic silt anomalies reported by the GSC's 2001 regional sampling program in an area about 24 km northwest of the Nad property. Reconnaissance sampling by ATAC returned a string of moderately to very strongly anomalous results ranging from 12 to 1775 ppb gold and 123 to 155,000 ppm arsenic (Eaton, 2010). As a result, a very large claim block was staked by ATAC in that area (the Nadaleen Trend Project).

In 2010, ATAC discovered Carlin-type gold mineralization on its Nadaleen Trend Project. Work carried out that year included grid soil sampling, more stream sediment sampling, geological mapping, prospecting and diamond drilling (Lane, 2011). This work identified four showings featuring decalcification and silicification of carbonate strata with visible realgar, orpiment and dark grey sooty pyrite, which are characteristic of deposits in the Carlin Trend of Nevada (Lane, 2011).

In November 2009, Strategic Metals purchased ATAC's regional exploration data base and in late 2010, it staked the Nad property to cover stratigraphic units and structural features believed to resemble those associated with ATAC's Nadaleen Trend discoveries.

In 2011, Strategic Metals completed limited stream sediment and soil geochemical sampling, prospecting and geological mapping on its Nad property. During this work, Carlin-type mineralization comprising realgar and orpiment was discovered within a locally decalcified carbonate horizon. Soil and rock geochemical values for Carlin-type pathfinder elements arsenic and mercury are very strongly elevated over a 1400 m long trend and are supported by less abundant, moderately anomalous thallium and antimony values (Mitchell, 2012). Regionally anomalous gold values up to 90 and 141 ppb were obtained from soil and rock samples, respectively, collected within this trend.

GEOMORPHOLOGY AND CLIMATE

The Nad property is situated in the Selwyn Mountains and is drained by creeks that flow into the Stewart River, which connects to the Pacific Ocean via the Yukon River.

The property covers a westerly to northwesterly draining, relatively flat-bottomed valley and surrounding rugged, arcuate ridge system. Elevations on the property range from 1220 to

2060 m above sea level (asl). Approximately three quarters of the property lies above treeline, which is at about 1500 m asl. Grass, moss, talus slopes and abundant outcrop characterize alpine terrain on the property, while subalpine areas are typically densely vegetated with buckbrush and are devoid of outcrop. Creeks on the property have sufficient water for camp and drilling purposes throughout the summer and early fall.

The Nad property lies within the limits of the McConnell glaciation, which affected the region approximately 20,000 years ago. Regional ice movement in the area was southwesterly to westerly, though local glaciers on the property likely moved in a westerly to northwesterly direction, along the main valley floor.

Soil development and thickness are highly variable on the property. Maximum depths are reached near the valley floor. Glacial transport, fluvial processes and mass wasting have all affected soil development.

The climate in the Nad property area is typical of northern continental regions with long, cold winters, truncated fall and spring seasons and short, mild summers. Although summers are relatively warm, snowfall can occur in any month. The property is mostly snow free from mid June to late September.

REGIONAL GEOLOGY

The Nad property is located at the eastern end of the Rackla Belt, which is an 18 by 120 km belt defined by a variety of mineral occurrences, including recently discovered Carlin-style gold mineralization.

The Rackla Belt spans the southern portion of the Nadaleen map sheet (106C) and southwestern corner of the Nash Creek (106D) map sheet. The Geological Survey of Canada published 1:250,000 scale geological maps of the Nash Creek and Nadaleen map sheets in 1972 (Green) and 1974 (Blusson), respectively. In 1990, Indian and Northern Affairs Canada released a 1:50,000 scale geological map of NTS map sheet 106D/01 (Abbott, 1990).

In 2010, the Yukon Geological Survey (YGS) initiated a project to better understand the geology of the Rackla Belt as a result of the recent discoveries in the area. Work to date has included 1:50,000 scale mapping of the: 1) Mount Mervyn map area (106C/04) in 2010 (Chakungal and Bennett, 2011); 2) Mount Ferrell map area (106C/03) in 2011 (Colpron, 2012); and 3) Ortell Lake and Mount Stenbraten map areas (106C/02 and 01) in 2012 (Colpron et al, 2013). It also included integrating structures and stratigraphic units across map sheets 106C/01 to 106C/04 and 106D/01 (Colpron et al, 2013). The Nad property lies on NTS map sheet 106B/04, approximately 2500 m east of the YGS's current map area. The YGS is planning to extend its coverage to map sheet 106B/04 in 2013 (Colpron pers. com., 2013).

Geology of the Rackla Belt presented in the following paragraphs is summarized from the YGS's recent work (Colpron et al, 2013), while unit descriptions for the Nad property area are summarized from this work and from a Yukon-wide geological compilation completed by Gordey and Makepeace (2003).

The Rackla Belt straddles the boundary between deep water, dominantly clastic rocks of the Selwyn Basin to the south and shallower water shelf strata of the Mackenzie platform to the north.

The Rackla Belt is divided into three main structural panels – Richardson fault array, Mackenzie fold belt and Selwyn fold belt (Figure 3). Both the north-trending Richardson fault array and the northern edge of the northwest-trending Selwyn fold belt have prolonged histories of Proterozoic and Paleozoic faulting (mainly extensional and strike-slip) that were reactivated during Mesozoic compression.


The three main structural panels are separated by the Dawson Thrust and Kathleen Lakes faults (Figure 3). The Dawson Thrust Fault is a crustal break that may date back to late Neoproterozoic rifting and was subsequently reactivated as a north-directed thrust fault during Paleozoic extension and Mesozoic compression. The direction of movement along Mesozoic thrust faults in the region is generally towards the north. The Kathleen Lakes fault is an enigmatic structure with uncertain kinematics. It likely has a long history that may have begun as a normal fault in the Neoproterozoic and has since been reactivated, possibly accommodating strike-slip and normal movement.

Both extensional and apparent sinistral strike-slip faults cross-cut structures associated with compression and characterize some of the youngest deformation in the Rackla Belt. Some strike-slip reactivation may have occurred along both the Kathleen Lakes and Dawson Thrust faults; however, the amount of motion is likely very small and appears to die out to the east. The youngest cross-cutting structures may play an important role in Carlin-style gold mineralization.


The Rackla Belt can be divided into five stratigraphic and facies domains that are generally bounded by the Dawson Thrust and Kathleen Lakes faults (Figure 3).

1) Neoproterozoic to Paleozoic Selwyn Basin: The southern part of the belt (hanging wall of the Dawson Thrust Fault) comprises Neoproterozoic to Upper Paleozoic predominantly off-shelf clastic sedimentary rocks of Selwyn Basin;
2) Paleozoic Off-shelf: To the north of the Selwyn Basin, Ordovician to Permian off-shelf carbonate and shale (including abundant debris flow and turbidite deposits) are bound by the Dawson Thrust and Kathleen Lakes faults;
3) Neoproterozoic Off-shelf (Windermere Supergroup?): In the northeastern part of the belt, rocks in the footwall of the Dawson Thrust Fault consist of fine-grained siliciclastic and carbonate rocks. Ediacaran fossils in this sequence suggest correlation with the upper part of the Neoproterozoic Windermere Supergroup;
4) Paleozoic Platform: Platformal carbonate rocks of Ordovician to Devonian age occur mainly north of the Kathleen Lakes Fault in the central part of the belt. A notable exception is a window of this package at the west end of the belt; and
5) Proterozoic: Older Proterozoic rocks of the Wernecke Supergroup and Pinguicula Group occupy the region north of the Kathleen Lakes Fault in the northwestern part of the belt.


RACKLA BELT STRATIGRAPHIC AND FACIES DOMAINS



LOWER CAMBRIAN PALEOGEOGRAPHY



MINERALIZATION ALONG RACKLA BELT



Note: Underlined showings are held by Strategic Metals Ltd.

After Colpron et al, 2013

STRATEGIC METALS LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

RACKLA BELT REGIONAL GEOLOGY

NAD PROPERTY

FILE: .../Nad/Figures/Nad-Regional_Domains.wor	DATE: APRIL 2013

The transition between platformal and basinal facies varies around Selwyn Basin. Its eastern boundary exhibits a more typical facies transition that migrates through time. By contrast, the northern boundary of Selwyn Basin is strongly localized and was apparently controlled by the Dawson Thrust Fault. Figure 4 illustrates an idealized cross-section through Rackla Belt stratigraphy, along the northern boundary of Selwyn Basin.


The Nad property lies south of the projection of the Dawson Thrust Fault (Figures 3 and 4). In 1974, the GSC completed geological mapping on NTS map sheet 106B at a 1:250,000 scale (Blusson, 1974). A small portion of this map is illustrated on Figure 5. Based on this work, the stratigraphic floor in the vicinity of the Nad property comprises undifferentiated, Upper Proterozoic to Lower Cambrian Hyland Group (PCH). It consists upwards of coarse turbidic clastics characterized by a quartz-rich succession of evenly interbedded sandstone and shale (Yusezyu Formation); limestone (Algae Lake Formation); and fine clastics typified by maroon and green shale (Narchilla Formation). Horizons of comformably overlying, Hyland Group intermediate volcanics (PCH5) have been mapped on and to the northeast of the property. Several exposures of Lower Cambrian Gull Lake Formation volcaniclastic or sedimentary rocks were mapped to the south and west of the property. Gull Lake Formation conformably overlies Hyland Group. It is notable that the occurrences of Paleozoic volcanic rocks are restricted to the vicinity of the Dawson Thrust Fault. The units are described in Table I.

Table I – Regional Lithological Units
(*after Colpron et al, 2013 and Gordey and Makepeace, 2003*)

Map Suite	Age	Map Unit	Description
Gull Lake Formation	Lower to Middle Cambrian	CGL_{VC}	Brown weathering, green volcanic sandstone, siltstone; locally gritty; conglomerate with mud chips; local orange weathering dolostone bands.
Hyland Group	Upper Proterozoic to Lower Cambrian	PCH	Consists upwards of undivided coarse turbiditic clastics (1), limestone and dolostone (2) and fine clastics typified by maroon and green shale (3).
		PCH5	Dark brown- and green- to light grey-weathering dark green volcanic rocks, commonly with calcite filled vesicles, breccia, tuff, and agglomerate; minor interbedded shale, chert, siltstone, and limestone.

PROPERTY GEOLOGY

The GSC's 1:250,000 geological map of NTS 106B (Blusson, 1974) indicates that the property is wholly underlain by undifferentiated Hyland Group turbiditic clastic, carbonate and fine clastic rocks, which are locally capped by Hyland Group volcanic rocks (Figure 5). Initial observations made by Strategic Metals in 2011 and 2012 suggest that most rocks on the property are in fact intermediate volcanic and/or volcaniclastic rocks belonging to Hyland Group and/or Gull Lake Formation, with lesser undivided Hyland Group sedimentary rocks.



Carlin-type Au (epigenetic) occurrence

VMS occurrence

MVT occurrence

Rapitan iron occurrence

TJ - Jones Lake Fm
MPMC - Mount Christie Fm
MT - Tsichu Fm
DMBR - Besa River Fm
DME - Earn Gp
DMP - Prevost Fm
DPL - Portrait Lake Fm
DO - Ogilvie Fm
DF - Funeral Fm
DGB - Grizzly Bear Fm
DN - Nahanni Fm
DH - Headless Fm
DL - Landry Fm
DNA - Natla Fm
DA - Arnica Fm

DS - Sombre Fm
DC - Camsell Fm
SDD - Delorme Fm
SDS - Sapper Fm
SS - Steele Fm
OSW - Whittaker Fm
CDB - Bouvette Fm
CSH - Haywire Fm
OBS - Broken Skull Fm
OSD - Duo Lakes Fm
COR - Rabbitkettle Fm
CSC - Slats Creek Fm
CA - Avalanche Fm
CRS - Rockslide Fm
CG - Gull Lake Fm

CS - Sekwi Fm
PCV - Vampire Fm
PCBR - Backbone Ranges Fm
PCI - Ingta Fm
PCHN - Narchilla Fm
PHA - Algae Fm
PHY - Yusezu Fm
PB - Blueflower Fm
PSH - Sheepbed Fm
PIB - Icebrook Fm
PK - Keele Fm
PT - Twitya Fm
PSZ - Shezal Fm
PSA - Sayunei Fm
PCL - Coates Lake Gp

Unnamed units have lower case identifiers

Chert conglomerate, grit sandstone, and siltstone
Chert, shale
Shale
Siltstone, shale
Sandstone, siltstone, shale
Shale, sandstone
Grit, sandstone, shale (turbidites)

Mafic volcanic rocks
Diabase sills and dikes
Diamictite
Quartzite
Silty and argillaceous limestone
Dolostone
Limestone

STRATEGIC METALS LTD.

FIGURE 4


ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

IDEALIZED REGIONAL CROSS-SECTION

NAD PROPERTY

FILE: .../Nad/Figures/Nad-Regional_X-section.wor

DATE: APRIL 2013


T.N.
2°28'
24°19'
Grid north
Magnetic north
Annual change decreasing 26.9'
354000 mE
356000 mE
358000 mE
360000 mE
362000 mE
PCH5
PCH
PROPERTY BOUNDARY
7102000 mN
PCH5
PCH
ANTHILL RESOURCES' DISCOVERY DDH
7100000 mN
CGLvc
7098000 mN
PCH
Property boundary - surveyed
Property boundary - unsurveyed
CGLvc
GULL LAKE FORMATION
Lower Cambrian: Brown weathering, green volcanic sandstone, siltstone; locally gritty; conglomerate with mud chips; local orange weathering dolostone bands.
PCH
HYLAND GROUP
Upper Proterozoic to Lower Cambrian: Consists upwards of undivided coarse turbiditic clastics (1), limestone and dolostone (2) and fine clastics typified by maroon and green shale (3).
PCH5
HYLAND GROUP
Upper Proterozoic to Lower Cambrian: Dark brown- and green- to light grey-weathering dark green volcanic rocks, commonly with calcite filled vesicles, breccia, tuff, and agglomerate; minor interbedded shale, chert, siltstone, and limestone.
STRATEGIC METALS LTD.
FIGURE 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
GENERAL PROPERTY GEOLOGY
NAD PROPERTY
0
4 km
UTM ZONE 9, NAD 83, 105O/13, 106B/04
FILE:...2011/NAD/Figures/F_5_Regional_Geology.WOR
DATE: APR 2013

Strategic Metals performed detailed mapping along the western edge of the property within a 600 by 500 m area centred over an approximately 200 m thick sequence of prospective Yusezyu turbiditic clastic and Algae Lake Formation carbonate rocks (Figure 6). This sequence is the source of a significant arsenic-antimony-gold±mercury± thallium soil anomaly and contains mineralization and alteration that are characteristic of Carlin-type gold deposits.

The prospective stratigraphy comprises about 60% combined grit and lesser interbedded mudstone, fine grained limestone and silty limestone (Yusezyu Formation) and 40% combined dolostone, limestone and rudstone with rare limestone debris flows (Algae Lake Formation). These units appear to be interbedded and no significant fault markers were noted. Bedding predominantly strikes easterly and dips moderately to the south. The more resistant units are moderately to strongly fractured, while minor folding is ubiquitous in shale and mudstone horizons. Although several north- to northeast-trending linear gullies cut the prospective sequence, additional mapping is required to determine if they are structural or geomorphological in nature. The prospective stratigraphy extends off the property to the west and likely continues to the east, but mapping in this direction was hindered by extensive grass and overburden cover.

The prospective sequence is underlain by a thick horizon of Hyland Group(?) intermediate volcanic rocks and overlain by Narchilla Formation maroon and green shale, which is capped by Hyland Group(?) or Gull Lake Formation(?) volcaniclastic rocks. A stratigraphic column for the detailed map area is illustrated on Figure 7, while the individual rock types are described in more detail in Table II.

Table II – Rock Type Descriptions for Detailed Map Area

Rock Type	Regional Unit	Description
Upper Volcanic	Hyland Group(?) and/or Gull Lake Formation(?)	Dark green, fine grained volcanic sandstone and rare conglomerate with maroon shale clasts; locally brecciated; variably magnetic.
Shale	Narchilla Formation	Maroon and green shale.
Rudstone	Algae Lake Formation	Limestone and grey mudstone within a dark grey calcareous matrix; calcite veinlets common within clasts.
Limestone	Algae Lake Formation	Orange weathering, well bedded (mm to cm scale), fine grained limestone with pervasive calcite veinlets.
Dolostone	Algae Lake Formation	Medium to dark grey, fine to medium grained, massive dolostone.
Mudstone	Yusezyu Formation	Grey to black, platey, non-calcareous mudstone and shale.
Grit	Yusezyu Formation	Orange-grey weathering, fine grained, sandy, siliceous platey to blocky grit and minor blocky weathering, quartz pebble conglomerate.
Basal Volcanic	Hyland Group(?)	Dark green to rarely purple, fine grained volcanic; rarely brecciated; contains abundant calcite-filled amygdules.

T.N.

2°27.6'

24°19'

Grid north

Magnetic north

Annual change decreasing 26.9'

- Volcanic
- Shale
- Grit - Sandstone, Quartz Pebble Conglomerate
- Interbedded Mudstone, Fine Grained Limestone and Silty Limestone
- Limestone
- Rudstone with lesser Debris Flow
- Dolostone
- Bedding
- Undulating Bedding
- Fracture
- Vein
- Linear
- Fold
- Lithological Contact
- Mineralization/Showing

PROPERTY BOUNDARY (SURVEYED)

LIMIT OF MAPPING

LIMIT OF MAPPING

1700 m

1760 m

7100500 mN

355500 mE

356000 mE

STRATEGIC METALS LTD.

FIGURE 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

DETAILED GEOLOGY


NAD PROPERTY

0 200 m

UTM ZONE 9, NAD 83, 105O/13, 106B/04

FILE: ...2012/NAD/Figures/F_6_property_geol.wor

DATE: April 2013



STRATEGIC METALS LTD.

FIGURE 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

STRATIGRAPHIC COLUMN

NAD PROPERTY

FILE: .../Nad/Figures/Stratigraphic_column.wor | DATE: APRIL 2013

Preliminary exploration of the remainder of the property indicates that the northern and eastern portions are predominantly underlain by volcanic and/or volcaniclastic rocks, while the southwestern corner largely covers undivided Hyland Group sedimentary rocks. A ridge and creek bed traverse in the southwestern corner of the property identified an approximately 100 m thick package of carbonate rocks about 1000 m south of the primary area of interest. This package is sandwiched between maroon shale horizons. Black shale was also observed in part of the property, but its relationship to the other units is unknown.

REGIONAL MINERALIZATION

The Rackla Belt is host to a range of mineralization types, including various styles of base metal and gold occurrences (Colpron et al, 2013). The majority of mineral occurrences lie in close proximity to the Dawson Thrust Fault. Notable occurrences include the Marg volcanogenic massive sulphide deposit and the Tiger carbonate-replacement gold deposit in the western part of the belt, the Craig Mississippi Valley type(?)/replacement-style zinc-lead deposits in the central part of the belt and the district of recently discovered Carlin-type gold occurrences in the eastern part.

The Nad property lies at the eastern end of the Rackla Belt, adjacent to Anthill Resources' recent Carlin-type gold discovery (Venus Zone). Anthill Resources' initial exploration targeted the prospective Algae Lake and Yusezyu Formation stratigraphy that extends west from the Nad property. This work identified gold values up to 8.52 g/t in soil, 87.2 g/t in bedrock and 9.76 g/t over 38.7 m in one of six diamond drill holes (Anthill Resources, 2013). The significant drill hole was collared approximately 400 m west of the Nad property boundary (Figure 5) and was drilled at an azimuth of 295º.

The Nad property/Venus Zone mineralization is located 24 km southeast of ATAC's Carlin-type gold discoveries that include six drill confirmed zones – Osiris, Conrad, Isis, Isis East, Sunrise and Anubis – collectively known as the Nadaleen Trend (Figures 3 and 4). These occurrences lie in the footwall of the Dawson Thrust Fault and are hosted by Middle Proterozoic to Lower Paleozoic silty limestone, calcareous diamictites, non-calcareous siliciclastics and mafic intrusions that have undergone polyphase deformation (ATAC Resources, 2013). Gold mineralization occurs within all units but is best developed within the limestone sequences where alteration is characterized by decalcification accompanied by peripheral calcite flooding. Mineralization within non-calcareous rocks is generally hosted within brittle fractures and is directly associated with fault breccia and/or intense fracture development. Gold mineralization is most commonly associated with black, fine grained, sooty pyrite, and is sometimes accompanied by realgar and orpiment.

The setting, mineralization and alteration of Venus Zone and Nadaleen Trend occurrences are consistent with their classification as Carlin-type gold deposits.

MINERALIZATION

In 2011 and 2012, Strategic Metals collected 26 rock samples from the western and southwestern parts of the Nad property (eight samples taken in 2012). Sample locations are illustrated on

T.N.

2°27.6'

24°19'

Grid north

Magnetic north

Annual change decreasing 26.9'

I079803

I079802

I079801

I079805

I079806

I079807

I079808

I079804

1700 m

1600 m

7100000 mN

PROPERTY BOUNDARY

356000 mE

358000 mE

Property boundary - surveyed

Property boundary - unsurveyed

2012 rock sample location

2012 soil sample location

STRATEGIC METALS LTD.

FIGURE 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

2012 SAMPLE LOCATIONS

NAD PROPERTY

0 2 km

UTM ZONE 9, NAD 83, 105O/13, 106B/04

FILE: ...2012/NAD/Figures/F_8_Rock_Locations.wor

DATE: APRIL 2012

T.N.

2°27.6'

24°19'

Grid north

Magnetic north

Annual change decreasing 26.9'

PROPERTY BOUNDARY

356000 mE

358000 mE

360000 mE

7102000 mN

7101000 mN

ANOMALY A

ANOMALY B

ANOMALY C

ANOMALY D

1700 m

1600 m

As-in-Soil (ppm)

- ≥500 ≤ 2,990
- ≥200 < 500
- ≥100 < 200
- ≥50 < 100
- ≥20 < 50
- 0 < 20

As-in-Rock (%)

- ≥5 ≤ 39.7
- ≥2 < 5
- ≥1 < 2
- ≥5 < 1
- ≥2 < 5
- 0 < 2

Soil anomaly referred to in text

Likely source horizon of soil anomaly

STRATEGIC METALS LTD.

FIGURE 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ARSENIC GEOCHEMISTRY

NAD PROPERTY

0 1 km

UTM ZONE 9, NAD 83, 105O/13, 106B/04

FILE: ...2011/NAD/Figures/F_9_As_geochem.wor

DATE: April 2013

T.N.

2°27.6'

24°19'

Grid north

Magnetic north

Annual change decreasing 26.9'

PROPERTY BOUNDARY

356000 mE

358000 mE

360000 mE

7102000 mN

7101000 mN

Au-in-Rock (g/t)

- ≥0.1 ≤ 0.14
- ≥0.05 < 0.1
- ≥0.02 < 0.05
- 0 < 0.02

Au-in-Soil (ppb)

- ≥50 ≤ 90
- ≥20 < 50
- ≥10 < 20
- ≥5 < 10
- 0 < 5

ANOMALY A

ANOMALY B

ANOMALY C

ANOMALY D

ANTHILL RESOURCES' DISCOVERY DDH

1700 m

1600 m

- Property boundary - surveyed
- Property boundary - unsurveyed
- Soil anomaly referred to in text
- Likely source horizon of soil anomaly

STRATEGIC METALS LTD.

FIGURE 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

GOLD GEOCHEMISTRY

NAD PROPERTY

0 1 km

UTM ZONE 9, NAD 83, 105O/13, 106B/04

FILE: ...2011/NAD/Figures/F_9_As_geochem.wor

DATE: APRIL 2013

T.N.

2°27.6'

24°19'

Grid north

Magnetic north

Annual change decreasing 26.9'

PROPERTY BOUNDARY

356000 mE

358000 mE

360000 mE

7102000 mN

7101000 mN

ANOMALY A

ANOMALY B

ANOMALY C

ANOMALY D

ANTHILL RESOURCES' DISCOVERY DDH

1700 m

1800 m

Tl-in-Rock (ppm)

- ≥100 ≤ 127
- ≥50 < 100
- ≥20 < 50
- ≥10 < 20
- ≥5 < 10
- 0 < 5

Tl-in-Soil (ppm)

- ≥5 ≤ 6.64
- ≥2 < 5
- ≥1 < 2
- ≥0.5 < 1
- 0 < 0.5

- Property boundary - surveyed
- Property boundary - unsurveyed
- Soil anomaly referred to in text
- Likely source horizon of soil anomaly

STRATEGIC METALS LTD.

FIGURE 11

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

THALLIUM GEOCHEMISTRY

NAD PROPERTY

0 1 km

UTM ZONE 9, NAD 83, 105O/13, 106B/04

FILE: ...2012/NAD/Figures/F_11_Tl_geochem.wor

DATE: April 2013

T.N.

2°27.6'

24°19'

Grid north

Magnetic north

Annual change decreasing 26.9'

PROPERTY BOUNDARY

356000 mE

358000 mE

360000 mE

7102000 mN

7101000 mN

Hg-in-Soil (ppm)

- ≥10 ≤ 112
- ≥5 < 10
- ≥2 < 5
- ≥1 < 2
- ≥0.5 < 1
- 0 < 0.5

Hg-in-Rock (ppm)

- ≥500
- ≥200 < 500
- ≥100 < 200
- ≥50 < 100
- ≥20 < 50
- 0 < 20

ANOMALY A

ANOMALY B

ANOMALY C

ANOMALY D

ANTHILL RESOURCES' DISCOVERY DDH

1700 m

1650 m

Property boundary - surveyed

Property boundary - unsurveyed

Soil anomaly referred to in text

Likely source horizon of soil anomaly

STRATEGIC METALS LTD.

FIGURE 12

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MERCURY GEOCHEMISTRY

NAD PROPERTY

0 1 km

UTM ZONE 9, NAD 83, 105O/13, 106B/04

FILE: ...2012/NAD/Figures/F_12_Hg_geochem.wor

DATE: April 2013

T.N.
2°27.6'
24°19'
Grid north
Magnetic north
Annual change decreasing 26.9'

PROPERTY BOUNDARY

356000 mE
358000 mE
360000 mE
7102000 mN
7101000 mN

Sb-in-Soil (ppm)
≥10 ≤ 12.6
≥5 < 10
≥2 < 5
≥1 < 2
0 < 1

Sb-in-Rock (ppm)
≥200
≥100 < 200
≥50 < 100
≥20 < 50
0 < 20

ANOMALY A
ANOMALY B
ANOMALY C
ANOMALY D

ANTHILL RESOURCES' DISCOVERY DDH

Property boundary - surveyed
Property boundary - unsurveyed
Soil anomaly referred to in text
Likely source horizon of soil anomaly

STRATEGIC METALS LTD.

FIGURE 13
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ANTIMONY GEOCHEMISTRY

NAD PROPERTY

0 1 km

UTM ZONE 9, NAD 83, 105O/13, 106B/04

FILE: ...2011/NAD/Figures/F_13_Sb_geochem.wor | DATE: April 2013

Figure 8, while results for arsenic, gold, thallium, mercury and antimony are illustrated thematically on Figures 9 to 13, respectively. Rock Sample Descriptions are provided in Appendix II and Certificates of Analysis are given in Appendix III.

Rock geochemical sample sites on the property were marked with orange flagging tape labelled with the sample number. The location of each sample was determined using a handheld GPS unit. Rock samples preparation and multi-element analyses were carried out at ALS Minerals laboratories in Whitehorse, Yukon Territory and North Vancouver, BC. Each sample was dried, fine crushed to better than 70% passing 2 mm and then a 250 g split was pulverized to better than 85% passing 75 microns. The fine fraction was then analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21). Over limit arsenic values were determined using aqua regia digestion with inductively coupled plasma and either atomic emission spectroscopy or atomic absorption spectroscopy (As-OG46).

Twenty-one samples were collected from the westernmost 300 m of the prospective stratigraphic horizon. The samples comprised variably altered (decalcified, silicified and/or argillized) and/or realgar- and orpiment-bearing limestone, dolostone, quart grit, quartz pebble conglomerate and volcaniclastic rocks. The mineralization appears to be restricted to the lower 100 m of the prospective sequence; however, the upper 100 m is very rugged and little prospecting was performed in that area. The best rock sample results from this area are listed in Table III.

Table III – Significant Rock Sample Results

Sample	Arsenic (ppm)	Gold (g/t)	Thallium (ppm)	Mercury (ppm)	Antimony (ppm)
K976818	4.47	0.14	2.83	156.5	39.5
C386158	39.70	0.02	1.85	6.75	93.9
I078650	5.28	0.005	29.6	>10,000	53.8
C386152	2.99	0.02	126.5	569	41.2
C386155	7.72	0.02	8.06	44.2	32.2
C386156	14.55	0.12	77.4	7740	200
C386157	0.51	0.14	2.88	43.2	31.8

Five samples collected from a creek bed in the southwestern corner of the property returned subdued values for all elements of interest. These samples comprised colourfully weathering and calcite veined black shale and ferricrete with black shale clasts.

STREAM SEDIMENT AND SOIL GEOCHEMISTRY

In 2011, Strategic Metals collected 25 stream sediment samples from the Nad property. These samples yielded regionally elevated values for arsenic (up to 54.6 ppm) and antimony (up to 2.29 ppm) with background values for gold, mercury and thallium.

In 2011 and 2012, Strategic Metals collected a total of 874 grid and contour soil samples (457 samples taken in 2012). The 2011 grid samples were centred over the western, exposed portion of the prospective horizon, while the 2012 samples extended the grid to the east and south to test the horizon's along strike and down dip potential.

The 2012 sample locations are illustrated on Figure 8, while 2011 and 2012 results for arsenic, gold, thallium, mercury and antimony are illustrated thematically on Figures 9 to 13, respectively. Certificates of Analysis are given in Appendix III.

All 2012 soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 0.5 m wooden lath that were driven into the ground. Soil samples were collected from 10 to 45 cm deep holes dug by hand-held auger. They were placed into individually pre-numbered Kraft paper bags. The soil samples were sent to the ALS Minerals laboratory in Whitehorse, where they were dried and screened to -180 microns. The samples were then shipped to the ALS Minerals laboratory in North Vancouver where they were analyzed for 51 elements using an aqua regia digestion followed by inductively coupled plasma combined with mass spectroscopy and atomic emission spectroscopy (ME-MS41). An additional 30 g charge was further analysed for gold by fire assay with inductively coupled plasma-atomic emissions spectroscopy finish (Au-ICP21). Anomalous thresholds and peak values for the metals of interest are listed in Table IV.

Table IV – Threshold and Peak Values for Soil Samples

Element	Anomalous Thresholds				
	Weak	**Moderate**	**Strong**	**Very Strong**	**Peak**
Arsenic (ppm)	≥ 50 < 100	≥ 100 < 200	≥ 200 < 500	≥ 500	2990
Gold (ppb)	≥ 10 < 20	≥ 20 < 50	≥ 50	-	90
Thallium (ppm)	≥ 10 < 20	≥ 20 < 50	≥ 50 < 100	≥ 100	127
Mercury (ppm)	≥ 1 < 2	≥ 2 < 5	≥ 5 < 10	≥ 10	112
Antimony (ppm)	≥ 2 > 5	≥ 5 > 10	≥ 10	-	12.6

To date, soil sampling has identified four areas (Anomalies A to D) with elevated arsenic, gold, thallium, mercury and/or antimony values.

Anomaly A is 1900 m long by up to 800 m wide and encompasses the prospective stratigraphic horizon, which hosts all known mineralization on the property. The western half of this anomaly lies on a rugged, north-facing slope and is characterized by abundant, very strongly anomalous arsenic values with variably elevated gold, thallium, mercury and antimony support. All elevated soil values at this end of the anomaly appear to have sourced from the prospective horizon (plan view width of about 100 m) and the exaggerated, 800 m width is likely due to downhill dispersion. All of the peak values listed in Table IV were obtained from samples collected within this area. The eastern half of the anomaly is primarily defined by a weak to moderate arsenic signature with intermittent strongly elevated arsenic values. Arsenic is accompanied by rare, sporadic, weakly elevated mercury and antimony values. This half of the anomaly has a subdued metal signature relative to the western half, but it is entirely grass covered and lies along the valley floor, where glacial till and colluvium from the adjacent slope likely blanketed the prospective stratigraphy.

Anomaly B comprises a 350 by 200 m area of predominantly weak to moderate antimony and arsenic soil values that is located 900 m east from the eastern end of Anomaly A. Several weakly anomalous gold values lie within the Anomaly B, but similar values are common throughout this part of the soil grid and are not restricted to the anomaly. Rare, very weak mercury and thallium values were also obtained from Anomaly B and, although subdued, may be significant because almost all samples that lie outside of the known anomalies returned background values. Anomaly B is located at the base of a rugged cirque wall and is open to the east. It may represent the along-strike extent of the prospective horizon, which could be covered by colluvium, glacial till and/or vegetation between Anomalies A and B.

Anomaly C is a 1900 m long by up to 100 m wide, arsenic and antimony anomaly that lies 250 m south of and sub-parallel to Anomaly A. Anomaly C is primarily characterized by a weak arsenic signature with rare stronger arsenic values. Arsenic is accompanied by weak to strong antimony values in the eastern half of the anomaly.

Anomaly D lies 200 to 500 m south of Anomaly C and is 750 m long by 50 to 500 m wide. It is open to the southeast. Weak arsenic values with rare, weak antimony and very weak thallium support lie along the southern edge of the anomaly, while a string of very strongly anomalous arsenic values lie within a creek bed immediately to the north. The band of weaker values appears to coincide with a carbonate horizon, while the stronger values lie within an area mapped as black shale. The strong arsenic values in the creek bed may have sourced locally from black shale or may be due to hydromorphic reconcentration of metal from the overlying, less anomalous carbonate horizon.

DISCUSSION AND CONCLUSIONS

The Nad property is located within a recently discovered district of Carlin-type gold occurrences that lies at the eastern end of the prospective Rackla Belt. The general geological setting, mineralization and geochemistry of occurrences within this district are consistent with gold deposits in the Carlin Trend of Nevada.

Strategic Metals' limited 2011 and 2012 exploration at the Nad property identified Carlin-type pathfinder geochemical anomalies and a relatively thick, carbonate-rich sequence that is variably altered and hosts realgar and orpiment mineralization.

The Nad property definitely warrants additional work due to Strategic Metals' success in identifying Carlin-type mineralization and geochemical targets despite its relatively short exploration programs and due to Anthill Resources' nearby, significant gold discovery in the same stratigraphic horizon. Future work should include: 1) systematic, detailed prospecting and geological mapping within the exposed prospective stratigraphy; 2) prospecting and hand trenching within the eastern part of Anomaly A and within Anomalies B, C and D, with particular emphasis on extending the strike length of the known mineralized horizon; and 3) geological mapping of the entire property. Mapping should focus on locating structural zones and particularly reactive horizons that are expected to have played key roles in localizing mineralization within the carbonate-rich stratigraphy. If promising zones are identified, they should be tested by diamond drilling.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED



S. Drechsler, B.Sc., P.Geo.

REFERENCES

Abbott, G.
1990 Geology Map of Mount Westman Map Area (106D/1): Indian and Northern Affairs Canada, Exploration and Geological Services Division, Yukon Region, Open File 1990-1.

Anthill Resources Ltd.
2013 Anthill Resources Yukon – Working towards the next Carlin-style discovery; corporate presentation. Available at: http://www.anthillresources.com/s/Home.asp

ATAC Resources Ltd.
2013 Nadaleen Trend. Available at: http://www.atacresources.com/s/NadaleenTrend.asp

Blusson, S.
1974 Drafts of five geological maps of northern Selwyn basin (Operation Stewart), Yukon and District of Mackenzie, N.W.T. (includes NTS 106A, B, C and 105N,O); Geological Survey of Canada, Open File 205, Scale 1:250,000.

Chakungal, J. and Bennett, V.
2011 New bedrock geology of Mount Mervyn map sheet (106C/04) and mineral potential for the South Wernecke mapping project; in Yukon Exploration and Geology 2010, K.E. MacFarlane, L.H. Weston and C. Relf (eds.), Yukon Geological Survey, p. 55-87.

Colpron, M.
2012 Preliminary geological map of the Mount Ferrell area (106C/03), central Yukon; Yukon Geological Survey, Open File 2012-11, 1:50,000.

2013 Personal communication via email.

Colpron, M., Moynihan, D., Israel, S. and Abbott, G.
2013 Bedrock geology of the Rackla belt (106D/1 and 106C/1-4), southern Nadaleen map area; Yukon Geological Survey, poster.

Eaton, S.
2010 Assessment report describing geochemistry sampling at the Sten property; prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited.

Friske, P.W.B., Hornbrook, E.H.W., Lynch, J.J., McCurdy, M.W., Gross, H., Galletta, A.C., Durham, C.C.

1991 National Geochemical Reconnaissance stream sediment and water data, east central Yukon (NTS 105O; parts of 105P); Geological Survey of Canada, Open File 2364

Gordey, S.P. and Makepeace, A.J. (compilers)

2003 Yukon Digital Geology, version 2.0, S.P. Gordey and A.J. Makepeace (comp); Geological Survey of Canada, Open File 1749 and Yukon Geological Survey, Open File 2003-9 (D).

Green, L.C.

1972 Geology of Nash Creek, Larsen and Dawson Map Areas, Yukon Territory; Geological Survey of Canada, Memoir 364, pp157.

Héon, D. (compiler)

2003 Yukon regional Geochemical Database 2003 – Stream sediment analyses; Exploration and Geological Services Division, Yukon Region, Indian and Northern Affairs Canada.

Lane, J.

2011 Assessment report describing geochemical sampling, geological mapping, diamond drilling and geophysical survey at the Nadaleen Trend Project, Rackla Gold Property; prepared for ATAC Resources Ltd. by Archer, Cathro & Associates (1981) Limited.

Mitchell, A.

2012 Assessment report describing geochemical sampling and geological mapping at the Nad property; report prepared for Strategic Metals Ltd. by Archer, Cathro & Associates (1981) Limited.

Pigage, L.C.

2004 Bedrock geology compilation of the Anvil District (parts of 105K/2, 3, 5, 7 and 11), central Yukon; Yukon Geological Survey, Bulletin 15.

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS


I, Sarah Drechsler (née Eaton), geologist, with business addresses in Whitehorse, Yukon Territory and Vancouver, British Columbia and residential address in Squamish, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2007 with a B.Sc. in Honours Geological Sciences.

2. From 2002 to present, I have been actively engaged in mineral exploration in Yukon Territory, British Columbia and Northwest Territories.

3. I am a Professional Geoscientist (P.Geo.) with the Association of Professional Engineers and Geoscientists of British Columbia (Member Number 154922).

4. I have personally interpreted all data resulting from this work.



S. Drechsler, B.Sc., P.Geo.

APPENDIX II

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions

Project: NAD Zone:

Sample #:	Grid East		E	Grid North		N	Type:	Volcanic	Sample kept:
I079801	UTM:	355964	E	UTM:	7100340	N	Sample Width:	cm	Photo taken: yes
Sampler:	Elevation:		m				Dimension:	10 x 10 metres	
	Comments:								
Date:									

Fine grained, greeny matrix with black stringers found pervasively througout. Calcite veining present in unit (Bottom Volcaniclastic)

Sample #:	Grid East		E	Grid North		N	Type:		Sample kept
I079802	UTM:	355863	E	UTM:	7100447	N	Sample Width:	cm	Photo taken yes
Sampler:	Elevation:		m				Dimension:	Vein was approximately 50 cm x 5 cm	
	Comments:								
Date:									

Sample taken immediately adjacent to quartz vein within the Grit unit. Sample is weakly calcareous and fine grained with calcite veins weathering orange along with few small clasts within the rock.

Sample #:	Grid East		E	Grid North		N	Type:		Sample kept
I079803	UTM:	355797	E	UTM:	7100576	N	Sample Width:	cm	Photo taken yes
Sampler:	Elevation:		m				Dimension:	10-20 cm bedding across 10 m exposed strike distance	
	Comments:								
Date:									

Rusty orangy purple altered dolostone. Few goethite? crystals found within the sample

Sample #:	Grid East		E	Grid North		N	Type:		Sample kept
I079804	UTM:	356563	E	UTM:	7099208	N	Sample Width:	cm	Photo taken yes
Sampler:	Elevation:		m				Dimension:	10's to 100's of metres of sporadic outcrop within talus	
	Comments:								
Date:									

Black/Metalic blue shale with few orangey weathered blebs and veins throughout.

Sample #:	Grid East		E	Grid North		N	Type:		Sample kept
I079805	UTM:	356244	E	UTM:	7099827	N	Sample Width:	cm	Photo taken No
Sampler:	Elevation:		m				Dimension:	Float within creek - one of its kind	
	Comments:								
Date:									

Dark grey, orange weathered surface and blebs within and weakly calcareous (small Ca veinlets?). Altered Shale?

Sample #:	Grid East		E	Grid North		N	Type:		Sample kept No
I079806	UTM:	356274	E	UTM:	7099623	N	Sample Width:	cm	Photo taken
Sampler:	Elevation:		m				Dimension:	Float within creek. Makes up about 15% of clasts in creek	
	Comments:								
Date:									

Rusty orange weathered black-green shale with high abundance of calcite veinlets throughout.

Sample #:	Grid East		E	Grid North		N	Type:		Sample kept:	
I079807	UTM:	356294	E	UTM:	7099536	N	Sample Width:	cm	Photo taken:	
Sampler:	Elevation:		m				Dimension:	Float within creek gully. Most of cr		Yes
	Comments:									
Date:										

Altered dark grey to black, moderately calcareous rock with ferricrete clasts (<1 mm) found within. Black shale?

Sample #:	Grid East		E	Grid North		N	Type:		Sample kept	
I079808	UTM:	356382	E	UTM:	7099421	N	Sample Width:	cm	Photo taken	Yes
Sampler:	Elevation:		m				Dimension:	Float within creek gully		
	Comments:									
Date:										

Orangy brown limonite appears vuggy with small black clasts. Found within black soil horizon along creek gully

APPENDIX III

CERTIFICATES OF ANALYSIS

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-JUL-2012
Account: MTT

CERTIFICATE WH12145887

Project: NAD

P.O. No.:

This report is for 8 Rock samples submitted to our lab in Whitehorse, YT, Canada on 23-JUN-2012.

The following have access to data associated with this certificate:

SARAH EATON	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
As-OG46	Ore Grade As - Aqua Regia	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145887

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
I079801		0.42	0.001	0.05	4.30	60.9	<0.2	10	90	1.84	0.01	6.53	0.03	171.0	37.8	262
I079802		0.31	0.001	0.02	0.21	1080	<0.2	<10	50	0.14	0.04	6.14	0.02	6.07	3.4	7
I079803		0.76	0.004	0.06	0.78	>10000	<0.2	<10	30	0.19	0.02	0.39	0.02	22.7	13.8	183
I079804		0.31	0.008	1.07	2.04	105.0	<0.2	<10	230	0.78	0.23	0.29	0.45	10.45	15.1	49
I079805		1.18	0.001	0.09	3.57	44.5	<0.2	<10	40	0.20	0.01	3.70	0.14	11.50	66.1	758
I079806		0.61	0.001	0.06	0.56	383	<0.2	<10	3050	0.31	0.08	13.00	0.11	1.33	6.7	22
I079807		0.45	0.002	0.09	3.45	12.8	<0.2	<10	220	0.20	0.01	6.43	0.19	16.90	71.9	751
I079808		0.43	0.001	0.08	1.87	27.6	<0.2	<10	110	1.67	0.05	8.76	0.17	201	48.0	268

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145887

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
I079801		2.73	75.1	8.30	15.60	0.32	0.20	0.05	0.087	0.31	88.3	54.9	3.66	1360	0.20	0.05
I079802		0.55	5.4	1.45	0.68	<0.05	0.06	0.93	0.013	0.08	2.5	1.1	0.73	449	0.16	0.02
I079803		1.50	26.2	9.03	3.74	0.15	0.05	52.5	0.076	0.09	9.6	58.5	0.09	182	1.80	0.01
I079804		1.79	109.5	4.72	5.02	0.10	0.22	0.35	0.035	0.23	4.9	25.4	0.43	982	24.0	0.01
I079805		0.47	58.4	6.70	8.02	0.33	0.04	0.16	0.031	0.01	5.4	71.6	7.78	1500	0.35	0.01
I079806		0.35	8.4	5.31	1.18	0.08	0.05	0.09	0.021	0.06	0.6	4.3	2.74	905	0.84	0.03
I079807		0.51	63.6	7.50	8.47	0.28	0.04	0.07	0.034	0.02	8.3	61.0	8.53	2650	0.44	0.02
I079808		0.12	71.5	7.61	6.36	0.28	0.25	0.37	0.117	0.02	104.0	8.2	2.31	1680	0.58	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145887

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
I079801		0.24	105.0	5930	4.1	21.5	0.001	0.05	0.14	15.2	1.0	1.9	577	0.01	0.01	4.8
I079802		0.12	8.5	80	6.1	3.3	<0.001	0.04	1.42	1.7	0.2	0.2	21.3	<0.01	0.01	1.8
I079803		0.21	30.0	4060	3.4	3.8	<0.001	0.36	11.05	13.1	0.3	2.4	68.4	<0.01	<0.01	3.5
I079804		0.09	20.1	1200	170.0	12.1	0.032	0.09	7.68	4.5	5.8	0.7	21.9	<0.01	0.09	2.6
I079805		0.14	615	430	1.9	0.6	<0.001	0.02	<0.05	10.7	0.3	0.2	115.0	<0.01	0.01	0.3
I079806		0.18	13.7	220	7.0	3.0	<0.001	0.12	0.46	5.6	0.5	0.2	196.0	<0.01	0.02	0.5
I079807		0.19	640	480	2.6	1.4	<0.001	0.02	<0.05	11.4	0.4	0.2	213	<0.01	0.01	0.4
I079808		0.30	122.5	5190	7.8	1.0	<0.001	0.11	0.23	22.2	0.9	1.2	251	0.01	0.01	7.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145887

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	As-OG46
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr	As
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5	0.01
I079801		0.029	0.14	0.90	292	0.16	19.80	181	5.3	
I079802		<0.005	0.43	0.21	5	<0.05	2.74	19	1.8	
I079803		0.005	39.4	0.31	160	1.38	2.92	38	1.8	2.48
I079804		<0.005	0.19	2.71	148	<0.05	9.23	98	9.0	
I079805		0.015	0.11	<0.05	74	<0.05	5.12	101	0.7	
I079806		<0.005	0.08	0.28	54	<0.05	12.50	76	1.2	
I079807		0.018	0.04	0.09	76	<0.05	9.03	100	0.6	
I079808		0.011	0.13	0.94	307	0.05	23.1	140	6.4	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145887

Method	CERTIFICATE COMMENTS
ME-MS41	Interference: Ca>10% on ICP-MS As,ICP-AES results shown.
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

CERTIFICATE WH12145888

Project: NAD

P.O. No.:

This report is for 184 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23-JUN-2012.

The following have access to data associated with this certificate:

SARAH EATON	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both


ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
CC160740		0.16	0.005	0.05	4.27	3.7	<0.2	70	380	2.80	0.07	2.23	0.22	169.5	53.4	223
CC160741		0.16	0.002	0.05	4.33	3.8	<0.2	70	430	2.67	0.07	2.11	0.23	169.0	52.1	230
CC160742		0.21	0.002	0.05	4.33	3.4	<0.2	70	320	2.68	0.07	2.24	0.22	162.5	52.4	228
CC160743		0.20	0.005	0.42	3.82	13.5	<0.2	160	280	2.05	0.11	2.34	0.66	113.5	46.6	323
CC160744		0.15	0.006	0.32	1.46	53.9	<0.2	<10	220	1.49	0.26	0.55	2.00	42.1	22.2	86
CC160745		0.19	0.002	0.07	1.78	15.3	<0.2	<10	180	0.91	0.31	0.29	0.26	28.9	9.7	48
CC160746		0.20	0.001	0.04	4.88	1.8	<0.2	<10	220	2.63	0.04	2.05	0.14	169.5	51.6	386
CC160747		0.19	0.001	0.04	4.52	1.7	<0.2	10	240	2.66	0.04	1.86	0.14	156.5	47.2	363
CC160748		0.22	0.001	0.06	4.49	1.8	<0.2	<10	260	2.45	0.05	1.84	0.09	175.0	44.7	360
CC160749		0.17	0.007	0.12	3.72	5.4	<0.2	<10	360	2.50	0.18	1.02	0.08	82.9	30.1	198
CC160750		0.23	0.002	0.03	0.71	20.4	<0.2	<10	80	1.61	0.42	0.07	0.07	4.36	8.7	17
ZZ69501		0.17	0.001	0.05	2.00	6.1	<0.2	<10	400	1.37	0.26	0.87	0.20	53.0	15.4	89
ZZ69502		0.17	0.006	0.43	3.06	7.9	<0.2	<10	220	2.34	0.18	0.49	0.28	122.0	33.7	185
ZZ69503		0.18	0.003	0.11	2.27	6.9	<0.2	<10	500	2.70	0.16	1.46	0.28	173.5	31.0	153
ZZ69504		0.15	0.003	0.09	2.00	7.7	<0.2	<10	630	1.06	0.27	1.00	0.26	51.0	14.3	82
ZZ69505		0.12	0.006	0.08	2.07	8.6	<0.2	<10	400	0.84	0.30	0.65	0.17	43.4	10.8	67
ZZ69506		0.26	0.002	0.04	3.28	8.7	<0.2	<10	240	1.57	0.29	0.23	0.09	56.8	15.3	94
ZZ69507		0.18	0.008	0.08	2.57	9.4	<0.2	<10	260	1.73	0.25	0.49	0.41	70.2	21.3	101
ZZ69508		0.22	0.002	0.08	2.33	6.2	<0.2	<10	530	2.44	0.18	1.22	0.23	93.1	20.3	115
ZZ69509		0.17	0.005	0.09	2.66	6.3	<0.2	10	530	1.70	0.23	1.33	0.14	64.6	21.8	115
ZZ69510		0.23	0.005	0.19	2.44	7.4	<0.2	<10	650	1.91	0.24	1.50	0.27	53.8	18.1	98
ZZ69511		0.19	0.002	0.06	1.73	7.0	<0.2	<10	330	0.98	0.31	0.12	0.07	10.05	7.2	34
ZZ69512		0.30	0.002	0.20	1.11	24.2	<0.2	<10	260	1.85	0.36	0.26	0.67	14.60	32.7	29
ZZ69513		0.13	0.005	0.06	3.14	10.1	<0.2	<10	410	1.48	0.34	0.09	0.06	13.05	9.4	47
ZZ69514		0.15	0.003	0.04	2.50	15.7	<0.2	<10	140	1.46	0.39	0.06	0.13	20.7	16.1	54
ZZ69515		0.28	0.001	0.05	4.70	4.0	<0.2	<10	250	2.25	0.06	2.05	0.11	158.5	47.4	361
ZZ69516		0.24	0.002	0.08	4.49	3.5	<0.2	10	240	2.44	0.04	2.41	0.22	162.0	51.2	351
ZZ69517		0.22	0.004	0.25	3.23	18.1	<0.2	10	280	2.36	0.11	2.03	0.55	138.0	42.0	235
ZZ69518		0.19	0.002	0.05	4.03	2.3	<0.2	10	370	2.57	0.03	3.55	0.17	180.0	53.7	311
ZZ69519		0.18	0.010	0.04	3.87	2.3	<0.2	10	390	2.44	0.04	3.71	0.17	167.5	48.8	290
ZZ69520		0.17	0.014	0.10	1.65	6.8	<0.2	<10	350	1.37	0.29	0.25	0.16	16.30	14.1	39
ZZ69521		0.20	0.003	0.07	2.05	8.5	<0.2	<10	380	1.15	0.29	0.32	0.33	39.5	12.7	61
ZZ69522		0.17	0.008	0.06	2.03	7.4	<0.2	<10	180	0.74	0.31	0.17	0.15	32.1	10.1	67
ZZ69523		0.16	0.004	0.06	2.96	7.5	<0.2	<10	320	1.74	0.26	0.51	0.14	77.8	23.9	118
ZZ69524		0.14	0.009	0.20	2.69	5.3	<0.2	<10	820	1.34	0.22	1.70	0.14	53.9	13.5	67
ZZ69525		0.35	0.005	0.08	3.53	8.3	<0.2	<10	700	1.96	0.27	1.12	0.12	89.7	26.1	143
ZZ69526		0.27	0.008	0.23	2.95	6.9	<0.2	<10	590	1.35	0.25	1.31	0.09	56.7	19.1	117
ZZ69527		0.39	0.003	0.07	2.95	9.3	<0.2	<10	410	1.25	0.30	0.69	0.09	65.6	16.4	77
ZZ69528		0.14	0.002	0.09	2.55	6.8	<0.2	<10	390	0.94	0.33	0.20	0.16	31.2	11.1	65
ZZ69529		0.17	0.003	0.15	2.54	5.6	<0.2	<10	430	1.43	0.31	1.19	0.12	37.8	16.0	112

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
CC160740		2.36	99.6	8.12	17.90	0.27	0.38	0.02	0.063	0.16	87.8	37.9	3.44	2240	1.07	0.36
CC160741		2.44	100.0	8.11	17.80	0.28	0.37	0.03	0.062	0.14	87.5	39.7	3.53	2140	1.24	0.36
CC160742		2.41	103.5	8.24	17.30	0.25	0.39	<0.01	0.062	0.14	79.7	36.7	3.61	2140	1.03	0.36
CC160743		2.26	108.5	6.84	14.40	0.19	0.42	0.09	0.045	0.20	62.8	47.4	3.63	1300	5.11	0.40
CC160744		0.91	106.5	5.40	5.48	0.08	<0.02	0.23	0.045	0.13	19.7	12.6	0.49	1100	10.20	0.01
CC160745		1.82	22.3	4.02	7.69	<0.05	<0.02	0.01	0.031	0.08	11.9	15.9	0.43	671	2.59	0.01
CC160746		1.46	49.8	8.78	22.0	0.30	0.26	<0.01	0.075	0.04	85.4	78.0	6.54	1600	0.47	0.03
CC160747		1.33	40.8	8.26	20.3	0.27	0.18	<0.01	0.064	0.03	76.2	66.6	5.60	1420	0.46	0.04
CC160748		1.71	79.4	7.75	19.55	0.25	0.40	<0.01	0.067	0.05	94.5	66.4	5.28	1200	1.97	0.03
CC160749		2.61	44.7	6.43	14.45	0.12	0.21	0.03	0.061	0.09	44.7	43.6	2.58	1200	1.66	0.02
CC160750		0.74	51.0	4.57	2.36	<0.05	<0.02	0.03	0.055	0.08	1.7	5.7	0.11	349	1.30	0.01
ZZ69501		1.79	21.0	5.19	15.00	0.07	0.16	<0.01	0.044	0.06	24.6	14.3	0.76	984	1.84	0.02
ZZ69502		1.50	42.9	6.16	12.50	0.08	0.02	<0.01	0.067	0.11	26.7	36.8	1.17	1720	1.27	0.01
ZZ69503		1.25	45.2	6.92	10.60	0.16	0.02	0.08	0.067	0.08	74.2	20.5	0.85	1560	1.12	0.02
ZZ69504		2.20	22.0	4.22	11.15	0.06	0.06	<0.01	0.037	0.08	28.4	19.3	0.81	1110	1.41	0.02
ZZ69505		1.50	20.9	4.20	11.60	0.06	0.06	<0.01	0.033	0.09	23.5	18.0	0.70	487	1.63	0.02
ZZ69506		2.63	21.9	5.22	12.65	0.07	0.05	0.02	0.046	0.11	25.9	23.5	0.77	1220	1.85	0.02
ZZ69507		1.80	33.5	5.03	9.24	0.07	0.06	<0.01	0.047	0.12	24.1	30.8	1.12	1290	1.53	0.02
ZZ69508		1.43	37.0	6.26	9.50	0.12	0.12	0.11	0.064	0.13	52.2	27.4	1.12	877	2.19	0.02
ZZ69509		1.53	34.4	5.05	9.51	0.09	0.19	0.03	0.042	0.11	32.3	41.7	1.35	966	1.59	0.03
ZZ69510		1.38	30.3	4.61	8.70	0.06	0.15	0.33	0.047	0.11	30.1	30.5	1.20	1140	1.63	0.02
ZZ69511		1.45	12.4	3.92	6.84	<0.05	<0.02	<0.01	0.035	0.09	4.4	14.8	0.25	367	1.45	0.01
ZZ69512		2.02	50.6	4.96	3.93	0.05	0.02	0.14	0.043	0.11	5.5	14.6	0.35	1600	2.84	0.01
ZZ69513		4.64	24.2	3.88	8.96	<0.05	0.08	<0.01	0.043	0.10	6.1	14.5	0.29	624	1.18	0.01
ZZ69514		2.53	28.9	5.20	8.94	<0.05	<0.02	<0.01	0.045	0.08	8.4	31.4	0.54	1060	1.43	0.01
ZZ69515		2.29	63.1	8.67	19.40	0.25	0.21	<0.01	0.070	0.05	84.2	83.4	5.89	1670	1.04	0.03
ZZ69516		2.32	82.7	8.48	19.55	0.32	0.47	<0.01	0.065	0.07	85.0	89.3	6.18	1900	0.83	0.04
ZZ69517		1.46	91.3	7.81	14.30	0.21	0.24	0.12	0.060	0.14	69.7	53.6	3.61	1280	6.18	0.06
ZZ69518		2.21	79.9	8.61	18.40	0.26	0.31	0.05	0.058	0.16	93.6	64.0	5.13	1820	0.64	0.12
ZZ69519		1.94	75.3	8.18	17.65	0.27	0.23	0.05	0.057	0.15	88.0	63.1	4.99	1700	0.65	0.12
ZZ69520		1.71	23.7	3.60	5.89	<0.05	0.02	0.01	0.030	0.13	6.2	22.1	0.41	1200	1.22	0.01
ZZ69521		2.53	24.8	3.57	9.24	<0.05	0.02	<0.01	0.033	0.13	17.9	21.1	0.50	976	1.43	0.01
ZZ69522		1.96	22.2	3.82	10.00	0.10	0.05	0.03	0.034	0.07	16.3	13.4	0.51	605	1.48	0.01
ZZ69523		1.85	39.2	5.34	11.40	0.19	0.09	0.04	0.048	0.11	34.5	30.9	1.32	1040	1.30	0.02
ZZ69524		2.87	30.7	2.98	7.26	0.13	0.11	0.10	0.037	0.08	32.1	18.1	0.69	1230	1.31	0.02
ZZ69525		3.08	52.0	5.89	13.15	0.21	0.13	0.04	0.056	0.20	41.6	54.8	1.79	1140	1.03	0.02
ZZ69526		1.44	39.8	4.91	11.55	0.17	0.24	0.09	0.046	0.10	38.9	37.6	1.47	587	3.42	0.02
ZZ69527		2.20	31.8	4.53	10.40	0.13	0.08	0.03	0.039	0.07	27.1	28.1	1.08	682	1.55	0.02
ZZ69528		2.04	20.5	4.11	9.24	0.10	0.03	0.06	0.041	0.07	18.3	26.0	0.49	783	2.24	0.01
ZZ69529		1.63	38.0	4.41	8.77	0.14	0.12	0.07	0.040	0.10	26.6	36.6	1.03	430	1.38	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
CC160740		4.07	140.0	4130	10.4	17.0	0.001	0.04	0.19	14.9	1.4	1.1	294	0.04	0.01	7.6
CC160741		3.48	141.0	4200	11.1	16.5	0.001	0.04	0.20	14.0	0.9	1.1	290	0.04	<0.01	7.9
CC160742		3.13	136.5	4220	10.5	16.0	<0.001	0.04	0.17	13.9	0.9	1.0	308	0.03	0.01	8.3
CC160743		14.30	178.0	2970	14.0	23.7	0.001	0.06	1.07	6.7	1.3	0.9	277	0.04	0.03	5.7
CC160744		1.14	78.4	2180	20.8	15.7	0.002	0.09	3.51	1.4	2.1	0.6	42.5	<0.01	0.10	<0.2
CC160745		1.34	31.4	780	14.8	15.9	0.001	0.05	1.07	1.3	0.3	0.8	24.9	<0.01	0.06	<0.2
CC160746		10.75	172.0	4460	9.3	5.2	0.001	0.04	0.12	9.3	0.8	1.0	338	0.05	0.01	5.6
CC160747		14.75	160.0	3530	8.5	5.0	<0.001	0.06	0.12	9.0	0.9	1.2	271	0.03	<0.01	3.9
CC160748		27.0	156.5	3730	7.6	7.4	0.001	0.11	0.22	9.9	1.4	1.1	274	0.09	0.02	3.5
CC160749		13.60	91.1	2140	13.4	19.1	0.001	0.13	0.32	7.2	1.0	1.1	112.5	0.05	0.02	1.2
CC160750		0.21	20.5	220	32.2	9.0	0.001	0.01	0.19	6.0	<0.2	0.6	20.0	<0.01	0.05	1.8
ZZ69501		21.2	31.4	1280	16.9	9.2	<0.001	0.14	0.57	4.4	<0.2	1.5	58.9	0.02	0.03	0.6
ZZ69502		3.99	79.5	1670	14.5	13.9	0.001	0.10	0.50	3.3	0.4	1.0	33.5	<0.01	0.01	0.3
ZZ69503		2.65	75.0	3270	12.9	11.6	<0.001	0.09	0.39	4.9	0.8	0.9	110.5	0.01	0.03	0.4
ZZ69504		9.88	35.0	1100	18.4	14.2	0.001	0.10	0.61	2.3	0.4	1.2	62.2	0.01	0.03	0.3
ZZ69505		12.80	29.2	820	16.4	12.4	<0.001	0.06	0.60	3.0	<0.2	1.3	54.7	0.01	0.03	0.8
ZZ69506		9.61	35.2	800	17.9	18.5	0.001	0.05	0.52	3.3	0.6	1.4	28.6	0.01	0.03	0.4
ZZ69507		8.42	52.1	1260	18.7	17.0	<0.001	0.09	0.50	3.4	0.2	0.9	40.8	0.01	0.02	0.4
ZZ69508		8.10	55.5	2650	12.6	15.0	<0.001	0.06	0.30	9.4	0.6	1.0	126.0	0.02	0.01	2.4
ZZ69509		15.60	51.1	1520	17.2	12.8	0.001	0.09	0.25	8.0	0.6	1.0	117.5	0.01	0.03	2.6
ZZ69510		8.76	46.7	1560	15.6	15.2	0.001	0.13	0.31	6.4	1.1	0.9	111.5	0.04	<0.01	1.2
ZZ69511		1.34	16.4	730	14.7	17.8	0.001	0.04	0.18	1.4	<0.2	0.9	15.1	<0.01	<0.01	0.2
ZZ69512		1.04	45.8	540	30.0	9.5	0.001	0.02	0.71	7.0	0.8	0.7	12.7	<0.01	0.04	3.5
ZZ69513		1.55	18.0	1820	17.3	18.9	<0.001	0.10	0.41	3.8	0.2	1.4	10.0	<0.01	0.03	1.3
ZZ69514		2.71	28.6	870	22.5	19.4	<0.001	0.05	0.48	2.4	0.4	1.2	9.5	0.01	0.04	0.3
ZZ69515		10.80	162.5	4080	10.6	9.1	<0.001	0.04	0.18	9.4	1.0	1.1	303	0.04	0.01	4.5
ZZ69516		14.95	165.5	4570	9.9	11.7	0.001	0.06	0.17	9.9	1.0	1.0	342	0.05	0.01	4.5
ZZ69517		15.15	150.0	4380	13.8	21.4	0.001	0.12	0.84	9.9	1.5	0.9	271	0.02	0.03	3.9
ZZ69518		1.92	165.5	5420	6.7	16.6	0.001	0.04	0.14	10.4	0.9	0.9	432	0.01	0.02	6.9
ZZ69519		1.82	157.5	5190	6.3	14.8	<0.001	0.04	0.14	10.1	1.0	0.8	432	0.01	<0.01	6.6
ZZ69520		1.17	26.5	1280	20.3	18.6	<0.001	0.09	0.44	2.3	<0.2	0.7	24.6	<0.01	0.01	0.6
ZZ69521		5.30	27.6	1230	20.0	25.7	0.001	0.11	0.59	1.4	0.5	1.1	32.2	<0.01	0.02	<0.2
ZZ69522		9.03	29.4	860	14.2	12.9	<0.001	0.10	0.47	1.6	0.6	1.0	22.5	0.01	0.05	<0.2
ZZ69523		12.20	72.0	1150	16.2	19.8	<0.001	0.07	0.34	4.3	0.8	1.0	56.1	0.01	0.05	0.5
ZZ69524		3.81	38.7	2830	10.2	19.9	<0.001	0.25	0.33	2.5	1.5	0.6	81.5	0.03	0.05	0.4
ZZ69525		12.20	78.3	1040	16.1	27.1	<0.001	0.05	0.29	9.8	0.9	1.1	79.0	0.01	0.05	1.6
ZZ69526		11.25	57.0	1740	12.0	17.0	<0.001	0.12	0.30	6.7	1.2	0.9	96.0	0.05	0.03	1.8
ZZ69527		8.98	47.5	650	15.2	12.1	<0.001	0.04	0.45	4.8	0.6	1.0	43.7	0.01	0.04	1.2
ZZ69528		2.68	24.3	1210	15.1	17.9	<0.001	0.12	0.27	2.0	0.8	1.0	22.1	0.01	0.05	0.2
ZZ69529		8.32	49.9	1060	15.2	21.6	0.001	0.09	0.20	6.2	1.3	0.8	146.0	0.02	0.04	1.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
CC160740		0.498	0.07	1.24	219	0.49	19.55	132	24.9
CC160741		0.492	0.07	1.24	213	0.48	18.75	130	25.6
CC160742		0.503	0.08	1.28	215	0.51	18.45	131	26.4
CC160743		0.583	0.15	2.92	182	0.47	20.1	188	35.5
CC160744		0.028	0.26	3.42	97	0.09	14.35	330	<0.5
CC160745		0.029	0.16	1.16	68	0.17	4.27	102	<0.5
CC160746		0.567	0.05	1.27	217	0.39	17.10	127	14.6
CC160747		0.694	0.05	1.29	222	0.30	14.40	127	11.6
CC160748		0.584	0.05	3.88	209	0.27	22.3	117	17.6
CC160749		0.194	0.12	1.29	140	0.18	14.30	104	6.6
CC160750		<0.005	0.08	0.25	23	<0.05	2.00	109	<0.5
ZZ69501		0.421	0.09	1.24	186	0.19	5.91	66	6.3
ZZ69502		0.075	0.09	0.78	155	0.16	5.76	96	1.0
ZZ69503		0.047	0.08	1.06	178	0.20	16.80	118	0.5
ZZ69504		0.161	0.11	0.88	123	0.16	5.73	71	3.5
ZZ69505		0.195	0.12	0.82	131	0.30	4.80	65	3.7
ZZ69506		0.171	0.18	1.08	138	0.14	5.70	75	2.5
ZZ69507		0.172	0.10	1.02	109	0.18	6.79	117	2.9
ZZ69508		0.142	0.09	1.18	161	0.21	14.05	141	4.2
ZZ69509		0.269	0.08	0.94	110	0.33	9.42	98	8.8
ZZ69510		0.111	0.09	1.04	89	0.26	12.50	102	5.4
ZZ69511		0.015	0.13	0.46	42	0.10	1.95	64	<0.5
ZZ69512		0.019	0.22	0.91	35	0.10	8.01	133	0.7
ZZ69513		0.006	0.28	0.83	54	0.17	3.83	55	1.7
ZZ69514		0.041	0.14	0.67	64	0.14	3.69	84	<0.5
ZZ69515		0.629	0.09	1.35	225	0.36	18.95	132	10.9
ZZ69516		0.562	0.10	1.13	223	0.40	19.25	132	19.3
ZZ69517		0.345	0.15	2.21	192	0.29	18.30	171	11.5
ZZ69518		0.385	0.08	1.05	204	0.34	18.25	129	17.9
ZZ69519		0.346	0.08	0.97	190	0.31	17.50	121	15.5
ZZ69520		0.014	0.10	0.62	36	0.13	3.53	72	0.5
ZZ69521		0.060	0.14	0.82	97	0.17	4.59	82	1.0
ZZ69522		0.122	0.16	0.90	101	0.18	3.68	68	2.6
ZZ69523		0.218	0.13	1.23	120	0.20	10.20	96	4.8
ZZ69524		0.022	0.18	1.41	65	0.23	12.00	71	2.8
ZZ69525		0.234	0.14	1.36	129	0.23	15.15	95	5.4
ZZ69526		0.164	0.13	2.27	114	0.22	12.95	90	7.8
ZZ69527		0.159	0.18	0.89	107	0.30	6.95	78	3.2
ZZ69528		0.029	0.21	1.49	82	0.17	6.19	81	0.6
ZZ69529		0.116	0.10	1.37	73	0.19	11.85	125	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ69530		0.17	0.003	0.10	1.97	15.6	<0.2	<10	170	0.95	0.38	0.26	0.12	25.0	17.2	68
ZZ69531		0.25	0.002	0.05	1.02	13.0	<0.2	<10	140	1.30	0.49	0.10	0.04	11.30	25.9	24
ZZ69532		0.20	0.002	0.03	2.24	11.3	<0.2	<10	270	1.52	0.42	0.08	0.07	24.1	14.6	42
ZZ69533		0.19	0.008	0.08	2.38	18.9	<0.2	<10	110	0.73	0.46	0.09	0.15	16.25	21.5	56
ZZ69534		0.23	0.004	0.11	4.34	1.8	<0.2	10	230	1.90	0.04	2.51	0.18	159.5	53.2	355
ZZ69535		0.22	0.003	0.10	4.22	2.5	<0.2	20	210	1.99	0.04	2.31	0.16	155.5	49.7	355
ZZ69536		0.38	0.003	0.07	2.85	10.8	<0.2	<10	180	2.77	0.50	0.09	0.08	18.25	29.8	48
ZZ69537		0.30	0.003	0.07	2.22	6.1	<0.2	<10	180	1.71	0.46	0.36	0.10	10.40	23.4	47
ZZ69538		0.21	0.003	0.04	2.42	4.5	<0.2	<10	260	1.50	0.40	0.85	0.10	15.15	21.8	44
ZZ69539		0.20	0.002	0.11	4.11	2.2	<0.2	10	210	1.97	0.04	2.32	0.19	154.5	50.6	338
ZZ69540		0.27	0.002	0.09	4.13	2.4	<0.2	20	370	1.76	0.05	2.06	0.14	149.5	49.2	363
ZZ69541		0.15	0.001	0.11	5.22	4.0	<0.2	<10	240	2.10	0.08	1.97	0.09	125.5	59.7	412
ZZ69542		0.20	0.002	0.04	0.42	9.4	<0.2	<10	180	1.29	0.27	0.09	<0.01	9.77	21.1	18
ZZ69543		0.39	0.001	0.03	0.51	2.5	<0.2	<10	390	1.39	0.24	0.05	0.02	8.63	40.2	22
ZZ69544		0.31	0.001	0.04	0.76	4.9	<0.2	<10	290	1.39	0.32	0.10	0.03	13.90	34.4	19
ZZ69545		0.17	0.003	0.03	1.40	6.3	<0.2	<10	150	0.89	0.41	0.02	0.12	12.20	14.3	27
ZZ69546		0.32	0.002	0.04	2.70	8.7	<0.2	<10	310	1.51	0.29	0.93	0.09	71.4	21.9	116
ZZ69547		0.28	0.002	0.06	2.59	9.6	<0.2	<10	390	1.73	0.39	0.28	0.11	46.9	13.7	54
ZZ69548		0.13	0.003	0.13	2.67	11.4	<0.2	<10	240	1.60	0.33	0.63	0.49	62.6	22.2	104
ZZ69549		0.14	0.003	0.08	2.99	10.3	<0.2	<10	510	1.52	0.29	0.94	0.14	90.4	25.5	109
ZZ69550		0.18	0.018	0.08	2.72	9.9	<0.2	<10	270	1.63	0.35	0.44	0.24	56.4	21.3	88
ZZ69551		0.18	0.003	0.06	2.90	14.7	<0.2	<10	150	1.62	0.46	0.09	0.20	33.0	28.1	72
ZZ69552		0.23	0.002	0.04	3.20	18.3	<0.2	<10	110	1.49	0.51	0.13	0.12	25.5	35.0	65
ZZ69553		0.26	0.004	0.05	2.68	22.0	<0.2	<10	100	1.62	0.53	0.06	0.10	13.35	28.3	46
ZZ69554		0.19	0.009	0.07	2.70	17.6	<0.2	<10	170	1.99	0.50	0.17	0.11	17.40	31.2	46
ZZ69555		0.16	0.009	0.06	2.21	8.8	<0.2	<10	120	1.04	0.52	0.02	0.10	6.83	22.1	41
ZZ69556		0.19	0.012	0.05	2.59	5.0	<0.2	<10	170	1.33	0.51	0.03	0.10	12.50	24.5	45
ZZ69557		0.13	0.011	0.06	2.36	5.3	<0.2	<10	180	1.31	0.50	0.02	0.09	9.51	26.0	40
ZZ69558		0.15	0.006	0.05	1.58	4.7	<0.2	<10	70	0.72	0.39	0.02	0.13	3.62	13.4	35
ZZ69559		0.17	0.007	0.06	2.04	5.3	<0.2	<10	130	0.84	0.40	0.05	0.09	8.49	19.7	42
ZZ69560		0.17	0.004	0.07	3.14	10.0	<0.2	10	450	1.90	0.15	1.53	0.24	106.5	28.9	186
ZZ69561		0.15	0.003	0.07	3.74	5.3	<0.2	<10	550	2.12	0.13	1.59	0.08	98.9	30.0	197
ZZ69562		0.18	0.002	0.06	3.83	6.5	<0.2	<10	550	2.02	0.12	1.53	0.10	101.5	31.4	201
ZZ69563		0.23	0.002	0.08	3.52	5.5	<0.2	10	450	2.23	0.14	1.69	0.19	102.5	33.5	189
ZZ69564		0.26	0.002	0.05	3.68	3.1	<0.2	10	390	1.46	0.07	1.97	0.15	104.5	37.5	297
ZZ69565		0.15	0.004	0.04	3.49	2.9	<0.2	10	300	1.54	0.07	1.66	0.12	95.5	37.6	285
ZZ69566		0.24	0.003	0.08	3.48	4.9	<0.2	10	450	1.92	0.11	1.69	0.16	100.5	28.7	218
ZZ69567		0.16	0.001	0.05	3.34	7.9	<0.2	<10	260	1.64	0.20	0.81	0.18	71.9	28.5	147
ZZ69568		0.17	0.002	0.06	3.38	4.3	<0.2	<10	380	1.48	0.13	1.21	0.18	96.3	29.3	226
ZZ69569		0.12	0.010	0.07	2.54	5.1	<0.2	<10	300	1.61	0.16	0.83	0.16	61.0	14.6	89

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ69530		1.59	35.8	5.71	8.25	0.11	0.03	0.04	0.042	0.09	10.9	19.4	0.59	979	1.80	0.01
ZZ69531		1.25	56.7	5.40	4.04	0.10	0.02	0.03	0.044	0.08	4.6	12.9	0.27	1100	1.51	0.01
ZZ69532		3.24	34.4	4.43	8.01	0.12	0.03	0.04	0.043	0.09	11.9	20.8	0.43	990	1.46	0.01
ZZ69533		2.72	32.1	5.16	8.73	0.09	0.02	0.04	0.043	0.08	7.1	31.1	0.71	1210	1.26	0.01
ZZ69534		2.40	90.4	8.76	22.1	0.51	0.53	0.03	0.070	0.09	94.9	91.0	6.23	1890	0.79	0.05
ZZ69535		2.21	69.8	8.81	21.5	0.48	0.47	0.02	0.072	0.07	89.4	81.5	5.92	1590	0.76	0.04
ZZ69536		5.10	47.1	5.92	8.18	0.12	0.07	0.03	0.056	0.11	5.5	46.6	0.72	3040	1.21	0.01
ZZ69537		4.47	46.3	5.83	7.67	0.08	<0.02	0.04	0.042	0.11	4.4	29.7	0.46	2530	1.47	0.01
ZZ69538		3.28	29.8	4.93	8.36	0.09	0.06	0.02	0.041	0.09	7.3	41.9	0.68	1640	0.94	0.01
ZZ69539		2.42	84.9	8.48	20.8	0.47	0.51	0.03	0.072	0.09	94.5	84.1	5.90	1780	0.77	0.04
ZZ69540		2.50	74.7	8.40	20.7	0.41	0.44	0.02	0.060	0.07	89.3	86.4	5.95	1430	0.96	0.04
ZZ69541		2.93	54.1	10.15	26.5	0.36	0.21	0.02	0.079	0.05	66.6	104.0	6.54	1960	1.14	0.02
ZZ69542		1.09	45.9	4.90	2.06	0.08	0.03	0.06	0.049	0.08	4.3	4.2	0.12	548	0.49	0.01
ZZ69543		3.12	30.3	3.95	2.22	0.06	0.03	0.02	0.038	0.10	3.3	5.3	0.19	1920	0.43	0.01
ZZ69544		1.57	47.9	4.79	3.40	0.10	0.03	0.04	0.045	0.10	4.5	9.7	0.24	1770	0.55	0.01
ZZ69545		1.86	24.9	3.98	5.42	0.06	<0.02	0.03	0.033	0.09	5.7	13.5	0.24	885	0.92	0.01
ZZ69546		1.67	38.4	5.55	9.50	0.17	0.16	0.03	0.046	0.10	31.2	38.7	1.44	769	1.53	0.02
ZZ69547		1.77	27.7	4.73	8.70	0.12	0.06	0.03	0.048	0.08	20.5	32.0	0.55	721	2.21	0.01
ZZ69548		1.92	37.7	5.70	10.40	0.15	0.11	0.03	0.054	0.13	26.1	37.9	1.19	1240	1.64	0.02
ZZ69549		2.40	32.3	5.70	13.05	0.16	0.09	0.02	0.051	0.12	32.2	43.1	1.30	1390	1.60	0.02
ZZ69550		2.45	38.8	5.49	9.66	0.14	0.06	0.03	0.047	0.11	25.4	36.8	1.09	1350	1.48	0.02
ZZ69551		2.44	30.3	6.25	9.61	0.12	0.04	0.04	0.058	0.08	14.5	39.0	0.73	2120	1.47	0.01
ZZ69552		1.85	43.6	6.26	8.80	0.11	0.03	0.02	0.057	0.08	9.6	58.0	1.01	2010	0.90	0.01
ZZ69553		3.59	42.7	5.73	8.79	0.09	0.05	0.02	0.049	0.09	4.1	48.2	0.60	1650	0.98	0.01
ZZ69554		4.63	47.5	5.44	8.22	0.10	0.06	0.03	0.050	0.11	5.2	55.3	0.70	2200	1.13	0.02
ZZ69555		4.17	36.0	5.92	9.24	0.07	0.05	0.04	0.046	0.11	2.8	29.0	0.39	2130	1.10	0.01
ZZ69556		4.08	40.2	5.42	8.24	0.08	0.04	0.02	0.050	0.13	4.6	49.0	0.68	2530	1.35	0.01
ZZ69557		5.33	40.1	5.40	8.68	0.08	0.05	0.05	0.049	0.12	3.4	35.4	0.39	4370	1.88	0.01
ZZ69558		3.15	25.2	5.29	7.92	<0.05	0.03	0.03	0.034	0.10	1.5	14.1	0.29	1230	0.93	0.01
ZZ69559		3.88	28.7	5.07	7.90	<0.05	0.03	0.04	0.039	0.11	3.1	18.2	0.27	3550	1.74	0.01
ZZ69560		1.39	38.3	5.66	11.20	0.14	0.19	0.03	0.045	0.11	39.6	41.0	2.18	1140	1.48	0.03
ZZ69561		2.37	43.9	5.31	14.70	0.17	0.23	0.01	0.043	0.09	61.3	45.8	2.42	912	1.17	0.03
ZZ69562		2.40	37.5	5.77	13.85	0.16	0.29	<0.01	0.045	0.09	48.3	51.3	2.55	1050	1.06	0.03
ZZ69563		1.93	54.3	5.57	14.25	0.19	0.27	0.01	0.048	0.13	55.7	50.4	2.50	860	1.10	0.05
ZZ69564		1.80	55.6	5.79	13.80	0.19	0.17	0.01	0.030	0.08	51.2	41.8	3.94	1140	0.98	0.08
ZZ69565		1.82	44.6	5.84	13.90	0.18	0.20	<0.01	0.030	0.09	44.7	43.6	3.68	1180	0.84	0.09
ZZ69566		2.32	44.8	5.01	13.00	0.14	0.12	0.01	0.037	0.09	50.5	55.3	2.66	830	0.92	0.06
ZZ69567		2.40	27.1	6.39	13.25	0.10	0.13	0.01	0.055	0.08	32.6	50.5	2.05	1120	1.11	0.02
ZZ69568		2.13	46.0	5.31	13.65	0.13	0.11	<0.01	0.033	0.07	44.5	31.8	2.78	1040	1.23	0.06
ZZ69569		2.56	27.6	3.55	9.38	0.09	0.10	<0.01	0.035	0.08	31.9	26.5	1.16	576	1.31	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ69530		4.67	37.7	830	23.1	15.1	<0.001	0.09	0.50	1.7	0.7	0.9	23.8	0.01	0.05	<0.2
ZZ69531		1.09	39.6	370	37.4	7.8	<0.001	0.01	0.22	5.8	0.4	0.7	10.7	0.01	0.06	2.8
ZZ69532		1.40	27.6	710	21.0	19.7	<0.001	0.04	0.39	2.5	0.7	1.0	10.3	0.01	0.05	0.3
ZZ69533		3.97	36.6	770	22.1	16.0	<0.001	0.06	0.45	3.0	0.6	1.0	9.8	0.01	0.06	0.4
ZZ69534		13.45	166.0	4750	8.6	15.2	0.001	0.05	0.08	9.8	1.1	0.9	336	0.05	0.03	5.2
ZZ69535		14.50	160.5	4510	7.5	12.9	<0.001	0.05	0.11	11.3	1.2	1.0	305	0.05	0.03	4.7
ZZ69536		1.38	40.5	1220	44.0	16.9	<0.001	0.05	0.35	6.1	0.7	0.9	9.1	0.01	0.06	3.3
ZZ69537		1.82	30.9	1110	28.6	17.6	<0.001	0.07	0.52	2.5	0.5	0.7	21.6	0.01	0.06	0.4
ZZ69538		1.74	34.2	1110	24.7	14.7	<0.001	0.07	0.22	3.6	0.5	0.7	53.1	0.01	0.05	1.1
ZZ69539		15.85	157.5	4450	8.3	14.9	0.001	0.05	0.10	10.4	1.1	0.9	318	0.05	0.02	4.6
ZZ69540		11.65	166.0	4390	8.4	13.2	0.001	0.05	0.11	8.2	1.0	0.8	332	0.04	0.02	5.0
ZZ69541		15.75	179.0	2220	11.9	12.7	<0.001	0.05	0.14	9.8	1.2	1.4	228	0.01	0.03	3.2
ZZ69542		0.32	34.2	170	21.0	7.2	<0.001	0.01	0.10	6.1	0.2	0.5	28.7	<0.01	0.04	3.7
ZZ69543		0.14	51.5	190	15.4	11.1	<0.001	0.01	0.14	5.7	0.2	0.7	15.8	<0.01	0.03	3.8
ZZ69544		0.35	37.9	380	28.8	8.6	<0.001	0.01	0.11	6.4	0.4	0.5	14.5	<0.01	0.03	4.1
ZZ69545		1.29	20.1	460	13.9	18.4	<0.001	0.03	0.26	2.1	0.4	0.8	7.0	<0.01	0.04	0.3
ZZ69546		6.67	69.4	1200	20.3	15.9	<0.001	0.02	0.32	6.6	0.8	1.0	99.4	0.01	0.03	4.2
ZZ69547		1.97	28.5	1200	19.9	20.5	<0.001	0.07	0.33	3.5	0.8	0.9	32.9	0.01	0.04	0.8
ZZ69548		10.75	56.2	1330	17.2	20.2	<0.001	0.09	0.44	4.3	0.7	1.0	49.8	0.01	0.04	0.5
ZZ69549		9.51	56.5	980	18.5	18.0	<0.001	0.06	0.47	5.4	0.7	1.1	67.5	0.01	0.04	1.0
ZZ69550		7.21	52.5	1020	20.9	16.5	<0.001	0.08	0.45	3.5	0.7	0.9	35.7	0.01	0.04	0.4
ZZ69551		4.53	36.3	840	26.8	20.0	<0.001	0.08	0.52	3.3	0.7	1.1	11.4	0.01	0.05	0.5
ZZ69552		3.47	52.8	520	36.0	10.2	<0.001	0.02	0.32	5.4	0.5	1.0	12.0	0.01	0.05	2.1
ZZ69553		0.89	37.0	710	40.7	13.4	<0.001	0.02	0.27	5.8	0.4	1.0	10.3	<0.01	0.05	3.5
ZZ69554		0.89	42.4	780	53.3	15.1	<0.001	0.04	0.32	6.6	0.5	0.9	17.8	0.01	0.06	2.6
ZZ69555		1.53	23.3	790	17.2	18.9	<0.001	0.05	0.44	4.4	0.5	1.0	4.4	0.01	0.07	2.4
ZZ69556		1.21	39.1	650	19.5	17.2	<0.001	0.02	0.38	6.5	0.5	1.0	7.1	0.01	0.06	3.1
ZZ69557		1.37	25.5	990	154.5	23.1	<0.001	0.05	0.47	3.7	0.6	1.0	5.1	0.01	0.07	1.6
ZZ69558		1.07	18.3	740	19.0	16.4	<0.001	0.04	0.60	2.7	0.5	1.0	3.5	<0.01	0.10	1.4
ZZ69559		1.38	17.5	710	32.5	18.7	<0.001	0.04	0.54	3.2	0.8	0.9	6.1	0.01	0.06	1.5
ZZ69560		16.35	98.1	1710	11.5	17.5	0.001	0.09	0.30	7.8	0.9	0.9	155.0	0.03	0.03	2.1
ZZ69561		22.8	105.0	1860	9.3	13.8	<0.001	0.09	0.22	8.1	1.5	1.1	166.0	0.03	0.01	2.4
ZZ69562		19.55	106.5	2220	10.1	12.7	<0.001	0.05	0.22	8.0	1.4	1.1	169.5	0.03	0.02	3.9
ZZ69563		16.90	109.5	2690	11.3	14.6	<0.001	0.05	0.23	8.8	1.4	1.0	213	0.02	0.02	3.6
ZZ69564		19.15	159.5	2960	6.4	12.9	0.001	0.07	0.21	5.0	1.3	0.9	251	0.03	0.04	2.8
ZZ69565		19.75	149.0	2650	6.7	13.4	<0.001	0.07	0.21	5.1	1.2	0.9	197.0	0.03	0.03	2.8
ZZ69566		14.50	112.5	2060	9.4	13.9	0.001	0.08	0.30	4.9	1.1	1.0	209	0.02	0.04	1.5
ZZ69567		19.45	82.0	1400	18.1	11.5	<0.001	0.06	0.39	5.4	0.6	1.1	94.7	0.02	0.03	2.1
ZZ69568		14.45	119.0	2250	9.6	9.7	<0.001	0.06	0.43	4.3	1.1	1.0	170.0	0.01	0.06	2.7
ZZ69569		15.65	52.4	1540	10.1	12.6	<0.001	0.14	0.43	2.2	1.0	0.8	114.0	0.02	0.04	0.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ69530		0.074	0.10	0.78	75	0.15	3.80	79	1.3
ZZ69531		0.011	0.07	0.63	31	0.06	4.97	100	<0.5
ZZ69532		0.017	0.20	0.83	55	0.16	9.23	74	<0.5
ZZ69533		0.063	0.12	0.48	60	0.14	2.82	90	0.6
ZZ69534		0.523	0.11	1.00	215	0.45	20.2	130	22.1
ZZ69535		0.593	0.07	1.02	220	0.40	19.50	127	22.3
ZZ69536		0.016	0.11	0.95	38	0.11	8.78	101	1.2
ZZ69537		0.033	0.12	0.75	44	0.18	2.91	85	<0.5
ZZ69538		0.014	0.09	0.42	41	0.07	5.17	91	1.1
ZZ69539		0.539	0.09	0.96	208	0.42	20.7	126	21.4
ZZ69540		0.501	0.10	1.14	199	0.42	19.20	126	18.0
ZZ69541		0.819	0.12	1.16	270	0.31	12.45	153	12.0
ZZ69542		0.006	0.07	0.57	27	0.06	4.38	116	0.9
ZZ69543		0.006	0.08	0.49	25	0.07	4.09	78	0.8
ZZ69544		0.006	0.08	0.46	23	<0.05	7.25	104	<0.5
ZZ69545		0.019	0.12	0.48	37	0.08	2.45	81	<0.5
ZZ69546		0.257	0.11	1.17	96	0.27	10.75	98	8.2
ZZ69547		0.018	0.17	1.61	58	0.16	10.95	95	1.1
ZZ69548		0.232	0.10	1.09	115	0.18	7.40	144	4.9
ZZ69549		0.201	0.14	0.99	141	0.22	7.73	107	3.4
ZZ69550		0.150	0.12	0.92	92	0.20	9.03	101	2.3
ZZ69551		0.103	0.14	0.76	79	0.14	5.41	122	1.3
ZZ69552		0.071	0.08	0.48	54	0.10	4.91	108	0.6
ZZ69553		0.008	0.09	0.45	37	<0.05	4.18	104	1.1
ZZ69554		0.009	0.12	0.60	32	0.05	7.47	103	0.9
ZZ69555		0.014	0.14	0.56	39	0.15	2.69	76	1.3
ZZ69556		0.020	0.13	0.76	38	0.16	4.36	107	1.2
ZZ69557		0.019	0.15	0.69	38	0.21	3.14	83	1.0
ZZ69558		0.016	0.10	0.65	30	0.24	1.94	80	0.6
ZZ69559		0.018	0.15	0.59	44	0.16	2.71	58	0.8
ZZ69560		0.349	0.09	1.45	154	0.25	11.55	114	8.8
ZZ69561		0.476	0.09	2.00	159	0.30	16.00	92	12.7
ZZ69562		0.528	0.09	1.71	165	0.35	13.70	95	16.0
ZZ69563		0.432	0.07	1.50	147	0.35	15.30	104	13.4
ZZ69564		0.536	0.08	1.50	143	0.45	13.95	92	11.3
ZZ69565		0.611	0.06	1.41	152	0.46	12.00	92	12.9
ZZ69566		0.414	0.08	2.06	138	0.25	14.15	100	7.6
ZZ69567		0.444	0.09	0.96	148	0.33	6.66	80	8.3
ZZ69568		0.497	0.10	1.43	143	0.31	11.65	87	8.3
ZZ69569		0.198	0.09	1.42	98	0.24	7.38	70	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ69570		0.07	0.004	0.08	2.73	5.9	<0.2	<10	640	1.48	0.13	1.59	0.06	52.7	14.1	109
ZZ69571		0.14	0.004	0.06	3.52	4.2	<0.2	10	410	1.62	0.07	2.10	0.18	94.0	33.9	283
ZZ69572		0.13	0.008	0.09	2.74	4.6	<0.2	10	430	1.40	0.08	2.34	0.16	74.6	23.8	212
ZZ69573		0.15	0.006	0.04	3.11	5.7	<0.2	10	390	1.80	0.10	1.93	0.17	101.0	31.4	245
ZZ69574		0.17	0.002	0.05	3.28	5.7	<0.2	10	360	1.77	0.12	1.48	0.13	92.5	27.6	194
ZZ69575		0.18	0.002	0.08	3.25	4.7	<0.2	10	460	1.87	0.16	1.42	0.14	93.8	27.1	182
ZZ69576		0.11	0.010	0.06	3.10	4.8	<0.2	10	690	1.78	0.11	1.86	0.17	85.1	25.1	191
ZZ69577		0.22	0.002	0.08	1.43	9.3	<0.2	<10	240	1.71	0.37	0.55	0.18	32.4	25.9	66
ZZ69578		0.18	0.005	0.05	2.40	8.8	<0.2	<10	200	2.15	0.40	0.07	0.09	17.55	28.5	52
ZZ69579		0.18	0.003	0.08	1.78	13.1	<0.2	<10	200	2.03	0.30	0.39	0.21	39.2	25.2	77
ZZ69580		0.26	0.002	0.03	1.53	8.5	<0.2	<10	200	1.63	0.30	0.11	0.08	11.50	26.7	29
ZZ69581		0.19	0.003	0.05	2.13	17.9	<0.2	<10	100	1.25	0.34	0.08	0.17	21.0	20.0	43
ZZ69582		0.27	0.003	0.26	2.43	17.5	<0.2	<10	110	1.47	0.37	0.08	0.19	30.4	17.4	51
ZZ69583		0.19	0.003	0.07	2.99	19.8	<0.2	<10	160	2.17	0.39	0.27	0.11	44.4	30.5	95
ZZ69584		0.20	0.002	0.12	3.99	5.0	<0.2	30	210	1.94	0.08	1.87	0.35	130.5	50.3	352
ZZ69585		0.14	0.006	0.06	3.81	4.8	<0.2	10	210	2.17	0.05	1.69	0.24	133.5	41.6	270
ZZ69586		0.27	0.001	0.05	4.18	2.5	<0.2	<10	270	2.03	0.04	2.14	0.10	118.0	44.8	318
ZZ69587		0.23	0.002	0.05	3.92	2.0	<0.2	<10	270	2.05	0.05	1.91	0.09	104.5	40.4	325
ZZ69588		0.21	0.001	0.05	3.92	1.9	<0.2	10	270	2.06	0.05	1.91	0.16	137.0	44.1	321
ZZ69589		0.17	0.006	0.07	4.06	3.5	<0.2	10	250	2.15	0.04	2.44	0.22	131.5	49.1	367
ZZ69590		0.15	0.009	0.11	4.01	5.4	<0.2	20	250	2.21	0.06	2.07	0.26	138.5	51.3	359
ZZ69591		0.18	0.009	0.05	4.17	3.2	<0.2	30	250	2.00	0.04	2.05	0.17	129.5	52.9	372
ZZ69592		0.14	0.011	0.24	2.12	43.8	<0.2	<10	440	2.90	0.34	0.80	0.71	91.5	53.3	116
ZZ69593		0.20	0.004	0.06	4.22	3.3	<0.2	20	200	2.38	0.04	2.03	0.18	152.0	48.7	336
ZZ69594		0.15	0.011	0.22	3.56	6.1	<0.2	10	210	1.48	0.07	2.14	0.32	121.5	35.9	308
ZZ69595		0.14	0.009	0.26	3.53	3.1	<0.2	<10	300	1.47	0.09	1.13	0.15	103.5	32.5	262
ZZ69596		0.26	0.002	0.16	4.52	2.4	<0.2	10	310	1.62	0.05	2.25	0.16	152.5	46.0	387
ZZ69597		0.25	0.002	0.14	4.16	2.3	<0.2	10	250	1.51	0.04	2.24	0.19	153.5	43.1	378
ZZ69598		0.12	0.012	0.19	4.03	3.1	<0.2	20	250	1.70	0.07	1.99	0.19	151.5	38.7	312
ZZ69599		0.23	0.008	0.11	2.34	14.4	<0.2	<10	170	1.44	0.38	0.13	0.08	14.60	16.1	42
ZZ69600		0.14	0.003	0.15	4.04	3.8	<0.2	<10	500	1.99	0.09	1.51	0.14	154.0	35.3	233
ZZ69601		0.15	0.002	0.11	3.12	9.2	<0.2	<10	280	1.50	0.23	0.55	0.16	70.7	19.1	96
ZZ69602		0.13	0.006	0.12	2.57	5.0	<0.2	<10	270	1.28	0.22	0.35	0.14	51.3	18.9	136
ZZ69603		0.12	0.006	0.06	2.16	9.1	<0.2	<10	250	1.02	0.29	0.17	0.07	36.1	9.9	56
ZZ69604		0.14	0.011	0.16	1.60	6.5	<0.2	<10	270	1.07	0.27	0.49	0.33	32.5	12.0	61
ZZ69605		0.16	0.005	0.10	1.73	8.4	<0.2	<10	470	0.88	0.32	0.64	0.27	38.8	12.9	45
ZZ69606		0.14	0.009	0.17	3.24	5.7	<0.2	<10	400	1.83	0.16	0.98	0.28	106.0	24.7	179
ZZ69607		0.15	0.008	0.15	2.83	6.7	<0.2	<10	760	1.71	0.25	0.87	0.15	83.9	19.3	133
ZZ69608		0.16	0.007	0.06	1.98	5.2	<0.2	<10	730	1.19	0.32	0.65	0.06	30.5	10.2	51
ZZ69609		0.21	0.007	0.03	3.27	6.9	<0.2	<10	340	1.99	0.27	0.70	0.09	86.3	30.4	134

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ69570		2.78	36.2	3.06	9.50	0.13	0.15	0.02	0.030	0.08	44.3	33.3	1.13	460	1.33	0.03
ZZ69571		1.91	51.8	5.52	13.10	0.16	0.24	0.01	0.032	0.09	56.0	47.0	3.51	999	0.93	0.10
ZZ69572		1.35	42.2	4.26	10.70	0.15	0.29	0.03	0.028	0.07	42.6	33.3	2.44	820	1.18	0.06
ZZ69573		1.76	44.0	5.47	12.30	0.15	0.32	0.02	0.031	0.09	46.1	52.2	2.79	1080	1.19	0.04
ZZ69574		2.08	42.3	5.12	12.05	0.13	0.20	<0.01	0.033	0.10	43.8	42.6	2.49	963	1.45	0.04
ZZ69575		1.82	45.5	4.71	11.25	0.14	0.15	0.02	0.041	0.10	47.8	48.0	2.15	591	1.69	0.03
ZZ69576		1.50	39.0	5.04	10.65	0.14	0.37	<0.01	0.031	0.12	40.2	40.1	2.27	1050	1.32	0.05
ZZ69577		1.88	49.4	5.29	5.49	0.08	0.29	0.03	0.035	0.11	15.5	18.7	0.74	988	1.18	0.02
ZZ69578		3.65	41.9	5.16	7.41	0.05	0.02	0.01	0.043	0.10	5.6	42.6	0.69	2310	1.13	0.01
ZZ69579		2.60	40.6	5.12	5.84	0.08	0.02	0.04	0.042	0.10	17.1	22.5	0.78	1630	2.37	0.02
ZZ69580		2.78	43.5	4.76	5.21	<0.05	0.04	<0.01	0.044	0.09	3.8	24.9	0.42	1340	1.45	0.01
ZZ69581		2.40	33.6	4.31	6.43	0.06	<0.02	0.01	0.036	0.06	9.2	38.9	0.61	996	1.58	0.01
ZZ69582		2.99	31.8	4.42	6.67	0.05	<0.02	<0.01	0.048	0.08	12.1	37.7	0.69	939	1.75	0.01
ZZ69583		2.88	40.5	5.99	9.08	0.08	0.04	<0.01	0.053	0.08	16.4	45.5	1.22	1940	1.38	0.01
ZZ69584		3.19	66.9	7.88	16.80	0.24	0.28	0.01	0.053	0.15	71.5	84.8	5.66	1800	1.47	0.03
ZZ69585		2.89	51.2	7.41	16.50	0.29	0.28	<0.01	0.056	0.08	76.0	74.9	4.55	1620	1.12	0.04
ZZ69586		2.94	49.0	7.92	18.00	0.25	0.11	<0.01	0.053	0.05	69.1	76.2	5.01	1660	0.58	0.03
ZZ69587		2.52	38.4	7.71	17.10	0.25	0.15	<0.01	0.051	0.05	57.9	70.8	4.94	1400	0.47	0.03
ZZ69588		2.89	51.4	7.47	17.60	0.28	0.34	<0.01	0.052	0.07	78.2	78.0	5.23	1250	0.51	0.04
ZZ69589		1.54	70.6	8.48	17.85	0.25	0.42	<0.01	0.054	0.07	73.1	79.7	5.74	1720	1.08	0.05
ZZ69590		2.16	85.7	8.30	18.35	0.31	0.38	<0.01	0.056	0.08	77.3	78.7	5.42	1820	1.36	0.05
ZZ69591		1.73	73.9	8.57	17.75	0.28	0.36	<0.01	0.053	0.07	73.3	77.6	5.84	1810	0.82	0.06
ZZ69592		2.87	130.5	7.33	9.53	0.15	0.06	0.06	0.060	0.15	38.6	30.3	1.57	3560	6.99	0.03
ZZ69593		1.99	74.7	8.40	18.95	0.34	0.40	<0.01	0.063	0.08	80.8	85.3	5.53	1800	0.84	0.04
ZZ69594		2.18	62.8	7.75	14.65	0.25	0.43	0.04	0.064	0.08	64.9	77.0	4.53	1220	2.67	0.06
ZZ69595		2.75	36.6	7.37	15.25	0.19	0.29	0.05	0.066	0.07	46.0	62.1	3.52	1580	1.38	0.03
ZZ69596		2.92	71.4	8.67	17.25	0.29	0.25	0.03	0.064	0.07	84.3	107.0	6.07	1830	0.99	0.03
ZZ69597		2.57	85.5	8.34	16.95	0.31	0.55	0.02	0.058	0.10	89.5	101.5	6.04	1500	1.09	0.06
ZZ69598		2.39	73.7	7.87	15.95	0.31	0.42	0.03	0.057	0.10	89.3	85.4	5.28	1460	1.02	0.06
ZZ69599		3.15	31.0	4.58	7.12	0.07	0.04	0.04	0.039	0.08	5.6	40.1	0.56	795	1.17	0.02
ZZ69600		2.52	58.6	6.14	15.05	0.22	0.14	0.02	0.062	0.11	75.3	53.8	3.70	1170	0.97	0.04
ZZ69601		1.92	29.4	4.99	9.23	0.12	0.11	0.04	0.050	0.09	31.9	36.4	1.18	854	1.52	0.02
ZZ69602		2.01	26.5	5.69	12.10	0.10	0.12	0.03	0.046	0.11	23.0	22.5	1.18	1140	1.30	0.02
ZZ69603		1.74	21.4	3.81	9.01	0.07	0.02	0.02	0.034	0.07	18.1	21.4	0.51	427	1.62	0.01
ZZ69604		1.45	22.2	3.73	8.66	0.08	0.05	0.06	0.031	0.12	15.8	13.9	0.52	977	1.80	0.02
ZZ69605		2.41	24.1	3.64	9.30	0.07	0.04	0.02	0.032	0.18	18.9	13.6	0.61	962	1.33	0.03
ZZ69606		2.75	42.3	5.16	11.40	0.15	0.20	0.04	0.047	0.10	41.3	45.6	2.06	1160	1.29	0.04
ZZ69607		3.23	41.1	5.50	13.55	0.15	0.17	0.03	0.052	0.13	54.5	38.8	1.44	1030	1.42	0.03
ZZ69608		1.35	19.2	2.78	9.16	0.05	0.02	0.04	0.029	0.08	21.0	8.7	0.33	596	1.53	0.01
ZZ69609		1.88	31.1	5.52	12.05	0.09	0.19	0.03	0.050	0.11	26.2	53.7	1.68	1040	0.97	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ69570		15.85	52.3	1440	9.7	11.2	<0.001	0.17	0.29	3.1	1.7	0.6	295	0.04	0.03	0.7
ZZ69571		20.3	144.5	2910	7.2	12.8	0.001	0.09	0.24	4.7	1.9	0.8	361	0.05	0.03	2.9
ZZ69572		22.2	102.5	2660	6.8	10.2	<0.001	0.19	0.26	3.5	2.3	0.7	412	0.10	0.04	1.3
ZZ69573		22.2	115.0	2160	9.6	12.3	<0.001	0.07	0.34	5.5	1.4	0.8	286	0.05	0.02	2.9
ZZ69574		19.50	106.5	2140	9.6	12.6	<0.001	0.06	0.42	5.6	1.1	0.9	216	0.02	0.04	2.7
ZZ69575		14.30	98.5	1900	13.8	13.1	<0.001	0.05	0.31	7.7	1.4	0.9	199.5	0.01	0.03	2.9
ZZ69576		19.00	94.3	2520	9.2	11.7	<0.001	0.09	0.31	5.2	1.3	0.8	331	0.07	0.03	2.7
ZZ69577		1.05	49.0	970	22.7	9.9	<0.001	0.01	0.56	6.2	0.8	0.9	70.2	<0.01	0.04	5.1
ZZ69578		1.54	39.0	860	31.0	13.3	<0.001	0.02	0.49	5.0	1.0	0.9	11.4	0.01	0.06	1.2
ZZ69579		4.27	46.3	1000	25.2	11.5	0.001	0.06	0.72	4.6	0.8	0.8	36.5	<0.01	0.05	0.9
ZZ69580		0.52	32.5	360	27.4	11.6	<0.001	0.01	0.44	6.0	0.5	0.7	19.4	<0.01	0.05	3.2
ZZ69581		1.64	35.3	520	34.4	9.8	<0.001	0.02	0.81	3.6	0.9	0.8	11.1	0.01	0.04	1.8
ZZ69582		1.76	37.6	570	26.4	13.2	0.001	0.03	0.81	2.9	0.8	0.8	11.6	<0.01	0.04	0.9
ZZ69583		7.25	56.8	620	31.7	10.8	<0.001	0.03	0.48	6.4	0.7	1.1	31.3	0.01	0.06	1.8
ZZ69584		7.03	176.0	3960	10.8	22.2	0.001	0.03	0.37	7.4	1.1	0.7	285	0.02	0.03	3.7
ZZ69585		10.95	134.5	3800	10.5	14.8	<0.001	0.03	0.27	7.1	1.2	0.7	265	0.03	0.02	3.9
ZZ69586		12.70	143.5	3420	8.3	9.1	<0.001	0.05	0.15	6.6	0.6	0.9	296	0.02	0.01	2.9
ZZ69587		15.60	141.0	3370	7.9	9.4	<0.001	0.05	0.13	6.7	0.9	1.0	264	0.03	<0.01	3.2
ZZ69588		15.75	151.0	4070	7.2	12.5	<0.001	0.04	0.11	7.3	0.9	0.9	309	0.05	0.04	4.1
ZZ69589		2.72	169.5	4590	7.9	9.2	<0.001	0.03	0.21	6.8	1.1	0.8	335	0.02	0.03	4.8
ZZ69590		6.76	171.5	4380	10.6	11.7	0.001	0.04	0.29	8.1	1.4	0.8	318	0.03	0.04	4.8
ZZ69591		2.77	175.0	4700	7.8	9.4	<0.001	0.03	0.16	6.3	1.3	0.7	327	0.03	0.02	4.6
ZZ69592		6.24	85.3	2250	57.3	15.7	0.001	0.12	2.45	8.2	1.8	0.8	100.5	0.01	0.14	2.3
ZZ69593		10.25	160.5	4360	9.2	10.2	<0.001	0.03	0.19	9.4	1.2	0.9	284	0.04	0.04	4.7
ZZ69594		23.1	135.5	3610	10.7	10.4	<0.001	0.10	0.36	7.3	0.8	1.0	241	0.05	0.02	3.1
ZZ69595		31.3	100.5	1730	10.5	9.2	<0.001	0.14	0.26	7.3	0.8	1.4	92.3	0.01	0.02	1.4
ZZ69596		12.95	172.0	4320	9.8	11.5	<0.001	0.05	0.16	7.3	0.8	1.0	307	0.03	0.01	3.9
ZZ69597		12.95	169.5	4860	8.1	14.1	0.001	0.06	0.15	6.8	0.9	0.8	367	0.03	0.01	4.8
ZZ69598		15.40	140.5	4540	9.5	13.1	<0.001	0.06	0.17	6.7	0.8	0.8	317	0.03	0.01	4.5
ZZ69599		1.38	29.2	570	21.0	14.1	<0.001	0.04	0.55	4.6	0.4	1.0	20.9	0.01	0.04	2.7
ZZ69600		18.20	148.5	3300	8.7	14.3	<0.001	0.09	0.26	7.3	0.8	1.3	200	0.02	0.02	2.0
ZZ69601		14.95	50.2	1320	13.8	10.7	<0.001	0.06	0.54	4.6	0.8	0.9	60.4	0.01	0.04	1.6
ZZ69602		17.70	51.5	1000	15.3	15.8	<0.001	0.10	0.32	3.3	0.5	1.3	46.8	0.01	0.03	0.4
ZZ69603		5.41	27.3	580	14.9	13.7	<0.001	0.05	0.48	2.0	0.4	1.1	21.8	0.01	0.03	0.2
ZZ69604		7.57	27.7	1600	15.3	17.9	<0.001	0.13	0.45	1.3	0.4	0.9	49.6	0.01	0.03	<0.2
ZZ69605		8.24	24.1	1300	17.7	29.1	<0.001	0.09	0.55	2.3	0.4	1.1	106.0	0.01	0.04	0.4
ZZ69606		22.1	95.3	1540	11.6	14.5	<0.001	0.10	0.39	3.9	0.7	1.0	127.5	0.01	0.03	0.9
ZZ69607		22.8	58.9	910	18.1	19.4	<0.001	0.09	0.41	5.3	0.8	1.4	106.0	0.01	0.03	0.9
ZZ69608		3.63	15.9	1320	12.9	17.2	<0.001	0.10	0.29	2.3	0.4	1.0	59.4	0.01	<0.01	0.3
ZZ69609		16.45	76.7	770	17.5	18.3	<0.001	0.04	0.26	6.7	0.4	1.2	62.7	0.01	0.02	2.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ69570		0.166	0.09	3.10	93	0.23	13.10	56	6.2
ZZ69571		0.512	0.07	2.18	143	0.41	14.45	91	13.7
ZZ69572		0.357	0.06	2.84	123	0.30	11.95	69	13.4
ZZ69573		0.528	0.07	3.34	149	0.41	12.95	89	17.0
ZZ69574		0.441	0.08	1.45	136	0.41	11.15	89	11.2
ZZ69575		0.392	0.09	2.37	123	0.33	15.25	94	8.5
ZZ69576		0.398	0.06	2.32	129	0.36	11.15	85	15.2
ZZ69577		0.111	0.08	0.95	59	0.24	7.09	102	11.0
ZZ69578		0.030	0.10	0.71	39	0.14	5.67	96	0.6
ZZ69579		0.092	0.11	1.02	67	0.17	7.58	108	0.9
ZZ69580		0.007	0.09	0.59	27	0.05	4.22	102	0.9
ZZ69581		0.036	0.09	0.68	43	0.17	4.30	87	<0.5
ZZ69582		0.044	0.15	0.69	56	0.20	4.86	100	<0.5
ZZ69583		0.221	0.09	0.66	82	0.15	6.61	101	2.1
ZZ69584		0.380	0.13	0.88	175	0.26	17.00	132	10.5
ZZ69585		0.443	0.11	0.94	182	0.31	17.85	125	12.3
ZZ69586		0.525	0.09	1.03	200	0.28	14.45	119	6.9
ZZ69587		0.620	0.08	0.93	197	0.33	11.55	110	8.9
ZZ69588		0.507	0.09	0.96	177	0.36	16.30	112	14.4
ZZ69589		0.407	0.07	0.81	181	0.31	16.80	130	19.1
ZZ69590		0.454	0.10	0.93	190	0.33	17.85	130	16.2
ZZ69591		0.407	0.08	0.76	185	0.29	15.95	129	17.4
ZZ69592		0.199	0.34	1.81	163	0.17	15.40	229	2.4
ZZ69593		0.519	0.09	0.91	208	0.37	17.75	124	17.3
ZZ69594		0.567	0.11	1.12	194	0.40	13.00	160	15.5
ZZ69595		0.786	0.12	1.14	221	0.28	7.61	111	12.2
ZZ69596		0.630	0.12	1.10	210	0.41	16.55	130	10.6
ZZ69597		0.550	0.10	1.47	198	0.47	18.25	131	21.2
ZZ69598		0.507	0.09	1.16	181	0.39	19.60	122	16.8
ZZ69599		0.012	0.12	0.70	40	0.16	6.48	80	0.7
ZZ69600		0.371	0.08	1.66	186	0.37	17.20	99	6.4
ZZ69601		0.239	0.14	1.28	105	0.33	9.28	78	5.0
ZZ69602		0.352	0.12	1.10	149	0.17	4.67	77	6.6
ZZ69603		0.079	0.20	0.69	82	0.20	4.49	56	0.8
ZZ69604		0.114	0.10	0.89	92	0.15	4.08	80	2.2
ZZ69605		0.096	0.14	0.88	86	0.23	5.02	87	1.9
ZZ69606		0.439	0.10	1.65	145	0.32	11.60	95	10.4
ZZ69607		0.397	0.11	1.33	144	0.24	17.20	75	8.7
ZZ69608		0.046	0.15	0.70	74	0.19	6.57	33	0.9
ZZ69609		0.401	0.12	1.05	125	0.31	6.94	83	11.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ69610		0.14	0.012	0.29	2.85	6.8	<0.2	<10	590	1.80	0.25	1.20	0.29	61.3	18.3	100
ZZ69611		0.18	0.002	0.10	2.74	7.6	<0.2	<10	560	1.19	0.24	0.99	0.08	52.0	19.6	109
ZZ69612		0.26	0.002	0.16	3.85	7.6	<0.2	<10	640	2.35	0.20	1.27	0.14	114.0	29.7	146
ZZ69613		0.15	0.003	0.04	2.18	7.6	<0.2	<10	250	0.74	0.32	0.18	0.07	36.6	7.5	50
ZZ69614		0.19	0.002	0.05	2.47	10.9	<0.2	<10	240	1.24	0.30	0.30	0.10	38.3	13.5	75
ZZ69615		0.16	0.003	0.12	2.48	4.8	<0.2	<10	450	1.02	0.20	1.05	0.08	46.4	14.7	98
ZZ69616		0.33	0.002	0.15	2.51	6.7	<0.2	10	430	1.51	0.19	1.33	0.17	63.7	20.0	138
ZZ69617		0.25	0.011	0.44	2.99	8.9	<0.2	<10	630	2.31	0.28	0.85	0.07	50.7	26.3	81
ZZ69618		0.21	0.004	0.03	0.53	9.5	<0.2	<10	390	1.76	0.38	0.07	0.04	9.43	38.0	22
ZZ69619		0.29	0.002	0.06	2.12	17.9	<0.2	<10	150	1.35	0.41	0.05	0.11	10.05	21.2	38
ZZ69620		0.33	0.011	1.25	0.86	77.9	<0.2	<10	210	1.33	1.18	0.43	2.17	42.5	25.3	28
ZZ69621		0.22	0.009	0.17	1.59	32.2	<0.2	<10	270	1.87	0.44	0.58	0.72	72.1	37.1	49
ZZ69622		0.20	0.009	0.15	1.05	14.5	<0.2	<10	240	1.67	0.60	0.25	0.33	59.0	29.6	24
ZZ69623		0.18	0.012	0.62	3.03	20.8	<0.2	20	220	2.08	0.17	1.54	1.35	134.5	36.2	144
ZZ69624		0.28	0.003	0.25	3.83	7.9	<0.2	60	150	2.32	0.08	1.86	0.54	136.5	38.8	214
ZZ69625		0.25	0.002	0.08	4.29	1.5	<0.2	10	310	1.83	0.03	2.55	0.14	142.5	48.3	398
ZZ69626		0.24	0.002	0.14	3.87	3.5	<0.2	<10	330	1.82	0.09	1.89	0.25	118.0	39.8	298
ZZ69627		0.21	0.009	0.18	4.14	4.1	<0.2	10	310	1.84	0.06	2.21	0.18	133.5	42.3	305
ZZ69628		0.27	0.006	0.14	4.11	3.4	<0.2	<10	350	1.94	0.05	2.19	0.23	148.5	47.1	311
ZZ69629		0.28	0.010	0.16	3.67	4.4	<0.2	<10	320	2.01	0.08	1.91	0.24	141.0	42.6	277
ZZ69630		0.23	0.007	0.49	3.55	28.6	<0.2	<10	250	2.59	0.13	1.68	1.65	133.5	59.3	314
ZZ69631		0.17	0.018	0.13	3.03	12.8	<0.2	<10	440	1.28	0.09	0.86	0.56	73.6	50.2	276
ZZ69651		0.27	0.004	0.07	4.26	2.8	<0.2	10	210	2.31	0.04	2.33	0.19	151.5	51.6	343
ZZ69652		0.20	0.012	0.09	5.43	8.4	<0.2	20	470	3.96	0.09	2.22	0.51	299	31.8	88
ZZ69653		0.25	0.011	0.06	2.48	9.8	<0.2	10	150	2.00	0.03	8.33	0.21	99.4	66.9	275
ZZ69654		0.31	0.004	0.23	4.37	9.5	<0.2	10	260	2.66	0.11	1.95	0.44	155.0	45.2	259
ZZ69655		0.19	0.004	0.51	2.80	18.6	<0.2	10	270	2.04	0.19	1.63	1.06	99.8	36.6	154
ZZ69656		0.26	0.002	0.11	2.50	20.8	<0.2	<10	150	1.95	0.39	0.25	0.33	28.8	27.9	59
ZZ69657		0.16	0.007	0.02	2.58	15.8	<0.2	<10	120	1.93	0.39	0.16	0.07	27.8	25.1	67
ZZ69658		0.22	0.002	0.05	2.85	12.2	<0.2	<10	170	2.46	0.29	0.86	0.10	54.9	36.6	118
ZZ69659		0.18	0.002	0.08	3.65	10.5	<0.2	<10	190	2.68	0.22	1.46	0.33	118.5	48.4	188
ZZ69660		0.25	0.004	0.16	2.66	21.4	<0.2	<10	260	1.86	0.47	0.51	0.44	48.1	29.0	86
ZZ69661		0.30	0.002	0.04	1.89	6.2	<0.2	<10	550	2.45	0.40	0.12	0.13	20.0	23.5	41
ZZ69662		0.16	0.006	0.09	2.04	10.1	<0.2	<10	190	1.71	0.31	0.20	0.69	29.1	25.7	55
ZZ69663		0.25	0.003	0.07	2.18	9.9	<0.2	<10	200	2.46	0.33	0.33	0.36	37.9	28.1	55
ZZ69664		0.21	0.003	0.07	4.06	4.8	<0.2	10	350	2.12	0.05	1.51	0.26	144.0	52.7	392
ZZ69665		0.31	0.002	0.08	3.74	7.9	<0.2	20	210	1.85	0.07	2.49	0.20	86.9	48.6	80
ZZ69666		0.37	0.001	0.03	3.01	10.6	<0.2	<10	480	1.55	0.28	0.77	0.09	60.4	22.7	91
ZZ69667		0.24	0.002	0.05	2.95	6.5	<0.2	<10	450	1.50	0.22	1.20	0.12	53.9	24.2	136
ZZ69668		0.19	0.012	0.46	2.96	5.4	<0.2	<10	430	4.19	0.29	1.26	0.07	51.7	13.1	62

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ69610		2.46	42.4	4.38	8.92	0.12	0.13	0.06	0.041	0.18	30.4	41.5	1.22	874	1.06	0.03
ZZ69611		2.00	27.4	4.51	11.00	0.10	0.12	0.09	0.039	0.09	21.7	40.2	1.44	886	1.60	0.03
ZZ69612		2.62	61.2	6.22	13.75	0.18	0.29	0.05	0.058	0.15	51.9	55.9	1.97	1230	1.04	0.04
ZZ69613		1.95	17.5	3.67	11.25	0.07	0.02	0.02	0.033	0.05	18.9	12.5	0.31	284	2.43	0.01
ZZ69614		1.54	19.6	4.56	8.47	0.08	0.03	0.03	0.043	0.08	14.6	30.5	0.67	636	2.60	0.02
ZZ69615		1.00	13.6	4.26	10.55	0.10	0.11	0.03	0.042	0.11	23.3	32.8	1.07	319	6.49	0.04
ZZ69616		1.13	31.0	4.72	9.79	0.13	0.25	0.05	0.040	0.10	34.6	39.2	1.50	603	3.68	0.03
ZZ69617		2.86	42.3	4.39	9.07	0.11	0.21	0.19	0.048	0.10	31.3	35.4	0.68	1840	6.87	0.03
ZZ69618		1.97	43.3	4.78	2.43	0.07	<0.02	0.11	0.043	0.09	2.8	5.7	0.11	954	1.05	0.02
ZZ69619		2.75	25.9	5.08	6.99	0.07	0.04	0.08	0.045	0.09	3.3	32.2	0.43	1250	1.51	0.01
ZZ69620		1.11	147.0	4.50	3.17	0.13	0.07	0.27	0.055	0.21	18.2	12.4	0.24	1760	28.8	0.04
ZZ69621		2.01	91.1	4.98	5.72	0.16	0.10	0.07	0.047	0.15	31.6	22.1	0.62	3810	4.67	0.03
ZZ69622		2.80	87.6	4.50	4.05	0.17	0.10	0.04	0.040	0.17	22.1	13.4	0.34	1950	3.27	0.02
ZZ69623		2.06	119.0	7.19	13.15	0.27	0.33	0.17	0.067	0.22	77.5	45.4	2.86	1820	13.15	0.08
ZZ69624		2.22	90.7	7.94	17.10	0.28	0.38	0.05	0.068	0.18	80.3	64.4	4.17	1640	5.00	0.10
ZZ69625		2.56	77.0	8.51	17.60	0.29	0.60	0.02	0.067	0.26	77.6	103.5	6.72	1540	0.56	0.05
ZZ69626		3.58	74.8	7.88	16.65	0.25	0.29	0.04	0.069	0.07	71.2	70.7	4.52	1380	0.88	0.07
ZZ69627		3.63	88.3	8.30	18.10	0.30	0.36	0.04	0.070	0.08	79.9	78.7	5.09	1520	0.92	0.04
ZZ69628		2.80	85.8	8.37	18.35	0.30	0.41	0.03	0.068	0.08	80.8	84.9	5.21	2080	0.96	0.04
ZZ69629		3.44	83.7	7.63	16.85	0.28	0.35	0.04	0.063	0.08	78.9	70.3	4.40	1880	1.08	0.04
ZZ69630		2.03	124.5	8.96	15.00	0.31	0.24	0.15	0.072	0.12	69.9	60.1	4.89	2040	10.35	0.03
ZZ69631		1.46	149.5	8.92	12.45	0.18	0.11	0.13	0.078	0.07	39.8	38.6	2.32	6100	2.22	0.02
ZZ69651		3.50	88.6	8.88	19.65	0.33	0.58	0.02	0.071	0.20	83.9	83.2	6.08	1900	0.73	0.09
ZZ69652		8.23	55.2	6.62	21.8	0.35	0.46	0.06	0.050	0.19	185.0	49.3	3.38	3060	1.49	1.52
ZZ69653		1.52	91.8	5.04	10.10	0.17	0.13	0.05	0.058	0.45	53.2	29.5	1.85	1550	1.77	0.05
ZZ69654		4.46	102.0	8.41	19.20	0.26	0.37	0.08	0.075	0.23	98.1	61.5	4.48	1750	2.21	0.06
ZZ69655		2.38	106.5	6.74	11.00	0.19	0.13	0.10	0.068	0.17	53.2	38.0	2.47	2260	6.68	0.03
ZZ69656		2.83	49.4	5.23	7.66	0.09	0.04	0.05	0.048	0.11	11.2	40.6	0.83	1940	2.32	0.02
ZZ69657		2.26	38.8	5.13	7.60	0.08	0.02	0.02	0.049	0.08	9.5	47.3	0.91	1280	0.77	0.01
ZZ69658		1.55	50.4	5.89	9.83	0.16	0.16	0.03	0.051	0.10	22.4	46.0	1.70	2010	0.73	0.02
ZZ69659		2.17	84.7	7.71	15.40	0.27	0.38	0.02	0.065	0.12	55.6	53.8	3.32	2250	2.08	0.03
ZZ69660		2.76	67.5	5.65	8.48	0.12	0.04	0.06	0.054	0.13	20.6	42.1	1.30	2040	2.95	0.03
ZZ69661		3.00	65.5	4.93	5.78	0.08	0.03	0.02	0.047	0.13	6.6	31.9	0.69	2860	1.35	0.02
ZZ69662		2.62	56.6	4.86	6.07	0.10	0.04	0.03	0.037	0.20	10.6	34.8	0.88	1350	2.09	0.02
ZZ69663		2.71	56.9	5.00	6.68	0.11	0.05	0.04	0.041	0.20	13.8	39.0	0.76	1500	1.68	0.02
ZZ69664		5.81	91.4	7.40	15.20	0.20	0.17	0.04	0.070	0.30	78.1	70.7	3.57	2250	0.64	0.04
ZZ69665		11.95	86.8	7.72	16.90	0.18	0.31	0.03	0.082	0.69	43.3	68.5	2.61	1400	0.24	0.03
ZZ69666		1.48	31.4	5.54	9.84	0.09	0.13	0.02	0.043	0.08	17.4	37.0	1.23	781	1.69	0.02
ZZ69667		1.94	27.0	5.19	10.80	0.10	0.18	0.03	0.047	0.09	23.3	38.7	1.59	879	2.69	0.02
ZZ69668		3.54	102.0	3.45	8.88	0.15	0.19	0.26	0.046	0.13	58.1	38.9	0.66	439	5.63	0.03

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ69610		11.55	55.3	1570	17.8	27.9	<0.001	0.10	0.32	6.9	0.8	0.9	117.5	0.02	0.03	1.3
ZZ69611		14.15	59.0	870	14.7	14.8	<0.001	0.07	0.54	5.0	0.5	1.0	82.3	0.02	0.03	1.3
ZZ69612		13.15	82.1	1500	15.5	16.4	<0.001	0.04	0.26	10.6	0.8	1.3	115.5	0.02	0.03	3.7
ZZ69613		5.30	18.2	430	13.1	9.4	<0.001	0.04	0.62	2.0	0.4	1.4	27.5	0.01	0.03	0.2
ZZ69614		4.59	31.2	940	17.0	15.6	<0.001	0.08	0.48	2.7	0.5	0.9	41.7	0.01	0.03	0.5
ZZ69615		10.65	38.3	1290	13.5	15.2	<0.001	0.10	0.20	6.2	1.2	0.9	138.0	0.01	0.01	2.8
ZZ69616		18.40	63.2	1500	12.4	14.3	0.001	0.09	0.29	6.8	1.4	0.9	194.5	0.03	0.02	2.6
ZZ69617		4.46	35.3	1630	17.5	22.1	<0.001	0.13	0.28	7.0	1.5	0.9	120.5	0.02	0.04	1.8
ZZ69618		0.49	31.0	330	21.8	8.6	<0.001	0.02	0.30	5.9	0.2	0.7	21.3	<0.01	0.03	3.2
ZZ69619		1.32	28.4	580	25.8	14.6	<0.001	0.04	0.44	4.7	0.4	1.0	12.1	<0.01	0.05	2.2
ZZ69620		0.48	61.2	1690	33.8	11.6	0.004	0.42	5.32	5.2	4.0	0.5	97.2	0.01	0.24	3.1
ZZ69621		2.19	54.2	1220	46.3	13.1	<0.001	0.12	0.94	9.4	1.3	0.6	38.8	0.01	0.09	2.7
ZZ69622		1.19	42.5	600	52.4	15.3	<0.001	0.06	0.61	7.3	1.0	0.6	23.5	0.01	0.08	4.8
ZZ69623		10.85	97.5	3290	18.0	15.9	0.002	0.13	2.30	9.9	2.1	0.9	197.0	0.02	0.06	4.2
ZZ69624		9.12	111.5	3680	13.0	19.8	0.001	0.07	0.74	9.1	1.2	0.8	243	0.03	0.02	4.4
ZZ69625		1.80	188.0	4920	7.0	35.8	0.001	0.04	0.07	6.5	0.8	0.8	367	0.02	0.01	5.2
ZZ69626		13.30	136.5	3970	9.0	14.9	<0.001	0.07	0.20	9.5	0.9	0.9	212	0.05	0.02	3.2
ZZ69627		13.95	141.0	4570	9.8	14.5	<0.001	0.07	0.16	8.3	1.0	0.8	272	0.06	0.02	4.2
ZZ69628		6.34	148.5	4800	9.1	12.0	0.001	0.03	0.14	8.3	0.8	0.8	279	0.05	0.02	4.9
ZZ69629		10.25	134.0	4080	10.6	15.0	<0.001	0.05	0.22	8.7	0.9	0.8	241	0.05	0.02	4.3
ZZ69630		6.92	195.0	4230	15.8	16.6	0.001	0.04	1.03	9.0	1.6	1.0	226	0.01	0.05	4.4
ZZ69631		2.97	93.2	1360	11.8	10.4	<0.001	0.06	0.36	29.6	1.0	0.7	47.5	0.01	0.01	1.9
ZZ69651		2.71	160.0	4880	10.8	28.2	<0.001	0.04	0.10	7.6	0.8	0.8	319	0.02	<0.01	5.3
ZZ69652		13.55	61.6	5100	26.0	20.7	<0.001	0.09	0.23	5.2	1.0	0.9	530	0.09	0.02	9.7
ZZ69653		2.82	306	2770	6.5	32.0	<0.001	0.20	0.61	12.5	0.7	1.3	194.0	0.01	0.01	2.8
ZZ69654		14.70	135.0	3490	17.0	32.3	<0.001	0.05	0.38	9.3	1.1	0.9	231	0.04	0.03	4.0
ZZ69655		9.88	93.1	2440	27.1	21.6	0.001	0.10	1.74	9.0	1.7	1.0	163.5	0.01	0.06	2.4
ZZ69656		2.67	43.6	1010	34.4	14.4	<0.001	0.04	0.57	6.0	0.6	0.9	21.6	<0.01	0.05	2.2
ZZ69657		3.37	49.2	570	29.8	10.0	<0.001	0.02	0.34	4.5	0.2	0.9	18.0	0.01	0.03	1.7
ZZ69658		10.55	68.6	1300	27.6	13.0	<0.001	0.03	0.24	6.9	0.5	1.2	72.1	0.01	0.02	2.4
ZZ69659		5.26	102.0	3070	24.1	15.6	<0.001	0.03	0.41	9.6	0.7	1.0	142.0	0.02	0.01	6.1
ZZ69660		3.55	59.5	1090	29.0	15.9	<0.001	0.05	0.71	8.9	0.9	0.9	38.0	0.01	0.08	2.1
ZZ69661		0.48	40.6	450	25.6	13.6	<0.001	0.01	0.43	7.2	0.4	0.9	13.5	<0.01	0.03	5.1
ZZ69662		0.69	50.8	530	28.3	17.5	<0.001	0.03	0.48	7.1	0.6	0.7	15.7	<0.01	0.02	4.2
ZZ69663		1.49	49.2	910	37.5	18.0	0.001	0.04	0.39	6.4	0.9	0.7	25.3	<0.01	0.05	2.7
ZZ69664		9.41	161.5	2860	8.7	27.5	<0.001	0.08	0.12	14.5	0.8	0.8	128.5	0.01	<0.01	4.1
ZZ69665		4.12	58.7	3250	9.3	57.3	<0.001	0.12	0.13	7.5	0.5	0.6	107.5	0.01	<0.01	3.4
ZZ69666		8.53	60.6	500	18.2	17.3	<0.001	0.02	0.25	6.2	0.6	1.1	82.4	0.01	0.02	2.7
ZZ69667		15.35	68.3	1250	16.5	21.7	<0.001	0.09	0.18	6.1	0.6	1.1	136.0	0.02	<0.01	1.6
ZZ69668		3.84	33.1	1770	22.2	23.6	0.002	0.19	0.20	6.2	2.4	0.9	179.5	0.01	0.01	1.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ69610		0.145	0.12	1.19	80	0.23	15.05	123	4.5
ZZ69611		0.253	0.14	1.00	113	0.32	6.87	77	5.3
ZZ69612		0.433	0.10	1.46	149	0.32	13.65	96	12.0
ZZ69613		0.099	0.23	0.67	110	0.17	3.49	50	0.8
ZZ69614		0.058	0.16	1.66	89	0.19	4.95	88	0.9
ZZ69615		0.128	0.09	1.79	97	0.19	7.51	99	4.0
ZZ69616		0.315	0.09	2.05	113	0.30	11.40	85	10.9
ZZ69617		0.021	0.22	4.38	78	0.23	20.1	59	5.3
ZZ69618		0.008	0.10	1.00	29	0.15	3.63	100	<0.5
ZZ69619		0.012	0.12	0.52	37	0.11	2.99	90	0.9
ZZ69620		0.008	0.41	4.91	72	0.08	19.10	245	1.7
ZZ69621		0.043	0.18	1.35	62	0.13	30.3	133	1.7
ZZ69622		0.030	0.14	1.21	28	0.15	29.6	118	1.9
ZZ69623		0.408	0.28	2.62	207	0.31	23.0	248	13.1
ZZ69624		0.495	0.16	2.07	239	0.37	17.25	172	14.0
ZZ69625		0.444	0.15	0.85	191	0.33	18.85	119	25.6
ZZ69626		0.492	0.10	1.09	195	0.34	20.0	135	9.7
ZZ69627		0.501	0.08	1.41	205	0.43	20.8	130	12.0
ZZ69628		0.486	0.09	1.01	200	0.45	21.3	129	14.0
ZZ69629		0.495	0.10	1.18	194	0.40	21.0	121	12.1
ZZ69630		0.471	0.36	2.77	202	0.26	20.7	270	11.0
ZZ69631		0.097	0.14	0.45	223	0.11	27.1	130	2.2
ZZ69651		0.506	0.13	0.79	220	0.36	17.90	135	22.9
ZZ69652		0.353	0.18	2.74	165	0.42	26.4	177	27.2
ZZ69653		0.106	0.18	0.62	151	0.08	15.00	101	4.2
ZZ69654		0.397	0.14	1.99	239	0.32	20.8	176	12.6
ZZ69655		0.317	0.20	1.46	176	0.21	19.90	204	5.4
ZZ69656		0.030	0.12	0.77	54	0.07	8.01	122	0.7
ZZ69657		0.057	0.07	0.49	52	0.11	4.93	87	<0.5
ZZ69658		0.397	0.08	0.74	99	0.23	8.18	99	7.0
ZZ69659		0.529	0.13	0.93	181	0.40	15.35	137	16.0
ZZ69660		0.095	0.15	1.07	88	0.14	13.30	135	0.9
ZZ69661		0.021	0.11	0.84	36	0.20	8.49	106	0.9
ZZ69662		0.021	0.16	0.96	38	0.08	10.95	131	0.8
ZZ69663		0.026	0.12	1.06	40	0.06	11.85	113	1.0
ZZ69664		0.387	0.15	1.65	223	0.19	19.70	109	7.0
ZZ69665		0.251	0.29	0.36	223	0.11	13.30	122	8.3
ZZ69666		0.144	0.14	0.99	99	0.17	5.42	89	5.3
ZZ69667		0.224	0.11	1.41	124	0.21	8.53	101	7.9
ZZ69668		0.012	0.19	15.25	54	0.16	29.4	50	4.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ69669		0.37	0.003	0.14	3.28	8.1	<0.2	<10	430	2.34	0.21	1.20	0.12	84.2	25.4	140
ZZ69670		0.24	0.002	0.05	3.05	7.7	<0.2	<10	540	1.42	0.16	1.77	0.09	111.0	27.1	169
ZZ69671		0.30	0.002	0.09	3.55	4.9	<0.2	10	440	2.47	0.10	1.74	0.29	149.5	31.7	217
ZZ69672		0.18	0.003	0.08	3.99	2.6	<0.2	10	430	1.88	0.07	2.33	0.16	123.5	45.2	357
ZZ69673		0.11	0.002	0.12	2.84	3.2	<0.2	<10	400	1.61	0.12	1.53	0.32	86.3	29.6	190
ZZ69674		0.19	0.007	0.06	3.73	2.7	<0.2	10	370	2.10	0.05	2.26	0.29	128.5	43.8	344
ZZ69675		0.29	0.002	0.06	3.68	6.8	<0.2	10	490	1.64	0.10	1.92	0.14	110.0	35.3	280
ZZ69676		0.21	0.003	0.08	3.31	4.1	<0.2	10	420	1.86	0.10	1.90	0.15	107.5	30.6	238
ZZ69677		0.40	0.001	0.03	3.47	8.4	<0.2	<10	380	1.88	0.20	1.23	0.11	87.9	33.6	157
ZZ69678		0.27	0.002	0.07	2.94	13.5	<0.2	<10	480	1.87	0.29	0.80	0.13	67.3	23.5	95
ZZ69679		0.25	0.005	0.56	3.20	18.0	<0.2	10	350	2.48	0.17	1.48	1.16	141.5	45.4	143
ZZ69680		0.18	0.003	0.05	2.25	6.3	<0.2	<10	100	1.24	0.40	0.05	0.14	12.70	17.1	62
ZZ69681		0.16	0.007	0.06	2.42	8.2	<0.2	<10	200	1.56	0.47	0.04	0.24	12.20	25.1	45
ZZ69682		0.24	0.004	0.06	1.94	8.0	<0.2	<10	410	2.77	0.39	0.27	0.23	18.15	20.4	41
ZZ69683		0.20	0.002	0.06	2.12	7.2	<0.2	<10	120	0.88	0.41	0.03	0.12	9.16	21.8	43
ZZ69684		0.20	0.002	0.09	2.11	17.9	<0.2	<10	190	1.69	0.41	0.22	0.23	27.8	22.8	55
ZZ69685		0.22	0.003	0.06	2.18	26.3	<0.2	<10	170	2.00	0.52	0.18	0.10	22.3	27.6	48
ZZ69686		0.19	0.004	0.22	1.64	27.8	<0.2	<10	260	2.02	0.72	0.60	0.32	51.6	30.8	73
ZZ69687		0.24	0.002	0.09	2.67	13.5	<0.2	<10	180	2.02	0.41	0.48	0.15	40.8	25.4	81
ZZ69688		0.35	0.003	0.04	2.59	8.3	<0.2	<10	360	2.38	0.42	0.14	0.03	13.25	28.1	42
ZZ69689		0.14	0.006	0.55	3.04	30.9	<0.2	<10	170	1.92	0.16	1.44	1.89	112.0	39.6	216
ZZ69690		0.21	0.003	0.08	3.73	3.5	<0.2	20	160	1.98	0.05	2.48	0.17	132.0	43.6	319
ZZ69691		0.32	0.001	0.06	4.24	2.6	<0.2	10	200	2.15	0.05	2.30	0.16	145.0	51.4	338
ZZ69692		0.40	0.005	0.39	3.44	16.2	<0.2	10	160	2.62	0.09	1.88	1.43	138.0	54.2	223

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ69669		1.69	62.9	5.88	12.05	0.17	0.32	0.08	0.054	0.16	50.8	45.1	1.73	726	6.73	0.02
ZZ69670		1.84	36.9	4.80	11.05	0.13	0.19	0.03	0.045	0.08	38.3	41.8	2.57	978	3.10	0.03
ZZ69671		2.52	55.5	5.79	12.95	0.22	0.20	0.03	0.053	0.13	74.2	36.9	2.82	1330	1.33	0.05
ZZ69672		2.09	55.3	6.73	16.15	0.23	0.27	0.03	0.044	0.09	61.6	46.5	4.88	1620	1.18	0.08
ZZ69673		2.26	37.9	5.39	12.05	0.15	0.20	0.04	0.044	0.11	48.8	28.0	2.30	1560	1.25	0.04
ZZ69674		1.75	57.3	6.67	15.30	0.27	0.31	0.03	0.041	0.11	63.9	46.5	4.76	1440	1.31	0.11
ZZ69675		1.86	50.7	5.86	14.10	0.18	0.44	0.03	0.038	0.11	53.8	47.6	3.64	1080	1.35	0.05
ZZ69676		1.55	46.1	5.32	12.90	0.18	0.55	0.07	0.044	0.08	58.8	38.6	2.79	970	2.29	0.05
ZZ69677		2.24	34.3	6.10	12.65	0.12	0.38	0.02	0.046	0.08	28.2	43.9	2.23	1280	1.44	0.03
ZZ69678		2.09	42.7	5.21	8.92	0.09	0.10	0.04	0.045	0.10	17.9	46.7	1.25	1200	1.96	0.02
ZZ69679		4.71	136.0	7.06	13.05	0.20	0.11	0.17	0.075	0.22	90.8	48.1	2.04	3640	6.73	0.03
ZZ69680		3.67	32.2	5.44	8.03	0.05	<0.02	0.04	0.040	0.13	5.5	24.5	0.66	937	1.57	0.01
ZZ69681		5.30	47.2	6.11	8.59	0.06	0.04	0.06	0.048	0.12	4.1	32.4	0.47	4650	2.83	0.02
ZZ69682		4.54	51.1	4.51	5.91	0.07	0.04	0.05	0.042	0.14	7.0	26.7	0.56	2590	1.10	0.02
ZZ69683		3.53	41.0	5.68	7.83	0.06	<0.02	0.04	0.047	0.11	4.2	18.4	0.39	2930	1.71	0.02
ZZ69684		3.15	39.2	5.05	7.64	0.08	<0.02	0.04	0.048	0.10	11.5	30.1	0.60	2130	2.56	0.02
ZZ69685		2.72	46.3	5.44	6.85	0.07	0.02	0.01	0.049	0.09	7.5	38.2	0.66	2310	1.39	0.02
ZZ69686		1.79	85.0	5.71	5.98	0.14	0.11	0.05	0.060	0.10	28.0	24.0	0.96	2170	4.92	0.02
ZZ69687		2.22	45.8	5.43	8.86	0.09	0.05	0.02	0.048	0.09	19.6	41.4	1.16	1400	1.14	0.02
ZZ69688		3.31	68.9	5.12	8.04	0.09	0.05	0.02	0.045	0.08	3.0	67.3	0.83	3360	0.89	0.01
ZZ69689		2.91	88.5	7.01	13.50	0.19	0.19	0.11	0.067	0.10	57.4	50.6	3.26	2020	11.60	0.03
ZZ69690		3.32	73.5	7.69	16.45	0.26	0.43	0.02	0.060	0.16	72.7	79.5	5.31	1700	0.71	0.03
ZZ69691		3.26	81.6	8.83	18.85	0.31	0.52	0.02	0.070	0.19	80.1	90.4	6.15	1820	0.66	0.07
ZZ69692		2.78	124.5	9.04	17.30	0.29	0.37	0.07	0.082	0.24	76.5	64.2	4.06	1940	10.25	0.07

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ69669		7.89	85.2	2030	11.8	20.5	0.001	0.02	0.29	12.3	1.3	1.1	154.5	0.01	<0.01	5.1
ZZ69670		18.05	103.0	1760	11.2	11.9	<0.001	0.11	0.42	5.5	1.4	1.0	213	0.04	0.02	1.5
ZZ69671		23.7	115.0	2200	10.5	17.4	<0.001	0.09	0.27	6.1	0.8	1.1	215	0.01	<0.01	1.4
ZZ69672		25.6	173.0	3020	8.8	12.0	<0.001	0.09	0.14	6.7	0.7	1.2	247	0.04	<0.01	3.6
ZZ69673		23.0	87.3	2140	11.4	17.9	<0.001	0.16	0.23	4.2	0.4	1.0	129.0	0.02	<0.01	0.5
ZZ69674		24.4	167.0	3250	8.4	14.8	0.001	0.06	0.14	6.2	0.7	1.1	292	0.05	0.02	4.4
ZZ69675		25.2	136.5	2160	9.9	14.8	<0.001	0.05	0.30	6.1	1.0	1.0	229	0.03	<0.01	4.3
ZZ69676		35.3	104.5	2510	9.6	11.0	<0.001	0.13	0.17	7.3	1.2	1.0	230	0.05	<0.01	3.6
ZZ69677		17.50	89.5	890	16.5	15.5	0.001	0.03	0.29	7.1	0.6	1.3	96.4	0.01	0.01	3.6
ZZ69678		7.05	59.6	900	23.3	14.5	<0.001	0.04	0.31	6.2	0.6	0.9	87.6	0.01	0.01	2.4
ZZ69679		7.13	91.8	3030	25.8	22.5	0.001	0.16	1.42	12.3	1.9	0.9	125.5	0.01	0.05	2.5
ZZ69680		1.64	33.5	810	24.0	22.0	<0.001	0.05	0.48	2.5	0.3	0.9	6.2	<0.01	0.03	0.5
ZZ69681		1.99	34.0	1020	141.0	19.2	<0.001	0.07	0.43	4.5	0.4	0.9	6.8	0.01	0.05	1.9
ZZ69682		1.26	32.5	700	36.4	19.1	<0.001	0.04	0.48	5.9	0.7	0.9	17.8	<0.01	0.03	2.5
ZZ69683		1.53	23.3	1160	17.5	18.5	<0.001	0.06	0.64	2.6	0.6	1.0	5.9	<0.01	0.05	0.6
ZZ69684		2.90	36.7	860	35.2	16.9	<0.001	0.06	0.56	4.8	0.5	0.9	21.2	<0.01	0.03	0.7
ZZ69685		2.06	40.9	620	40.1	10.9	<0.001	0.03	0.42	6.1	0.5	0.9	19.2	0.01	0.05	1.7
ZZ69686		2.62	61.6	1060	27.2	9.9	<0.001	0.05	1.12	10.3	1.1	0.7	57.1	0.01	0.07	4.6
ZZ69687		7.16	52.1	910	23.4	15.2	<0.001	0.05	0.36	4.9	0.2	1.0	38.8	0.01	0.03	0.7
ZZ69688		0.13	45.9	340	46.3	9.9	<0.001	<0.01	0.25	7.3	<0.2	0.7	21.7	<0.01	0.03	3.3
ZZ69689		16.45	118.5	3400	18.0	19.6	0.001	0.13	3.10	7.3	1.9	0.8	172.5	0.03	0.05	2.5
ZZ69690		16.80	150.0	3670	10.1	25.9	<0.001	0.05	0.15	7.3	0.6	0.7	278	0.04	<0.01	3.4
ZZ69691		4.23	159.5	4740	9.4	26.8	<0.001	0.04	0.09	7.1	0.4	0.7	296	0.02	<0.01	5.4
ZZ69692		2.35	135.0	4100	15.1	30.8	0.002	0.11	1.40	9.0	1.4	0.7	220	0.01	0.01	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145888

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ69669		0.331	0.10	1.90	127	0.25	15.95	99	15.0
ZZ69670		0.267	0.10	3.13	157	0.25	11.35	80	10.0
ZZ69671		0.451	0.07	2.18	166	0.29	17.45	97	11.7
ZZ69672		0.718	0.08	1.85	193	0.44	17.20	97	19.1
ZZ69673		0.369	0.08	1.28	148	0.25	11.45	91	11.2
ZZ69674		0.714	0.07	1.70	174	0.52	17.10	101	22.6
ZZ69675		0.578	0.09	2.37	169	0.46	15.00	94	23.6
ZZ69676		0.551	0.07	2.57	157	0.44	15.40	84	27.8
ZZ69677		0.539	0.14	1.42	153	0.32	7.84	94	19.9
ZZ69678		0.083	0.10	1.17	69	0.16	8.18	94	3.8
ZZ69679		0.159	0.26	1.81	198	0.17	23.9	214	2.9
ZZ69680		0.031	0.13	0.61	55	0.18	3.05	82	<0.5
ZZ69681		0.022	0.13	0.64	45	0.16	3.84	98	1.1
ZZ69682		0.020	0.15	0.99	39	0.28	13.10	95	0.6
ZZ69683		0.023	0.13	0.77	47	0.17	2.77	85	<0.5
ZZ69684		0.043	0.13	0.64	65	0.12	7.14	100	<0.5
ZZ69685		0.034	0.10	0.61	49	0.07	7.67	101	<0.5
ZZ69686		0.143	0.15	1.18	79	0.16	17.00	143	4.9
ZZ69687		0.153	0.10	0.70	81	0.15	8.72	101	1.9
ZZ69688		0.007	0.10	0.38	25	<0.05	7.71	101	1.4
ZZ69689		0.328	0.36	2.36	215	0.25	16.90	340	8.0
ZZ69690		0.450	0.13	1.30	201	0.34	17.15	108	15.0
ZZ69691		0.448	0.14	0.82	208	0.38	17.90	126	20.4
ZZ69692		0.329	0.38	1.80	285	0.32	19.55	234	14.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NAD

Finalized Date: 8-JUL-2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12145888

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

CERTIFICATE WH12145889

Project: NAD

P.O. No.:

This report is for 137 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23-JUN-2012.

The following have access to data associated with this certificate:

SARAH EATON	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ69701		0.20	0.013	0.08	3.82	2.9	<0.2	10	310	2.34	0.06	2.06	0.17	151.5	49.9	324
ZZ69702		0.15	0.014	0.06	3.70	6.5	<0.2	10	200	1.90	0.10	1.93	0.24	105.0	46.4	429
ZZ69703		0.19	0.004	0.06	4.17	1.6	<0.2	20	210	1.98	0.04	2.13	0.15	151.5	50.4	359
ZZ69704		0.22	0.001	0.07	4.19	1.8	<0.2	30	270	2.31	0.05	2.28	0.15	154.0	50.0	335
ZZ69705		0.16	0.002	0.13	3.12	2.1	<0.2	<10	290	1.94	0.08	1.59	0.23	107.0	46.3	283
ZZ69706		0.27	0.001	0.06	4.06	2.0	<0.2	<10	280	2.61	0.04	1.66	0.19	154.5	49.0	360
ZZ69707		0.20	0.001	0.08	3.81	3.8	<0.2	<10	270	2.47	0.08	1.55	0.22	123.5	42.0	316
ZZ69708		0.24	0.002	0.05	2.57	20.0	<0.2	<10	160	2.06	0.39	0.20	0.13	30.7	31.9	83
ZZ69709		0.39	0.002	0.04	2.25	15.6	<0.2	<10	140	1.48	0.38	0.26	0.15	26.3	19.5	57
ZZ69710		0.18	0.001	0.02	2.51	31.1	<0.2	<10	100	1.66	0.52	0.07	0.14	15.15	45.0	44
ZZ69711		0.22	0.004	0.74	2.73	177.0	<0.2	<10	650	2.02	0.38	1.04	0.53	23.3	16.5	42
ZZ69712		0.42	0.002	0.07	1.67	30.8	<0.2	<10	270	1.22	0.41	0.27	0.07	10.50	8.5	32
ZZ69713		0.16	0.002	0.12	1.67	22.6	<0.2	<10	130	1.69	0.38	0.15	0.22	26.3	22.3	50
ZZ69714		0.16	0.003	0.19	0.70	43.4	<0.2	<10	140	1.41	0.48	0.23	0.14	15.10	22.4	23
ZZ69715		0.19	0.001	0.07	2.37	17.2	<0.2	<10	150	1.50	0.50	0.11	0.26	29.3	25.7	83
ZZ69716		0.24	0.002	0.06	1.94	8.1	<0.2	<10	220	0.85	0.35	0.20	0.15	24.5	11.9	50
ZZ69717		0.29	0.002	0.06	2.23	12.8	<0.2	<10	290	1.50	0.30	0.50	0.08	35.8	30.2	52
ZZ69718		0.23	0.002	0.04	2.43	10.3	<0.2	<10	170	1.17	0.35	0.17	0.17	33.2	16.0	73
ZZ69719		0.28	0.001	0.04	3.07	9.6	<0.2	<10	310	1.89	0.26	0.65	0.10	77.7	23.4	102
ZZ69720		0.23	0.001	0.04	3.04	9.2	<0.2	<10	220	1.69	0.30	0.45	0.24	60.3	27.1	109
ZZ69721		0.14	0.003	0.08	2.33	7.5	<0.2	<10	170	1.77	0.27	0.43	0.12	60.8	13.8	92
ZZ69722		0.32	0.004	0.14	2.47	8.6	<0.2	<10	350	2.12	0.28	1.01	0.20	69.4	29.2	131
ZZ69723		0.22	0.003	0.08	2.46	7.2	<0.2	<10	470	1.75	0.22	1.03	0.22	96.3	26.6	131
ZZ69724		0.35	0.002	0.10	2.93	7.9	<0.2	<10	370	2.34	0.21	1.12	0.26	114.5	26.3	116
ZZ69725		0.12	0.008	0.10	2.65	5.7	<0.2	<10	200	2.02	0.18	1.31	0.28	108.5	29.9	132
ZZ69726		0.18	0.003	0.11	2.50	5.8	<0.2	<10	160	1.76	0.14	1.90	0.19	98.2	28.4	137
ZZ69727		0.25	0.002	0.09	2.78	7.9	<0.2	<10	230	2.63	0.15	1.92	0.19	133.0	26.5	146
ZZ69728		0.15	0.001	0.04	2.04	5.0	<0.2	<10	230	1.74	0.38	0.22	0.09	33.4	21.2	66
ZZ69729		0.20	0.003	0.07	2.94	7.4	<0.2	<10	340	1.40	0.15	1.30	0.22	74.3	39.9	139
ZZ69730		0.20	0.001	0.10	3.02	5.9	<0.2	<10	270	2.26	0.14	1.09	0.22	106.5	27.0	127
ZZ69731		0.15	0.002	0.10	2.92	6.0	<0.2	10	400	1.61	0.13	1.52	0.17	88.1	25.9	181
ZZ69732		0.25	0.002	0.07	3.11	5.3	<0.2	10	320	2.73	0.10	1.02	0.16	113.0	35.7	146
ZZ69733		0.25	0.005	0.12	1.89	20.1	<0.2	<10	300	2.84	0.12	1.92	0.30	145.0	42.5	130
ZZ69734		0.13	0.003	0.03	2.18	8.6	<0.2	<10	710	1.01	0.25	0.65	0.19	52.8	18.4	67
ZZ69735		0.15	0.008	0.05	1.77	6.3	<0.2	<10	210	0.67	0.24	0.36	0.19	39.5	13.3	82
ZZ69736		0.24	0.002	0.07	2.23	6.9	<0.2	<10	270	1.02	0.18	0.48	0.29	50.0	14.3	95
ZZ69737		0.20	0.003	0.10	2.24	7.7	<0.2	<10	240	1.29	0.22	0.51	0.14	51.8	18.7	96
ZZ69738		0.28	0.003	0.03	2.33	11.5	<0.2	<10	240	0.83	0.28	0.30	0.07	39.5	10.4	56
ZZ69739		0.39	0.001	0.01	1.92	17.7	<0.2	<10	250	1.51	0.29	0.27	0.19	62.5	28.5	88
ZZ69740		0.31	0.001	0.03	2.03	17.8	<0.2	<10	140	0.91	0.32	0.11	0.15	25.7	18.2	61

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ69701		2.40	94.8	7.56	15.10	0.23	0.41	0.05	0.054	0.11	80.6	42.0	3.76	1960	0.94	0.23
ZZ69702		2.82	94.5	7.02	13.70	0.21	0.38	0.04	0.039	0.08	55.4	53.4	3.77	1520	1.47	0.25
ZZ69703		1.80	84.5	8.01	18.05	0.28	0.42	0.01	0.059	0.05	81.4	67.5	6.20	1690	0.43	0.07
ZZ69704		2.09	79.6	7.99	17.90	0.28	0.44	0.01	0.055	0.12	85.2	64.5	5.92	1660	0.45	0.12
ZZ69705		2.54	42.1	7.01	15.35	0.20	0.21	0.03	0.055	0.08	51.7	39.6	3.76	2180	0.97	0.03
ZZ69706		2.06	57.4	8.41	17.35	0.24	0.15	0.03	0.071	0.08	77.5	60.5	5.43	1740	0.72	0.03
ZZ69707		2.07	51.3	7.72	16.00	0.21	0.16	0.02	0.064	0.07	61.4	53.5	4.49	1440	1.23	0.02
ZZ69708		2.07	54.8	5.58	7.70	0.08	0.02	0.02	0.049	0.08	12.6	41.3	1.07	2180	1.52	0.01
ZZ69709		2.08	32.4	5.10	6.98	0.06	<0.02	0.03	0.044	0.07	10.5	37.3	0.73	1220	1.32	0.01
ZZ69710		1.78	57.7	5.14	6.19	0.06	0.06	0.03	0.053	0.08	4.5	40.4	0.71	2740	1.31	0.01
ZZ69711		2.74	32.5	7.48	6.89	0.10	0.25	0.56	0.052	0.08	13.7	26.9	0.25	1600	2.28	0.02
ZZ69712		1.80	28.4	3.69	5.42	<0.05	<0.02	0.07	0.041	0.08	6.4	18.9	0.37	278	0.98	0.01
ZZ69713		1.95	46.0	5.03	5.29	0.06	0.02	0.04	0.044	0.09	10.5	21.8	0.56	1360	2.35	0.01
ZZ69714		1.02	51.2	4.49	2.40	0.06	0.02	0.10	0.042	0.09	6.5	8.1	0.22	1060	1.17	0.01
ZZ69715		2.02	39.5	6.18	7.43	0.07	0.04	0.03	0.056	0.08	10.2	36.5	0.88	1360	1.80	0.01
ZZ69716		1.67	16.6	4.26	7.64	0.06	<0.02	0.01	0.039	0.08	11.1	22.1	0.61	791	1.65	0.01
ZZ69717		1.62	28.1	6.05	7.52	0.08	0.03	0.03	0.047	0.06	14.8	24.4	0.75	1130	2.09	0.02
ZZ69718		2.09	27.5	5.29	8.42	0.06	0.03	0.03	0.051	0.09	14.7	30.3	0.68	827	1.62	0.01
ZZ69719		1.85	31.1	5.70	10.65	0.11	0.11	0.02	0.052	0.08	31.2	38.1	1.33	967	1.20	0.02
ZZ69720		1.75	33.2	6.10	10.75	0.10	0.12	0.02	0.054	0.09	23.0	47.8	1.45	1380	1.11	0.02
ZZ69721		2.84	23.9	5.59	11.35	0.08	0.12	0.06	0.055	0.07	26.2	31.7	0.81	576	1.41	0.02
ZZ69722		1.98	66.2	5.51	9.11	0.18	0.29	0.04	0.040	0.13	41.1	39.7	1.77	1220	1.23	0.03
ZZ69723		1.92	42.2	5.50	9.71	0.12	0.08	0.07	0.046	0.13	36.6	28.2	1.39	1380	1.17	0.03
ZZ69724		1.65	50.2	5.23	10.65	0.16	0.12	0.03	0.047	0.12	60.5	29.9	1.56	1270	1.18	0.03
ZZ69725		2.11	40.2	5.67	12.70	0.13	0.15	0.03	0.056	0.09	51.9	24.3	1.32	1640	1.50	0.02
ZZ69726		2.16	48.8	5.44	11.90	0.14	0.17	0.05	0.056	0.09	51.1	23.8	1.37	1240	1.35	0.02
ZZ69727		1.70	50.0	5.69	12.65	0.16	0.16	0.05	0.055	0.12	73.9	26.7	1.73	1320	1.04	0.02
ZZ69728		1.67	40.8	4.76	7.33	0.08	0.02	0.01	0.037	0.17	14.7	26.5	0.81	1080	0.78	0.02
ZZ69729		1.91	74.9	5.59	8.75	0.10	0.11	0.02	0.052	0.33	36.9	42.3	1.35	1640	0.79	0.02
ZZ69730		4.79	53.7	5.39	10.80	0.10	0.10	0.04	0.052	0.18	51.1	44.7	1.40	1360	1.43	0.03
ZZ69731		2.15	60.5	5.42	10.40	0.11	0.14	0.02	0.044	0.17	47.2	35.6	2.20	874	1.43	0.05
ZZ69732		6.55	141.5	5.56	10.70	0.14	0.20	0.05	0.068	0.68	56.0	49.7	1.96	1200	0.98	0.03
ZZ69733		1.72	65.6	8.01	6.89	0.15	0.05	0.15	0.085	0.12	85.6	13.7	0.97	2710	3.39	0.02
ZZ69734		2.82	28.1	4.00	8.15	0.05	0.05	0.04	0.043	0.09	27.9	21.1	0.70	1640	1.52	0.03
ZZ69735		2.55	19.4	4.00	9.11	<0.05	0.07	0.04	0.031	0.08	15.9	18.9	0.71	666	1.67	0.02
ZZ69736		2.60	19.5	5.34	10.35	0.06	0.09	0.04	0.044	0.08	20.4	27.5	0.90	660	1.40	0.02
ZZ69737		2.13	25.8	4.99	9.58	0.05	0.03	0.03	0.044	0.10	23.8	21.4	0.86	1380	1.74	0.02
ZZ69738		1.87	17.0	4.04	9.39	<0.05	<0.02	0.02	0.039	0.07	19.4	24.4	0.62	541	1.78	0.02
ZZ69739		1.63	46.7	6.53	5.68	0.07	<0.02	0.07	0.062	0.06	26.2	17.5	0.50	1320	2.12	0.02
ZZ69740		1.60	30.5	5.19	6.70	0.05	0.03	0.05	0.045	0.08	10.6	26.5	0.62	939	1.78	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ69701		9.47	178.0	3510	9.4	13.6	<0.001	0.04	0.12	10.8	0.6	0.9	279	0.03	<0.01	6.7
ZZ69702		20.8	198.5	2680	10.4	9.9	<0.001	0.07	0.24	6.6	0.5	0.8	208	0.04	<0.01	4.3
ZZ69703		2.09	170.0	4900	9.2	8.9	<0.001	0.02	0.06	6.6	0.7	0.7	351	0.02	<0.01	6.6
ZZ69704		6.63	167.0	4770	8.8	15.5	<0.001	0.03	0.09	7.1	0.5	0.8	360	0.02	<0.01	6.2
ZZ69705		24.2	116.0	2870	9.6	12.1	<0.001	0.10	0.18	7.2	0.3	1.2	182.0	0.01	<0.01	1.7
ZZ69706		14.70	157.5	3950	8.4	15.4	<0.001	0.04	0.13	7.7	0.7	1.0	244	0.02	<0.01	3.4
ZZ69707		14.65	140.5	3180	8.9	9.9	<0.001	0.04	0.29	8.4	0.4	1.1	192.5	0.01	<0.01	3.4
ZZ69708		4.37	55.5	930	31.7	13.0	<0.001	0.05	0.39	3.5	<0.2	0.9	19.1	<0.01	0.01	0.4
ZZ69709		3.68	38.4	800	24.2	14.7	<0.001	0.04	0.52	3.2	<0.2	0.8	31.0	<0.01	0.01	0.7
ZZ69710		0.64	47.1	500	38.2	9.5	<0.001	0.02	0.44	6.8	0.3	0.8	8.3	<0.01	0.03	3.6
ZZ69711		1.19	20.4	2680	22.4	16.0	0.001	0.22	0.38	7.7	2.8	0.8	83.7	0.01	0.02	3.0
ZZ69712		1.41	23.6	560	18.3	18.7	<0.001	0.03	0.29	2.7	0.3	0.8	24.7	<0.01	0.07	0.5
ZZ69713		3.51	40.6	980	27.7	13.6	<0.001	0.04	0.61	3.1	0.2	0.7	14.6	<0.01	0.03	0.4
ZZ69714		1.56	39.1	500	33.8	7.6	<0.001	0.02	0.74	5.3	0.6	0.5	16.2	0.01	0.07	2.2
ZZ69715		6.35	43.5	590	25.6	10.3	<0.001	0.05	0.55	4.5	<0.2	0.8	12.8	0.01	0.03	0.9
ZZ69716		3.05	25.0	930	21.3	19.9	<0.001	0.06	0.41	2.0	<0.2	0.9	20.8	<0.01	0.02	0.2
ZZ69717		3.41	34.5	790	86.7	13.9	<0.001	0.03	0.63	5.4	0.5	0.8	37.7	0.01	0.03	1.6
ZZ69718		6.56	34.7	790	19.0	18.1	<0.001	0.04	0.53	3.2	<0.2	1.1	18.0	0.01	<0.01	0.5
ZZ69719		13.95	59.9	1040	15.8	13.6	<0.001	0.04	0.51	5.9	<0.2	1.1	52.1	0.01	<0.01	1.6
ZZ69720		14.35	61.8	800	20.5	14.2	<0.001	0.04	0.31	6.0	<0.2	1.0	37.7	0.01	<0.01	1.6
ZZ69721		14.80	33.3	990	14.5	14.4	<0.001	0.08	0.51	3.7	<0.2	1.1	35.0	0.01	<0.01	0.7
ZZ69722		4.31	80.8	1990	19.2	13.5	<0.001	0.02	0.38	8.6	0.3	0.8	112.0	0.01	<0.01	5.4
ZZ69723		11.20	66.9	1870	15.4	19.3	<0.001	0.06	0.40	4.8	<0.2	0.9	96.7	0.01	<0.01	1.0
ZZ69724		11.75	70.4	1870	15.0	18.5	<0.001	0.05	0.44	7.7	0.5	0.8	86.7	0.02	<0.01	2.4
ZZ69725		17.05	59.9	1560	13.4	17.3	<0.001	0.08	0.42	6.2	0.2	1.2	101.0	0.01	<0.01	1.0
ZZ69726		15.60	60.3	2280	10.6	18.5	<0.001	0.15	0.39	5.9	0.6	0.8	98.9	0.03	0.01	0.9
ZZ69727		16.80	65.4	2160	12.6	19.2	<0.001	0.08	0.42	7.1	0.6	0.7	121.0	0.02	<0.01	1.9
ZZ69728		3.42	47.2	690	23.0	24.0	<0.001	0.06	0.25	3.7	0.3	0.9	25.0	<0.01	0.02	0.9
ZZ69729		1.21	117.5	1900	11.9	22.7	<0.001	0.03	0.17	13.4	0.6	0.7	64.0	<0.01	0.02	3.8
ZZ69730		13.85	71.1	1670	15.1	20.3	<0.001	0.08	0.31	5.8	0.7	0.9	136.0	<0.01	0.03	0.9
ZZ69731		13.75	92.1	2210	13.1	18.8	<0.001	0.08	0.33	6.9	0.7	0.9	130.0	<0.01	0.02	2.2
ZZ69732		2.37	84.9	2050	13.8	53.9	<0.001	0.03	0.29	16.7	0.6	1.4	95.6	<0.01	0.06	4.3
ZZ69733		4.04	103.0	4240	16.2	11.2	<0.001	0.06	0.37	12.3	0.9	0.6	177.0	<0.01	0.03	2.4
ZZ69734		4.37	36.0	1710	17.9	16.4	<0.001	0.09	0.55	3.9	0.6	0.7	63.7	<0.01	0.03	0.9
ZZ69735		11.50	36.7	920	14.8	13.6	<0.001	0.07	0.48	3.2	0.6	1.1	36.3	<0.01	0.03	0.7
ZZ69736		13.50	39.7	970	16.3	11.4	<0.001	0.08	0.40	2.9	0.6	1.0	45.0	<0.01	0.03	0.7
ZZ69737		5.90	41.0	1440	17.7	20.0	<0.001	0.09	0.41	1.8	0.6	1.0	50.9	<0.01	0.03	<0.2
ZZ69738		3.61	24.7	730	15.6	11.9	<0.001	0.05	0.60	2.2	0.6	0.9	32.8	<0.01	0.04	0.3
ZZ69739		3.03	53.3	1200	22.4	12.1	<0.001	0.02	0.47	6.8	0.7	0.8	31.1	<0.01	0.05	1.0
ZZ69740		6.87	35.3	560	25.9	13.7	<0.001	0.03	0.50	3.8	0.6	0.8	12.7	<0.01	0.04	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ69701		0.390	0.07	1.25	181	0.43	18.35	112	23.0
ZZ69702		0.517	0.08	1.64	177	0.42	14.50	120	23.6
ZZ69703		0.424	0.06	0.98	177	0.36	17.50	125	22.7
ZZ69704		0.468	0.07	1.13	177	0.36	18.45	121	22.3
ZZ69705		0.645	0.18	1.23	208	0.28	9.67	114	11.5
ZZ69706		0.551	0.06	1.14	207	0.29	14.90	126	8.4
ZZ69707		0.630	0.11	1.25	200	0.28	12.45	132	9.4
ZZ69708		0.077	0.08	0.75	64	0.09	6.18	99	0.7
ZZ69709		0.051	0.10	0.59	57	0.14	4.08	102	<0.5
ZZ69710		0.006	0.08	0.55	39	<0.05	4.70	99	1.4
ZZ69711		<0.005	0.34	2.24	57	0.09	16.90	97	6.3
ZZ69712		0.013	0.15	0.56	34	0.07	5.49	77	<0.5
ZZ69713		0.063	0.12	0.80	57	0.11	5.55	112	0.6
ZZ69714		0.022	0.11	0.51	29	0.05	7.83	100	<0.5
ZZ69715		0.119	0.11	0.77	80	0.15	3.97	107	1.7
ZZ69716		0.054	0.13	0.79	65	0.13	3.68	107	0.5
ZZ69717		0.060	0.14	0.94	85	0.24	5.71	75	0.9
ZZ69718		0.109	0.16	0.81	96	0.19	3.68	94	1.5
ZZ69719		0.308	0.13	1.06	127	0.25	8.61	83	5.8
ZZ69720		0.312	0.09	0.90	121	0.22	6.76	114	6.4
ZZ69721		0.270	0.14	0.91	142	0.24	6.10	55	6.0
ZZ69722		0.279	0.10	1.02	96	0.27	15.60	104	14.4
ZZ69723		0.259	0.10	1.04	128	0.25	9.95	91	4.6
ZZ69724		0.269	0.15	1.20	118	0.31	17.00	91	4.8
ZZ69725		0.458	0.14	1.34	177	0.20	13.10	85	6.7
ZZ69726		0.328	0.13	1.50	167	0.27	14.20	79	5.7
ZZ69727		0.270	0.13	1.23	157	0.31	15.20	93	6.0
ZZ69728		0.074	0.14	0.89	56	0.17	7.69	88	0.7
ZZ69729		0.029	0.10	0.62	87	0.05	14.80	89	3.1
ZZ69730		0.310	0.09	1.16	137	0.31	12.40	94	5.1
ZZ69731		0.380	0.10	1.39	137	0.32	13.50	94	6.9
ZZ69732		0.173	0.23	0.73	105	0.11	15.70	105	7.4
ZZ69733		0.069	0.13	0.90	170	0.19	20.2	134	1.3
ZZ69734		0.090	0.11	0.87	99	0.25	8.92	75	1.7
ZZ69735		0.236	0.09	0.79	115	0.21	3.34	61	3.8
ZZ69736		0.284	0.08	1.04	138	0.23	4.40	87	5.0
ZZ69737		0.119	0.09	0.93	121	0.12	5.83	84	1.5
ZZ69738		0.094	0.13	0.85	97	0.21	5.24	65	0.8
ZZ69739		0.060	0.12	0.81	130	0.15	8.47	120	<0.5
ZZ69740		0.151	0.08	0.70	70	0.17	3.84	91	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ69741		0.24	<0.001	0.04	1.82	16.1	<0.2	<10	250	1.49	0.28	0.45	0.26	46.8	17.9	68
ZZ69742		0.24	0.003	0.12	1.91	11.2	<0.2	<10	270	1.61	0.33	0.74	0.19	49.3	24.4	67
ZZ69743		0.39	<0.001	0.01	2.28	11.4	<0.2	<10	380	1.20	0.33	0.19	0.06	10.65	20.8	40
ZZ69744		0.33	<0.001	0.06	3.04	7.2	<0.2	<10	280	1.10	0.21	0.96	0.07	85.1	21.5	162
ZZ69745		0.32	<0.001	0.16	1.32	10.6	<0.2	<10	270	1.23	0.28	0.26	0.33	11.70	12.5	24
ZZ69746		0.21	<0.001	0.10	1.03	25.5	<0.2	<10	80	0.71	0.32	0.04	0.38	7.70	10.3	20
ZZ69747		0.31	<0.001	0.18	3.33	8.4	<0.2	<10	300	1.59	0.14	1.52	0.40	106.0	30.2	205
ZZ69748		0.24	<0.001	0.09	2.75	7.7	<0.2	<10	270	1.55	0.18	0.71	0.36	119.5	25.7	129
ZZ69749		0.08	<0.001	0.13	2.42	9.3	<0.2	<10	300	0.98	0.21	0.58	1.17	50.2	18.3	87
ZZ69750		0.17	0.004	0.12	1.70	42.8	<0.2	<10	180	1.33	0.40	0.28	0.76	56.4	39.1	77
ZZ69751		0.14	<0.001	0.55	0.78	44.8	<0.2	<10	230	1.09	0.23	0.44	0.92	13.35	16.1	17
ZZ69752		0.26	0.008	2.95	0.42	70.9	<0.2	<10	260	1.18	0.26	0.76	2.46	22.7	23.8	11
ZZ69753		0.24	<0.001	0.14	0.79	65.1	<0.2	<10	90	1.00	0.27	0.10	0.57	13.45	13.3	15
ZZ69754		0.24	0.001	0.26	0.77	23.5	<0.2	<10	130	1.15	0.30	0.21	0.56	17.15	16.2	15
ZZ69755		0.21	<0.001	0.05	0.99	31.8	<0.2	<10	90	0.52	0.30	0.02	0.21	10.40	12.4	21
ZZ69756		0.33	<0.001	0.20	0.82	14.9	<0.2	<10	140	0.97	0.29	0.16	0.41	9.55	13.2	16
ZZ69757		0.43	<0.001	0.21	0.45	21.3	<0.2	<10	160	1.19	0.37	0.35	0.29	12.60	17.4	11
ZZ69758		0.35	<0.001	0.05	2.16	10.9	<0.2	<10	220	1.53	0.40	0.09	0.17	10.35	19.9	34
ZZ69759		0.44	<0.001	0.05	2.04	8.9	<0.2	<10	240	1.72	0.50	0.10	0.12	13.35	26.9	30
ZZ69760		0.37	0.001	0.08	2.04	12.3	<0.2	<10	250	1.39	0.38	0.16	0.17	10.35	20.4	32
ZZ69761		0.32	<0.001	0.07	4.00	1.4	<0.2	<10	230	3.20	0.10	1.90	0.23	205	60.4	263
ZZ69762		0.31	0.002	0.09	3.43	5.7	<0.2	10	360	2.31	0.11	1.61	0.19	125.5	32.0	184
ZZ69763		0.38	0.004	0.17	3.37	13.5	<0.2	20	200	1.81	0.05	2.49	0.55	148.5	45.5	212
ZZ69764		0.28	0.005	0.27	2.26	18.8	<0.2	10	250	1.71	0.08	3.16	0.74	128.5	45.6	121
ZZ69765		0.40	0.002	0.15	2.80	11.6	<0.2	10	230	2.40	0.07	2.14	0.39	140.0	52.8	131
ZZ69766		0.18	0.001	0.18	3.37	5.5	<0.2	10	360	2.93	0.11	1.97	0.27	151.5	41.2	182
ZZ69767		0.27	0.002	0.07	2.70	8.7	<0.2	10	190	1.76	0.07	1.54	0.12	96.3	50.6	182
ZZ69768		0.20	<0.001	0.05	2.25	20.5	<0.2	10	250	1.77	0.04	1.99	0.11	93.9	43.7	163
ZZ69769		0.33	0.001	0.06	2.76	2.0	<0.2	10	310	1.62	0.04	2.80	0.11	90.3	45.4	185
ZZ69770		0.27	0.010	0.63	0.39	46.1	<0.2	<10	230	1.21	0.21	1.25	0.93	11.60	21.1	29
ZZ69771		0.35	0.001	0.05	0.65	14.7	<0.2	<10	250	1.63	0.40	0.16	0.06	13.90	24.2	18
ZZ69772		0.26	0.002	0.14	0.75	15.4	<0.2	<10	140	1.05	0.29	0.27	0.50	11.40	12.3	20
ZZ69773		0.28	0.003	0.16	0.73	18.0	<0.2	<10	150	1.41	0.31	0.37	0.26	14.90	13.9	20
ZZ69774		0.23	<0.001	0.12	1.57	10.9	<0.2	<10	280	1.52	0.28	0.32	0.22	38.1	24.1	47
ZZ69775		0.19	<0.001	0.14	1.42	7.6	<0.2	<10	380	1.33	0.28	0.44	0.06	13.95	9.0	31
ZZ69776		0.34	0.001	0.04	0.72	32.1	<0.2	<10	210	1.66	0.36	0.03	0.20	6.79	27.6	17
ZZ69777		0.18	0.005	0.07	1.64	69.6	<0.2	<10	330	1.21	0.31	0.55	0.27	30.1	14.0	51
ZZ69778		0.22	<0.001	0.05	2.07	28.6	<0.2	<10	370	1.90	0.35	0.47	0.12	47.4	27.3	63
ZZ69779		0.23	<0.001	0.14	3.99	1.6	<0.2	10	320	2.03	0.04	2.31	0.20	151.0	46.5	302
ZZ69780		0.25	<0.001	0.12	3.53	2.3	<0.2	10	300	2.72	0.04	2.06	0.20	187.5	47.3	315

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ69741		1.70	39.7	4.97	5.43	0.05	0.05	0.09	0.046	0.10	14.3	24.4	0.73	904	2.18	0.02
ZZ69742		2.53	58.8	4.93	5.91	0.10	0.04	0.06	0.045	0.13	27.6	25.9	0.99	2030	1.60	0.03
ZZ69743		1.89	34.1	4.53	6.48	<0.05	0.03	0.02	0.041	0.09	3.7	38.3	0.56	1140	0.69	0.02
ZZ69744		2.65	45.9	5.34	11.90	0.09	0.10	0.04	0.047	0.06	47.1	39.5	2.16	870	1.32	0.02
ZZ69745		1.72	35.4	2.42	3.76	<0.05	0.03	0.07	0.038	0.08	4.3	16.7	0.26	269	2.83	0.01
ZZ69746		1.76	38.4	3.47	4.11	<0.05	<0.02	0.04	0.036	0.09	3.3	6.1	0.13	564	4.56	0.01
ZZ69747		2.12	38.6	6.20	11.80	0.12	0.40	0.04	0.061	0.07	55.2	52.1	3.03	714	1.50	0.03
ZZ69748		3.40	35.5	6.87	11.50	0.10	0.05	0.09	0.070	0.12	52.1	26.4	1.13	1160	2.14	0.02
ZZ69749		4.63	34.7	4.09	9.12	0.06	0.02	0.05	0.046	0.11	30.8	20.8	0.71	2940	2.51	0.02
ZZ69750		2.06	113.5	6.65	4.79	0.07	<0.02	0.08	0.068	0.14	21.7	14.6	0.49	2830	10.45	0.01
ZZ69751		2.09	40.5	3.23	2.47	<0.05	0.07	0.13	0.039	0.11	4.6	6.0	0.17	870	6.61	0.01
ZZ69752		2.13	91.5	4.23	1.32	0.05	0.04	0.33	0.052	0.11	10.3	2.9	0.09	1870	7.16	0.02
ZZ69753		0.93	39.3	3.41	2.23	<0.05	0.02	0.05	0.035	0.09	4.6	6.5	0.11	517	3.52	0.01
ZZ69754		1.18	46.4	3.69	2.21	0.05	<0.02	0.07	0.037	0.12	6.6	9.0	0.19	623	3.98	0.01
ZZ69755		1.56	29.7	3.80	4.13	<0.05	<0.02	0.03	0.038	0.07	4.2	3.2	0.09	626	4.26	0.01
ZZ69756		2.17	35.9	3.55	2.84	<0.05	0.03	0.04	0.039	0.13	3.4	4.7	0.13	357	4.98	0.01
ZZ69757		1.52	47.4	3.30	1.49	<0.05	0.03	0.05	0.038	0.14	4.4	3.4	0.14	793	1.80	0.01
ZZ69758		3.62	40.7	4.00	5.28	<0.05	0.03	0.01	0.041	0.12	3.4	41.3	0.53	1670	1.32	0.01
ZZ69759		4.40	66.2	3.60	5.18	0.05	0.03	0.01	0.033	0.14	3.1	48.1	0.59	1120	0.99	0.01
ZZ69760		3.04	47.4	3.98	5.19	0.06	0.05	0.02	0.038	0.15	3.3	44.1	0.61	1260	1.34	0.02
ZZ69761		3.52	87.3	10.40	15.70	0.23	0.20	0.40	0.131	0.08	111.5	57.4	3.51	2420	0.94	0.03
ZZ69762		3.43	59.5	7.50	12.75	0.15	0.25	0.07	0.088	0.12	83.7	47.1	2.91	1320	1.18	0.03
ZZ69763		1.74	99.6	7.30	12.05	0.19	0.33	0.07	0.070	0.27	78.6	34.8	3.04	1560	3.90	0.11
ZZ69764		2.31	113.0	7.19	7.16	0.14	0.14	0.19	0.072	0.36	64.9	21.5	1.56	966	5.37	0.02
ZZ69765		1.96	106.0	8.76	13.95	0.29	0.18	0.09	0.091	0.27	72.4	44.9	2.67	1310	3.05	0.02
ZZ69766		4.84	82.8	7.48	18.20	0.29	0.19	0.07	0.086	0.16	99.8	60.0	3.29	2030	1.65	0.04
ZZ69767		1.24	126.0	5.96	8.35	0.18	0.14	0.03	0.069	0.44	44.3	21.4	1.00	987	1.23	0.02
ZZ69768		1.32	115.5	4.92	7.69	0.18	0.17	0.04	0.053	0.47	46.4	16.1	0.93	881	1.14	0.01
ZZ69769		2.65	104.5	5.04	9.43	0.17	0.18	0.03	0.063	0.59	45.3	21.6	1.84	884	0.87	0.03
ZZ69770		0.71	61.6	6.47	1.74	0.12	0.05	1.86	0.039	0.11	5.5	1.7	0.51	1060	51.6	0.01
ZZ69771		2.59	44.3	4.57	2.67	0.08	0.03	0.08	0.045	0.11	5.2	9.3	0.23	1700	1.18	0.01
ZZ69772		1.62	35.8	3.21	2.97	0.06	0.04	0.06	0.033	0.11	5.5	8.1	0.23	724	3.39	0.01
ZZ69773		2.74	40.2	3.82	2.73	0.07	0.06	0.09	0.037	0.13	7.2	7.3	0.24	636	2.59	0.01
ZZ69774		3.12	48.3	4.69	6.21	0.11	0.06	0.07	0.041	0.13	16.6	21.6	0.57	1840	2.22	0.01
ZZ69775		3.39	16.5	2.86	5.85	0.06	0.07	0.06	0.037	0.13	8.2	21.6	0.42	275	1.54	0.02
ZZ69776		6.22	46.7	4.72	2.59	0.06	<0.02	3.00	0.041	0.13	2.0	6.0	0.10	2210	1.01	0.01
ZZ69777		3.18	27.6	4.18	7.02	0.07	0.03	0.11	0.039	0.15	11.0	33.0	0.66	796	1.19	0.02
ZZ69778		1.81	54.3	6.65	8.00	0.11	0.03	0.06	0.063	0.10	12.4	42.9	0.88	1260	1.62	0.02
ZZ69779		2.26	77.5	7.87	19.35	0.32	0.39	0.02	0.060	0.28	90.1	61.5	5.39	1480	0.60	0.15
ZZ69780		2.56	81.0	8.51	18.90	0.32	0.22	0.12	0.083	0.43	109.5	52.0	3.97	1700	0.73	0.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ69741		6.18	43.7	550	21.0	14.3	<0.001	0.02	0.61	6.6	0.7	0.8	35.9	<0.01	0.05	2.9
ZZ69742		5.00	54.8	1100	22.6	11.9	<0.001	0.02	0.44	7.8	0.6	0.7	57.3	<0.01	0.04	2.5
ZZ69743		1.03	36.2	340	24.0	12.5	<0.001	0.01	0.25	5.1	0.5	0.9	15.9	<0.01	0.04	2.9
ZZ69744		9.11	70.7	1670	14.8	13.6	<0.001	0.02	0.33	7.4	0.7	1.2	117.5	<0.01	0.03	2.7
ZZ69745		0.46	23.9	250	32.3	11.6	0.001	0.03	0.43	6.2	1.1	0.6	25.3	<0.01	0.05	4.1
ZZ69746		0.68	22.1	920	17.6	14.3	<0.001	0.04	1.17	1.6	0.9	0.6	5.2	<0.01	0.06	0.2
ZZ69747		18.75	94.5	2970	15.2	12.3	0.002	0.07	0.27	9.3	1.2	1.1	207	0.01	0.02	4.1
ZZ69748		6.67	65.0	1740	14.4	16.4	<0.001	0.07	0.55	6.2	0.7	1.2	60.9	<0.01	0.03	0.7
ZZ69749		2.18	47.0	2670	17.8	20.7	<0.001	0.16	0.48	2.8	0.8	0.8	50.6	<0.01	0.04	0.2
ZZ69750		1.54	104.0	1900	44.3	14.6	0.001	0.05	2.31	4.4	1.6	0.6	24.4	<0.01	0.24	0.7
ZZ69751		0.50	38.2	1140	25.4	11.0	0.002	0.07	2.31	5.0	1.9	0.5	17.7	<0.01	0.05	1.5
ZZ69752		0.14	74.8	1400	31.8	9.2	0.004	0.10	3.26	7.1	3.9	0.4	22.8	<0.01	0.12	4.1
ZZ69753		0.22	33.1	1090	20.6	9.7	0.001	0.03	1.07	3.3	1.2	0.4	8.7	<0.01	0.07	1.5
ZZ69754		0.21	39.3	820	23.3	8.8	0.001	0.01	1.08	5.3	1.3	0.4	15.5	<0.01	0.06	3.5
ZZ69755		0.34	25.8	890	26.6	10.5	<0.001	0.03	0.85	1.2	0.8	0.7	4.2	<0.01	0.05	<0.2
ZZ69756		0.21	27.5	1270	22.7	14.0	<0.001	0.06	1.05	3.0	1.3	0.5	8.6	<0.01	0.07	1.0
ZZ69757		0.10	35.6	610	20.7	8.9	<0.001	0.03	0.49	6.0	0.8	0.4	18.9	<0.01	0.03	3.3
ZZ69758		0.32	32.4	430	26.8	14.4	<0.001	0.01	0.45	5.3	0.5	0.7	8.8	<0.01	0.04	3.0
ZZ69759		0.10	35.3	330	26.9	14.3	<0.001	<0.01	0.29	5.9	0.5	0.7	13.2	<0.01	0.05	4.4
ZZ69760		0.10	36.8	290	25.5	12.5	<0.001	0.01	0.50	5.9	0.5	0.7	12.1	<0.01	0.04	3.8
ZZ69761		1.04	163.0	4960	16.6	7.3	<0.001	0.06	0.25	25.1	0.7	1.5	241	<0.01	0.03	5.7
ZZ69762		9.64	80.7	2720	14.1	12.2	<0.001	0.09	0.27	12.7	0.8	1.0	160.5	0.02	0.03	2.2
ZZ69763		3.12	129.5	4500	11.9	18.1	0.001	0.08	0.68	12.4	0.9	0.9	281	<0.01	0.04	6.8
ZZ69764		0.70	143.0	4620	12.0	19.3	0.001	0.18	1.29	15.0	1.5	0.8	205	<0.01	0.05	6.4
ZZ69765		1.22	124.0	4230	8.6	16.5	0.001	0.15	0.63	19.7	1.2	1.1	181.5	0.01	0.04	5.0
ZZ69766		11.85	90.0	3780	14.8	15.8	<0.001	0.11	0.41	11.3	1.2	1.0	202	0.03	0.06	2.3
ZZ69767		0.44	149.5	3710	8.0	26.9	<0.001	0.08	0.26	15.9	0.8	0.9	106.0	0.01	0.07	4.4
ZZ69768		0.49	141.5	4060	5.5	28.4	<0.001	0.06	0.39	14.0	0.9	0.7	111.5	0.01	0.06	2.9
ZZ69769		0.78	171.5	3040	4.3	37.1	0.001	0.04	0.15	17.9	0.7	1.0	131.5	0.01	0.06	3.6
ZZ69770		0.35	88.2	650	15.6	8.4	0.004	0.15	4.02	6.2	6.8	0.4	44.2	0.01	0.09	0.8
ZZ69771		0.19	33.3	280	25.7	10.0	<0.001	0.02	0.33	7.2	0.4	0.5	21.7	<0.01	0.05	2.5
ZZ69772		0.42	26.5	880	15.9	10.5	0.001	0.05	0.98	4.5	0.8	0.5	14.3	<0.01	0.05	1.4
ZZ69773		0.26	30.8	480	15.9	11.8	0.001	0.03	0.79	6.4	0.8	0.5	21.9	<0.01	0.05	2.4
ZZ69774		0.69	39.1	940	22.7	14.1	<0.001	0.04	0.63	9.0	0.8	0.6	22.7	0.01	0.05	2.1
ZZ69775		0.79	18.6	480	21.5	20.2	0.001	0.05	0.28	6.0	0.8	0.8	44.7	<0.01	0.03	1.7
ZZ69776		0.52	25.0	520	21.2	16.4	<0.001	0.03	0.37	5.5	0.4	0.5	7.3	0.01	0.05	1.2
ZZ69777		2.56	28.9	1230	14.8	28.0	<0.001	0.07	0.45	4.4	0.6	0.8	40.9	0.01	0.04	0.7
ZZ69778		4.78	46.7	910	24.1	13.8	<0.001	0.02	0.45	7.2	0.4	0.9	33.3	0.01	0.05	1.5
ZZ69779		11.60	136.0	4870	6.2	27.7	<0.001	0.05	0.12	7.3	1.0	0.9	320	0.04	0.03	4.3
ZZ69780		7.06	139.0	4610	6.8	41.3	0.001	0.04	0.15	14.2	1.0	1.2	283	0.03	0.03	4.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ69741		0.139	0.10	0.72	68	0.15	7.40	125	2.4
ZZ69742		0.155	0.09	0.76	69	0.18	14.35	104	1.8
ZZ69743		0.013	0.06	0.42	34	0.07	3.35	108	0.9
ZZ69744		0.393	0.17	1.08	143	0.30	12.35	78	4.6
ZZ69745		<0.005	0.12	1.06	28	<0.05	6.13	98	1.5
ZZ69746		0.008	0.15	0.71	42	0.06	2.78	141	<0.5
ZZ69747		0.459	0.11	1.61	146	0.34	13.20	128	15.5
ZZ69748		0.208	0.13	1.09	200	0.15	10.60	122	1.8
ZZ69749		0.031	0.21	1.76	96	0.15	10.90	115	0.5
ZZ69750		0.039	0.16	2.12	105	0.10	9.68	253	<0.5
ZZ69751		0.005	0.24	1.40	38	<0.05	7.59	191	1.9
ZZ69752		<0.005	0.53	1.70	41	<0.05	11.90	257	1.3
ZZ69753		<0.005	0.09	0.85	31	<0.05	4.91	127	0.6
ZZ69754		0.005	0.09	1.00	29	<0.05	8.54	136	0.5
ZZ69755		0.009	0.16	0.52	47	0.09	3.34	101	<0.5
ZZ69756		<0.005	0.18	0.99	33	<0.05	4.77	134	0.8
ZZ69757		<0.005	0.10	0.53	18	<0.05	9.53	108	1.2
ZZ69758		0.005	0.10	0.49	25	<0.05	6.10	101	0.9
ZZ69759		0.006	0.08	0.45	19	<0.05	8.26	96	1.3
ZZ69760		0.007	0.09	0.47	23	<0.05	6.94	100	2.0
ZZ69761		0.072	0.09	1.12	256	0.07	20.3	172	5.3
ZZ69762		0.229	0.07	1.41	199	0.16	17.45	119	6.0
ZZ69763		0.362	0.16	1.80	172	0.25	18.55	164	17.1
ZZ69764		0.038	0.18	1.72	131	0.07	19.25	168	5.0
ZZ69765		0.093	0.14	0.87	189	0.11	19.45	141	5.4
ZZ69766		0.289	0.11	0.79	211	0.29	21.1	126	5.5
ZZ69767		0.012	0.09	0.48	81	0.08	18.35	101	2.8
ZZ69768		0.006	0.08	0.47	62	0.10	20.4	71	3.0
ZZ69769		0.036	0.10	0.52	85	0.11	17.70	76	4.1
ZZ69770		0.006	0.34	3.39	54	0.13	14.65	157	1.7
ZZ69771		<0.005	0.09	0.68	22	0.06	7.88	93	<0.5
ZZ69772		<0.005	0.11	0.57	30	0.09	4.62	109	0.9
ZZ69773		<0.005	0.12	0.56	27	0.05	6.62	108	1.3
ZZ69774		0.011	0.11	0.57	65	0.11	13.90	89	0.9
ZZ69775		<0.005	0.12	0.50	37	0.09	6.38	57	1.5
ZZ69776		0.007	0.17	0.54	25	0.09	2.68	101	<0.5
ZZ69777		0.049	0.12	0.59	69	0.16	4.27	114	0.8
ZZ69778		0.104	0.10	0.50	75	0.18	4.18	117	1.4
ZZ69779		0.458	0.07	0.89	178	0.44	20.1	110	14.9
ZZ69780		0.346	0.13	0.92	210	0.39	21.7	117	8.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ69781		0.23	0.001	0.13	3.88	6.7	<0.2	10	240	2.33	0.10	1.14	0.19	139.0	38.8	226
ZZ69782		0.21	<0.001	0.15	3.71	3.6	<0.2	10	290	2.31	0.08	1.00	0.19	137.0	38.3	219
ZZ69783		0.20	0.003	0.34	3.19	6.3	<0.2	10	300	1.96	0.07	1.76	1.03	133.5	42.6	244
ZZ69784		0.25	0.010	1.36	2.32	31.6	<0.2	10	270	2.02	0.25	1.50	2.32	115.0	48.8	173
ZZ69785		0.18	0.008	0.72	2.34	14.3	<0.2	10	250	1.50	0.11	2.17	1.37	91.2	35.0	177
ZZ69786		0.13	0.007	0.46	2.70	14.7	<0.2	10	220	2.14	0.08	1.88	1.22	131.0	42.1	210
ZZ69787		0.19	<0.001	0.17	3.33	3.6	<0.2	10	270	2.22	0.05	2.10	0.21	151.0	41.2	258
ZZ69788		0.28	0.002	0.26	3.93	4.1	<0.2	10	260	2.96	0.06	2.44	0.25	151.0	48.1	306
ZZ69789		0.28	<0.001	0.07	1.70	24.7	<0.2	<10	120	1.59	0.32	0.25	0.19	10.40	17.3	29
ZZ69790		0.28	<0.001	0.13	3.41	8.1	<0.2	<10	270	2.00	0.16	1.38	0.07	97.3	29.4	226
ZZ69791		0.28	<0.001	0.14	2.83	8.8	<0.2	<10	220	1.64	0.27	0.69	0.08	56.1	21.3	152
ZZ69792		0.24	0.002	0.14	2.84	14.6	<0.2	<10	750	2.22	0.42	0.40	0.10	15.20	17.3	52
ZZ69793		0.22	0.001	0.06	1.91	15.2	<0.2	<10	150	1.60	0.40	0.09	0.21	12.15	23.6	38
ZZ69794		0.19	<0.001	0.09	1.84	5.5	<0.2	<10	470	0.86	0.33	0.62	0.12	19.05	12.3	47
ZZ69795		0.22	<0.001	0.10	2.14	7.7	<0.2	<10	360	1.67	0.28	0.76	0.13	34.0	19.3	100
ZZ69796		0.25	0.001	0.10	1.62	9.0	<0.2	<10	290	1.83	0.24	0.78	0.22	49.7	20.0	152
ZZ69797		0.16	<0.001	0.10	3.07	7.1	<0.2	<10	330	1.50	0.25	0.59	0.10	58.6	24.8	117
ZZ69798		0.23	0.001	0.10	2.01	15.9	<0.2	<10	420	1.80	0.23	1.22	0.21	91.4	25.4	100
ZZ69799		0.16	<0.001	0.10	2.62	6.2	<0.2	<10	230	1.72	0.23	0.43	0.20	56.6	25.0	125
ZZ69800		0.13	<0.001	0.12	2.31	5.5	<0.2	<10	260	1.29	0.25	0.41	0.18	43.5	16.9	99
ZZ69801		0.18	0.013	0.99	1.90	41.5	<0.2	10	240	1.83	0.13	3.55	1.21	80.6	56.9	156
ZZ69802		0.12	0.013	0.40	2.34	20.0	<0.2	10	240	1.53	0.09	2.93	1.02	79.1	50.5	157
ZZ69803		0.13	0.010	0.32	0.44	69.6	<0.2	<10	140	1.80	0.54	0.37	0.14	14.85	37.2	19
ZZ69804		0.14	0.003	0.17	0.69	60.4	<0.2	<10	190	1.84	0.62	0.22	0.13	29.6	38.8	27
ZZ69805		0.17	0.003	0.27	2.77	17.5	<0.2	10	250	1.68	0.09	3.14	0.86	134.0	50.4	165
ZZ69806		0.24	0.003	0.29	2.62	22.6	<0.2	10	230	1.91	0.11	1.22	0.87	123.5	54.9	169
ZZ69807		0.14	0.004	0.09	1.98	15.5	<0.2	<10	230	1.29	0.28	0.31	0.26	37.7	26.0	71
ZZ69808		0.19	0.002	0.24	2.48	14.0	<0.2	10	250	1.82	0.09	2.01	0.72	146.0	42.2	141
ZZ69809		0.16	0.003	0.33	2.72	16.6	<0.2	10	270	1.72	0.09	2.37	0.74	119.0	44.0	160
ZZ69810		0.18	<0.001	0.04	0.56	14.3	<0.2	<10	210	0.63	0.27	0.40	0.43	5.83	8.7	17
ZZ69811		0.14	<0.001	0.48	1.76	27.0	<0.2	<10	300	1.21	0.18	1.93	0.54	57.6	21.2	77
ZZ69812		0.25	0.001	0.08	1.68	55.1	<0.2	10	450	0.76	0.31	0.57	0.14	24.1	14.6	38
ZZ69813		0.14	0.004	0.07	2.47	9.9	<0.2	10	380	2.09	0.20	1.47	0.23	94.5	31.9	161
ZZ69814		0.13	<0.001	0.06	2.60	5.9	<0.2	<10	630	1.54	0.18	1.70	0.10	59.2	20.2	146
ZZ69815		0.17	0.001	0.05	2.18	19.0	<0.2	<10	210	1.85	0.30	0.40	0.30	63.0	24.8	85
ZZ69816		0.15	0.008	0.10	1.51	12.7	<0.2	<10	230	0.87	0.26	0.28	0.41	34.0	25.1	86
ZZ69817		0.19	0.002	0.14	1.93	10.0	<0.2	<10	290	1.18	0.30	1.18	0.33	40.5	15.3	49
ZZ69818		0.17	0.003	0.07	2.09	9.2	<0.2	<10	330	1.28	0.25	1.95	0.40	55.8	17.9	85
ZZ69819		0.17	0.003	0.09	1.61	11.9	<0.2	<10	190	0.92	0.27	0.41	0.40	44.3	19.6	64
ZZ69820		0.14	0.003	0.10	1.83	8.9	<0.2	<10	210	1.09	0.26	0.32	0.25	37.0	14.7	71

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ69781		4.35	51.1	7.28	17.40	0.23	0.17	0.05	0.072	0.17	58.4	53.3	3.11	1630	1.46	0.03
ZZ69782		4.65	50.2	7.07	16.30	0.23	0.16	0.04	0.066	0.24	60.1	45.2	2.87	1700	1.11	0.03
ZZ69783		3.44	109.5	7.33	12.65	0.27	0.11	0.10	0.068	0.73	73.2	28.7	1.82	1390	2.41	0.02
ZZ69784		2.74	192.0	7.41	9.99	0.25	0.13	0.25	0.076	0.46	63.0	25.5	1.41	1540	16.05	0.03
ZZ69785		2.15	107.0	6.40	10.05	0.20	0.17	0.13	0.064	0.51	49.7	22.8	1.59	1220	6.79	0.04
ZZ69786		1.97	110.0	7.85	13.60	0.28	0.21	0.11	0.074	0.44	73.2	37.2	2.38	1360	5.68	0.05
ZZ69787		2.57	68.3	7.74	16.80	0.31	0.37	0.09	0.064	0.19	89.7	49.3	3.67	1500	1.22	0.07
ZZ69788		2.70	90.8	8.23	19.20	0.34	0.43	0.06	0.073	0.08	89.0	71.6	5.20	2070	1.98	0.04
ZZ69789		2.10	45.5	4.36	4.88	0.06	0.03	0.04	0.042	0.10	3.1	27.8	0.44	852	2.61	0.01
ZZ69790		2.64	39.2	6.45	15.20	0.21	0.23	0.02	0.055	0.07	52.2	62.5	3.46	722	1.50	0.02
ZZ69791		3.09	30.5	5.64	13.30	0.14	0.08	0.03	0.049	0.08	27.1	42.2	1.92	911	1.46	0.02
ZZ69792		5.94	35.0	4.60	9.03	0.08	0.12	0.05	0.050	0.17	5.7	33.8	0.53	1120	1.28	0.02
ZZ69793		2.31	48.3	4.99	6.35	0.07	0.02	0.06	0.052	0.10	4.4	28.5	0.44	1460	1.41	0.01
ZZ69794		1.81	14.8	3.82	8.13	0.07	0.03	0.03	0.036	0.10	9.3	29.5	0.57	507	1.93	0.02
ZZ69795		1.56	41.7	5.10	7.94	0.11	0.08	0.08	0.046	0.10	17.7	48.9	0.98	671	1.34	0.02
ZZ69796		1.85	38.2	6.13	6.76	0.14	0.05	0.17	0.054	0.10	27.7	22.3	0.62	797	2.00	0.02
ZZ69797		2.15	23.0	6.19	14.40	0.12	0.14	0.02	0.051	0.10	25.0	45.0	1.44	944	1.35	0.02
ZZ69798		1.52	40.1	5.84	8.67	0.15	0.05	0.07	0.058	0.08	38.6	24.5	0.79	1200	5.01	0.02
ZZ69799		2.17	26.5	6.07	12.70	0.12	0.09	0.03	0.051	0.14	23.0	30.7	1.30	1490	1.35	0.02
ZZ69800		2.04	23.3	4.70	10.90	0.10	0.06	0.03	0.041	0.10	18.7	22.0	0.91	1020	1.38	0.02
ZZ69801		1.50	213	6.25	6.85	0.15	0.11	0.23	0.070	0.28	40.7	15.4	1.80	996	6.59	0.03
ZZ69802		1.32	137.5	5.88	7.41	0.13	0.10	0.18	0.060	0.37	39.0	17.4	1.38	1540	4.85	0.02
ZZ69803		1.46	107.0	4.82	1.65	0.06	0.06	0.16	0.056	0.14	9.2	1.7	0.11	1240	5.30	0.01
ZZ69804		1.56	117.5	6.41	2.57	0.09	0.06	0.14	0.051	0.13	14.1	4.5	0.22	1880	4.98	0.01
ZZ69805		1.52	137.0	6.87	9.89	0.19	0.13	0.42	0.060	0.43	64.2	25.0	1.98	1190	4.69	0.03
ZZ69806		1.55	151.0	6.69	9.57	0.20	0.15	0.14	0.065	0.47	62.4	21.7	1.60	1260	4.84	0.02
ZZ69807		2.19	51.4	5.77	7.89	0.05	0.05	0.04	0.047	0.15	13.9	18.3	0.67	2030	4.77	0.02
ZZ69808		1.10	115.0	6.07	9.49	0.18	0.13	0.11	0.058	0.36	77.8	21.1	1.63	1340	3.63	0.03
ZZ69809		1.15	116.5	6.27	9.84	0.15	0.13	0.18	0.055	0.33	62.7	22.7	1.69	1160	3.82	0.02
ZZ69810		2.10	21.0	3.60	2.83	<0.05	<0.02	0.04	0.031	0.11	2.6	2.7	0.08	1380	1.02	0.01
ZZ69811		1.10	67.4	3.99	6.79	0.09	0.09	0.10	0.044	0.15	36.1	13.3	0.75	1060	2.21	0.02
ZZ69812		2.37	20.4	3.46	7.31	<0.05	<0.02	0.04	0.034	0.08	11.0	22.4	0.37	739	1.57	0.02
ZZ69813		1.63	61.0	5.55	9.92	0.19	0.19	0.03	0.037	0.16	48.5	34.3	2.06	1300	1.43	0.05
ZZ69814		2.23	39.1	4.15	10.90	0.10	0.21	0.02	0.036	0.08	30.2	24.8	1.44	873	1.61	0.02
ZZ69815		2.06	46.0	5.03	7.60	0.08	0.05	0.03	0.043	0.09	23.9	28.4	0.95	1420	1.73	0.02
ZZ69816		1.41	31.2	5.23	8.37	0.06	0.03	0.03	0.038	0.11	13.8	13.2	0.60	2580	1.81	0.02
ZZ69817		1.70	31.9	3.51	7.36	0.06	0.05	0.04	0.034	0.07	17.5	18.4	0.58	988	1.60	0.02
ZZ69818		1.23	35.0	4.00	7.15	0.06	0.12	0.04	0.035	0.09	17.3	24.6	1.05	1060	1.88	0.02
ZZ69819		2.05	22.5	4.63	8.74	0.06	0.04	0.05	0.035	0.12	18.4	16.3	0.61	1040	1.74	0.02
ZZ69820		2.18	22.2	4.84	9.61	0.05	0.05	0.04	0.035	0.10	16.2	17.2	0.56	1060	1.94	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ69781		15.70	105.0	3020	10.4	18.9	<0.001	0.07	0.45	7.4	1.0	1.2	167.0	0.02	0.05	3.3
ZZ69782		15.60	98.4	2010	9.1	27.4	<0.001	0.08	0.32	7.0	1.0	1.2	116.5	0.01	0.04	1.6
ZZ69783		4.39	172.5	3840	7.7	65.1	0.002	0.04	1.10	15.0	1.4	1.1	156.5	0.01	0.09	3.0
ZZ69784		2.42	167.0	4010	19.2	37.4	0.004	0.16	4.04	13.7	3.8	0.9	131.5	0.01	0.18	3.2
ZZ69785		6.16	127.0	2370	9.8	44.5	0.002	0.16	2.19	11.2	3.0	0.8	125.5	0.01	0.09	2.1
ZZ69786		7.21	147.5	3480	9.0	34.1	0.002	0.12	1.49	13.2	2.1	0.8	170.5	0.01	0.06	3.4
ZZ69787		13.15	125.0	3980	7.0	24.1	0.001	0.07	0.22	11.5	1.2	0.9	259	0.03	0.04	4.2
ZZ69788		15.10	142.5	4020	10.0	15.4	0.001	0.07	0.29	10.8	1.6	1.1	288	0.06	0.04	3.9
ZZ69789		0.94	35.3	370	21.6	15.3	0.001	0.02	0.73	4.9	0.9	0.6	30.3	<0.01	0.04	2.5
ZZ69790		15.30	98.5	2220	13.0	15.2	<0.001	0.04	0.33	8.5	1.1	1.2	168.5	0.02	0.04	3.2
ZZ69791		9.69	59.4	1170	14.4	19.0	<0.001	0.06	0.47	5.3	0.8	1.3	59.4	0.01	0.06	0.8
ZZ69792		1.32	29.5	1210	21.9	34.1	<0.001	0.08	0.28	7.1	0.6	1.3	29.6	<0.01	0.07	2.7
ZZ69793		1.77	29.2	600	28.7	14.6	<0.001	0.03	0.44	4.4	0.5	0.9	9.7	0.01	0.05	1.8
ZZ69794		4.10	21.8	580	17.9	22.0	<0.001	0.07	0.25	3.5	0.5	1.0	55.4	0.01	0.04	0.8
ZZ69795		6.38	41.6	780	21.3	16.3	<0.001	0.05	0.32	7.2	0.9	0.9	64.8	0.01	0.05	2.0
ZZ69796		3.21	56.5	1520	14.2	17.4	<0.001	0.06	0.35	9.7	0.8	0.8	64.2	0.01	0.04	0.9
ZZ69797		14.45	55.1	610	18.6	13.2	<0.001	0.04	0.33	5.4	0.6	1.5	52.8	0.01	0.04	1.6
ZZ69798		5.48	58.3	1610	14.9	13.7	<0.001	0.08	0.49	6.6	0.8	0.9	90.8	0.01	0.05	1.0
ZZ69799		9.98	52.8	920	15.6	21.3	<0.001	0.08	0.39	3.7	0.7	1.2	42.4	0.01	0.05	0.5
ZZ69800		8.51	41.7	1030	13.9	21.9	<0.001	0.10	0.41	2.3	0.6	1.1	39.8	0.01	0.04	0.2
ZZ69801		0.49	213	3410	12.1	17.2	0.001	0.14	1.88	17.8	4.3	0.9	131.0	<0.01	0.07	3.2
ZZ69802		0.60	193.5	2650	7.9	20.1	<0.001	0.11	1.49	15.4	2.1	0.8	105.0	<0.01	0.03	2.0
ZZ69803		0.20	58.7	740	71.6	10.4	0.001	0.09	1.61	7.8	1.6	0.5	21.8	<0.01	0.29	1.6
ZZ69804		0.29	63.8	760	68.2	9.6	0.001	0.07	1.33	10.2	1.6	0.6	17.9	<0.01	0.37	2.8
ZZ69805		1.71	187.0	3800	8.6	24.2	0.001	0.12	1.31	16.1	2.4	0.9	181.5	<0.01	0.03	3.9
ZZ69806		1.33	199.5	3340	9.6	29.3	0.001	0.07	1.37	18.6	2.4	0.9	116.5	<0.01	0.03	3.7
ZZ69807		0.73	39.4	1950	54.2	18.5	<0.001	0.11	0.48	6.5	0.4	0.7	14.0	<0.01	0.04	1.0
ZZ69808		2.62	151.5	3680	8.2	25.0	0.002	0.12	1.01	15.1	2.6	0.9	147.0	<0.01	0.02	3.1
ZZ69809		2.24	171.0	3180	8.1	24.0	0.001	0.09	1.16	14.4	2.1	0.8	138.0	<0.01	0.03	2.7
ZZ69810		0.94	14.4	620	12.9	13.6	<0.001	0.04	0.42	2.6	<0.2	0.6	16.0	0.01	0.04	0.4
ZZ69811		2.56	80.5	2120	12.3	19.2	<0.001	0.14	0.69	5.9	1.5	0.7	78.0	0.01	0.02	0.9
ZZ69812		2.39	22.8	480	15.0	17.6	<0.001	0.03	0.67	2.9	0.7	0.9	27.4	<0.01	0.06	0.7
ZZ69813		16.00	91.8	2270	15.6	14.8	<0.001	0.06	0.40	7.7	0.9	0.9	147.0	0.01	0.02	3.2
ZZ69814		18.00	62.3	2310	11.3	13.0	<0.001	0.21	0.32	4.0	0.9	0.8	153.0	0.09	<0.01	0.6
ZZ69815		6.35	54.3	1180	23.4	13.9	<0.001	0.05	0.77	4.8	0.9	0.8	39.8	0.01	0.03	1.1
ZZ69816		5.80	35.1	1080	20.0	22.5	<0.001	0.10	0.56	2.7	<0.2	1.0	37.7	<0.01	0.04	0.2
ZZ69817		3.40	28.2	1540	17.6	14.1	<0.001	0.11	0.62	3.0	0.3	0.7	66.8	0.01	0.02	0.7
ZZ69818		9.23	44.4	1450	15.6	13.2	0.001	0.14	0.55	3.6	0.6	0.7	187.0	0.03	0.02	0.8
ZZ69819		7.82	30.1	960	17.7	19.9	<0.001	0.07	0.69	3.1	0.7	0.9	36.0	0.01	0.02	0.7
ZZ69820		7.88	27.0	1030	17.6	17.8	<0.001	0.09	0.60	2.9	<0.2	1.0	29.0	0.01	0.02	0.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ69781		0.587	0.11	1.26	208	0.40	10.85	109	8.5
ZZ69782		0.535	0.12	1.19	196	0.26	10.80	108	7.7
ZZ69783		0.175	0.25	1.10	116	0.20	21.4	163	3.0
ZZ69784		0.084	0.37	4.32	157	0.19	27.0	341	2.4
ZZ69785		0.151	0.24	1.76	135	0.21	16.90	216	5.3
ZZ69786		0.216	0.24	1.61	179	0.22	19.85	209	6.6
ZZ69787		0.368	0.09	1.48	199	0.36	19.25	114	13.2
ZZ69788		0.555	0.12	1.91	216	0.46	19.60	127	17.0
ZZ69789		0.007	0.15	0.46	34	0.06	3.16	98	0.7
ZZ69790		0.514	0.11	1.26	151	0.42	12.60	104	10.6
ZZ69791		0.313	0.16	0.92	130	0.27	7.15	92	3.3
ZZ69792		0.006	0.20	0.85	51	0.19	5.50	88	2.6
ZZ69793		0.019	0.12	0.59	40	0.15	3.74	98	<0.5
ZZ69794		0.049	0.12	0.62	60	0.16	3.93	74	0.7
ZZ69795		0.127	0.09	0.62	80	0.20	7.35	96	2.7
ZZ69796		0.058	0.10	0.64	132	0.21	12.60	114	0.9
ZZ69797		0.407	0.14	0.78	154	0.25	5.32	78	6.9
ZZ69798		0.108	0.19	0.92	144	0.24	9.89	103	1.4
ZZ69799		0.321	0.08	0.99	147	0.18	4.71	112	4.3
ZZ69800		0.181	0.13	0.98	115	0.18	4.61	74	2.9
ZZ69801		0.007	0.20	1.40	118	0.11	21.6	215	3.6
ZZ69802		0.009	0.19	1.08	107	0.10	18.25	172	2.2
ZZ69803		<0.005	0.13	1.46	25	0.05	23.5	162	1.5
ZZ69804		<0.005	0.14	1.12	39	0.06	23.7	161	1.2
ZZ69805		0.062	0.18	1.05	128	0.10	19.40	173	4.1
ZZ69806		0.039	0.19	1.10	121	0.09	20.8	174	3.5
ZZ69807		0.008	0.09	0.55	93	0.09	6.71	96	0.8
ZZ69808		0.045	0.15	1.07	117	0.11	21.0	142	3.6
ZZ69809		0.036	0.15	1.00	125	0.10	18.50	167	3.2
ZZ69810		0.012	0.09	0.37	31	0.11	1.27	86	<0.5
ZZ69811		0.024	0.13	0.91	73	0.12	12.40	98	2.4
ZZ69812		0.027	0.16	0.49	63	0.19	3.50	68	<0.5
ZZ69813		0.401	0.10	1.12	120	0.38	14.60	101	10.1
ZZ69814		0.211	0.11	2.27	120	0.31	11.80	68	8.1
ZZ69815		0.185	0.11	0.95	91	0.23	8.83	103	2.4
ZZ69816		0.148	0.11	0.62	104	0.11	3.59	126	1.6
ZZ69817		0.060	0.11	0.85	72	0.24	6.18	72	1.4
ZZ69818		0.149	0.08	1.49	93	0.24	6.04	91	4.3
ZZ69819		0.200	0.10	0.75	112	0.29	4.49	102	2.3
ZZ69820		0.203	0.10	0.81	123	0.21	4.12	75	2.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ69821		0.14	0.009	0.09	2.57	9.6	<0.2	<10	330	1.98	0.27	0.90	0.17	65.1	27.5	100
ZZ69822		0.14	0.002	0.03	3.07	6.9	<0.2	<10	300	2.02	0.22	1.25	0.19	104.0	32.4	144
ZZ69823		0.16	0.002	0.09	2.57	6.3	<0.2	<10	290	1.70	0.19	0.79	0.14	61.3	15.6	78
ZZ69824		0.13	0.006	0.09	2.49	5.7	<0.2	10	260	1.57	0.15	0.79	0.23	69.4	27.2	115
ZZ69825		0.13	0.007	0.07	2.36	4.2	<0.2	<10	180	1.22	0.19	0.33	0.58	66.2	16.2	114
ZZ69826		0.15	0.002	0.09	3.17	6.1	<0.2	<10	430	2.89	0.13	1.74	0.22	123.0	33.1	150
ZZ69827		0.14	0.003	0.09	2.67	5.2	<0.2	<10	340	1.75	0.15	1.99	0.26	77.6	21.4	106
ZZ69828		0.16	0.003	0.03	3.46	2.5	<0.2	10	220	2.04	0.05	2.59	0.15	123.0	41.9	183
ZZ69829		0.13	0.003	0.10	3.14	7.1	<0.2	<10	190	2.31	0.14	2.02	0.22	122.5	28.5	132
ZZ69830		0.15	0.003	0.07	2.75	4.6	<0.2	<10	570	2.10	0.11	1.29	0.18	117.0	29.5	86
ZZ69831		0.19	0.001	0.05	1.44	3.0	<0.2	<10	120	1.35	0.29	0.11	0.12	71.1	13.1	43
ZZ69832		0.13	0.007	0.06	3.29	8.4	<0.2	<10	270	1.95	0.18	0.80	0.12	96.5	35.2	227
ZZ69833		0.13	0.002	0.12	2.34	8.3	<0.2	<10	210	2.04	0.17	1.91	0.14	93.1	16.8	135
ZZ69834		0.14	0.002	0.08	2.84	7.1	<0.2	10	190	1.65	0.17	1.63	0.14	108.5	25.9	117
ZZ69835		0.14	0.002	0.09	2.24	5.1	<0.2	<10	350	1.54	0.15	1.04	0.15	68.6	20.8	119
ZZ69836		0.15	0.002	0.07	3.24	4.3	<0.2	<10	640	2.51	0.11	1.78	0.24	121.5	40.2	221
ZZ69837		0.15	0.001	0.04	3.37	4.3	<0.2	10	280	1.77	0.11	1.68	0.16	101.0	34.7	205

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ69821		1.47	64.5	5.39	8.80	0.13	0.09	0.03	0.041	0.16	33.2	35.9	1.36	1500	1.15	0.02
ZZ69822		1.72	37.5	6.07	11.55	0.15	0.25	0.01	0.043	0.12	38.4	49.4	2.05	1550	1.03	0.03
ZZ69823		2.55	27.0	4.54	10.85	0.07	0.06	0.07	0.043	0.08	28.5	28.1	0.72	1600	1.79	0.02
ZZ69824		3.55	22.5	5.36	12.05	0.08	0.20	0.03	0.043	0.60	32.0	25.6	0.85	864	1.20	0.03
ZZ69825		2.63	21.4	5.94	15.35	0.06	0.18	0.05	0.046	0.13	29.4	18.4	0.73	1160	1.60	0.02
ZZ69826		1.42	62.9	5.90	15.25	0.18	0.21	0.03	0.055	0.14	81.3	36.3	1.92	1480	1.00	0.02
ZZ69827		3.32	53.8	4.55	11.05	0.12	0.19	0.07	0.042	0.09	47.0	29.0	1.25	974	1.65	0.03
ZZ69828		1.95	76.2	6.37	14.60	0.31	0.51	<0.01	0.045	0.10	52.7	85.1	4.45	1260	1.55	0.03
ZZ69829		3.22	60.1	5.75	14.10	0.17	0.28	0.03	0.038	0.06	57.7	49.8	2.13	1360	0.98	0.03
ZZ69830		3.59	53.3	5.19	9.64	0.16	0.14	0.02	0.052	0.23	47.7	45.1	1.73	1320	0.96	0.03
ZZ69831		2.11	39.8	3.44	6.07	0.07	<0.02	0.03	0.029	0.20	32.7	10.9	0.36	828	1.07	0.01
ZZ69832		2.34	36.9	7.53	16.85	0.10	0.18	0.04	0.074	0.08	33.8	61.1	1.71	1320	1.53	0.02
ZZ69833		1.34	55.6	4.44	10.50	0.14	0.06	0.04	0.054	0.09	68.6	18.2	0.98	858	1.26	0.02
ZZ69834		2.81	52.5	5.06	12.10	0.12	0.20	0.05	0.046	0.06	49.1	31.9	1.24	1160	1.31	0.02
ZZ69835		2.99	26.7	4.83	11.55	0.08	0.12	0.09	0.043	0.11	27.1	26.4	1.01	869	3.70	0.02
ZZ69836		2.04	53.3	6.27	14.25	0.15	0.15	0.04	0.053	0.19	59.8	44.9	2.27	1500	0.97	0.02
ZZ69837		2.68	42.8	6.39	14.95	0.11	0.18	0.02	0.051	0.19	40.0	45.3	2.23	1160	1.07	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ69821		8.68	61.1	1530	22.5	13.3	0.001	0.05	0.44	7.5	0.3	0.8	69.1	0.01	0.03	1.8
ZZ69822		12.55	81.4	2130	16.6	13.1	<0.001	0.03	0.33	7.1	0.9	1.1	138.0	0.01	0.02	3.9
ZZ69823		8.82	32.2	1750	13.4	16.1	<0.001	0.15	0.40	2.0	<0.2	1.0	69.5	0.01	0.02	0.2
ZZ69824		19.70	79.6	830	14.1	75.1	<0.001	0.08	0.46	6.0	0.3	1.1	80.2	0.01	0.03	1.3
ZZ69825		25.6	32.3	850	23.3	16.3	0.001	0.11	0.45	3.6	0.5	1.4	32.7	0.01	0.02	0.8
ZZ69826		17.65	79.9	1970	12.9	20.8	<0.001	0.08	0.36	9.0	0.8	0.9	120.5	0.03	0.01	1.7
ZZ69827		17.50	52.6	1750	10.3	14.9	<0.001	0.15	0.36	6.3	0.6	0.8	112.5	0.03	<0.01	1.1
ZZ69828		22.1	99.8	2860	5.5	12.1	0.001	0.06	0.24	10.7	1.1	1.3	135.5	0.04	0.01	4.4
ZZ69829		21.9	67.1	2050	14.0	12.0	0.001	0.09	0.39	7.9	1.0	1.0	209	0.03	0.02	2.8
ZZ69830		12.75	52.7	2230	7.6	22.5	<0.001	0.08	0.43	5.9	0.8	0.8	116.5	0.01	0.01	1.4
ZZ69831		1.77	20.3	720	23.1	27.5	<0.001	0.08	0.37	1.2	<0.2	0.8	10.7	<0.01	0.04	0.2
ZZ69832		16.55	66.0	960	12.1	17.5	<0.001	0.08	0.54	9.7	0.5	1.4	37.5	0.01	0.02	1.7
ZZ69833		5.31	49.6	2460	11.0	18.1	<0.001	0.18	0.47	3.3	1.5	0.5	84.7	0.02	0.01	0.5
ZZ69834		19.35	54.5	1750	11.6	10.2	<0.001	0.12	0.41	7.2	0.8	0.9	116.0	0.02	0.02	1.6
ZZ69835		15.55	42.9	1640	13.3	17.0	<0.001	0.14	0.39	4.3	0.6	0.9	82.1	0.01	0.02	0.5
ZZ69836		16.55	105.5	2240	9.9	28.4	0.001	0.08	0.31	8.3	0.4	0.9	123.5	0.02	0.01	1.7
ZZ69837		17.10	97.7	2050	10.3	26.0	0.001	0.06	0.28	7.6	0.8	1.1	117.5	0.01	0.01	2.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145889

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ69821		0.219	0.10	0.82	100	0.27	12.00	99	3.3
ZZ69822		0.473	0.06	1.05	135	0.42	10.50	101	13.2
ZZ69823		0.142	0.10	1.14	133	0.19	6.16	75	2.2
ZZ69824		0.375	0.14	1.83	177	0.98	4.95	72	8.6
ZZ69825		0.624	0.13	0.98	209	0.26	3.40	89	6.9
ZZ69826		0.420	0.09	1.19	191	0.33	15.40	99	7.6
ZZ69827		0.368	0.13	1.38	146	0.39	12.65	74	7.0
ZZ69828		0.972	0.05	1.51	210	0.35	18.25	81	36.0
ZZ69829		0.585	0.12	1.61	165	0.44	15.00	91	12.2
ZZ69830		0.405	0.07	0.96	142	0.30	12.25	76	5.8
ZZ69831		0.046	0.11	0.53	48	0.13	3.87	48	<0.5
ZZ69832		0.608	0.26	0.80	263	0.33	5.71	69	6.4
ZZ69833		0.069	0.17	1.30	129	0.19	17.35	62	1.5
ZZ69834		0.425	0.14	1.58	155	0.31	15.30	70	8.4
ZZ69835		0.341	0.18	0.99	169	0.29	5.32	61	4.8
ZZ69836		0.425	0.10	1.26	194	0.30	13.20	84	6.6
ZZ69837		0.600	0.08	0.99	193	0.36	8.22	78	9.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NAD

Finalized Date: 8-JUL-2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12145889

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

CERTIFICATE WH12145940

Project: NAD

P.O. No.:

This report is for 136 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23-JUN-2012.

The following have access to data associated with this certificate:

SARAH EATON	JOAN MARIACHER	

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-MS41	51 anal. aqua regia ICPMS	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ69838		0.13	0.002	0.05	3.67	5.3	<0.2	10	270	2.38	0.11	1.38	0.14	116.5	35.6	145
ZZ69839		0.14	0.003	0.05	3.87	6.5	<0.2	<10	240	2.66	0.18	1.33	0.18	124.0	28.4	121
ZZ69840		0.11	0.001	0.07	3.50	6.1	<0.2	<10	180	1.74	0.21	1.11	0.55	87.1	29.9	106
ZZ69841		0.07	0.005	0.05	2.37	4.6	<0.2	<10	160	1.11	0.19	0.98	0.50	54.3	21.3	83
ZZ69842		0.13	0.003	0.12	2.77	5.9	<0.2	<10	310	1.63	0.18	0.77	0.17	74.1	24.7	101
ZZ69843		0.17	0.002	0.10	2.94	6.1	<0.2	10	320	2.06	0.15	1.28	0.30	99.4	33.4	134
ZZ69844		0.18	0.001	0.06	2.26	9.5	<0.2	<10	320	1.61	0.24	0.42	0.26	71.7	38.4	103
ZZ69845		0.13	0.008	0.12	1.27	13.4	<0.2	<10	200	0.72	0.34	0.10	0.68	28.6	14.9	57
ZZ69846		0.14	0.002	0.05	2.15	15.2	<0.2	<10	300	0.98	0.29	0.69	0.16	34.8	14.7	52
ZZ69847		0.20	0.002	0.08	1.83	22.8	<0.2	<10	370	1.21	0.29	1.33	0.31	26.2	13.1	49
ZZ69848		0.19	0.002	0.05	3.71	4.8	<0.2	20	270	1.73	0.06	2.49	0.16	129.5	45.2	310
ZZ69849		0.21	0.003	0.10	2.11	14.5	<0.2	<10	230	1.44	0.21	0.73	0.18	43.3	23.0	128
ZZ69850		0.17	0.002	0.02	1.56	16.3	<0.2	<10	310	0.68	0.34	0.44	0.17	24.0	14.8	60
ZZ69851		0.11	0.007	0.09	2.98	5.0	<0.2	10	130	2.31	0.08	2.40	0.52	145.5	31.4	136
ZZ69852		0.39	0.003	0.22	3.12	15.8	<0.2	10	350	1.88	0.06	1.46	0.62	146.0	50.4	177
ZZ69853		0.38	0.003	0.27	3.30	8.9	<0.2	10	210	1.97	0.11	2.00	0.33	98.0	29.9	230
ZZ69854		0.30	0.002	0.05	3.60	9.0	<0.2	<10	270	2.11	0.20	0.75	0.17	98.4	33.3	175
ZZ69855		0.27	0.001	0.05	3.60	11.2	<0.2	<10	220	2.26	0.28	0.51	0.15	82.6	35.0	119
ZZ69856		0.25	0.004	0.05	2.09	25.2	<0.2	<10	90	0.89	0.43	0.09	0.22	19.85	24.9	66
ZZ69857		0.18	0.002	0.13	1.85	25.1	<0.2	<10	300	1.87	0.28	0.93	0.18	59.0	28.1	103
ZZ69858		0.24	0.003	0.07	1.93	25.0	<0.2	<10	280	2.09	0.40	0.47	0.18	65.7	26.4	69
ZZ69859		0.23	0.001	0.02	3.91	5.7	<0.2	<10	390	2.33	0.16	1.32	0.16	122.5	41.1	230
ZZ69860		0.21	0.002	0.08	3.05	5.9	<0.2	10	430	2.04	0.14	1.69	0.21	98.1	35.0	220
ZZ69861		0.24	0.002	0.11	3.16	5.8	<0.2	10	340	1.61	0.16	1.37	0.21	118.5	31.7	217
ZZ69862		0.30	0.002	0.10	2.35	10.3	<0.2	<10	270	1.32	0.25	1.07	0.27	71.6	28.2	108
ZZ69863		0.28	0.001	0.07	2.04	11.3	<0.2	<10	160	1.21	0.33	0.18	0.14	31.2	21.7	69
ZZ69864		0.29	0.001	0.07	1.33	9.3	<0.2	<10	160	0.43	0.36	0.13	0.21	34.2	6.8	38
ZZ69865		0.30	0.001	0.11	3.09	8.5	<0.2	<10	380	1.40	0.23	1.09	0.12	71.3	28.6	110
ZZ69866		0.21	0.001	0.14	2.94	6.5	<0.2	<10	410	1.27	0.26	1.03	0.18	84.1	24.6	116
ZZ69867		0.27	0.002	0.09	2.70	8.2	<0.2	<10	290	1.43	0.23	0.51	0.45	86.4	16.9	65
ZZ69868		0.26	0.002	0.11	3.23	5.4	<0.2	<10	330	1.97	0.13	0.85	0.17	138.5	28.2	102
ZZ69869		0.34	0.002	0.10	3.39	5.8	<0.2	10	630	1.85	0.11	1.54	0.21	141.5	35.4	110
ZZ69870		0.24	0.001	0.08	2.55	5.2	<0.2	10	220	2.38	0.07	5.40	0.31	264	56.4	35
ZZ69871		0.22	<0.001	0.12	2.88	2.9	<0.2	<10	250	1.17	0.08	1.87	0.09	102.0	34.9	138
ZZ69872		0.19	0.002	0.15	3.04	6.7	<0.2	10	270	1.96	0.09	2.34	0.21	117.0	34.7	177
ZZ69873		0.19	0.004	0.20	3.40	3.6	<0.2	10	200	2.22	0.06	2.89	0.24	138.5	42.2	172
ZZ69874		0.27	0.002	0.19	2.73	4.7	<0.2	10	200	1.74	0.08	2.56	0.19	109.5	32.2	154
ZZ69875		0.26	0.002	0.14	2.91	2.3	<0.2	10	400	1.32	0.06	2.26	0.09	103.0	41.8	107
ZZ69876		0.14	0.002	0.10	3.21	8.5	<0.2	10	220	1.23	0.18	0.68	0.12	66.1	22.1	85
ZZ69877		0.18	0.002	0.14	2.93	5.2	<0.2	10	170	1.92	0.12	1.68	0.14	113.5	28.1	139

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ69838		3.27	48.6	6.20	13.15	0.13	0.18	0.02	0.051	0.24	40.5	39.3	1.97	1330	1.12	0.03
ZZ69839		3.12	50.2	5.84	12.75	0.10	0.13	0.02	0.046	0.16	53.6	37.5	1.62	1390	1.17	0.03
ZZ69840		3.36	38.0	6.17	15.85	0.09	0.30	0.04	0.050	0.14	37.4	36.4	1.25	1100	1.51	0.03
ZZ69841		3.08	27.6	5.18	12.45	0.05	0.18	0.04	0.038	0.20	27.8	24.2	0.89	919	1.75	0.03
ZZ69842		1.89	38.2	5.19	10.00	0.08	0.07	0.01	0.040	0.11	34.3	30.0	1.16	1550	1.19	0.02
ZZ69843		1.84	52.2	5.67	11.45	0.13	0.08	0.01	0.044	0.21	51.2	37.0	1.85	1340	1.42	0.02
ZZ69844		1.94	35.5	5.55	9.91	0.07	0.03	0.02	0.047	0.12	29.2	19.7	0.76	3670	1.75	0.01
ZZ69845		2.02	26.2	4.74	10.10	<0.05	0.03	0.03	0.033	0.09	13.1	4.7	0.20	1120	2.06	0.01
ZZ69846		1.40	21.2	4.64	7.98	<0.05	<0.02	0.17	0.047	0.08	12.0	25.9	0.58	885	2.64	0.01
ZZ69847		0.79	34.9	4.08	5.69	<0.05	0.05	0.06	0.036	0.08	9.8	20.3	0.56	804	1.58	0.01
ZZ69848		1.61	64.0	7.52	16.60	0.23	0.33	0.01	0.051	0.12	73.9	76.9	5.07	1480	0.72	0.06
ZZ69849		1.95	34.0	5.67	8.62	0.07	0.09	0.10	0.039	0.10	21.1	21.3	1.19	1200	1.74	0.02
ZZ69850		1.17	29.5	5.48	9.18	<0.05	0.02	0.04	0.041	0.10	9.2	17.2	0.49	819	1.35	0.01
ZZ69851		1.64	64.9	5.57	13.30	0.19	0.25	0.03	0.054	0.10	86.4	29.8	2.37	1760	1.48	0.20
ZZ69852		1.48	129.5	7.60	11.60	0.16	0.14	0.09	0.065	0.44	74.1	22.7	1.42	1690	3.85	0.02
ZZ69853		1.66	70.1	6.26	13.20	0.16	0.25	0.12	0.053	0.13	60.1	51.1	3.15	724	2.26	0.03
ZZ69854		3.03	37.5	6.43	13.00	0.09	0.09	0.02	0.054	0.09	43.0	47.1	2.28	1340	1.37	0.02
ZZ69855		2.85	46.4	6.55	10.70	0.09	0.08	0.01	0.060	0.11	26.8	50.5	1.46	1700	1.30	0.02
ZZ69856		2.19	27.2	6.57	8.29	<0.05	<0.02	0.05	0.046	0.09	7.0	24.9	0.64	1780	1.39	0.01
ZZ69857		2.04	51.8	5.18	7.15	0.12	0.10	0.08	0.042	0.11	29.7	30.0	1.43	1220	1.49	0.03
ZZ69858		1.95	64.4	5.44	7.17	0.08	0.03	0.05	0.045	0.10	21.7	29.6	0.92	1260	1.30	0.01
ZZ69859		2.44	50.6	6.67	16.20	0.15	0.15	0.02	0.048	0.13	54.6	55.5	2.90	1550	1.38	0.03
ZZ69860		1.45	61.4	6.14	12.35	0.17	0.20	0.02	0.038	0.16	56.1	44.7	2.86	1080	1.15	0.06
ZZ69861		2.21	33.7	6.57	15.40	0.22	0.27	0.03	0.054	0.12	54.8	40.9	2.43	1140	1.52	0.03
ZZ69862		2.24	32.7	6.04	10.55	0.16	0.13	0.03	0.061	0.11	23.4	31.7	1.36	1560	1.57	0.02
ZZ69863		1.53	37.6	5.76	8.15	0.12	0.05	0.03	0.054	0.08	13.7	30.1	0.82	959	1.67	0.01
ZZ69864		2.23	14.6	3.08	11.20	0.08	0.03	0.02	0.028	0.08	17.6	7.0	0.27	400	1.75	0.01
ZZ69865		2.69	31.7	5.93	13.30	0.16	0.14	0.03	0.056	0.11	31.1	41.1	1.55	1480	1.31	0.02
ZZ69866		3.30	33.3	5.28	14.10	0.15	0.13	0.04	0.052	0.10	37.5	34.5	1.50	1280	1.44	0.03
ZZ69867		3.07	27.6	4.13	10.25	0.15	0.08	0.04	0.045	0.08	40.9	28.3	0.89	689	1.27	0.03
ZZ69868		3.48	46.1	5.55	12.75	0.21	0.15	0.03	0.062	0.17	59.7	26.8	1.28	1180	1.13	0.02
ZZ69869		2.21	69.2	5.80	13.50	0.23	0.21	0.02	0.062	0.37	68.4	27.5	1.67	1210	0.92	0.03
ZZ69870		1.02	75.3	4.22	11.70	0.32	0.13	0.03	0.097	0.77	141.5	7.7	0.80	1470	0.30	0.02
ZZ69871		3.09	52.1	6.41	14.85	0.21	0.22	0.04	0.068	0.21	43.4	26.6	1.96	1180	0.72	0.02
ZZ69872		2.73	64.5	6.01	14.90	0.23	0.30	0.04	0.065	0.19	64.2	29.1	2.01	1380	0.88	0.02
ZZ69873		3.74	76.8	7.13	16.80	0.26	0.35	0.04	0.081	0.27	81.4	35.7	2.63	2140	0.76	0.03
ZZ69874		2.18	57.8	5.63	14.35	0.24	0.39	0.06	0.058	0.17	66.2	31.7	2.09	1300	1.01	0.02
ZZ69875		2.61	75.7	6.20	12.50	0.22	0.28	0.03	0.052	0.77	59.3	29.0	1.77	987	0.65	0.04
ZZ69876		3.98	32.4	6.37	14.15	0.16	0.20	0.05	0.060	0.12	26.8	49.4	1.29	814	1.74	0.02
ZZ69877		2.06	59.6	5.96	14.70	0.22	0.32	0.04	0.055	0.10	59.6	26.2	2.00	1260	1.02	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ69838		16.40	87.9	1910	11.4	22.0	<0.001	0.06	0.28	6.8	0.7	1.0	116.5	0.01	<0.01	2.4
ZZ69839		15.25	65.2	1530	17.8	20.3	<0.001	0.07	0.31	7.2	0.8	1.0	126.5	0.01	0.02	2.3
ZZ69840		26.1	50.9	1290	17.7	20.5	0.001	0.08	0.33	7.6	0.8	1.4	132.5	0.02	0.01	2.9
ZZ69841		20.9	34.5	1130	13.7	30.8	0.001	0.08	0.28	5.0	0.8	1.2	70.1	0.02	0.01	1.7
ZZ69842		9.49	49.0	1500	12.7	16.1	0.001	0.09	0.32	4.4	0.7	0.9	57.5	0.01	0.03	0.7
ZZ69843		9.74	74.3	1950	11.7	24.0	0.001	0.08	0.44	6.5	0.9	1.0	93.3	0.01	0.01	1.3
ZZ69844		4.82	38.7	1130	19.2	21.1	0.001	0.10	0.56	3.2	0.7	1.1	33.5	<0.01	0.01	0.3
ZZ69845		9.48	19.6	820	17.4	16.3	0.001	0.09	0.70	2.6	0.6	1.4	13.5	0.01	0.04	0.4
ZZ69846		1.74	27.1	1460	15.8	13.4	0.001	0.09	0.64	2.2	0.6	0.8	55.6	0.01	0.04	0.5
ZZ69847		2.62	28.8	1260	19.7	11.2	0.001	0.11	0.46	3.5	0.9	0.6	66.1	0.01	0.01	0.8
ZZ69848		4.02	146.0	4330	8.2	12.2	<0.001	0.03	0.17	6.3	0.8	0.8	324	0.02	<0.01	5.2
ZZ69849		11.10	49.2	1030	18.2	13.8	0.001	0.13	0.39	3.9	0.8	0.9	50.8	0.01	0.02	0.5
ZZ69850		5.62	26.0	750	16.7	25.6	0.001	0.05	0.40	3.9	0.4	1.1	29.5	0.01	0.02	0.7
ZZ69851		16.45	67.2	3160	10.6	9.9	0.002	0.16	0.43	6.7	1.3	0.7	241	0.06	<0.01	1.7
ZZ69852		1.34	183.5	3630	7.0	34.9	0.001	0.03	0.74	17.3	1.7	1.0	142.0	<0.01	<0.01	3.4
ZZ69853		14.30	121.5	3020	8.5	15.5	0.003	0.08	0.67	8.4	1.8	0.9	211	0.05	0.02	2.2
ZZ69854		10.00	85.0	1790	14.4	13.1	0.001	0.04	0.51	6.5	0.8	1.1	90.5	0.01	0.03	2.4
ZZ69855		9.52	74.9	1230	23.8	20.0	0.001	0.05	0.49	6.9	0.9	1.1	43.7	0.01	0.03	1.9
ZZ69856		3.68	32.7	840	28.3	13.7	0.001	0.05	0.57	3.2	0.5	0.9	11.7	<0.01	0.03	0.8
ZZ69857		9.48	61.3	1260	22.2	11.5	0.001	0.06	0.52	6.8	0.9	0.8	79.0	0.01	0.05	2.5
ZZ69858		3.62	51.8	900	29.1	9.8	0.001	0.02	0.41	6.1	0.6	0.9	42.9	<0.01	0.03	2.2
ZZ69859		14.95	123.5	1570	14.2	23.0	0.001	0.06	0.29	9.3	1.1	1.6	118.5	0.01	0.02	3.1
ZZ69860		12.80	114.0	2760	12.5	15.0	0.001	0.05	0.29	7.5	1.0	0.9	191.0	0.02	<0.01	4.3
ZZ69861		24.9	97.0	1980	16.6	20.6	<0.001	0.06	0.30	7.5	1.1	1.5	136.0	0.01	0.03	2.6
ZZ69862		14.25	56.3	1150	23.0	17.2	<0.001	0.05	0.43	5.8	0.6	1.1	71.6	0.01	0.03	1.6
ZZ69863		7.14	41.3	670	22.0	14.2	<0.001	0.02	0.42	5.2	0.5	1.0	17.8	0.01	0.04	1.3
ZZ69864		7.14	15.6	480	17.6	18.6	<0.001	0.04	0.64	2.2	0.5	1.4	18.2	0.01	0.04	0.5
ZZ69865		14.75	61.8	1220	19.2	19.3	<0.001	0.04	0.34	6.1	0.7	1.3	83.1	0.01	0.03	1.6
ZZ69866		15.65	63.8	1560	17.5	16.9	<0.001	0.04	0.35	5.8	0.7	1.3	109.5	0.01	0.03	2.0
ZZ69867		11.20	43.8	1200	16.8	14.6	<0.001	0.06	0.57	3.7	0.8	0.9	63.5	0.01	0.04	0.9
ZZ69868		14.50	63.3	1490	13.1	23.5	<0.001	0.08	0.38	5.2	0.9	1.1	70.6	0.01	0.03	0.6
ZZ69869		9.53	76.1	2960	10.2	45.6	0.001	0.02	0.32	9.8	0.9	1.0	125.5	0.02	0.02	3.8
ZZ69870		0.72	76.1	6720	6.9	70.7	0.001	0.04	0.17	12.7	1.1	1.8	147.0	0.01	0.01	6.4
ZZ69871		16.95	65.4	2220	7.6	36.6	<0.001	0.12	0.20	7.3	0.9	0.9	85.0	0.02	0.02	1.0
ZZ69872		20.6	86.1	1990	9.8	31.1	<0.001	0.11	0.35	9.1	1.1	0.9	116.0	0.04	0.03	1.5
ZZ69873		19.55	79.6	2450	11.0	40.9	0.001	0.12	0.24	9.6	1.0	0.9	157.5	0.04	0.02	2.1
ZZ69874		23.9	81.3	2020	9.5	26.9	<0.001	0.10	0.29	9.0	1.1	0.9	146.0	0.04	0.02	1.9
ZZ69875		16.40	118.5	2350	6.0	98.1	<0.001	0.06	0.17	8.5	1.0	0.9	116.5	0.02	0.02	2.8
ZZ69876		19.95	59.6	870	14.9	19.2	<0.001	0.05	0.57	5.7	0.9	1.1	94.8	0.01	0.04	2.3
ZZ69877		22.7	64.2	2110	13.7	18.5	<0.001	0.06	0.34	9.2	1.0	1.0	120.5	0.02	0.03	2.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ69838		0.551	0.08	1.09	159	0.43	8.70	90	9.5
ZZ69839		0.395	0.11	1.12	151	0.36	11.20	94	6.9
ZZ69840		0.574	0.11	1.34	199	0.49	7.25	82	15.1
ZZ69841		0.520	0.11	1.14	189	0.42	5.01	69	10.6
ZZ69842		0.237	0.10	1.36	124	0.21	8.68	83	3.2
ZZ69843		0.351	0.13	1.09	143	0.22	12.85	109	3.9
ZZ69844		0.169	0.13	0.89	136	0.11	6.98	86	1.6
ZZ69845		0.233	0.13	0.70	135	0.16	3.02	85	2.1
ZZ69846		0.031	0.13	1.20	71	0.21	4.48	85	<0.5
ZZ69847		0.032	0.09	0.69	50	0.15	5.91	123	1.4
ZZ69848		0.421	0.07	0.84	162	0.35	15.40	116	16.3
ZZ69849		0.265	0.09	1.03	116	0.19	5.81	87	4.5
ZZ69850		0.116	0.09	0.45	95	0.13	2.31	96	0.9
ZZ69851		0.314	0.12	1.00	161	0.35	14.30	124	9.0
ZZ69852		0.039	0.16	1.34	129	0.09	18.35	142	4.1
ZZ69853		0.345	0.11	3.67	143	0.19	16.35	149	9.9
ZZ69854		0.426	0.13	0.95	157	0.30	8.21	100	5.0
ZZ69855		0.241	0.13	0.88	116	0.24	7.53	98	3.7
ZZ69856		0.079	0.07	0.54	62	0.14	2.52	102	0.7
ZZ69857		0.229	0.12	0.89	80	0.21	13.25	102	4.7
ZZ69858		0.132	0.08	0.78	61	0.16	8.00	113	1.5
ZZ69859		0.658	0.13	1.59	178	0.37	15.00	111	11.3
ZZ69860		0.444	0.10	1.27	137	0.42	15.80	104	12.4
ZZ69861		0.728	0.09	1.47	184	0.42	13.50	101	16.8
ZZ69862		0.340	0.09	0.85	121	0.26	6.05	131	6.9
ZZ69863		0.159	0.09	0.71	72	0.19	4.30	107	2.2
ZZ69864		0.171	0.18	0.67	99	0.19	3.07	64	1.4
ZZ69865		0.374	0.12	0.97	141	0.28	6.73	91	7.4
ZZ69866		0.342	0.15	1.11	140	0.38	8.42	80	7.2
ZZ69867		0.186	0.11	1.03	98	0.33	9.42	97	4.3
ZZ69868		0.356	0.09	1.24	148	0.22	12.70	80	7.1
ZZ69869		0.383	0.12	1.55	148	0.34	15.90	90	10.4
ZZ69870		0.014	0.13	1.12	139	0.15	30.4	116	5.8
ZZ69871		0.428	0.10	0.63	218	0.28	9.45	64	7.9
ZZ69872		0.450	0.12	1.40	204	0.35	15.25	89	10.9
ZZ69873		0.511	0.16	1.23	234	0.31	17.40	108	11.5
ZZ69874		0.494	0.11	1.42	178	0.39	14.95	80	14.2
ZZ69875		0.529	0.25	1.41	189	0.28	14.65	73	13.2
ZZ69876		0.504	0.16	0.88	182	0.53	6.02	75	9.5
ZZ69877		0.509	0.14	1.15	171	0.49	13.35	88	13.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ69878		0.20	0.004	0.17	3.28	6.8	<0.2	10	400	1.73	0.17	2.32	0.24	109.5	36.5	153
ZZ69879		0.17	0.001	0.10	3.04	5.8	<0.2	<10	410	1.59	0.18	1.15	0.13	88.6	22.4	95
ZZ69880		0.19	0.002	0.11	2.71	8.7	<0.2	<10	330	1.49	0.22	0.85	0.33	96.4	24.5	103
ZZ69881		0.24	0.001	0.09	2.72	9.6	<0.2	<10	260	1.59	0.23	0.58	0.22	75.4	27.1	100
ZZ69882		0.24	0.001	0.09	2.81	8.5	<0.2	<10	250	1.74	0.23	0.79	0.11	61.0	19.9	90
ZZ69883		0.21	0.002	0.06	2.16	10.6	<0.2	<10	170	1.07	0.27	0.28	0.17	40.8	15.2	58
ZZ69884		0.14	0.009	0.10	2.68	9.3	<0.2	10	340	1.52	0.23	1.36	0.23	86.6	29.4	95
ZZ69885		0.19	0.002	0.08	1.80	12.8	<0.2	<10	150	0.88	0.29	0.21	0.32	45.6	12.9	62
ZZ69886		0.19	0.003	0.14	2.82	5.5	<0.2	10	450	1.49	0.15	1.89	0.14	88.0	25.0	169
ZZ69887		0.17	0.003	0.11	2.45	6.5	<0.2	<10	250	1.03	0.24	0.45	0.18	55.3	21.2	163
ZZ69888		0.16	0.002	0.13	2.60	10.1	<0.2	10	380	1.78	0.21	1.23	0.13	92.5	35.0	161
ZZ69889		0.39	0.002	0.14	2.89	7.9	<0.2	10	300	1.71	0.13	1.84	0.25	117.0	39.3	231
ZZ69890		0.12	0.005	0.18	0.94	35.9	<0.2	<10	120	0.91	0.33	0.05	0.21	9.11	10.7	32
ZZ69891		0.18	0.003	0.25	3.07	9.4	<0.2	10	310	1.70	0.08	2.59	0.30	135.5	40.4	225
ZZ69892		0.13	0.004	0.11	0.94	17.4	<0.2	<10	200	1.40	0.43	0.17	0.08	17.85	30.1	31
ZZ69893		0.18	0.002	0.11	2.96	8.5	<0.2	10	360	1.74	0.05	1.42	0.44	150.0	45.6	172
ZZ69894		0.13	0.001	0.08	3.17	9.4	<0.2	10	390	1.59	0.05	1.27	0.20	133.0	47.7	181
ZZ69895		0.15	0.003	0.09	2.96	5.9	<0.2	10	250	1.69	0.05	1.26	0.36	158.0	47.9	190
ZZ69896		0.12	0.006	0.12	2.39	3.6	<0.2	10	220	1.46	0.05	1.39	0.22	137.5	41.6	173
ZZ69897		0.15	0.006	0.28	3.22	15.8	<0.2	10	280	3.15	0.10	3.00	1.32	190.0	49.2	178
ZZ69898		0.15	0.007	0.33	3.69	11.7	<0.2	20	190	3.20	0.08	2.79	1.39	188.5	45.2	215
ZZ69899		0.15	0.010	0.49	4.20	12.9	<0.2	80	180	3.17	0.07	3.22	2.29	172.0	50.8	251
ZZ69900		0.19	0.006	0.30	4.28	8.4	<0.2	10	200	3.22	0.07	3.30	1.38	178.5	49.7	203
ZZ69901		0.18	0.002	0.06	2.23	22.6	<0.2	<10	200	1.25	0.38	0.12	0.20	17.25	19.9	50
ZZ69902		0.23	0.001	0.04	1.78	40.9	<0.2	<10	90	0.98	0.44	0.03	0.27	17.15	17.6	41
ZZ69903		0.20	0.002	0.06	1.96	34.6	<0.2	<10	140	1.54	0.39	0.17	0.17	21.9	18.1	55
ZZ69904		0.22	0.002	0.06	1.13	14.3	<0.2	<10	230	0.96	0.38	0.25	0.21	19.30	17.0	39
ZZ69905		0.22	0.003	0.06	1.96	12.8	<0.2	<10	180	1.49	0.37	0.23	0.18	35.0	18.5	59
ZZ69906		0.25	0.002	0.04	2.45	7.7	<0.2	<10	290	1.51	0.30	0.63	0.09	46.4	15.1	94
ZZ69907		0.16	0.007	0.15	2.55	4.6	<0.2	<10	410	1.91	0.18	1.13	0.16	60.5	25.9	117
ZZ69908		0.16	0.005	0.08	2.71	5.0	<0.2	<10	420	2.31	0.16	1.53	0.11	88.9	23.7	160
ZZ69909		0.17	0.002	0.05	2.47	9.2	<0.2	<10	250	1.25	0.27	0.41	0.19	44.1	16.0	98
ZZ69910		0.13	0.003	0.11	2.45	8.3	<0.2	<10	320	1.38	0.26	0.29	0.13	46.7	22.1	89
ZZ69911		0.12	0.002	0.07	2.16	7.6	<0.2	<10	310	1.20	0.27	0.50	0.23	52.5	18.8	100
ZZ69912		0.18	0.004	0.08	2.48	7.5	<0.2	<10	570	1.57	0.28	0.55	0.19	62.7	20.2	110
ZZ69913		0.14	0.002	0.05	3.69	5.9	<0.2	<10	420	2.81	0.12	1.09	0.17	156.5	32.2	155
ZZ69914		0.16	0.001	0.04	1.40	4.8	<0.2	<10	250	0.64	0.35	0.46	0.20	41.5	9.2	63
ZZ69915		0.14	0.006	0.06	2.73	6.6	<0.2	<10	180	2.02	0.19	0.81	0.25	90.5	21.2	102
ZZ69916		0.21	0.002	0.09	3.63	8.1	<0.2	<10	390	2.72	0.15	1.47	0.27	130.0	37.7	189
ZZ69917		0.17	0.001	0.08	2.36	6.3	<0.2	<10	300	1.84	0.27	0.64	0.20	57.1	19.1	88

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ69878		2.35	76.4	6.29	14.40	0.26	0.54	0.04	0.055	0.25	59.3	41.1	2.56	1340	1.47	0.05
ZZ69879		3.00	35.3	4.75	13.05	0.14	0.11	0.02	0.049	0.11	37.1	29.4	1.20	1120	1.25	0.02
ZZ69880		2.53	33.1	5.04	11.90	0.17	0.12	0.03	0.048	0.10	37.4	34.6	1.38	1200	1.22	0.02
ZZ69881		2.13	30.6	5.80	11.65	0.17	0.12	0.04	0.054	0.10	30.7	41.3	1.30	1580	1.28	0.01
ZZ69882		2.48	29.4	5.60	11.75	0.15	0.14	0.03	0.058	0.09	27.5	39.5	1.14	885	1.31	0.01
ZZ69883		2.30	28.4	4.37	8.02	0.12	0.04	0.03	0.045	0.09	19.0	33.0	0.78	656	1.35	0.01
ZZ69884		2.03	34.1	5.68	11.25	0.17	0.17	0.04	0.053	0.11	32.7	38.5	1.62	1820	1.32	0.04
ZZ69885		1.65	21.4	4.58	9.50	0.13	0.06	0.04	0.041	0.08	19.0	21.1	0.63	650	1.98	0.01
ZZ69886		1.99	56.4	5.04	13.25	0.18	0.29	0.04	0.045	0.11	51.2	35.0	1.98	1220	1.35	0.03
ZZ69887		2.76	24.0	6.79	17.00	0.16	0.20	0.03	0.050	0.11	27.0	20.5	1.18	1080	1.81	0.02
ZZ69888		1.54	64.8	5.97	11.10	0.22	0.18	0.05	0.049	0.13	50.5	35.0	2.05	1380	1.85	0.03
ZZ69889		1.84	69.0	6.60	13.65	0.31	0.44	0.05	0.053	0.16	63.2	46.7	3.73	1220	1.72	0.08
ZZ69890		1.77	41.8	4.40	5.10	0.09	<0.02	0.22	0.039	0.09	4.2	5.6	0.19	707	1.25	0.01
ZZ69891		1.58	81.5	6.65	13.55	0.29	0.37	0.09	0.059	0.20	74.2	39.5	3.53	991	1.97	0.06
ZZ69892		2.14	47.2	4.97	3.85	0.12	0.03	0.10	0.043	0.10	7.2	15.4	0.30	957	1.29	0.01
ZZ69893		1.42	90.4	7.13	11.80	0.26	0.19	0.05	0.075	0.36	79.4	27.9	1.88	1640	1.83	0.02
ZZ69894		1.35	77.8	7.56	13.50	0.21	0.17	0.05	0.080	0.33	49.1	28.0	1.97	2160	3.96	0.02
ZZ69895		1.60	80.1	7.62	11.75	0.27	0.17	0.05	0.077	0.42	72.1	29.3	1.98	2280	1.44	0.03
ZZ69896		1.64	109.5	6.64	8.95	0.17	0.11	0.08	0.069	0.37	69.3	16.4	1.02	1430	1.03	0.01
ZZ69897		1.95	121.5	7.83	15.15	0.24	0.25	0.10	0.083	0.42	107.0	43.8	2.78	1690	4.99	0.13
ZZ69898		2.00	118.0	7.81	18.00	0.28	0.30	0.09	0.074	0.18	113.0	46.4	3.54	1810	4.33	0.23
ZZ69899		2.67	142.5	8.59	18.85	0.27	0.36	0.11	0.071	0.19	101.0	54.5	4.05	2040	7.96	0.39
ZZ69900		3.31	113.5	8.20	20.5	0.30	0.41	0.10	0.074	0.14	101.5	54.0	4.07	2390	4.91	0.39
ZZ69901		1.77	33.7	5.40	7.86	<0.05	<0.02	0.06	0.049	0.09	7.4	31.3	0.68	1200	1.56	0.01
ZZ69902		1.67	40.5	5.36	6.76	<0.05	<0.02	0.05	0.052	0.07	7.9	23.1	0.37	711	2.34	<0.01
ZZ69903		2.59	33.0	5.04	6.61	<0.05	<0.02	0.07	0.039	0.08	9.2	24.4	0.64	1170	1.57	0.01
ZZ69904		1.48	31.6	4.63	4.82	<0.05	<0.02	0.05	0.038	0.10	7.1	8.2	0.30	1700	1.58	0.01
ZZ69905		2.08	39.7	4.94	6.80	0.05	0.03	0.04	0.044	0.10	16.1	26.6	0.73	1060	1.46	0.01
ZZ69906		2.01	21.4	4.79	9.14	0.05	0.03	0.05	0.044	0.08	20.3	34.4	1.04	777	1.58	0.01
ZZ69907		2.00	33.5	4.82	10.45	0.07	0.05	0.06	0.053	0.09	33.8	25.9	1.18	1380	1.73	0.02
ZZ69908		1.75	51.5	5.31	10.45	0.11	0.15	0.07	0.045	0.15	49.1	34.5	1.93	853	1.14	0.03
ZZ69909		2.00	25.4	5.53	10.85	0.05	0.11	0.06	0.047	0.11	21.7	32.8	1.05	575	1.47	0.01
ZZ69910		2.68	26.4	5.36	10.40	0.05	0.05	0.04	0.052	0.11	22.1	32.1	0.87	1660	1.67	0.01
ZZ69911		1.98	21.0	5.47	12.25	0.05	0.11	0.05	0.043	0.11	24.5	25.0	0.91	1060	1.91	0.01
ZZ69912		2.16	24.2	5.29	12.85	0.07	0.14	0.04	0.045	0.11	37.0	30.4	1.22	951	2.12	0.01
ZZ69913		2.73	49.2	6.00	13.85	0.14	0.16	0.06	0.062	0.17	54.2	44.9	2.04	1200	1.16	0.03
ZZ69914		1.73	18.5	3.55	10.95	<0.05	0.03	0.05	0.031	0.09	24.3	6.7	0.41	627	1.74	0.01
ZZ69915		2.32	27.6	6.00	11.70	0.11	0.23	0.05	0.047	0.08	36.5	26.2	1.29	1020	1.35	0.02
ZZ69916		2.66	69.8	6.52	15.35	0.15	0.12	0.03	0.068	0.15	59.8	54.5	2.15	1460	1.36	0.02
ZZ69917		1.57	34.0	4.94	10.30	0.06	0.02	0.05	0.044	0.12	29.5	22.1	0.73	1410	1.68	0.01

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ69878		3.67	90.9	2840	13.6	26.0	0.001	0.02	0.44	10.0	1.0	1.0	190.0	0.01	0.02	5.4
ZZ69879		15.05	55.9	1280	14.7	22.0	<0.001	0.08	0.38	4.6	0.7	1.0	75.6	0.01	0.03	0.8
ZZ69880		14.55	63.1	1540	17.4	16.5	<0.001	0.05	0.48	5.4	0.8	1.0	89.2	0.01	0.03	1.4
ZZ69881		12.45	58.5	1090	20.1	16.0	<0.001	0.05	0.39	5.9	0.7	1.1	51.0	0.01	0.03	1.2
ZZ69882		16.10	49.0	910	16.0	18.1	<0.001	0.06	0.36	5.7	0.7	1.2	52.9	0.01	0.04	1.0
ZZ69883		5.21	37.6	830	18.8	15.9	<0.001	0.03	0.60	4.1	0.7	0.9	25.9	0.01	0.04	1.0
ZZ69884		15.55	62.0	1770	26.4	16.3	<0.001	0.05	0.41	6.9	0.7	1.0	120.5	0.02	0.03	2.5
ZZ69885		7.75	32.3	760	18.4	19.8	<0.001	0.05	0.81	2.9	0.8	0.9	23.7	0.01	0.05	0.5
ZZ69886		25.2	77.2	1810	11.4	22.2	0.001	0.11	0.30	6.0	1.2	1.1	151.0	0.06	0.03	1.4
ZZ69887		24.2	50.9	1180	18.5	21.6	<0.001	0.05	0.41	5.3	0.9	1.9	56.1	0.02	0.03	2.1
ZZ69888		13.85	96.6	1910	19.8	15.0	0.001	0.04	0.33	7.9	0.9	1.0	127.5	0.02	0.02	2.5
ZZ69889		5.28	121.0	3420	12.7	17.0	0.001	0.04	0.37	8.0	1.0	0.9	233	0.02	0.02	4.6
ZZ69890		1.46	21.1	1000	20.4	16.3	<0.001	0.05	0.42	2.0	0.5	0.7	8.7	<0.01	0.04	<0.2
ZZ69891		10.70	143.0	3470	11.3	17.0	0.001	0.06	0.48	11.0	1.2	1.0	239	0.02	0.02	4.4
ZZ69892		1.57	44.3	500	25.3	10.1	<0.001	0.01	0.33	6.9	0.5	0.5	17.6	0.01	0.06	2.4
ZZ69893		3.60	158.5	3100	8.0	31.1	0.001	0.06	0.36	16.2	1.1	1.0	126.5	0.01	0.03	2.5
ZZ69894		4.23	151.5	2320	8.6	29.0	0.001	0.05	0.36	12.7	0.7	1.1	96.7	0.01	0.02	2.7
ZZ69895		3.95	164.0	3430	8.0	33.6	0.001	0.05	0.29	15.8	0.8	0.9	123.0	0.01	0.02	3.1
ZZ69896		1.25	149.5	3800	5.3	26.2	0.001	0.07	0.31	14.7	1.5	0.7	92.2	<0.01	0.02	2.2
ZZ69897		6.38	122.5	4090	12.0	29.0	0.001	0.11	1.27	16.1	2.6	1.1	245	0.01	0.03	5.0
ZZ69898		13.00	119.0	4130	12.3	14.4	0.002	0.13	1.45	12.7	2.2	1.0	293	0.03	0.02	4.1
ZZ69899		5.55	141.5	4370	14.0	16.8	0.004	0.12	2.21	10.7	2.1	0.9	336	0.03	0.03	5.7
ZZ69900		7.53	112.5	4100	14.1	15.7	0.002	0.09	1.24	11.9	1.4	0.9	354	0.04	0.03	4.8
ZZ69901		1.95	34.7	800	21.8	21.6	0.001	0.05	0.56	3.8	0.6	1.0	13.4	0.01	0.05	0.8
ZZ69902		2.49	29.4	480	24.5	15.3	0.001	0.03	0.78	3.3	0.7	1.0	7.5	<0.01	0.04	0.5
ZZ69903		2.76	32.2	980	25.7	13.7	0.001	0.05	0.64	2.9	0.6	0.8	16.0	<0.01	0.04	0.5
ZZ69904		1.61	21.3	1310	27.6	26.1	0.001	0.09	0.45	1.6	0.5	0.7	20.3	<0.01	0.05	<0.2
ZZ69905		3.73	36.4	850	23.8	13.6	0.001	0.03	0.57	4.0	0.8	0.9	22.4	<0.01	0.04	1.1
ZZ69906		5.10	39.6	1180	14.7	17.7	0.001	0.08	0.45	3.0	0.3	0.9	49.9	0.01	0.03	0.4
ZZ69907		7.56	50.1	1840	13.2	16.4	<0.001	0.16	0.35	2.9	0.7	0.9	78.7	0.01	0.03	0.2
ZZ69908		13.40	80.4	1730	12.1	20.8	0.001	0.09	0.30	6.6	0.8	0.9	118.5	0.01	0.03	1.7
ZZ69909		13.40	44.3	880	15.1	25.0	0.001	0.05	0.47	4.3	0.3	1.1	42.9	0.01	0.03	1.9
ZZ69910		8.51	39.1	910	16.8	22.6	<0.001	0.09	0.57	3.1	0.5	1.1	28.9	0.01	0.04	0.4
ZZ69911		15.90	39.1	900	16.5	16.6	0.001	0.06	0.57	4.0	0.6	1.3	54.5	0.01	0.02	1.5
ZZ69912		17.50	54.1	510	17.3	27.3	0.001	0.03	0.53	4.5	0.6	1.3	58.0	0.01	0.03	2.9
ZZ69913		15.25	89.0	1820	13.3	21.5	0.001	0.05	0.38	7.2	0.7	1.0	118.5	0.01	0.01	2.8
ZZ69914		6.83	19.2	790	13.8	21.1	0.001	0.05	0.55	2.7	0.2	1.3	29.6	<0.01	0.02	0.7
ZZ69915		20.4	41.3	1510	11.8	9.9	<0.001	0.10	0.76	5.4	0.8	1.1	70.0	0.01	0.03	1.7
ZZ69916		11.20	96.5	2040	12.2	21.4	0.001	0.08	0.47	9.3	0.8	1.1	105.0	0.01	0.03	1.1
ZZ69917		4.69	33.3	1480	14.7	19.4	0.001	0.12	0.50	2.3	0.9	0.9	45.4	<0.01	0.03	0.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ69878		0.444	0.14	1.01	150	0.37	16.15	111	27.6
ZZ69879		0.253	0.12	0.96	128	0.34	7.27	74	5.5
ZZ69880		0.297	0.11	1.11	120	0.34	10.00	101	6.2
ZZ69881		0.310	0.10	0.98	124	0.24	8.47	105	5.4
ZZ69882		0.307	0.11	0.99	122	0.26	6.44	79	6.7
ZZ69883		0.109	0.12	0.85	70	0.26	6.32	92	1.5
ZZ69884		0.313	0.10	0.95	116	0.34	8.76	90	8.3
ZZ69885		0.182	0.11	0.88	93	0.27	4.79	92	2.9
ZZ69886		0.383	0.11	3.62	138	0.35	15.10	94	14.1
ZZ69887		0.707	0.15	1.06	201	0.22	5.26	82	12.4
ZZ69888		0.390	0.09	1.18	118	0.35	15.25	104	9.6
ZZ69889		0.390	0.09	0.96	134	0.33	15.45	119	21.3
ZZ69890		0.024	0.11	0.54	43	0.11	1.99	85	<0.5
ZZ69891		0.378	0.10	1.01	144	0.28	16.85	122	17.0
ZZ69892		0.024	0.09	0.45	29	0.06	7.55	99	0.5
ZZ69893		0.063	0.14	1.44	134	0.12	19.80	117	4.3
ZZ69894		0.099	0.13	0.93	158	0.11	9.47	102	4.8
ZZ69895		0.102	0.13	0.91	138	0.14	17.20	122	4.5
ZZ69896		0.030	0.11	1.08	73	0.09	17.35	103	2.7
ZZ69897		0.253	0.25	1.46	213	0.23	21.9	211	10.5
ZZ69898		0.416	0.22	1.41	247	0.41	21.4	233	13.5
ZZ69899		0.551	0.30	1.91	280	0.56	19.70	332	21.0
ZZ69900		0.549	0.24	1.26	262	0.48	18.75	227	19.1
ZZ69901		0.029	0.12	0.50	63	0.11	3.66	126	<0.5
ZZ69902		0.046	0.14	0.55	61	0.15	3.08	114	<0.5
ZZ69903		0.061	0.11	0.71	57	0.13	4.37	98	<0.5
ZZ69904		0.039	0.10	0.52	53	0.07	2.96	116	<0.5
ZZ69905		0.110	0.13	0.78	70	0.18	5.80	105	1.1
ZZ69906		0.103	0.14	0.85	92	0.19	5.56	115	1.4
ZZ69907		0.146	0.15	0.96	129	0.20	8.32	81	2.6
ZZ69908		0.327	0.11	1.08	134	0.33	12.15	91	8.0
ZZ69909		0.319	0.12	0.84	133	0.32	4.42	71	5.9
ZZ69910		0.215	0.13	0.82	124	0.18	5.20	69	2.9
ZZ69911		0.405	0.13	0.89	154	0.27	4.56	73	7.2
ZZ69912		0.371	0.13	0.68	138	0.28	4.74	71	9.3
ZZ69913		0.457	0.10	0.95	161	0.43	8.02	104	9.6
ZZ69914		0.226	0.14	0.55	143	0.24	2.55	58	1.5
ZZ69915		0.594	0.09	1.30	181	0.31	7.45	82	10.8
ZZ69916		0.365	0.13	1.12	189	0.30	13.75	115	5.3
ZZ69917		0.103	0.14	0.85	119	0.19	6.41	77	1.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ69918		0.15	0.002	0.05	2.08	7.5	<0.2	<10	350	1.21	0.32	0.57	0.15	49.7	19.5	84
ZZ69919		0.20	0.002	0.04	3.38	6.7	<0.2	<10	400	2.05	0.18	1.27	0.14	96.1	28.0	118
ZZ69920		0.10	0.002	0.10	2.97	4.8	<0.2	<10	440	1.97	0.20	0.86	0.14	86.2	19.2	95
ZZ69921		0.14	0.003	0.06	3.09	5.8	<0.2	<10	350	2.53	0.21	0.99	0.13	91.6	27.6	121
ZZ69922		0.16	0.004	0.08	2.67	5.7	<0.2	<10	440	2.01	0.17	1.49	0.39	107.5	19.4	99
ZZ69923		0.21	0.005	0.05	1.08	4.4	<0.2	<10	290	0.68	0.34	0.57	0.08	33.0	8.5	48
ZZ69924		0.18	0.006	0.14	2.44	14.1	<0.2	<10	360	2.48	0.29	0.95	0.38	70.5	31.5	115
ZZ69925		0.15	0.001	0.10	1.53	7.5	<0.2	<10	210	0.60	0.33	0.14	0.18	31.0	8.4	50
ZZ69926		0.23	0.002	0.07	2.40	8.0	<0.2	<10	250	1.25	0.28	0.91	0.13	40.3	14.7	81
ZZ69927		0.20	0.003	0.05	2.48	8.5	<0.2	<10	250	1.62	0.30	0.44	0.26	56.5	21.5	89
ZZ69928		0.17	0.001	0.07	3.38	5.5	<0.2	10	410	2.38	0.16	1.59	0.14	119.5	37.8	236
ZZ69929		0.15	0.005	0.09	2.70	5.5	<0.2	<10	480	2.10	0.17	1.52	0.15	78.7	25.2	144
ZZ69930		0.16	0.005	0.17	2.95	6.0	<0.2	<10	430	2.61	0.18	1.34	0.13	94.0	27.3	150
ZZ69931		0.19	0.005	0.09	2.13	14.1	<0.2	<10	180	2.13	0.31	0.44	0.21	46.6	28.3	99
ZZ69932		0.17	0.001	0.11	1.02	133.5	<0.2	<10	160	1.33	0.41	0.16	0.18	14.10	24.8	31
ZZ69933		0.15	0.002	0.07	0.99	359	<0.2	<10	150	0.81	0.37	0.20	0.12	5.46	13.0	23
ZZ69934		0.22	0.002	0.08	2.26	22.5	<0.2	<10	70	1.10	0.38	0.03	0.15	11.10	15.0	44
ZZ69935		0.21	0.001	0.06	1.56	13.2	<0.2	<10	120	0.45	0.28	0.11	0.20	22.7	11.7	52
ZZ69936		0.24	0.001	0.08	4.44	1.8	<0.2	<10	230	2.10	0.05	1.68	0.10	149.0	45.9	359
ZZ69937		0.18	0.006	0.08	3.95	1.5	<0.2	20	210	1.59	0.04	2.43	0.17	153.0	45.4	324
ZZ69938		0.15	0.007	0.13	3.61	4.7	<0.2	10	240	1.71	0.07	2.09	0.48	138.5	43.3	283
ZZ69939		0.14	0.006	0.13	0.57	74.0	<0.2	<10	60	0.46	0.42	0.04	0.35	10.30	13.0	24
ZZ69940		0.12	0.010	0.63	0.83	65.3	<0.2	<10	180	0.99	0.31	0.24	1.10	25.1	19.5	31
ZZ69941		0.24	0.002	0.05	1.79	19.8	<0.2	<10	100	0.77	0.31	0.12	0.24	38.6	13.9	62
ZZ69942		0.15	0.003	0.06	1.43	15.7	<0.2	<10	110	0.41	0.36	0.10	0.15	45.2	14.2	56
ZZ69943		0.13	0.006	0.12	3.04	6.1	<0.2	30	160	1.13	0.09	2.57	0.26	100.5	24.8	141
ZZ69944		0.20	0.005	0.09	4.42	1.2	<0.2	<10	320	1.54	0.04	2.66	0.16	170.0	53.3	390
ZZ69945		0.17	0.004	0.09	4.27	1.8	<0.2	10	280	1.57	0.04	2.31	0.14	159.0	47.3	333
ZZ69946		0.18	0.005	0.08	4.42	1.1	<0.2	10	250	1.44	0.03	3.92	0.13	165.0	48.8	333
ZZ69947		0.18	0.001	0.08	4.38	1.6	<0.2	20	270	1.55	0.03	2.81	0.15	168.5	50.2	344
ZZ69948		0.19	0.003	0.09	4.21	1.4	<0.2	10	260	1.68	0.04	2.18	0.14	162.5	47.2	330
ZZ69949		0.16	0.005	0.09	3.95	1.4	<0.2	10	410	1.57	0.04	2.46	0.18	155.5	43.4	300
ZZ69950		0.17	0.002	0.07	4.35	1.9	<0.2	<10	270	1.88	0.04	2.09	0.13	170.5	50.4	355
ZZ69951		0.19	0.008	0.32	1.34	59.4	<0.2	<10	280	2.14	0.37	0.51	0.90	72.0	46.9	71
ZZ69952		0.27	0.013	1.62	1.52	51.9	<0.2	<10	240	1.64	0.14	1.34	3.12	106.5	48.5	157
ZZ69953		0.27	0.011	1.36	1.32	38.2	<0.2	<10	190	1.36	0.14	1.35	3.93	92.6	42.7	118
ZZ69954		0.22	0.009	0.98	1.74	23.7	<0.2	<10	170	1.42	0.10	1.49	1.88	96.6	45.8	115
ZZ69955		0.22	0.002	0.09	2.69	11.2	<0.2	<10	210	1.58	0.05	1.24	0.35	149.0	61.8	196
ZZ69956		0.23	0.002	0.10	5.23	1.5	<0.2	390	1780	1.57	0.04	1.91	0.12	149.5	47.0	259
ZZ69957		0.18	0.003	0.08	4.48	3.2	<0.2	20	190	2.01	0.07	1.89	0.16	168.0	45.0	291

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ69918		2.15	36.6	5.03	11.00	0.05	0.04	0.05	0.041	0.15	24.7	18.5	0.66	1360	2.10	0.01
ZZ69919		3.80	47.0	5.90	11.80	0.11	0.20	0.05	0.047	0.21	42.8	48.8	1.72	998	1.08	0.03
ZZ69920		2.34	41.5	4.84	11.10	0.10	0.09	0.05	0.049	0.12	43.3	32.2	1.09	852	1.42	0.01
ZZ69921		1.43	43.5	5.94	12.70	0.10	0.10	0.05	0.063	0.14	50.8	42.0	1.42	1060	1.11	0.01
ZZ69922		2.08	42.8	4.31	9.21	0.12	0.15	0.07	0.040	0.14	79.3	26.4	1.20	974	1.06	0.02
ZZ69923		2.35	16.7	3.08	8.59	<0.05	0.04	0.04	0.027	0.08	25.5	5.8	0.25	704	2.46	0.01
ZZ69924		2.18	67.3	5.44	8.71	0.14	0.07	0.05	0.040	0.15	43.8	41.7	1.52	2000	1.58	0.02
ZZ69925		2.31	14.2	3.09	9.23	<0.05	<0.02	0.04	0.029	0.07	16.4	8.5	0.26	1010	1.85	<0.01
ZZ69926		2.07	24.5	4.57	9.57	0.05	0.04	0.03	0.043	0.08	17.6	29.2	0.96	731	1.86	0.01
ZZ69927		2.27	33.2	5.63	9.47	0.06	0.09	0.05	0.056	0.10	25.0	33.5	0.97	1040	1.39	0.01
ZZ69928		2.33	57.8	6.34	13.75	0.15	0.17	0.04	0.051	0.15	54.7	54.2	3.08	1330	1.13	0.03
ZZ69929		2.01	43.0	5.26	10.60	0.10	0.11	0.05	0.048	0.13	50.0	32.8	1.66	1120	1.42	0.02
ZZ69930		2.33	49.2	5.46	12.10	0.12	0.09	0.06	0.057	0.13	51.8	40.5	1.76	1080	1.48	0.02
ZZ69931		2.12	48.8	5.77	7.97	0.07	0.08	0.05	0.050	0.10	20.0	31.3	1.17	1470	1.24	0.01
ZZ69932		1.11	52.5	6.19	3.81	0.11	0.02	0.17	0.055	0.08	5.8	10.5	0.28	1420	1.38	0.01
ZZ69933		0.94	31.5	4.52	4.60	0.08	0.02	0.14	0.042	0.08	2.0	10.1	0.19	1660	0.81	0.01
ZZ69934		2.34	30.8	5.71	7.62	0.10	0.02	0.05	0.045	0.07	4.5	24.8	0.44	1170	1.52	0.01
ZZ69935		1.56	17.5	4.07	8.21	0.09	0.02	0.04	0.031	0.06	10.8	15.1	0.50	790	1.90	0.01
ZZ69936		1.45	40.3	8.66	19.85	0.35	0.25	0.03	0.078	0.03	72.3	60.6	5.54	1380	0.66	0.02
ZZ69937		1.71	70.2	7.67	18.90	0.41	0.64	0.03	0.058	0.06	85.1	60.6	5.84	1460	0.52	0.09
ZZ69938		2.02	65.2	7.54	17.25	0.32	0.22	0.05	0.064	0.07	72.1	51.2	4.57	1700	1.63	0.05
ZZ69939		1.90	87.4	4.41	3.56	0.08	<0.02	0.09	0.040	0.10	4.9	1.4	0.07	547	15.65	0.01
ZZ69940		0.78	129.5	4.43	3.59	0.13	0.04	0.24	0.043	0.11	13.6	5.6	0.26	763	23.8	0.01
ZZ69941		1.97	32.4	4.52	8.42	0.11	0.04	0.05	0.038	0.06	16.5	17.1	0.59	872	3.19	0.01
ZZ69942		2.30	35.5	4.26	9.90	0.10	0.03	0.05	0.034	0.08	19.0	9.7	0.38	749	2.29	0.01
ZZ69943		3.15	136.0	3.91	11.15	0.19	0.16	0.08	0.031	0.10	68.7	19.0	1.43	1810	1.13	0.11
ZZ69944		2.58	75.4	8.89	21.6	0.46	0.60	0.01	0.060	0.11	96.1	81.7	6.87	1850	0.73	0.05
ZZ69945		3.56	73.0	8.33	20.7	0.42	0.63	0.02	0.059	0.10	90.4	81.2	6.21	1460	0.55	0.12
ZZ69946		3.03	61.6	8.61	20.4	0.41	0.44	0.01	0.063	0.11	91.1	82.4	6.74	1600	0.50	0.14
ZZ69947		2.84	71.9	8.54	21.5	0.42	0.57	0.01	0.062	0.10	95.0	85.0	6.52	1650	0.58	0.11
ZZ69948		2.82	65.5	8.26	21.2	0.41	0.48	0.02	0.061	0.07	93.7	82.4	6.00	1580	0.45	0.05
ZZ69949		3.02	62.4	7.73	19.65	0.39	0.48	0.01	0.059	0.09	91.3	79.9	5.70	1420	0.68	0.11
ZZ69950		2.92	46.9	8.65	21.6	0.39	0.34	0.02	0.065	0.06	86.2	89.8	6.05	1730	0.64	0.03
ZZ69951		1.46	124.5	7.08	5.40	0.18	0.06	0.11	0.067	0.11	27.5	15.5	0.41	2870	13.70	0.02
ZZ69952		0.89	192.5	8.59	6.49	0.26	0.15	0.46	0.071	0.27	55.0	9.7	0.59	1710	15.90	0.03
ZZ69953		0.70	158.5	6.83	5.96	0.21	0.14	0.39	0.061	0.26	46.3	8.4	0.62	1640	12.90	0.02
ZZ69954		0.99	168.0	6.53	6.36	0.23	0.15	0.28	0.067	0.28	51.9	12.0	0.64	1250	7.93	0.02
ZZ69955		1.27	102.0	9.01	10.35	0.29	0.16	0.06	0.079	0.29	65.4	24.7	1.62	2240	2.15	0.02
ZZ69956		3.63	69.3	7.34	18.50	0.37	0.41	0.02	0.039	0.06	78.2	82.3	5.24	1760	0.39	0.36
ZZ69957		3.60	59.7	7.49	19.65	0.36	0.30	0.05	0.059	0.07	83.2	60.1	4.89	1900	0.68	0.30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ69918		6.92	33.4	1170	17.9	26.5	<0.001	0.09	0.60	3.8	0.6	1.3	47.6	0.01	0.03	0.5
ZZ69919		11.80	66.7	1960	12.9	20.5	<0.001	0.04	0.37	6.7	0.8	1.0	137.0	0.01	0.01	3.6
ZZ69920		10.30	48.8	1340	10.4	16.3	0.001	0.12	0.43	3.4	0.8	1.1	53.2	0.01	0.02	0.3
ZZ69921		10.25	59.6	1320	13.1	19.6	<0.001	0.06	0.39	5.7	0.6	1.1	64.2	0.01	0.03	0.8
ZZ69922		12.20	53.9	1280	13.3	20.2	0.001	0.09	0.37	5.2	0.3	0.7	103.0	0.01	0.02	1.4
ZZ69923		10.40	14.8	750	17.6	20.4	0.001	0.07	0.67	2.2	0.2	1.3	59.4	0.01	0.01	0.7
ZZ69924		7.10	72.5	2000	28.3	15.6	<0.001	0.05	0.52	7.0	0.7	0.8	93.5	0.01	0.04	1.3
ZZ69925		2.59	14.8	840	12.6	13.5	0.001	0.08	0.56	0.8	0.2	1.1	17.0	<0.01	0.04	<0.2
ZZ69926		5.55	38.5	1210	14.7	16.3	<0.001	0.07	0.47	3.1	0.3	1.0	59.2	0.01	0.03	0.5
ZZ69927		10.55	46.4	1020	19.5	17.1	0.001	0.05	0.48	4.6	0.5	1.1	39.5	0.01	0.03	1.0
ZZ69928		13.25	124.0	2470	13.0	19.9	0.001	0.05	0.30	7.2	0.9	1.1	175.5	0.01	0.02	3.6
ZZ69929		11.35	69.1	1890	11.5	20.5	0.001	0.10	0.32	5.6	1.0	0.9	113.0	0.01	0.01	1.0
ZZ69930		11.20	73.4	1830	13.0	22.0	<0.001	0.10	0.32	5.5	1.1	1.0	106.5	0.01	<0.01	0.7
ZZ69931		8.63	53.5	990	27.8	12.0	0.001	0.05	0.56	5.0	0.7	0.9	39.1	<0.01	0.05	1.2
ZZ69932		1.76	35.7	540	40.9	7.6	<0.001	0.01	0.52	7.0	0.6	0.6	9.0	0.01	0.06	1.5
ZZ69933		0.95	16.8	730	29.1	9.8	<0.001	0.03	0.30	4.2	0.3	0.7	7.5	<0.01	0.04	0.7
ZZ69934		1.76	24.4	1130	24.5	13.2	<0.001	0.06	0.54	2.5	0.7	0.8	4.9	0.01	0.06	0.5
ZZ69935		5.03	24.7	670	15.0	10.8	<0.001	0.04	0.70	2.3	0.6	0.9	12.2	0.01	0.05	0.3
ZZ69936		18.45	155.5	2910	9.1	4.7	<0.001	0.03	0.11	9.5	1.1	1.4	234	0.02	0.02	3.7
ZZ69937		13.85	155.5	4170	9.1	8.7	0.001	0.04	0.10	7.5	1.0	0.8	363	0.03	0.01	4.8
ZZ69938		22.7	141.5	3330	11.1	12.2	0.001	0.07	0.39	8.4	1.1	0.9	290	0.02	0.02	2.2
ZZ69939		0.76	43.0	930	28.8	11.5	0.001	0.05	3.25	1.3	1.9	0.7	6.1	<0.01	0.18	<0.2
ZZ69940		1.74	61.4	1210	25.4	9.6	0.004	0.05	5.20	3.3	3.4	0.5	21.0	0.01	0.19	0.3
ZZ69941		5.40	37.8	750	23.8	11.8	<0.001	0.04	1.32	3.2	1.0	0.9	12.4	0.01	0.12	0.7
ZZ69942		6.82	32.8	770	21.0	13.6	<0.001	0.04	0.93	2.8	0.7	1.1	15.3	0.01	0.12	0.5
ZZ69943		13.15	75.8	2560	10.9	15.3	<0.001	0.20	0.50	2.6	2.1	0.4	262	0.06	0.04	0.6
ZZ69944		1.80	180.0	5090	9.2	17.8	<0.001	0.02	0.08	6.6	0.9	0.8	423	0.02	0.01	5.7
ZZ69945		9.51	153.5	4800	8.6	18.7	0.001	0.04	0.09	6.8	1.0	0.7	388	0.03	0.01	5.0
ZZ69946		1.60	155.0	5080	6.6	20.1	<0.001	0.03	0.08	6.5	0.9	0.8	502	0.02	0.01	5.8
ZZ69947		2.35	160.5	5180	7.9	16.2	0.001	0.02	0.07	6.2	0.9	0.7	420	0.02	0.01	5.9
ZZ69948		13.55	149.0	4660	8.6	12.1	<0.001	0.03	0.09	6.8	1.0	0.7	357	0.03	0.01	4.6
ZZ69949		13.60	140.5	4550	8.0	15.3	<0.001	0.05	0.10	6.6	0.9	0.7	371	0.04	0.01	4.4
ZZ69950		10.95	161.0	4480	9.6	12.0	0.001	0.02	0.11	7.8	0.9	0.9	345	0.04	0.01	4.5
ZZ69951		1.28	126.0	2190	42.9	13.4	0.002	0.07	2.70	6.9	2.0	0.6	39.6	0.01	0.22	1.1
ZZ69952		2.47	212	3490	14.7	21.7	0.003	0.08	4.06	15.5	3.4	0.7	89.7	0.02	0.10	2.2
ZZ69953		2.68	158.5	3210	14.4	19.4	0.003	0.09	4.29	11.4	3.0	0.7	93.6	0.01	0.10	1.6
ZZ69954		2.15	194.0	3500	11.3	19.9	0.001	0.06	3.58	14.2	2.4	0.6	96.6	0.01	0.08	1.9
ZZ69955		3.07	197.5	3590	7.3	26.0	0.001	0.03	0.33	16.6	0.9	0.8	109.5	0.02	0.03	2.8
ZZ69956		16.30	184.0	3960	10.6	10.7	<0.001	0.06	0.10	5.6	0.9	0.8	423	0.04	0.02	5.2
ZZ69957		18.85	144.0	3830	12.3	12.6	<0.001	0.06	0.15	7.4	1.1	0.9	302	0.04	0.02	4.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ69918		0.208	0.13	0.75	146	0.17	5.64	72	2.1
ZZ69919		0.532	0.10	1.04	147	0.42	9.58	96	11.9
ZZ69920		0.241	0.11	0.92	135	0.26	9.23	74	3.7
ZZ69921		0.316	0.12	0.97	155	0.23	9.84	90	4.1
ZZ69922		0.238	0.09	0.98	112	0.27	12.95	85	6.2
ZZ69923		0.215	0.12	0.67	119	0.15	3.08	41	3.1
ZZ69924		0.195	0.11	0.88	97	0.22	13.90	117	2.9
ZZ69925		0.067	0.16	0.69	97	0.15	2.69	62	0.5
ZZ69926		0.112	0.16	0.65	98	0.24	4.62	92	1.6
ZZ69927		0.271	0.12	0.85	115	0.22	6.14	93	4.6
ZZ69928		0.566	0.09	1.43	157	0.44	15.55	101	12.2
ZZ69929		0.251	0.14	0.99	129	0.34	10.95	81	5.4
ZZ69930		0.240	0.13	1.22	139	0.26	12.90	95	4.6
ZZ69931		0.247	0.09	0.76	88	0.18	5.76	104	3.7
ZZ69932		0.023	0.11	0.44	40	0.08	6.32	129	<0.5
ZZ69933		0.007	0.09	0.27	31	<0.05	2.79	84	<0.5
ZZ69934		0.016	0.11	0.44	39	0.09	2.98	90	<0.5
ZZ69935		0.100	0.13	0.65	76	0.22	2.83	75	0.8
ZZ69936		0.813	0.05	1.15	230	0.38	12.55	104	14.3
ZZ69937		0.510	0.07	1.20	177	0.46	17.80	112	28.3
ZZ69938		0.486	0.10	1.41	186	0.35	16.25	137	10.6
ZZ69939		0.018	0.17	1.41	79	0.11	2.51	203	<0.5
ZZ69940		0.035	0.27	4.97	82	0.13	16.30	342	<0.5
ZZ69941		0.146	0.18	0.94	93	0.29	4.98	110	1.4
ZZ69942		0.127	0.15	0.76	108	0.22	3.01	74	1.2
ZZ69943		0.125	0.12	3.64	145	0.29	20.2	74	7.8
ZZ69944		0.487	0.11	0.90	195	0.52	19.35	128	28.2
ZZ69945		0.506	0.10	1.03	186	0.44	20.0	122	27.7
ZZ69946		0.478	0.10	0.91	178	0.42	19.40	114	24.3
ZZ69947		0.466	0.09	0.95	183	0.44	20.0	121	30.0
ZZ69948		0.444	0.08	0.99	190	0.43	19.95	120	20.0
ZZ69949		0.419	0.10	0.92	173	0.39	19.35	111	20.2
ZZ69950		0.521	0.08	1.05	201	0.38	18.30	123	15.0
ZZ69951		0.018	0.27	2.38	106	0.12	18.85	284	0.6
ZZ69952		0.032	0.37	3.16	163	0.14	28.7	391	3.1
ZZ69953		0.038	0.34	2.25	145	0.14	23.9	362	2.9
ZZ69954		0.028	0.25	1.70	107	0.11	25.8	283	3.1
ZZ69955		0.077	0.10	0.65	131	0.14	22.1	138	3.4
ZZ69956		0.571	0.06	1.74	151	0.38	16.40	98	25.9
ZZ69957		0.561	0.08	1.60	180	0.50	18.00	116	16.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	WEI-21	Au-ICP21	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Recvd Wt.	Au	Ag	Al	As	Au	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1
ZZ69958		0.16	0.016	1.10	1.77	38.1	<0.2	<10	180	1.21	0.16	1.48	2.43	62.0	37.1	104
ZZ69959		0.20	0.005	0.07	1.60	19.9	<0.2	<10	230	1.28	0.65	0.32	0.18	62.5	41.4	51
ZZ69960		0.17	0.006	0.07	1.57	19.3	<0.2	<10	250	1.66	0.80	0.19	0.11	78.6	40.1	40
ZZ69961		0.19	0.009	0.08	1.93	5.3	<0.2	<10	210	0.97	0.23	1.06	0.48	51.2	29.7	76
ZZ69962		0.22	0.002	0.08	3.92	3.1	<0.2	<10	510	2.62	0.07	1.36	0.17	201	40.0	246
ZZ69963		0.24	0.002	0.09	3.32	5.8	<0.2	<10	380	1.88	0.19	1.51	0.12	101.0	30.0	194
ZZ69964		0.17	0.002	0.04	2.82	22.3	<0.2	<10	70	1.36	0.31	0.04	0.14	5.85	28.2	45
ZZ69965		0.27	0.003	0.12	2.03	15.0	<0.2	<10	100	1.64	0.31	0.17	0.11	9.47	24.9	32
ZZ69966		0.18	0.007	0.10	2.19	15.5	<0.2	<10	130	1.89	0.33	0.06	0.27	12.50	25.1	38
ZZ69967		0.17	0.008	0.36	2.91	34.8	<0.2	<10	310	2.02	0.19	0.57	1.07	100.5	42.3	166
ZZ69968		0.15	0.017	1.83	0.65	62.9	<0.2	<10	140	1.19	0.26	0.38	4.86	23.1	18.4	27
ZZ69969		0.17	0.011	0.40	1.98	46.3	<0.2	<10	460	1.87	2.08	0.56	1.46	77.4	72.4	88
ZZ69970		0.16	0.006	0.20	1.63	156.0	<0.2	<10	360	0.99	0.98	1.27	0.52	28.8	28.3	64
ZZ69971		0.16	0.007	0.63	2.41	26.3	<0.2	10	210	1.88	0.23	1.29	1.39	98.1	33.9	121
ZZ69972		0.27	0.015	1.89	1.53	51.4	<0.2	<10	210	1.86	0.29	1.10	2.77	66.2	25.1	70
ZZ69973		0.18	0.006	0.06	3.80	4.8	<0.2	<10	300	2.69	0.13	1.53	0.17	127.5	47.3	285

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Cs	Cu	Fe	Ga	Ge	Hf	Hg	In	K	La	Li	Mg	Mn	Mo	Na
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
	LOR	0.05	0.2	0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01
ZZ69958		0.74	158.5	5.80	6.72	0.18	0.15	0.42	0.052	0.18	33.2	14.9	0.92	1200	16.60	0.03
ZZ69959		1.92	97.3	4.83	6.40	0.15	0.05	0.07	0.053	0.13	26.8	17.5	0.60	3370	1.79	0.02
ZZ69960		2.23	102.5	5.60	6.38	0.16	0.07	0.04	0.056	0.12	27.7	19.0	0.65	3420	2.41	0.02
ZZ69961		1.27	50.3	5.00	9.04	0.14	0.04	0.04	0.038	0.10	23.2	25.5	1.32	1840	2.62	0.03
ZZ69962		1.99	48.8	7.64	18.30	0.29	0.13	0.02	0.077	0.14	84.0	41.9	3.13	1600	0.85	0.03
ZZ69963		2.17	43.8	5.67	15.80	0.25	0.32	0.03	0.046	0.14	64.4	59.2	2.55	728	1.45	0.06
ZZ69964		3.23	29.0	5.18	9.31	0.10	0.05	0.02	0.042	0.09	1.9	58.8	0.84	1450	0.67	0.02
ZZ69965		2.96	39.1	4.58	7.38	0.10	0.04	0.04	0.044	0.10	3.3	40.6	0.57	1460	1.02	0.02
ZZ69966		3.05	40.7	4.99	7.66	0.10	0.07	0.04	0.045	0.09	4.1	39.9	0.50	2170	1.49	0.01
ZZ69967		1.89	91.5	7.50	10.85	0.21	0.11	0.11	0.080	0.15	45.7	52.3	1.49	2250	9.27	0.02
ZZ69968		1.10	200	4.79	2.36	0.13	0.03	0.41	0.049	0.16	10.7	5.6	0.13	1200	41.4	0.04
ZZ69969		3.38	163.5	8.80	7.38	0.20	0.11	0.21	0.431	0.10	37.9	24.0	1.18	7460	6.43	0.02
ZZ69970		1.25	49.0	4.27	7.25	0.08	0.02	0.13	0.046	0.12	12.1	14.5	0.46	3180	5.27	0.02
ZZ69971		1.83	111.0	6.25	9.54	0.20	0.28	0.21	0.050	0.20	52.7	35.8	2.16	1660	9.51	0.08
ZZ69972		1.13	171.0	5.36	6.09	0.15	0.16	0.55	0.062	0.19	37.3	17.0	0.93	1320	24.0	0.03
ZZ69973		2.99	68.5	8.07	14.95	0.28	0.17	0.03	0.061	0.13	59.7	74.6	4.82	1890	1.07	0.02

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.05	0.2	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2
ZZ69958		3.67	139.0	2210	14.7	13.5	0.003	0.07	5.09	12.0	3.4	0.6	93.4	0.01	0.13	1.9
ZZ69959		1.42	50.7	1050	49.3	12.8	<0.001	0.06	0.33	10.7	0.8	0.5	16.2	0.01	0.11	2.5
ZZ69960		0.90	48.6	750	68.3	11.4	<0.001	0.02	0.42	11.8	0.7	0.5	13.5	0.01	0.12	5.0
ZZ69961		2.46	47.4	1540	18.3	9.8	0.001	0.11	0.58	5.3	0.7	0.6	50.2	0.01	0.04	0.6
ZZ69962		13.45	125.0	3520	8.9	18.1	<0.001	0.08	0.20	9.9	0.8	1.5	197.0	0.02	0.02	1.4
ZZ69963		16.75	103.5	2230	13.2	17.5	0.001	0.04	0.17	9.7	1.1	1.1	247	0.03	0.03	3.6
ZZ69964		0.35	46.7	390	24.8	10.3	<0.001	0.01	0.13	6.5	0.3	0.9	8.3	<0.01	0.04	2.4
ZZ69965		0.36	36.7	450	25.1	12.3	<0.001	0.01	0.27	8.4	0.6	0.7	16.4	<0.01	0.04	3.0
ZZ69966		0.80	33.1	790	34.2	13.3	<0.001	0.04	0.42	7.2	0.8	0.7	9.4	<0.01	0.05	2.8
ZZ69967		1.49	103.0	2660	23.0	13.9	0.001	0.13	1.88	12.4	2.4	1.0	67.3	0.01	0.09	1.8
ZZ69968		0.39	81.4	2220	22.6	10.4	0.007	0.31	9.89	3.2	7.3	0.5	93.6	<0.01	0.17	0.7
ZZ69969		0.57	120.0	1400	124.0	10.7	0.001	0.07	1.29	22.8	1.6	0.5	39.4	0.01	0.11	3.4
ZZ69970		2.17	32.9	1270	24.8	13.9	<0.001	0.13	1.48	2.8	1.8	0.9	48.8	0.01	0.15	0.4
ZZ69971		6.50	95.1	2560	20.3	17.1	0.002	0.09	2.43	7.8	2.2	0.7	138.5	0.01	0.06	4.4
ZZ69972		3.77	73.8	2200	25.0	16.9	0.005	0.21	7.63	6.5	5.8	0.7	142.5	0.01	0.17	2.3
ZZ69973		7.11	142.0	3280	13.4	19.4	<0.001	0.02	0.26	8.4	0.5	1.0	195.5	0.01	<0.01	4.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 8-JUL-2012
Account: MTT

Project: NAD

CERTIFICATE OF ANALYSIS WH12145940

Sample Description	Method	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41	ME-MS41
	Analyte	Ti	Tl	U	V	W	Y	Zn	Zr
	Units	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.005	0.02	0.05	1	0.05	0.05	2	0.5
ZZ69958		0.053	0.33	2.64	123	0.13	20.5	344	5.4
ZZ69959		0.015	0.13	0.44	56	0.10	15.30	94	0.7
ZZ69960		0.013	0.13	0.64	50	0.11	12.65	98	1.2
ZZ69961		0.045	0.09	0.60	88	0.14	7.95	91	0.9
ZZ69962		0.254	0.08	1.22	215	0.28	16.75	104	5.1
ZZ69963		0.375	0.07	1.75	128	0.33	17.65	109	15.6
ZZ69964		<0.005	0.07	0.26	28	<0.05	3.41	96	1.1
ZZ69965		<0.005	0.09	0.50	24	<0.05	6.65	91	0.8
ZZ69966		0.006	0.11	0.68	29	0.05	6.36	102	1.2
ZZ69967		0.011	0.19	1.74	155	0.12	17.00	246	1.9
ZZ69968		0.011	0.52	6.83	104	0.09	18.15	597	0.5
ZZ69969		0.015	0.22	1.06	151	0.07	35.4	570	2.1
ZZ69970		0.040	0.17	1.87	79	0.12	7.91	124	0.6
ZZ69971		0.285	0.24	2.80	144	0.20	18.45	258	11.9
ZZ69972		0.092	0.38	6.19	157	0.11	22.6	434	4.8
ZZ69973		0.511	0.11	0.98	184	0.27	15.25	120	8.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Project: NAD

Finalized Date: 8-JUL-2012
Account: MTT

CERTIFICATE OF ANALYSIS WH12145940

Method	CERTIFICATE COMMENTS
ME-MS41	Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).

APPENDIX IV

STATEMENT OF EXPENDITURES

Statement of Expenditures
Nad 1-76 Mineral Claims
October 29, 2012

Labour

A. Mitchell (geologist) June 2012 – 6 days @ $595.00/day	$ 3,998.40
D. Bailey (field assistant) June 2012 – 6 days @ $391.00/day	2,627.52
L. Vinnedge (field assistant) June 2012 – 6 days @ $357.00/day	2,399.04
M. Van Loon (field assistant) June 2012 – 6 days @ $340.00/day	2,284.80
	11,309.76

Expenses

Field room and board – 24 mandays @ $180.00/manday	4,838.40
Fireweed Helicopter – 4.7 hours L4 @ $1550/hour + fuel	
– 0.6 hours Hughes 500D @ $1050/hour + fuel	8,310.75
Black Sheep Aviation	5,039.58
ALS Chemex	15,730.21
	33,918.94

Total	$45,228.70