



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 17-JAN-2012
Account: ROCKHA

CERTIFICATE WH12002739

Project: Klaza DDH-54

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 3-JAN-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Finalized Date: 17-JAN-2012
 Account: ROCKHA

Project: Klaza DDH-54

CERTIFICATE OF ANALYSIS WH12002739

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005
K863423		0.005
K863424		<0.005
K863425		<0.005
K863426		<0.005
K863427		1.620
K863428		<0.005
K863429		<0.005
K863430		<0.005
K863431		<0.005
K863432		<0.005
K863433		<0.005
K863434		<0.005
K863435		<0.005
K863436		<0.005
K863437		<0.005
K863438		0.018
K863439		0.041
K863440		<0.005
K863441		<0.005
K863442		<0.005
K863443		<0.005
K863444		<0.005
K863445		<0.005
K863446		<0.005
K863447		1.505
K863448		<0.005
K863449		0.007
K863450		0.007
K863451		0.010
K863452		0.016
K863453		<0.005
K863454		<0.005
K863455		<0.005
K863456		<0.005
K863457		<0.005
K863458		<0.005