



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 21-FEB-2012
This copy reported on
22-FEB-2012
Account: ROCKHA

CERTIFICATE WH12016882

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: ***Corrected Copy for including Project Name Klaza***

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-FEB-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12016882

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
K271046		0.82	7.48	24.1	2060	1.47	0.38	2.50	0.97	47.2	8.0	9	12.55	16.0	3.08
K271047		>100	6.21	840	990	1.36	74.8	2.24	40.8	41.7	11.4	9	15.35	3450	5.82
K271049		0.49	7.60	20.2	2330	1.75	0.63	2.59	0.46	45.9	8.1	11	13.95	9.6	3.03
K271052		2.61	7.65	884	1520	1.53	0.45	2.45	4.46	47.4	7.0	7	12.45	28.4	3.56
K271053		16.90	6.95	2320	790	1.54	0.58	2.20	42.4	56.7	10.5	5	13.05	140.5	3.97
K271054		1.65	7.28	169.5	1490	1.68	0.80	2.76	2.43	42.0	9.4	7	12.70	16.5	2.76
K271097		0.33	7.66	21.8	1710	1.94	0.42	2.30	0.55	41.9	9.7	6	19.45	9.6	3.37
G006269		98.4	7.55	45.7	1540	1.44	1.72	2.38	52.8	30.9	13.3	20	2.73	4380	3.86
K271098		96.9	4.00	7030	800	0.99	27.0	1.10	184.0	26.6	11.9	3	8.68	510	10.40
K271100		25.0	7.00	2840	1080	1.48	1.48	2.01	136.5	36.2	8.8	4	14.65	85.2	3.76
K271101		1.91	7.36	156.5	1210	1.80	0.27	2.89	4.68	45.6	7.9	7	29.5	30.9	2.57
K271112		3.18	6.35	768	1300	1.59	0.26	2.13	14.20	41.0	6.8	14	14.10	33.6	3.41
K271114		1.23	7.35	94.9	1660	1.50	0.21	2.50	2.41	51.8	7.1	27	7.83	63.1	2.13
K271115		4.47	7.54	1450	840	1.78	0.82	1.56	11.85	44.2	9.7	7	19.80	26.7	3.99
K271116		6.90	7.72	701	1450	1.77	0.34	2.08	26.9	50.0	7.0	5	26.2	74.3	3.29
K271117		>100	6.62	>10000	1290	1.62	2.18	1.57	174.0	43.0	6.8	7	18.55	716	5.54
K271118		0.21	7.87	18.4	2220	1.84	0.25	2.78	0.25	50.2	6.7	12	13.65	18.0	3.04
K271007		0.05	0.07	<5	30	0.05	0.01	20.7	0.12	1.50	1.2	<1	0.23	2.4	0.49
K271119		0.33	7.11	32.9	2140	1.37	0.45	2.78	0.27	41.9	7.7	7	18.00	30.5	2.83
K271120		>100	7.16	5200	220	1.19	0.80	3.49	92.4	29.7	9.3	3	16.80	322	7.12
K271122		3.13	7.19	18.2	2050	1.63	0.33	2.59	11.65	43.2	7.4	10	13.70	34.4	2.94
K271345		4.17	6.28	91.1	1210	1.33	0.49	2.17	31.9	38.0	8.1	8	11.75	22.9	3.44
K271346		20.2	5.83	1230	1090	1.19	7.09	0.90	111.5	35.2	8.6	9	10.40	157.0	4.96
K271347		78.6	3.10	600	780	0.63	1.71	2.72	125.5	19.00	21.0	6	6.03	434	6.14
K271349		63.6	5.72	3000	830	1.23	1.71	1.02	122.5	35.0	6.8	8	10.35	409	4.88
K271350		13.75	6.67	4630	1240	1.48	1.42	1.78	59.5	41.2	6.1	7	16.10	115.0	4.28
K271351		3.72	7.29	866	1280	1.70	0.59	2.04	41.2	52.1	8.7	7	21.1	74.6	3.28
G006270		>100	1.36	1120	310	0.23	61.6	1.75	506	13.70	26.2	32	0.80	>10000	17.00
K271374		0.81	7.11	31.7	1900	1.26	0.53	2.24	4.26	46.9	7.0	8	19.85	29.6	2.81
K271375		37.3	6.30	1425	1370	1.27	4.05	2.51	13.10	56.1	8.5	15	18.20	53.5	3.71
K271377		0.49	6.56	44.6	2320	1.41	0.18	2.97	0.73	38.9	7.1	14	27.0	12.5	3.03
K271386		3.85	7.22	222	1190	1.87	0.58	3.27	12.90	56.7	8.2	14	27.3	32.9	2.78
K271387		35.9	6.48	3670	1110	1.33	7.06	2.36	113.5	49.4	6.6	13	19.50	190.5	4.33
K271389		12.70	7.19	1545	1250	1.29	5.42	1.89	43.5	52.8	6.7	12	15.95	216	4.08
K271390		5.15	7.95	90.8	490	1.78	2.92	2.41	21.1	67.2	8.2	27	27.1	60.2	3.15
K271391		9.82	7.34	1845	1460	1.70	2.23	2.47	30.2	47.0	7.2	12	27.0	84.5	3.72

Comments: ***Corrected Copy for including Project Name Klaza***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-FEB-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12016882

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10	ppm 0.5
K271046		0.11	1.5	0.059	2.99	28.0	11.7	0.81	766	1.69	2.24	9.2	2.7	600	72.1
K271047		0.17	1.1	2.99	2.66	25.1	68.2	0.70	1740	2.32	0.16	6.6	2.3	450	7300
K271049		0.16	1.4	0.046	2.95	27.6	14.8	0.76	740	1.39	1.97	8.9	2.5	570	43.2
K271052		0.18	1.5	0.054	3.05	29.6	26.6	0.72	1570	1.19	0.55	8.8	2.3	540	532
K271053		0.19	1.4	0.052	3.25	35.9	29.8	0.50	2250	0.72	0.15	7.8	2.4	520	3970
K271054		0.17	1.5	0.047	3.13	24.7	66.4	0.77	1720	1.64	0.10	7.8	2.6	560	171.5
K271097		0.18	1.4	0.056	2.84	24.1	98.0	0.66	530	1.00	0.39	9.5	2.4	630	33.5
G006269		0.18	0.6	13.25	2.22	17.1	12.6	0.70	565	38.6	2.53	7.6	11.9	800	8880
K271098		0.21	0.9	2.43	1.76	15.0	21.8	0.44	838	4.33	0.02	4.3	1.9	280	>10000
K271100		0.17	1.2	1.485	3.14	21.1	13.6	0.79	1700	6.40	0.04	6.5	2.5	510	5240
K271101		0.16	1.6	0.093	2.58	26.7	53.6	0.84	1180	2.98	0.03	8.7	4.1	580	555
K271112		0.16	2.5	0.064	1.51	23.7	89.7	0.85	880	19.65	0.02	9.2	11.5	550	626
K271114		0.14	4.1	0.048	0.60	31.4	157.5	1.00	739	2.75	0.02	9.3	23.1	600	129.0
K271115		0.17	1.2	0.117	3.18	26.7	19.5	0.61	1640	2.64	0.03	8.6	3.7	560	622
K271116		0.20	1.1	0.264	3.11	29.4	19.2	0.72	3340	6.95	0.02	9.2	2.4	570	1480
K271117		0.19	1.0	3.23	2.91	24.8	23.8	0.59	2860	19.95	0.08	7.5	2.2	490	>10000
K271118		0.13	1.1	0.046	2.92	25.8	13.0	0.79	563	1.80	2.31	8.4	3.2	610	26.8
K271007		0.07	<0.1	0.006	0.03	0.8	1.1	12.75	214	0.12	0.01	0.2	0.4	170	4.5
K271119		0.12	1.1	0.075	3.55	24.9	40.6	0.85	856	1.62	0.77	8.1	2.1	590	20.7
K271120		0.17	1.7	0.276	2.97	14.2	11.7	1.30	3390	2.95	0.69	5.6	2.6	1080	2830
K271122		0.15	1.3	0.073	2.88	25.3	11.8	0.77	1080	7.08	1.96	8.7	2.2	560	215
K271345		0.17	0.9	0.116	3.00	22.5	17.8	0.84	2020	3.66	0.03	6.7	2.1	470	885
K271346		0.18	0.9	3.49	2.70	19.6	19.8	0.46	1500	21.7	0.03	6.3	2.5	410	4030
K271347		0.14	0.6	1.650	1.41	10.6	30.7	0.48	743	35.6	0.02	3.5	2.4	180	>10000
K271349		0.16	1.0	0.809	2.62	19.8	24.0	0.46	1080	31.1	0.03	6.2	2.0	390	>10000
K271350		0.16	1.2	0.584	3.01	24.1	15.2	0.63	2520	3.26	0.02	7.6	2.4	510	3160
K271351		0.19	1.4	0.539	3.03	31.1	55.2	0.75	1240	3.03	0.03	8.9	2.4	580	247
G006270		0.94	0.6	6.84	0.39	7.8	6.1	0.83	374	37.8	<0.01	1.7	50.8	390	>10000
K271374		0.11	1.3	0.128	2.67	21.7	68.9	0.74	682	1.08	0.10	8.1	2.7	560	135.5
K271375		0.13	1.7	0.147	2.25	29.9	89.5	0.87	1240	1.84	0.03	7.5	2.9	570	6200
K271377		0.15	1.2	0.072	2.73	18.0	106.0	0.69	905	1.37	0.75	8.3	2.7	570	41.0
K271386		0.19	3.3	0.276	2.71	29.5	36.7	1.17	805	7.07	0.03	9.7	5.6	750	607
K271387		0.18	1.4	1.660	2.65	26.3	37.2	0.88	1320	3.70	0.02	7.4	3.7	510	6820
K271389		0.18	1.2	0.741	2.79	28.1	164.5	0.72	1180	3.41	0.01	7.9	3.2	530	1905
K271390		0.19	4.4	0.230	2.20	33.5	185.5	0.98	666	1.60	0.02	11.7	8.5	1310	702
K271391		0.18	1.2	0.438	3.14	23.5	42.2	0.76	1200	1.63	0.17	8.3	2.8	570	1590

Comments: ***Corrected Copy for including Project Name Klaza***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-FEB-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12016882

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K271046		<0.002	0.35	4.13	10.9	1	2.1	351	0.82	0.09	14.0	0.260	1.51	4.7	72	2.8
K271047		0.002	4.96	497	9.6	2	4.1	98.6	0.58	0.65	12.6	0.195	2.03	5.8	56	4.7
K271049		<0.002	0.45	3.25	12.6	1	2.1	324	0.77	0.31	15.5	0.250	1.53	4.9	69	2.2
K271052		<0.002	1.21	14.45	12.6	1	2.9	127.5	0.78	0.11	15.7	0.239	1.89	5.4	66	3.4
K271053		<0.002	3.13	34.1	11.1	2	4.0	84.1	0.69	0.26	14.4	0.214	2.44	5.2	58	1.8
K271054		<0.002	1.52	13.20	11.8	1	2.6	115.0	0.69	0.54	14.1	0.211	2.26	5.5	63	2.9
K271097		<0.002	0.59	7.82	12.8	1	2.2	226	0.79	0.17	14.6	0.266	1.81	4.2	72	2.1
G006269		0.020	1.59	141.0	8.0	4	358	668	0.47	0.12	5.9	0.224	3.60	1.3	76	19.1
K271098		<0.002	>10.0	136.5	5.2	2	5.8	64.4	0.34	2.05	7.1	0.117	1.82	3.4	36	2.8
K271100		0.002	2.95	39.1	10.6	2	3.4	89.7	0.58	0.61	14.3	0.196	2.97	7.3	59	2.9
K271101		<0.002	0.79	13.95	12.0	1	5.0	279	0.74	0.09	14.1	0.250	2.59	5.2	67	5.1
K271112		<0.002	2.36	32.3	9.6	1	9.2	425	0.73	0.07	11.0	0.248	1.58	10.8	65	6.7
K271114		<0.002	0.30	11.00	7.3	1	2.3	838	0.79	<0.05	12.5	0.256	0.62	5.8	51	3.4
K271115		<0.002	2.64	19.95	12.0	1	6.1	138.0	0.75	0.53	16.1	0.242	3.12	5.2	68	5.3
K271116		0.002	1.48	27.5	12.5	1	3.9	202	0.73	0.07	16.1	0.251	3.45	5.4	67	7.4
K271117		<0.002	4.51	248	10.3	2	6.8	126.0	0.62	0.20	13.0	0.213	3.08	4.5	59	6.5
K271118		<0.002	0.05	2.40	12.0	1	1.9	389	0.78	0.14	14.3	0.262	1.35	4.2	69	1.7
K271007		<0.002	0.02	0.15	0.2	1	<0.2	46.2	<0.05	<0.05	<0.2	<0.005	<0.02	1.0	1	0.1
K271119		<0.002	0.57	15.55	10.6	1	1.9	236	0.68	0.17	12.2	0.248	2.12	3.2	69	2.2
K271120		<0.002	4.31	156.5	12.2	2	4.6	213	0.33	0.16	2.8	0.376	2.85	2.4	140	5.4
K271122		0.002	0.26	4.34	10.7	1	1.8	349	0.78	0.10	14.5	0.242	1.49	4.9	65	3.8
K271345		<0.002	2.02	14.25	9.8	1	2.3	56.7	0.58	0.20	12.4	0.201	2.98	4.7	57	2.9
K271346		0.002	4.24	69.2	8.6	2	4.0	37.3	0.52	0.27	10.3	0.182	2.64	8.8	51	3.5
K271347		0.005	6.79	206	3.9	2	4.2	61.5	0.35	0.55	6.0	0.086	1.37	11.7	27	1.8
K271349		0.003	4.88	144.0	7.4	2	6.3	31.4	0.57	0.15	12.1	0.170	2.49	10.3	48	3.3
K271350		<0.002	3.52	45.4	10.2	2	3.1	47.0	0.65	0.08	13.4	0.225	3.31	4.9	59	4.7
K271351		<0.002	2.02	20.7	12.1	2	2.3	97.9	0.80	0.18	15.3	0.246	2.99	5.5	71	3.3
G006270		0.032	>10.0	265	2.5	208	109.0	40.6	0.09	0.77	1.2	0.041	33.6	4.2	54	1.8
K271374		<0.002	0.19	13.15	10.4	1	2.6	140.5	0.69	0.06	12.3	0.246	1.52	2.9	64	2.5
K271375		<0.002	2.10	47.6	8.4	1	5.5	221	0.52	0.71	12.2	0.212	1.87	7.8	56	3.4
K271377		<0.002	0.18	7.43	10.1	1	2.5	245	0.60	<0.05	9.6	0.250	1.79	3.5	70	1.9
K271386		<0.002	0.67	24.2	8.0	1	2.1	342	0.67	<0.05	10.3	0.272	2.62	6.6	67	8.2
K271387		<0.002	3.21	56.4	9.2	1	5.0	195.0	0.55	0.22	12.6	0.209	2.79	4.7	57	5.7
K271389		<0.002	2.99	35.0	10.6	1	5.3	176.5	0.60	0.15	14.3	0.229	2.77	4.3	64	5.2
K271390		<0.002	0.64	21.5	7.1	1	2.5	452	0.73	0.05	9.6	0.354	1.38	5.7	69	2.8
K271391		<0.002	1.58	26.5	10.3	1	3.2	161.0	0.61	0.30	12.0	0.233	2.23	4.4	67	4.8

Comments: ***Corrected Copy for including Project Name Klaza***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-FEB-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12016882

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K271046		18.3	144	41.1				
K271047		13.4	4970	28.0	268			
K271049		17.2	100	39.0				
K271052		16.2	603	40.0				
K271053		13.9	5290	35.3				
K271054		13.5	319	40.0				
K271097		15.0	65	37.1				
G006269		11.6	7240	15.2				
K271098		8.1	>10000	26.9			1.675	1.805
K271100		10.4	8400	30.2				
K271101		14.6	336	44.0				
K271112		12.0	962	79.4				
K271114		12.4	215	140.0				
K271115		12.1	841	31.0				
K271116		14.8	1850	29.7				
K271117		12.0	>10000	25.2	127		1.450	1.085
K271118		18.8	51	29.6				
K271007		0.9	20	<0.5				
K271119		14.7	59	29.3				
K271120		13.9	8090	58.9	143			
K271122		16.7	752	33.2				
K271345		11.1	2110	23.2				
K271346		9.5	>10000	23.1				1.210
K271347		6.9	>10000	15.5			2.70	1.415
K271349		10.1	>10000	25.5			2.08	1.305
K271350		12.1	4390	31.7				
K271351		15.2	4430	36.7				
G006270		7.3	>10000	18.5	163	1.280	1.525	9.39
K271374		16.4	270	31.9				
K271375		15.0	1200	59.0				
K271377		13.7	92	32.7				
K271386		14.0	929	123.5				
K271387		13.0	7120	43.8				
K271389		12.6	4010	33.1				
K271390		11.8	2380	175.5				
K271391		15.2	2130	35.5				

Comments: ***Corrected Copy for including Project Name Klaza***

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-FEB-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12016882

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.