



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 12-MAR-2012

Account: ROCKHA

CERTIFICATE WH12016884

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12016884

Sample Description	Method Analyte Units LOR	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05
K271291		0.57	7.10	22.4	1390	1.70	0.11	3.22	0.58	52.9	7.0	15	20.5	26.9	2.38	19.00
K272008		4.23	7.79	329	470	1.43	1.86	1.50	7.62	54.0	8.5	12	13.25	30.3	4.56	16.10
K272009		73.4	6.32	8250	1580	1.29	0.48	1.60	177.0	40.8	4.8	10	12.15	206	4.75	13.85
K272010		0.75	7.24	30.2	1550	1.27	0.95	2.28	1.42	46.5	7.0	12	14.95	7.7	3.25	15.00
K272026		0.49	6.92	48.3	2160	1.62	0.21	2.59	1.50	51.6	5.0	31	29.5	12.3	2.06	18.30
K272027		8.44	6.02	6390	500	1.20	1.07	0.84	42.7	38.0	6.8	11	13.80	48.2	4.61	14.35
G006273		>100	1.45	1195	130	0.24	62.8	1.82	524	12.80	27.2	32	0.78	>10000	17.60	16.85
K272028		>100	4.42	>10000	170	0.77	15.75	1.08	537	22.2	4.5	8	6.34	1355	10.15	12.00
K272029		2.36	7.26	90.0	500	1.53	0.82	1.77	15.90	47.6	10.2	9	15.85	15.6	3.58	18.90
K272031		0.51	7.92	55.0	1690	1.27	0.91	2.27	1.04	50.6	9.1	13	11.75	6.7	3.43	17.30
K272032		1.39	7.87	851	2050	1.40	0.26	3.36	2.83	43.7	7.3	14	13.65	15.2	3.22	17.00
K272033		0.21	7.78	15.2	2150	1.36	0.19	2.89	0.51	45.4	7.4	14	13.30	9.0	3.07	16.60
K272034		0.25	7.59	10.6	2140	1.31	0.39	2.70	2.66	45.6	9.5	11	16.35	7.5	2.79	16.50
K272035		7.24	7.50	21.0	1850	1.35	1.74	2.91	16.10	45.6	12.8	11	11.85	74.2	3.52	16.85
K272036		9.78	7.27	56.9	460	0.98	4.55	1.48	36.2	21.4	22.2	13	4.64	47.1	5.77	13.75
K272037		12.90	7.16	77.5	460	0.86	5.63	0.92	96.0	11.55	28.0	16	6.32	99.7	7.23	13.30
K272038		3.43	7.05	12.9	650	1.27	3.36	2.70	3.23	17.80	30.6	10	4.57	9.1	4.93	15.05
G006274		>100	7.45	45.7	1540	1.05	1.70	2.32	56.5	29.0	12.4	22	2.41	4520	3.75	20.3
K271636		0.28	7.22	17.9	2180	1.37	0.15	2.57	0.45	40.7	5.9	13	12.50	9.2	2.97	16.30
K271637		10.70	6.96	1560	1500	1.41	2.42	2.04	27.0	47.6	6.5	13	22.8	65.2	3.25	15.90
K271638		0.22	7.09	34.8	980	1.65	0.19	2.90	0.65	49.8	5.4	24	32.9	10.6	2.34	19.00
K271639		52.7	5.10	>10000	1930	0.80	3.45	1.90	144.0	33.7	6.1	12	9.02	220	8.76	13.05
K271641		17.95	7.08	8650	400	1.42	0.32	2.72	92.0	52.3	7.2	17	17.80	68.6	4.32	16.80
K271642		1.11	7.52	257	1570	1.34	0.20	2.30	3.34	42.1	5.8	10	19.60	12.8	3.04	17.10
K271652		5.52	4.96	706	520	0.62	0.17	2.18	24.6	6.68	5.0	15	3.57	16.0	4.03	17.80
K271653		48.8	4.79	3070	250	0.94	3.50	1.95	56.1	22.7	12.7	9	14.85	169.5	4.35	10.85
K271655		2.42	7.46	200	2010	1.26	0.55	2.29	6.48	49.2	10.9	11	10.20	12.9	3.34	16.15
K271113		0.17	0.12	13	30	0.07	0.03	21.0	0.25	1.35	1.3	2	0.22	3.2	0.47	0.38
K271704		0.26	7.35	24.1	1250	1.48	0.15	2.97	0.26	49.3	6.4	10	21.1	6.3	2.62	18.65
K271705		6.09	7.34	640	2000	1.51	0.14	2.68	26.2	47.4	7.1	12	20.9	31.7	2.54	18.65
K271706		44.0	6.69	3120	720	1.39	1.15	2.39	141.5	39.5	5.7	11	19.80	173.0	3.39	15.85
K271716		5.58	6.89	331	2220	1.35	1.21	2.03	11.05	38.6	6.8	11	18.20	37.6	2.55	17.00
K271718		1.32	6.96	110.0	1500	1.28	0.51	2.49	2.83	45.8	6.0	11	19.35	10.9	2.78	15.50
K271719		13.95	7.03	1095	710	1.34	1.26	1.55	27.7	46.7	7.2	8	31.1	72.7	3.94	16.00
K271720		0.30	7.01	26.0	1860	1.31	0.11	2.54	0.44	41.0	7.3	11	19.45	7.7	2.85	16.55
K271721		1.71	6.86	121.5	1580	1.20	0.14	2.40	6.83	38.4	6.9	11	17.45	29.4	2.67	16.50



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12016884

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
K271291		0.15	3.4	0.028	2.48	25.3	33.3	0.80	505	0.97	0.49	10.7	6.2	1020	25.9	62.2
K272008		0.18	1.1	0.121	3.54	28.8	15.4	0.55	1060	0.78	0.06	7.7	2.7	590	1080	195.5
K272009		0.15	0.9	0.597	2.80	21.4	12.2	0.59	2600	0.67	0.02	5.8	1.8	450	>10000	156.0
K272010		0.16	1.1	0.065	3.32	23.4	25.3	0.65	1500	0.81	0.57	7.4	1.9	550	78.6	142.5
K272026		0.14	3.8	0.044	2.49	25.8	36.2	0.86	699	2.48	0.06	8.6	18.7	600	73.0	78.6
K272027		0.17	1.3	0.431	2.51	20.0	27.2	0.41	626	10.80	0.02	6.0	4.8	440	2160	150.5
G006273		1.03	0.6	7.01	0.43	7.2	6.6	0.84	395	37.2	0.02	1.7	52.6	410	>10000	15.5
K272028		0.22	0.7	12.20	2.00	10.3	10.4	0.28	10250	1.27	0.02	3.9	1.2	320	>10000	118.5
K272029		0.14	1.1	0.067	3.17	21.8	26.4	0.71	1400	0.62	0.07	8.1	2.5	550	467	176.5
K272031		0.15	1.3	0.060	2.70	24.8	25.2	0.87	553	1.47	0.67	9.0	2.4	670	54.7	106.5
K272032		0.15	1.2	0.056	2.66	21.2	22.9	0.83	704	0.55	1.92	8.8	2.7	680	220	96.4
K272033		0.14	1.1	0.049	2.55	21.1	15.7	0.80	749	0.55	2.37	8.4	2.3	650	37.0	89.6
K272034		0.15	1.1	0.058	2.34	22.2	62.3	0.69	558	1.13	1.46	8.2	2.2	620	25.0	91.0
K272035		0.16	1.1	0.102	2.75	22.2	11.5	0.84	1380	0.93	1.10	8.1	2.3	660	1050	132.0
K272036		0.18	1.3	0.416	3.38	7.3	5.0	0.74	1740	4.20	0.04	6.3	3.7	600	1440	215
K272037		0.20	1.8	0.497	3.23	4.1	4.6	0.75	1880	1.03	0.04	5.1	3.8	610	2600	200
K272038		0.17	0.9	0.228	3.27	6.7	3.5	0.84	2590	1.50	0.04	5.9	2.9	530	229	199.5
G006274		0.15	0.5	13.20	2.18	14.0	10.4	0.65	571	36.2	2.44	6.8	10.6	790	8780	61.8
K271636		0.15	1.2	0.056	3.02	19.5	7.6	0.65	632	1.16	1.89	8.2	2.3	590	32.2	112.0
K271637		0.16	1.4	0.248	2.98	24.1	36.4	0.60	1680	2.30	0.08	7.8	2.9	590	1340	131.0
K271638		0.16	3.0	0.031	2.40	23.9	88.3	0.86	671	0.76	0.07	9.3	13.5	760	30.4	74.8
K271639		0.23	0.8	0.850	2.09	17.1	18.7	0.61	5050	4.30	0.02	5.0	1.8	350	6330	111.5
K271641		0.17	2.5	0.482	2.25	26.6	115.5	0.89	2270	3.80	0.03	8.5	5.6	890	2090	98.4
K271642		0.16	1.2	0.080	3.28	20.1	37.3	0.64	1320	1.32	0.44	8.5	2.2	620	151.5	122.0
K271652		0.13	0.8	0.284	1.31	2.9	12.4	0.93	1500	7.91	0.20	4.9	1.3	340	790	86.8
K271653		0.15	0.7	0.543	1.95	11.4	25.3	0.65	2990	39.1	0.05	5.1	3.6	350	1455	110.5
K271655		0.16	1.0	0.077	3.37	25.5	25.0	0.77	1660	2.18	0.28	8.1	2.3	590	98.6	173.0
K271113		0.12	<0.1	0.006	0.04	0.7	1.1	12.50	224	0.29	0.01	0.4	1.6	250	6.7	2.0
K271704		0.19	3.2	0.031	3.19	24.8	34.5	0.94	715	1.48	0.05	10.4	3.9	760	19.1	140.0
K271705		0.17	3.0	0.317	3.74	22.9	28.2	0.81	652	2.35	0.06	10.1	3.7	750	845	159.0
K271706		0.16	1.3	1.190	3.19	19.1	37.1	0.53	603	1.79	0.71	7.7	2.3	530	5760	141.0
K271716		0.15	1.1	0.226	2.83	18.0	48.0	0.56	669	4.12	0.10	8.5	3.4	590	504	96.8
K271718		0.15	1.0	0.099	2.72	22.7	82.6	0.78	1020	1.58	0.08	7.7	1.9	550	163.5	95.8
K271719		0.18	1.2	0.354	2.65	23.5	37.3	0.56	874	5.71	0.02	7.9	2.3	530	1520	160.0
K271720		0.15	1.1	0.045	3.01	19.5	41.5	0.67	706	2.01	0.62	8.3	2.1	580	24.8	110.5
K271721		0.15	1.0	0.065	3.17	17.6	41.9	0.60	1360	1.81	0.08	8.2	2.3	580	130.5	113.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12016884

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K271291		<0.002	0.03	10.25	4.7	1	1.6	498	0.76	<0.05	8.0	0.286	1.05	4.5	52	1.3
K272008		<0.002	3.56	11.40	10.0	1	5.9	85.0	0.64	0.30	13.8	0.230	2.72	4.5	68	3.6
K272009		<0.002	4.10	103.0	7.6	1	6.0	75.8	0.50	0.07	11.6	0.185	2.76	3.9	53	4.8
K272010		<0.002	1.19	6.73	9.1	1	2.7	193.0	0.65	0.45	12.1	0.219	2.25	3.9	63	2.4
K272026		<0.002	0.18	15.65	5.4	1	1.7	446	0.72	<0.05	9.9	0.235	1.83	6.1	49	1.5
K272027		<0.002	4.06	57.5	7.3	1	6.4	119.0	0.52	0.11	10.4	0.186	2.39	6.5	52	5.4
G006273		0.034	>10.0	275	2.3	227	122.5	41.5	0.10	0.81	1.1	0.041	33.5	3.8	61	1.8
K272028		<0.002	8.65	341	4.8	3	13.8	43.9	0.34	0.15	6.7	0.125	2.03	4.4	38	4.3
K272029		<0.002	2.42	12.55	12.1	1	2.7	118.0	0.50	0.21	10.6	0.242	2.30	4.3	67	4.2
K272031		<0.002	1.58	6.58	12.0	2	2.8	230	0.71	0.23	12.1	0.274	1.56	4.0	80	5.6
K272032		<0.002	0.44	8.65	10.9	1	2.4	400	0.71	0.06	11.5	0.277	1.21	3.8	79	2.0
K272033		<0.002	0.18	2.24	10.9	1	2.1	408	0.69	0.05	11.6	0.259	1.12	3.7	75	1.5
K272034		<0.002	0.60	9.21	10.8	1	2.1	349	0.67	0.12	11.3	0.254	1.18	3.7	74	2.3
K272035		<0.002	1.43	15.60	11.2	1	2.4	261	0.65	0.29	12.0	0.249	2.08	4.0	76	5.2
K272036		<0.002	4.29	5.77	8.4	2	4.6	32.4	0.50	1.20	12.1	0.192	2.63	5.2	60	8.4
K272037		<0.002	4.85	8.44	9.4	2	5.8	31.5	0.43	1.49	10.4	0.197	2.61	4.8	67	9.9
K272038		<0.002	3.42	3.72	8.8	2	2.7	47.4	0.49	0.71	11.3	0.177	2.49	4.2	58	3.3
G006274		0.021	1.53	150.0	6.5	4	342	667	0.42	0.10	5.0	0.210	3.50	1.1	75	19.3
K271636		<0.002	0.08	4.44	9.6	1	2.0	342	0.70	<0.05	10.6	0.240	1.50	3.2	69	1.5
K271637		<0.002	1.38	30.5	8.7	1	3.0	259	0.65	0.10	11.1	0.227	2.28	3.9	60	2.9
K271638		<0.002	0.07	11.70	5.8	1	1.7	483	0.75	<0.05	9.0	0.253	1.53	3.6	50	2.2
K271639		<0.002	7.50	201	5.9	1	19.2	71.7	0.44	0.16	8.3	0.147	1.93	2.2	43	4.1
K271641		<0.002	2.31	69.7	7.3	1	6.2	234	0.62	<0.05	9.3	0.266	2.10	4.0	62	3.6
K271642		<0.002	0.30	13.35	9.9	1	3.2	166.5	0.72	<0.05	11.7	0.252	2.32	2.9	71	2.9
K271652		0.002	1.89	27.2	10.9	1	2.8	126.5	0.38	0.06	9.5	0.152	0.99	3.0	122	2.8
K271653		0.005	3.28	162.5	6.4	1	3.1	77.1	0.41	0.22	8.2	0.143	1.68	6.9	45	3.1
K271655		<0.002	1.41	13.80	10.7	1	3.3	104.5	0.67	0.15	12.6	0.243	2.23	4.7	71	4.5
K271113		<0.002	0.02	0.67	0.3	1	<0.2	40.8	<0.05	<0.05	<0.2	<0.005	0.02	0.5	3	0.1
K271704		<0.002	0.17	26.5	7.4	1	1.4	330	0.80	<0.05	8.8	0.275	3.11	5.5	69	5.8
K271705		<0.002	0.51	30.6	7.7	1	1.8	306	0.78	<0.05	9.2	0.273	4.07	6.1	69	6.0
K271706		<0.002	1.46	47.4	8.7	1	3.4	220	0.67	0.06	11.6	0.217	2.13	5.8	61	3.2
K271716		<0.002	0.41	21.1	9.6	1	2.2	128.5	0.68	0.58	10.9	0.238	1.58	3.4	67	3.7
K271718		<0.002	0.20	15.25	9.4	1	1.7	145.0	0.63	0.11	12.1	0.225	1.72	3.9	65	4.7
K271719		<0.002	3.15	47.1	9.3	1	2.8	127.5	0.65	0.25	11.9	0.216	3.48	5.1	61	5.9
K271720		<0.002	0.11	7.69	9.9	1	1.8	195.0	0.68	<0.05	11.1	0.241	1.95	3.5	68	2.8
K271721		<0.002	0.37	13.95	9.4	1	2.0	142.0	0.67	<0.05	10.4	0.235	2.32	3.3	67	3.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12016884

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K271291		8.4	157	130.5				
K272008		11.9	671	30.9				
K272009		9.4	9910	23.4			1.755	
K272010		13.5	122	28.4				
K272026		10.8	148	143.0				
K272027		7.0	2740	38.0				
G006273		6.9	>10000	17.2	160	1.290	1.520	9.47
K272028		6.3	>10000	19.6	145		2.60	3.34
K272029		15.1	928	27.7				
K272031		16.0	105	32.0				
K272032		16.2	236	31.1				
K272033		16.1	74	28.8				
K272034		14.8	282	27.6				
K272035		14.2	1060	28.4				
K272036		7.0	3240	37.7				
K272037		5.9	8260	60.2				
K272038		10.5	310	22.5				
G006274		9.9	6700	15.2	100			
K271636		14.3	73	32.2				
K271637		12.0	2130	41.9				
K271638		11.2	101	104.0				
K271639		7.9	9810	21.4				
K271641		11.5	5270	95.9				
K271642		14.5	271	33.0				
K271652		5.5	2380	20.1				
K271653		8.1	4810	20.1				
K271655		14.0	665	26.8				
K271113		0.8	31	<0.5				
K271704		14.1	89	120.5				
K271705		13.3	1690	110.5				
K271706		12.5	8120	35.6				
K271716		13.0	733	31.1				
K271718		14.6	212	26.1				
K271719		13.0	1820	33.9				
K271720		14.2	63	29.7				
K271721		13.1	410	28.1				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 12-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12016884

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.