



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 6-MAR-2012
Account: ROCKHA

CERTIFICATE WH12016889

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12016889

Sample Description	Method Analyte Units LOR	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05
K269522		3.04	7.20	226	3210	1.44	0.28	2.73	3.74	50.9	7.5	6	19.95	23.4	2.71	15.35
K269523		0.33	7.90	28.1	2320	1.33	0.17	1.76	0.30	48.6	7.7	9	16.80	12.9	3.06	17.95
K269524		13.95	6.88	1430	1070	1.58	0.38	1.96	20.3	46.8	7.3	6	23.1	38.3	3.60	16.15
K269526		3.54	7.78	752	2280	1.87	0.30	1.71	4.28	67.5	6.8	14	15.10	20.8	2.67	20.8
K269527		5.60	7.86	679	830	2.01	0.37	2.25	7.54	53.4	8.7	8	30.6	26.5	2.93	19.55
K269528		64.7	6.00	9500	1650	1.37	5.91	1.51	51.2	40.1	11.5	7	19.95	244	5.37	15.25
K269529		44.9	6.92	7860	2060	1.45	0.36	2.06	32.0	55.7	8.7	14	18.60	59.6	4.06	18.15
K269530		0.44	7.58	57.6	1530	1.65	0.26	2.26	0.23	47.6	7.1	10	21.5	11.7	2.77	18.00
K269548		1.20	7.36	337	1490	1.47	0.20	2.82	5.61	48.3	5.3	8	22.4	7.4	2.98	17.00
K269549		7.91	6.32	3000	990	1.40	0.21	2.51	46.4	47.8	4.9	5	18.45	23.2	3.79	15.85
K269550		0.18	6.69	91.7	1750	1.31	0.21	3.24	0.25	44.0	7.7	8	16.70	7.7	2.67	16.45
K269650		0.26	7.61	19.3	1810	1.47	0.47	2.33	0.26	52.6	7.6	7	12.45	2.2	2.67	17.25
K269651		83.7	4.13	>10000	490	0.98	12.50	1.93	404	21.1	5.4	6	10.30	638	5.45	10.45
G006283		>100	7.70	54.7	1570	1.52	1.72	2.44	60.8	31.4	13.1	22	2.74	4610	3.92	22.8
K269653		1.61	6.99	205	1840	1.44	0.39	2.80	7.07	48.6	8.1	8	20.3	9.4	3.26	17.95
K269654		0.55	7.02	58.2	1630	1.51	0.36	2.74	1.74	35.9	7.1	7	18.80	5.3	3.16	17.60
K269655		0.47	7.22	16.7	1610	1.47	0.59	2.50	1.90	43.0	9.5	7	19.30	5.4	3.08	16.80
K269656		0.35	7.55	23.8	1160	1.59	0.58	1.95	0.98	44.7	8.8	7	17.35	4.7	3.15	17.95
K269657		28.6	6.00	>10000	1000	1.17	5.47	1.44	95.4	39.2	7.6	7	17.70	359	6.18	14.95
K269658		8.34	4.66	7260	920	1.14	1.73	3.95	52.7	30.1	4.3	7	10.90	90.0	4.01	11.20
K269659		1.67	6.44	161.0	1860	1.26	0.48	3.99	4.25	47.0	5.3	7	17.00	10.0	2.52	13.65
K269660		4.49	6.60	263	2010	1.23	1.02	3.05	21.1	48.3	5.6	8	14.80	27.4	3.33	14.55
K269661		0.54	6.97	94.3	1990	1.34	1.01	2.42	0.50	48.4	7.0	8	16.00	4.4	2.65	15.20
K269662		5.74	7.35	1010	3140	1.49	2.81	3.16	18.55	49.8	6.0	8	20.6	84.2	3.05	15.80
K271204		0.03	0.08	<5	20	0.05	0.03	21.4	0.08	1.62	1.5	<1	0.17	4.4	0.48	0.23
K269674		0.53	7.85	157.5	1440	2.09	0.59	3.24	1.47	49.6	6.9	11	33.7	11.8	2.86	18.60
K269675		6.40	7.27	289	3420	1.58	4.22	1.86	43.9	43.2	10.0	8	22.8	81.2	4.37	17.60
K269676		>100	1.89	>10000	1840	0.39	288	1.36	>1000	8.74	3.4	5	4.97	>10000	17.80	6.69
K269678		0.89	7.12	75.7	2350	2.03	0.44	3.04	4.70	62.5	5.6	15	17.85	15.1	2.57	18.20
G006284		>100	1.42	1145	270	0.23	59.7	1.85	517	12.70	27.2	33	0.78	>10000	18.15	17.50
K269679		2.01	7.67	104.0	1770	1.83	1.28	2.23	6.01	69.7	7.0	23	17.75	44.9	2.86	19.20
K269681		0.13	7.44	47.2	1590	1.76	0.16	2.16	0.32	67.8	6.3	21	21.7	10.7	2.54	18.35
K269682		0.77	7.49	204	1650	1.63	0.42	2.63	1.37	46.8	7.7	8	25.4	13.2	2.75	16.35
K269683		0.87	7.24	128.0	1340	1.55	0.57	2.08	1.45	54.8	6.9	9	22.7	9.8	2.53	16.55
K269684		47.8	6.45	1375	920	1.29	35.7	1.66	97.9	43.8	8.0	9	13.25	759	6.00	14.80
K269686		0.69	7.31	15.9	1570	1.49	1.38	2.24	1.02	54.4	7.1	9	12.25	4.1	3.34	16.95



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12016889

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
K269522		<0.05	1.3	0.084	3.06	28.1	21.9	0.91	1160	2.39	0.10	7.9	2.7	510	293	148.5
K269523		0.06	1.3	0.052	3.23	24.9	40.3	0.70	1100	1.94	0.20	9.1	2.7	600	23.3	137.5
K269524		0.07	1.2	0.080	3.08	25.0	12.6	0.70	2690	2.90	0.05	8.2	2.5	500	2280	170.0
K269526		0.07	3.4	0.069	1.22	35.8	161.0	0.78	953	2.73	0.06	11.6	5.6	990	217	58.4
K269527		0.07	3.2	0.054	2.65	28.1	66.8	0.88	1550	3.29	0.07	10.8	5.6	720	425	115.0
K269528		0.10	1.3	0.387	2.17	21.0	29.9	0.63	2710	4.40	0.06	7.2	5.1	490	3810	127.0
K269529		0.10	2.7	0.155	1.68	28.3	60.4	0.80	2020	2.70	0.05	10.0	6.5	930	1925	94.5
K269530		0.06	1.3	0.069	3.08	23.7	36.4	0.70	1180	1.97	0.96	8.8	2.6	590	26.3	141.5
K269548		0.06	1.3	0.071	3.21	25.0	33.8	0.84	2880	1.91	0.54	8.8	2.8	570	161.5	142.0
K269549		0.08	1.1	0.071	2.62	26.9	29.7	0.82	6820	1.79	0.04	7.0	2.4	440	1065	146.5
K269550		0.07	1.3	0.055	2.75	22.2	51.3	0.86	866	1.92	0.65	8.8	2.9	530	21.6	102.0
K269650		0.08	1.3	0.073	3.23	27.4	68.9	0.89	866	0.65	0.06	8.3	2.3	540	16.8	155.5
K269651		0.08	0.8	7.71	1.70	9.6	26.6	0.75	1440	40.0	0.03	4.7	2.5	280	>10000	102.5
G006283		0.07	0.5	14.35	2.26	15.7	10.8	0.70	588	40.1	2.56	7.8	13.2	810	9520	72.3
K269653		0.15	1.0	0.145	2.94	26.3	60.5	0.98	1240	0.76	0.05	8.4	2.8	620	441	137.5
K269654		0.06	0.9	0.111	2.13	16.6	138.5	0.68	601	0.71	1.00	9.1	2.6	640	77.6	85.7
K269655		0.07	0.9	0.093	1.98	20.6	102.5	0.82	689	0.52	0.46	8.8	2.5	640	107.5	91.8
K269656		0.06	0.8	0.104	1.94	22.3	196.0	0.69	690	1.77	0.04	9.3	2.9	620	48.4	91.9
K269657		0.18	1.1	1.520	2.49	20.2	46.7	0.67	1290	24.5	0.02	6.7	2.5	440	6690	142.5
K269658		0.15	1.0	0.748	1.89	15.5	39.9	1.63	1260	20.8	0.02	5.2	2.2	300	1865	107.0
K269659		0.16	1.5	0.090	2.62	26.3	32.5	1.60	1200	3.55	0.03	7.5	1.8	420	196.5	139.0
K269660		0.18	1.4	0.397	2.83	27.2	43.0	1.16	1740	2.63	0.03	7.8	2.1	430	1440	152.0
K269661		0.17	1.5	0.068	2.82	26.7	36.7	0.95	818	2.70	0.03	8.3	2.3	480	36.3	136.0
K269662		0.17	1.4	0.166	2.88	27.0	18.1	1.18	944	3.32	0.04	8.4	2.5	500	1165	137.0
K271204		0.06	<0.1	0.005	0.03	0.7	0.9	13.00	212	0.10	0.01	0.2	2.3	190	3.8	1.5
K269674		0.19	3.7	0.066	2.96	25.1	38.6	1.20	794	1.74	0.05	10.5	4.6	770	50.9	128.0
K269675		0.18	1.3	1.505	3.04	21.1	14.4	0.88	1240	3.41	0.04	7.7	3.0	600	1150	192.5
K269676		0.35	0.4	26.7	0.77	3.1	7.5	0.43	2830	4.16	0.01	2.2	1.5	130	>10000	44.4
K269678		0.13	4.1	0.091	1.70	31.6	207	0.78	931	2.74	0.03	10.2	4.9	1160	165.5	63.6
G006284		1.07	0.6	6.95	0.43	7.0	6.3	0.87	388	39.4	0.02	1.8	56.5	390	>10000	15.8
K269679		0.18	4.4	0.131	2.15	35.4	324	0.97	631	0.92	0.04	11.3	7.8	1370	231	86.3
K269681		0.20	4.5	0.038	1.98	34.5	329	0.91	698	2.24	0.04	11.2	6.6	1310	13.5	80.3
K269682		0.17	1.2	0.057	2.69	24.3	112.5	1.03	796	2.94	0.05	7.7	2.7	580	80.2	130.0
K269683		0.18	1.2	0.050	2.81	30.1	84.7	0.79	635	1.14	0.04	8.2	2.4	570	78.3	161.0
K269684		0.20	1.1	2.99	2.80	22.9	29.0	0.68	1060	18.45	0.03	6.6	2.7	460	3590	179.0
K269686		0.19	1.2	0.098	3.46	29.1	34.5	0.98	950	1.57	0.04	6.9	2.3	520	59.0	202



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12016889

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K269522		0.002	0.48	22.3	9.4	<1	1.8	232	0.67	<0.05	13.0	0.214	2.07	4.4	60	3.5
K269523		<0.002	0.09	11.05	11.6	1	1.8	148.0	0.75	<0.05	13.6	0.250	2.07	2.9	71	3.4
K269524		<0.002	2.26	37.6	9.6	1	3.7	137.0	0.67	0.11	11.9	0.210	2.99	4.5	58	4.6
K269526		<0.002	0.40	41.6	6.0	1	2.0	341	0.76	<0.05	11.1	0.288	1.03	4.7	52	3.3
K269527		<0.002	0.85	31.0	9.0	1	3.6	283	0.76	0.06	11.0	0.284	2.16	6.4	73	3.6
K269528		<0.002	3.56	140.5	7.9	1	5.9	153.0	0.54	0.80	10.4	0.190	2.41	4.2	55	6.0
K269529		<0.002	1.88	96.5	8.4	1	5.6	241	0.68	0.08	9.4	0.277	1.78	5.0	63	4.9
K269530		<0.002	0.15	10.35	11.0	<1	2.1	249	0.69	<0.05	13.2	0.243	2.36	3.8	69	2.6
K269548		<0.002	0.77	15.85	10.8	1	2.8	220	0.74	<0.05	12.5	0.238	2.76	4.5	68	2.9
K269549		<0.002	2.11	38.6	8.8	1	4.2	141.0	0.56	<0.05	11.4	0.189	2.67	4.4	53	3.8
K269550		<0.002	0.24	9.22	10.2	1	2.5	267	0.70	0.06	10.7	0.225	1.79	3.8	68	1.2
K269650		<0.002	0.88	5.89	10.5	1	1.7	111.5	0.73	0.27	13.7	0.214	2.82	5.6	65	2.0
K269651		0.002	5.53	184.5	5.6	2	5.5	95.7	0.39	0.17	6.3	0.131	2.15	10.5	39	3.9
G006283		0.020	1.65	154.5	8.7	5	359	668	0.42	0.13	6.0	0.231	3.68	1.1	78	20.9
K269653		<0.002	1.45	12.80	12.4	1	2.6	139.5	0.68	0.07	11.8	0.268	3.15	6.4	73	5.9
K269654		<0.002	0.47	15.40	11.3	1	2.1	230	0.62	0.20	9.0	0.264	1.58	3.2	76	2.3
K269655		<0.002	1.30	16.35	11.8	1	2.0	169.5	0.63	0.39	10.6	0.252	1.85	5.1	67	2.9
K269656		<0.002	1.33	25.1	12.2	1	2.6	155.5	0.64	0.41	10.8	0.255	1.88	5.0	73	3.0
K269657		<0.002	4.21	131.5	8.4	2	7.7	57.3	0.47	0.30	8.2	0.208	2.45	4.0	49	6.0
K269658		<0.002	2.56	74.7	5.7	1	6.6	117.5	0.41	0.13	7.9	0.144	1.89	9.5	38	4.9
K269659		<0.002	1.03	11.35	7.8	1	1.7	141.5	0.70	0.19	16.6	0.184	2.45	7.0	47	3.8
K269660		<0.002	1.53	20.0	8.3	1	2.6	108.0	0.72	0.32	16.6	0.192	2.44	6.9	49	3.9
K269661		<0.002	1.24	7.88	9.1	1	2.0	137.0	0.79	0.72	18.4	0.204	2.14	7.5	55	3.0
K269662		<0.002	1.49	42.3	9.7	1	2.5	164.0	0.74	0.21	16.3	0.213	2.25	7.1	56	3.9
K271204		<0.002	0.01	0.13	0.3	2	<0.2	45.5	<0.05	<0.05	<0.2	<0.005	<0.02	0.6	3	0.1
K269674		<0.002	0.36	21.9	8.0	1	1.7	314	0.75	<0.05	8.5	0.303	2.37	4.6	70	7.2
K269675		<0.002	3.55	21.9	10.2	2	8.5	153.5	0.57	0.27	10.7	0.252	2.87	4.9	67	5.9
K269676		<0.002	>10.0	580	2.3	10	21.4	56.5	0.15	0.63	2.0	0.061	1.17	1.2	16	2.4
K269678		<0.002	0.42	26.0	5.7	1	1.8	812	0.77	0.07	10.0	0.312	1.34	14.2	60	3.4
G006284		0.032	>10.0	275	2.4	227	115.0	44.1	0.10	0.80	1.0	0.044	33.2	3.7	58	1.8
K269679		<0.002	0.14	23.5	6.4	2	1.5	747	0.80	<0.05	9.2	0.357	1.25	4.0	67	3.6
K269681		<0.002	0.09	19.15	6.5	2	1.4	731	0.79	<0.05	9.3	0.342	1.24	4.4	64	4.1
K269682		<0.002	1.36	12.80	10.6	1	2.6	179.5	0.57	0.16	10.5	0.238	2.54	4.9	63	4.6
K269683		<0.002	1.20	9.07	11.2	1	1.9	163.5	0.65	0.31	13.5	0.241	2.66	5.8	64	4.0
K269684		<0.002	5.61	130.0	9.0	2	7.0	114.0	0.52	0.49	11.0	0.200	2.73	5.4	56	5.0
K269686		<0.002	2.34	8.29	10.7	1	2.9	93.7	0.60	0.71	13.0	0.208	2.92	4.9	64	2.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12016889

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K269522		16.9	281	36.1				
K269523		16.7	61	34.8				
K269524		14.1	1440	32.2				
K269526		11.3	378	138.5				
K269527		15.5	601	126.0				
K269528		11.4	3750	42.1				
K269529		12.6	2190	110.5				
K269530		16.6	60	36.9				
K269548		15.8	424	33.5				
K269549		14.6	3020	30.4				
K269550		15.9	51	34.7				
K269650		14.9	65	37.0				
K269651		8.9	>10000	24.5			1.270	2.84
G006283		12.0	7380	14.9	110			
K269653		16.1	515	27.1				
K269654		14.6	159	29.0				
K269655		15.6	160	26.4				
K269656		16.1	110	24.9				
K269657		11.8	6620	30.5				
K269658		9.5	3680	31.9				
K269659		12.3	333	41.3				
K269660		13.0	1450	40.9				
K269661		13.3	75	42.9				
K269662		15.0	1310	40.2				
K271204		0.9	20	0.6				
K269674		14.0	161	129.0				
K269675		12.2	2940	38.3				
K269676		4.5	>10000	10.5	566	1.135	6.41	11.25
K269678		13.1	360	155.0				
G006284		7.2	>10000	17.8	161	1.260	1.425	9.37
K269679		13.2	440	169.0				
K269681		15.5	77	169.0				
K269682		13.6	116	32.1				
K269683		14.5	124	33.1				
K269684		12.8	7400	29.8				
K269686		13.7	112	29.9				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12016889

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.