



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 6-MAR-2012
Account: ROCKHA

CERTIFICATE WH12026540

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026540

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
K269687		3.26	6.72	74.1	4750	1.37	4.93	2.58	4.96	47.3	11.4	7	18.30	16.8	6.28	16.95
K269688		0.50	7.64	21.1	1590	1.54	2.24	2.38	0.57	54.0	8.5	9	12.80	3.8	3.94	17.00
K269689		11.50	6.87	366	1260	1.37	2.76	1.54	55.1	48.0	7.1	10	12.30	65.2	4.66	16.55
K269690		7.25	6.88	761	1150	1.38	2.20	1.51	36.6	46.6	6.8	8	14.00	48.7	3.85	15.50
K269691		0.86	7.61	86.4	1440	1.74	0.84	2.07	1.79	47.2	6.9	10	18.45	8.1	2.84	16.65
K271240		0.02	0.11	7	30	<0.05	0.09	21.7	0.20	1.79	1.8	1	0.20	2.8	0.51	0.33
K269692		54.6	5.83	2990	6640	1.30	25.0	1.17	159.0	27.0	7.1	9	12.10	439	6.26	13.85
K269693		2.07	6.92	34.1	1800	1.35	1.43	2.47	6.08	43.6	7.4	8	6.22	10.6	4.23	16.20
K269717		0.24	7.72	44.7	3740	2.10	0.26	1.70	0.52	59.9	6.0	26	23.1	11.8	2.30	20.0
G006285		95.6	7.62	50.2	1540	1.30	1.46	2.38	54.5	32.7	13.1	22	2.47	4430	3.90	21.9
K269718		1.88	7.55	265	1000	1.83	0.18	2.82	5.17	50.0	7.2	12	20.3	15.0	2.84	17.40
K269719		34.7	6.54	7880	810	1.53	1.30	1.85	101.0	50.8	9.3	14	21.5	172.0	4.54	16.40
K269721		9.39	6.36	728	940	1.68	0.39	1.81	22.9	45.9	6.9	12	25.0	58.8	3.09	14.80
K269722		0.35	7.74	52.6	1880	1.63	0.67	2.00	0.52	48.5	8.1	11	14.65	42.2	2.92	16.85
G006286		>100	1.36	1080	240	0.25	56.2	1.75	492	11.75	27.4	32	0.72	>10000	17.15	16.80
K863014		2.10	7.06	47.5	1810	1.50	0.16	2.91	0.49	43.0	6.1	8	22.6	12.1	2.92	16.30
K863015		25.6	6.53	522	1550	1.76	3.41	2.34	45.7	51.0	8.6	7	21.7	178.5	3.61	15.25
K863017		0.67	7.39	150.0	1730	1.45	0.26	2.47	0.87	42.6	5.8	8	16.40	6.8	3.14	16.05
K863049		0.27	6.92	24.7	1640	1.74	0.08	2.74	0.72	52.4	4.7	13	21.6	6.0	2.35	18.50
K863050		59.0	4.64	8650	1850	1.40	21.3	0.57	244	33.4	34.6	8	16.70	677	7.05	11.45
K863052		1.27	7.58	79.1	1800	1.36	1.75	1.86	1.82	47.3	12.2	13	12.10	13.0	3.56	16.90
K863083		3.60	7.09	253	2300	1.48	0.30	2.89	36.6	58.3	8.0	8	18.75	22.2	3.25	15.35
K863084		>100	3.16	>10000	2110	0.85	26.1	0.85	507	19.15	5.4	9	5.51	836	6.87	9.86
K863086		1.99	7.36	226	770	1.50	0.18	2.28	9.74	52.9	6.5	7	20.0	11.9	2.77	18.05
K270254		1.89	7.00	130.0	2460	1.48	0.36	2.52	2.36	50.1	6.8	12	20.1	9.8	2.93	15.00
K270255		93.8	6.45	9230	1550	1.39	1.45	2.50	182.0	46.7	6.3	8	15.75	141.0	4.54	14.10
K270256		2.02	7.01	41.6	2070	1.41	0.70	2.66	10.20	44.1	10.6	9	16.70	12.0	3.26	17.40
K270289		0.35	7.54	52.8	1130	1.78	0.18	2.37	0.43	72.6	6.9	23	20.2	10.2	2.83	18.20
K270290		19.25	6.77	4410	1730	1.29	14.65	2.00	49.0	51.1	7.0	9	22.4	352	4.23	13.95
K270291		0.29	7.34	37.5	610	1.82	0.14	3.12	0.22	56.3	6.9	8	21.2	6.4	2.61	16.45
K270297		0.62	6.69	18.1	3370	1.09	1.32	2.84	1.34	37.9	7.9	12	7.57	4.2	3.80	13.05
K270298		61.9	5.87	1530	1120	0.98	29.9	0.86	20.4	35.6	12.5	9	6.20	5420	10.55	12.35
K270300		2.20	7.55	83.0	1730	1.22	1.68	1.98	11.00	51.9	8.3	11	12.70	31.4	5.38	15.95
K270322		0.67	7.45	42.9	1180	1.94	0.24	2.27	0.78	49.0	5.6	21	28.0	10.0	2.15	19.45
K270323		8.38	7.16	437	900	1.43	3.00	1.18	30.9	53.5	8.0	14	16.95	89.6	5.45	16.10
K270324		1.25	7.11	75.2	980	1.44	0.70	1.99	6.73	56.2	6.4	12	13.40	7.4	3.86	14.35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026540

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
K269687		0.21	1.0	0.165	2.79	25.4	32.8	0.97	948	13.60	0.04	5.2	3.0	480	778	175.0
K269688		0.19	1.1	0.077	3.48	29.1	23.1	0.98	920	1.73	0.05	7.7	2.6	590	40.9	203
K269689		0.20	1.1	0.341	3.18	25.2	15.1	0.71	1750	2.15	0.03	6.0	2.6	510	4820	211
K269690		0.18	1.1	0.595	3.02	24.4	29.1	0.62	1860	3.45	0.03	5.9	2.5	500	1870	180.0
K269691		0.16	1.2	0.044	2.50	23.9	177.5	0.70	789	2.85	0.03	7.4	2.5	570	107.5	119.5
K271240		0.05	<0.1	0.013	0.04	0.8	1.5	13.10	236	0.10	0.01	0.2	1.7	230	6.0	1.8
K269692		0.19	1.1	4.03	2.37	11.0	71.4	0.52	812	8.03	0.03	5.2	3.5	390	8390	143.0
K269693		0.18	1.1	0.183	3.29	22.2	13.7	1.40	919	2.69	0.04	4.5	2.4	510	319	200
K269717		0.16	3.3	0.036	1.83	31.0	540	0.85	522	0.96	0.03	9.7	17.2	700	28.5	99.4
G006285		0.18	0.6	12.80	2.18	16.9	11.9	0.68	562	41.1	2.51	7.4	12.3	810	9180	70.6
K269718		0.17	1.4	0.099	1.93	26.1	387	1.02	1080	2.23	0.03	8.5	4.6	570	286	91.3
K269719		0.18	1.8	1.015	2.57	27.2	48.6	0.73	833	54.5	0.03	7.7	6.9	520	3380	154.0
K269721		0.15	1.3	0.201	2.47	25.2	60.0	0.65	1220	13.40	0.03	7.0	4.7	460	1310	138.0
K269722		0.18	1.4	0.051	2.79	24.5	160.0	0.67	625	1.92	0.52	8.7	2.4	570	36.6	116.0
G006286		1.06	0.6	6.47	0.41	6.4	6.4	0.83	369	37.5	0.02	1.7	55.5	380	>10000	15.0
K863014		0.17	1.5	0.071	3.52	21.1	17.5	0.81	1080	1.30	0.54	8.1	2.2	570	131.0	158.5
K863015		0.18	1.9	0.558	2.71	27.5	25.5	0.81	1220	2.29	0.03	7.9	3.2	530	3150	183.0
K863017		0.17	1.2	0.092	3.29	22.5	25.7	0.85	1240	1.57	0.07	7.8	2.5	550	42.1	181.5
K863049		0.09	2.9	0.028	2.50	25.1	60.9	0.65	504	0.67	0.12	9.4	4.2	910	39.3	72.8
K863050		0.10	1.3	3.24	1.62	16.4	31.8	0.31	1180	9.60	0.04	5.2	3.9	360	5030	108.5
K863052		0.09	0.9	0.096	3.03	23.6	23.6	0.68	941	2.24	0.09	8.0	3.3	590	82.1	139.0
K863083		0.11	1.1	0.192	2.92	32.3	22.9	0.90	2760	1.99	0.03	7.5	2.1	520	803	192.5
K863084		0.08	0.5	6.94	1.39	7.3	20.1	0.32	2750	108.0	0.02	3.1	2.6	210	>10000	106.5
K863086		0.13	1.1	0.072	3.17	27.4	44.3	0.70	1770	4.50	0.03	8.0	2.4	520	423	179.5
K270254		0.09	1.2	0.071	2.60	24.6	59.0	0.69	550	1.43	1.66	7.6	2.4	530	324	110.5
K270255		0.09	1.0	0.949	2.84	24.5	32.3	0.91	1620	1.31	0.20	6.2	2.0	460	>10000	151.5
K270256		0.15	1.5	0.118	3.10	20.4	40.5	0.77	819	1.14	0.89	8.6	2.4	560	338	138.0
K270289		0.12	4.0	0.042	2.31	35.6	355	1.03	611	1.95	0.05	11.0	7.3	1290	52.8	86.0
K270290		0.09	1.3	1.170	2.53	26.8	63.6	0.78	1040	10.00	0.06	6.6	2.7	520	3690	145.0
K270291		0.11	3.4	0.031	2.68	27.4	141.0	1.07	628	1.15	0.05	9.7	4.1	720	24.3	137.0
K270297		0.10	0.9	0.067	2.92	18.2	30.5	0.83	689	3.56	0.31	3.5	2.4	490	68.3	141.5
K270298		0.11	0.9	3.30	2.73	17.1	8.4	0.43	848	2.02	0.03	3.7	2.2	400	1080	168.0
K270300		0.11	1.1	0.173	3.32	26.2	41.0	0.80	1380	1.93	0.12	6.2	2.9	590	400	187.0
K270322		0.10	2.3	0.044	2.66	22.8	169.5	0.70	583	1.83	0.06	9.3	10.8	780	202	89.5
K270323		0.12	1.3	0.430	3.12	27.6	20.0	0.56	1280	5.28	0.04	7.4	5.2	560	2250	188.5
K270324		0.11	0.9	0.089	2.82	30.3	140.0	0.78	1520	9.12	0.04	6.9	2.2	510	257	188.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026540

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K269687		<0.002	5.74	22.3	9.9	2	2.9	107.0	0.43	1.89	11.1	0.159	2.31	8.5	71	2.9
K269688		<0.002	3.00	5.72	11.0	2	4.0	80.9	0.59	1.11	12.9	0.240	2.76	5.8	66	2.0
K269689		<0.002	4.01	22.2	10.2	1	4.1	74.8	0.48	0.94	11.8	0.188	3.14	4.2	59	6.0
K269690		<0.002	3.37	31.5	9.8	1	3.2	93.5	0.46	0.62	11.5	0.194	2.95	5.5	57	5.6
K269691		<0.002	1.60	22.0	10.7	1	1.8	167.0	0.58	0.30	11.7	0.234	2.22	5.5	67	3.0
K271240		<0.002	0.02	0.16	0.4	1	<0.2	50.1	<0.05	0.06	<0.2	<0.005	0.02	0.6	3	0.1
K269692		<0.002	6.76	94.2	8.0	2	6.6	162.5	0.41	0.67	7.7	0.166	2.10	11.2	50	4.4
K269693		<0.002	4.01	7.21	10.1	2	2.6	87.5	0.38	0.41	11.7	0.151	2.51	5.0	58	3.2
K269717		<0.002	0.17	23.8	6.7	1	1.8	801	0.71	<0.05	10.7	0.270	1.59	4.5	51	4.9
G006285		0.023	1.62	152.0	7.7	4	399	677	0.41	0.13	5.1	0.227	3.49	1.1	75	20.3
K269718		<0.002	0.46	24.7	11.1	1	1.8	321	0.66	0.06	12.6	0.247	1.60	3.3	65	3.1
K269719		<0.002	3.27	124.5	9.2	2	6.3	211	0.59	0.12	12.0	0.215	2.20	10.2	55	3.7
K269721		<0.002	1.94	54.9	9.0	1	2.8	195.0	0.56	0.15	12.1	0.209	2.24	6.4	55	3.9
K269722		<0.002	0.53	19.10	11.0	1	1.7	231	0.71	0.43	13.5	0.247	1.50	3.8	64	2.8
G006286		0.032	>10.0	261	2.5	218	108.0	41.1	0.09	0.77	1.0	0.042	31.3	3.5	55	1.8
K863014		<0.002	0.33	9.18	10.5	1	1.8	182.0	0.64	0.05	10.6	0.240	2.71	4.5	64	3.0
K863015		<0.002	2.28	48.7	8.7	1	2.7	240	0.59	0.45	10.2	0.223	2.81	4.3	56	3.7
K863017		<0.002	0.46	12.70	10.6	1	1.7	114.5	0.59	0.07	12.3	0.236	2.53	3.6	64	2.6
K863049		<0.002	0.06	9.18	4.1	2	1.4	491	0.62	<0.05	8.0	0.286	1.02	2.7	45	1.3
K863050		<0.002	7.38	119.0	5.9	3	5.4	131.5	0.40	1.05	7.9	0.160	1.48	6.2	44	4.0
K863052		<0.002	1.47	13.55	10.5	2	2.5	106.5	0.58	0.39	12.3	0.264	1.99	4.0	74	2.5
K863083		<0.002	1.43	17.80	9.9	2	2.7	151.5	0.59	0.07	15.2	0.226	3.01	6.4	62	4.4
K863084		0.007	8.69	643	4.6	3	14.0	60.2	0.26	0.09	5.2	0.096	1.65	101.0	30	3.2
K863086		<0.002	1.08	20.6	11.0	1	2.4	151.0	0.67	<0.05	13.9	0.237	3.10	9.2	69	5.2
K270254		<0.002	0.32	6.40	9.5	2	1.6	329	0.60	0.07	13.7	0.236	1.26	4.0	62	1.8
K270255		<0.002	3.30	135.5	8.2	2	4.9	110.5	0.46	0.05	11.5	0.203	2.18	3.8	55	4.2
K270256		<0.002	0.89	8.05	10.0	1	2.5	230	0.76	0.31	12.0	0.241	1.98	4.4	68	2.4
K270289		<0.002	0.10	19.25	6.3	3	1.6	410	0.67	<0.05	9.1	0.346	1.55	3.5	65	2.2
K270290		0.005	2.60	79.3	8.5	2	3.0	159.0	0.51	0.11	13.4	0.211	2.26	4.8	59	3.7
K270291		<0.002	0.18	17.45	7.7	3	1.3	300	0.73	<0.05	9.7	0.284	2.26	5.7	67	6.6
K270297		0.005	3.19	2.62	8.3	2	2.8	357	0.27	0.12	10.0	0.134	1.97	3.5	60	2.4
K270298		<0.002	>10.0	40.0	7.3	2	9.8	57.9	0.31	0.68	10.1	0.129	2.28	3.0	49	6.8
K270300		<0.002	3.23	9.59	10.1	2	4.0	148.0	0.49	0.10	13.1	0.210	2.72	5.3	68	4.1
K270322		<0.002	0.20	15.65	5.4	2	1.8	473	0.62	<0.05	8.6	0.295	2.00	4.4	54	1.9
K270323		<0.002	4.24	34.8	8.7	2	4.9	116.0	0.55	0.19	14.4	0.231	3.06	5.6	60	4.8
K270324		0.003	1.82	15.95	9.9	3	2.7	127.5	0.54	0.14	14.0	0.215	2.45	4.8	61	2.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026540

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K269687		14.0	500	25.6				
K269688		15.1	85	27.6				
K269689		10.8	3610	30.4				
K269690		10.7	2570	31.7				
K269691		12.5	159	32.6				
K271240		1.0	28	0.5				
K269692		9.2	>10000	31.5				1.500
K269693		10.1	458	28.1				
K269717		13.0	98	115.5				
G006285		11.2	7120	15.5				
K269718		15.4	396	40.3				
K269719		12.2	6700	55.9				
K269721		12.1	1750	39.2				
K269722		15.0	72	38.7				
G006286		6.8	>10000	16.9	162	1.265	1.440	9.53
K863014		14.0	103	39.6				
K863015		13.3	3310	63.1				
K863017		14.4	105	33.1				
K863049		7.9	172	110.5				
K863050		9.5	>10000	44.9				2.72
K863052		14.7	186	27.6				
K863083		17.1	2190	31.2				
K863084		7.2	>10000	14.3	634		12.15	3.38
K863086		15.6	619	29.7				
K270254		15.5	197	34.9				
K270255		13.0	>10000	29.6			3.85	1.305
K270256		15.3	907	40.7				
K270289		12.0	87	170.0				
K270290		13.0	3270	42.4				
K270291		14.5	65	122.0				
K270297		9.8	123	27.3				
K270298		9.4	1370	24.2				
K270300		13.7	840	33.7				
K270322		11.2	101	83.9				
K270323		11.2	2070	39.5				
K270324		13.2	539	26.4				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026540

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.