



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 8-MAR-2012
Account: ROCKHA

CERTIFICATE WH12026541

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026541

Sample Description	Method Analyte Units LOR	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05
K270336		0.38	7.27	18.9	1410	1.35	0.58	3.01	0.62	52.9	9.4	13	13.45	6.0	2.88	16.55
K270337		15.50	5.55	1615	2310	1.02	1.53	2.31	22.8	63.1	2.4	15	9.57	35.8	4.93	13.15
K270339		0.30	6.94	16.5	1070	1.34	0.64	3.25	0.71	33.8	10.9	12	8.85	3.2	3.08	14.55
K269782		0.68	6.80	20.6	2350	1.37	0.11	2.76	0.91	39.7	7.8	17	21.5	12.9	2.84	17.30
K269783		92.3	6.32	1400	220	1.33	27.0	1.89	9.08	42.8	9.0	16	15.85	2130	4.91	15.85
K269785		0.36	7.19	30.6	1850	1.36	0.12	2.46	0.34	44.2	7.5	18	16.50	14.0	2.83	17.30
K271271		0.03	0.07	<5	30	<0.05	0.02	21.3	0.09	1.26	1.3	1	0.19	2.1	0.47	0.42
K269813		1.71	7.87	71.5	2360	1.17	1.64	1.45	1.10	54.7	8.8	13	15.60	129.5	3.32	18.45
K269814		17.60	6.32	8980	170	1.08	10.45	0.79	76.1	39.8	8.9	15	10.70	248	6.28	15.70
K269815		1.71	7.05	94.1	1890	1.40	0.79	2.20	2.74	42.9	7.7	14	14.20	36.9	3.83	17.80
K269816		0.43	7.17	51.9	2150	1.50	0.35	2.73	0.64	42.4	7.8	14	12.90	14.3	3.15	17.65
K269818		0.25	7.93	16.0	2050	1.14	0.21	1.29	0.25	53.6	7.4	15	12.00	19.1	3.04	17.55
K269819		1.59	8.01	57.6	2160	1.37	1.16	1.22	6.23	56.1	6.7	11	17.85	22.0	2.88	18.50
K269820		12.35	6.28	6390	740	1.45	3.00	0.90	50.3	45.2	10.2	8	19.10	46.3	5.17	15.40
G006287		>100	1.41	1170	150	0.21	56.9	1.81	518	13.25	29.3	31	0.77	>10000	17.45	17.85
K269821		0.35	7.15	31.7	1570	1.69	0.27	1.23	0.98	74.0	6.4	16	21.4	24.4	2.35	19.90
K863103		0.40	7.14	10.1	1960	1.49	0.34	2.33	0.28	44.2	6.8	10	11.70	107.0	2.81	16.80
K863105		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
K863106		0.21	6.32	33.2	2730	1.71	0.53	1.69	0.14	48.8	9.7	6	22.9	57.6	3.06	15.45
K863144		3.40	6.88	367	590	1.47	0.26	1.65	16.25	49.3	12.2	12	19.70	15.7	3.18	15.80
K863145		18.95	5.51	2670	220	1.12	2.26	1.77	79.1	31.1	122.0	9	12.45	188.0	7.07	15.00
K863147		0.76	6.65	81.5	1900	1.46	0.41	2.61	0.92	35.4	10.4	15	18.95	20.8	3.13	16.70
K973006		0.32	7.27	45.4	2440	1.50	0.31	2.14	0.29	46.5	5.0	16	12.25	7.0	3.21	17.70
K973007		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
K973009		0.42	7.20	16.5	2330	1.52	0.23	2.44	0.13	43.8	5.0	15	14.50	4.6	2.92	16.55
K973010		2.19	7.03	87.8	1970	1.50	0.26	2.23	4.65	46.6	6.1	13	13.95	13.3	3.04	16.15
K973011		0.89	7.44	168.5	1470	1.92	0.26	1.29	1.54	63.4	4.7	30	33.2	16.4	1.95	20.3
G006288		>100	8.19	53.7	1670	1.38	1.94	2.48	61.4	37.1	13.1	20	2.68	4790	4.02	22.0
K973012		1.28	7.33	360	2870	1.63	0.26	2.15	1.14	47.9	4.1	12	20.8	29.4	3.26	17.60
K973013		32.4	6.39	7820	1000	1.36	0.46	1.45	37.2	38.8	4.9	13	13.20	47.4	5.33	17.60
K973014		0.25	7.31	24.4	1510	1.61	0.33	1.95	0.14	43.2	4.4	12	15.80	4.7	3.08	16.90
K973028		10.85	6.90	601	1690	1.56	0.35	2.41	10.50	40.6	4.2	8	18.30	25.3	3.15	16.05
K973029		>100	6.77	3620	1260	1.37	3.40	2.31	61.6	44.6	4.6	7	14.80	278	4.79	17.90
K973030		5.42	7.58	789	1360	1.76	0.68	1.94	21.1	46.9	6.4	11	17.25	124.0	3.53	18.30
K973031		34.1	6.47	4120	1030	1.35	0.50	1.32	91.3	44.7	4.8	6	16.60	118.5	3.99	17.40
K973032		0.13	0.10	9	20	0.09	0.05	21.2	0.30	1.19	2.0	<1	0.40	2.3	0.48	0.49



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026541

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
K270336		0.22	1.1	0.049	3.13	28.6	66.2	0.90	975	1.71	0.09	8.0	2.6	590	33.6	192.0
K270337		0.21	0.7	0.221	2.59	36.7	18.8	0.78	3220	3.10	0.03	5.6	2.0	430	2910	173.0
K270339		0.21	1.0	0.087	3.08	15.9	10.9	0.85	1070	1.96	0.17	6.7	2.3	570	29.3	181.5
K269782		0.21	1.3	0.045	2.76	18.4	11.7	0.61	674	2.43	1.97	8.6	3.0	570	60.8	105.0
K269783		0.21	1.2	0.735	3.07	21.4	11.9	0.61	2970	3.84	0.08	7.6	3.1	490	952	162.0
K269785		0.23	1.5	0.048	2.80	21.3	20.4	0.67	858	2.06	1.48	8.6	2.7	570	30.7	113.5
K271271		0.26	<0.1	<0.005	0.03	0.6	0.9	12.85	214	0.05	0.01	0.3	1.4	150	3.2	1.7
K269813		0.27	1.3	0.147	3.09	28.6	29.8	0.56	1040	2.75	0.20	9.1	2.5	630	38.4	142.0
K269814		0.24	1.0	0.823	2.96	19.9	6.9	0.36	1880	9.11	0.03	6.9	2.5	490	2220	162.5
K269815		0.20	1.3	0.101	3.30	21.0	17.3	0.60	1760	2.09	0.57	8.6	2.8	580	186.5	137.0
K269816		0.22	1.3	0.104	2.75	20.2	9.7	0.76	640	2.41	2.19	9.2	2.6	610	58.5	103.5
K269818		0.23	1.4	0.052	2.87	27.9	37.1	0.68	483	1.74	0.33	9.3	2.5	640	24.8	123.0
K269819		0.24	1.5	0.060	3.18	29.9	42.3	0.52	1290	2.78	0.15	9.3	2.3	640	161.5	147.5
K269820		0.23	1.3	0.190	2.80	23.9	31.5	0.45	2610	3.12	0.06	7.1	3.2	490	1225	155.0
G006287		1.07	0.6	7.41	0.43	7.5	6.0	0.86	396	39.2	0.02	2.0	57.1	400	>10000	16.0
K269821		0.16	4.5	0.039	1.92	40.2	97.0	0.69	686	1.13	0.04	10.8	5.2	1060	43.7	84.0
K863103		0.21	1.3	0.072	2.87	22.5	9.7	0.69	495	2.31	2.25	8.4	2.4	550	23.9	115.0
K863105		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
K863106		0.21	0.9	0.095	2.16	26.6	70.9	0.66	667	0.37	0.06	6.0	2.3	420	16.0	127.5
K863144		0.24	1.2	0.119	3.33	27.3	18.9	0.59	2550	4.44	0.04	7.7	2.9	520	525	181.0
K863145		0.23	0.9	0.224	2.54	16.1	12.9	0.57	7800	2.80	0.03	5.8	3.4	440	2240	139.5
K863147		0.20	1.2	0.159	3.43	17.1	63.0	0.65	1720	2.34	0.55	7.9	3.3	580	56.1	142.0
K973006		0.25	1.2	0.087	3.20	22.5	23.5	0.73	937	2.14	1.25	8.8	2.3	590	27.9	124.0
K973007		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
K973009		0.26	1.2	0.064	2.89	22.2	13.7	0.71	734	1.75	2.06	8.1	2.5	560	15.5	114.0
K973010		0.26	1.2	0.093	3.24	24.0	25.1	0.70	1520	1.84	1.16	7.8	3.2	540	154.5	145.0
K973011		0.23	3.7	0.058	2.92	33.4	75.2	0.59	1080	1.72	0.06	9.8	12.6	690	99.3	133.0
G006288		0.17	0.6	15.20	2.32	17.3	10.9	0.71	608	41.0	2.64	7.6	12.9	860	9720	78.9
K973012		0.23	1.0	0.116	3.25	25.3	46.7	0.74	2240	4.55	0.06	9.2	2.6	600	46.1	138.5
K973013		0.24	0.9	0.163	2.87	21.0	16.9	0.54	6610	9.13	0.03	7.4	2.4	490	1970	161.0
K973014		0.25	1.0	0.123	3.07	22.3	37.6	0.65	979	1.63	1.30	8.6	2.2	560	13.3	126.5
K973028		0.23	1.0	0.116	3.48	20.3	124.0	0.79	2190	1.11	0.34	8.3	2.4	520	1570	133.0
K973029		0.25	0.9	0.217	2.65	23.8	225	0.82	4820	1.48	0.03	7.6	2.4	510	4740	158.0
K973030		0.24	1.2	0.151	3.39	23.9	308	0.74	1780	1.20	0.10	8.9	2.7	600	688	142.5
K973031		0.23	0.9	0.258	2.71	24.3	84.6	0.59	3670	25.5	0.02	7.0	2.2	470	4370	170.5
K973032		0.36	<0.1	0.005	0.04	0.6	2.3	12.85	213	0.14	<0.01	0.6	4.7	170	12.8	2.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026541

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K270336		0.006	1.48	8.55	11.8	2	3.0	166.5	0.64	0.24	14.0	0.234	2.51	4.4	71	2.0
K270337		0.002	4.33	48.9	8.8	1	5.2	111.5	0.44	0.15	9.8	0.169	2.53	4.2	52	3.5
K270339		0.002	1.88	3.48	10.2	2	2.7	129.0	0.49	0.21	12.2	0.200	2.76	3.8	68	1.3
K269782		<0.002	0.08	3.07	10.2	1	1.9	343	0.68	<0.05	11.2	0.246	1.33	3.6	69	2.2
K269783		<0.002	4.15	222	9.7	1	3.6	80.1	0.61	0.15	11.9	0.209	2.77	6.1	60	7.0
K269785		<0.002	0.14	6.15	10.7	1	1.9	275	0.71	<0.05	12.9	0.247	1.50	4.2	69	2.6
K271271		<0.002	0.01	0.12	0.3	1	<0.2	48.3	<0.05	<0.05	<0.2	<0.005	<0.02	0.6	3	0.1
K269813		<0.002	0.42	23.6	12.5	1	2.5	116.0	0.72	0.32	15.7	0.264	1.63	3.2	75	12.0
K269814		<0.002	6.40	70.5	9.3	2	6.3	28.9	0.55	0.20	11.3	0.200	2.66	5.3	59	7.4
K269815		<0.002	0.92	10.45	10.9	1	3.4	169.0	0.66	0.09	11.9	0.244	2.15	4.0	70	12.0
K269816		0.002	0.14	2.94	11.9	1	2.3	368	0.71	0.05	11.8	0.266	1.27	3.5	78	3.5
K269818		<0.002	0.06	9.07	12.1	1	2.6	127.0	0.75	<0.05	15.5	0.267	1.32	4.0	72	4.7
K269819		0.002	0.36	19.15	12.7	1	2.9	117.5	0.77	0.07	17.0	0.266	1.86	9.9	74	6.5
K269820		<0.002	3.58	74.5	9.5	2	5.7	94.9	0.58	0.97	11.3	0.200	2.27	6.0	58	7.3
G006287		0.035	>10.0	266	2.8	236	111.5	41.7	0.10	0.86	1.2	0.042	34.2	4.3	59	1.8
K269821		<0.002	0.11	31.5	5.9	2	1.8	344	0.73	<0.05	11.7	0.305	0.94	4.9	52	2.6
K863103		<0.002	0.04	4.03	10.4	1	2.3	324	0.70	<0.05	12.8	0.236	1.37	3.7	67	2.8
K863105		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
K863106		<0.002	0.28	19.60	9.9	1	3.1	126.5	0.49	0.05	12.2	0.176	2.62	20.5	64	2.2
K863144		0.002	1.76	21.3	10.8	1	3.4	123.0	0.61	0.05	13.4	0.218	2.76	7.0	63	3.0
K863145		<0.002	7.20	68.6	8.8	2	6.8	76.9	0.46	0.93	8.2	0.176	2.36	3.8	62	5.7
K863147		<0.002	0.64	9.51	10.0	1	2.9	248	0.61	0.07	10.3	0.235	2.63	3.7	65	3.2
K973006		<0.002	0.18	6.23	11.7	1	2.6	211	0.70	<0.05	12.9	0.250	1.63	3.4	71	2.0
K973007		NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS	NSS
K973009		<0.002	0.03	3.45	11.1	1	2.3	357	0.63	<0.05	12.4	0.238	1.36	3.7	66	1.5
K973010		<0.002	0.41	8.76	10.7	1	2.3	244	0.60	0.05	12.2	0.225	1.86	3.6	62	1.8
K973011		0.002	0.42	18.90	8.4	1	2.5	465	0.80	<0.05	13.7	0.265	2.78	5.1	57	2.3
G006288		0.021	1.71	155.0	7.2	6	334	736	0.49	0.17	6.1	0.236	3.77	1.3	78	20.9
K973012		0.003	0.82	30.8	11.8	2	3.6	172.0	0.63	<0.05	12.0	0.250	3.11	24.6	72	5.1
K973013		0.002	4.05	88.4	10.2	2	5.8	76.1	0.54	0.07	10.2	0.216	2.63	6.1	60	3.7
K973014		<0.002	0.23	7.38	10.6	2	2.4	228	0.63	0.05	10.8	0.239	2.43	3.3	65	2.0
K973028		<0.002	0.65	33.2	9.6	2	2.7	187.0	0.61	0.08	9.8	0.225	2.59	3.6	62	2.3
K973029		0.002	3.25	270	10.3	2	6.4	165.0	0.54	0.08	10.8	0.221	2.46	3.8	61	3.5
K973030		<0.002	1.14	58.0	11.3	2	4.6	245	0.62	0.06	10.9	0.249	2.49	3.8	68	6.3
K973031		<0.002	3.00	136.5	9.7	2	7.6	116.0	0.51	0.05	10.9	0.208	2.70	5.7	57	6.0
K973032		0.002	0.02	0.61	0.4	1	<0.2	43.0	<0.05	0.05	<0.2	<0.005	0.03	0.5	3	0.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026541

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K270336		14.4	90	28.2				
K270337		11.2	1640	18.6				
K270339		12.0	73	26.9				
K269782		14.6	97	35.8				
K269783		12.7	899	32.6				
K269785		15.9	65	39.2				
K271271		0.8	19	<0.5				
K269813		17.5	112	34.0				
K269814		10.2	8760	25.0				
K269815		14.8	344	34.3				
K269816		16.5	111	33.9				
K269818		17.5	59	38.0				
K269819		18.0	720	38.8				
K269820		13.0	3360	36.1				
G006287		7.2	>10000	19.2	173	1.285	1.540	9.35
K269821		12.5	269	170.5				
K863103		15.4	87	35.1				
K863105		NSS	NSS	NSS				
K863106		16.5	82	26.3				
K863144		14.1	1380	32.0				
K863145		10.1	5500	24.2				
K863147		12.6	140	35.6				
K973006		15.0	78	32.9				
K973007		NSS	NSS	NSS				
K973009		15.1	59	32.1				
K973010		13.5	326	34.0				
K973011		12.9	158	132.0				
G006288		12.8	7570	17.9	103			
K973012		15.6	148	29.8				
K973013		11.2	2740	23.8				
K973014		14.2	59	27.1				
K973028		12.7	657	28.0				
K973029		12.0	4040	24.7	160			
K973030		13.6	1490	32.3				
K973031		10.0	5540	25.5				
K973032		0.8	22	<0.5				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026541

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS61 ME-MS61	NSS is non-sufficient sample. Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.