



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 8-MAR-2012
Account: ROCKHA

CERTIFICATE WH12026544

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026544

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
K973181		0.18	7.65	11.3	2530	1.76	0.74	2.42	0.55	41.6	7.1	9	15.40	14.9	3.18	17.35
K973182		0.24	7.51	11.3	1320	1.87	1.19	1.93	0.38	38.1	6.8	8	12.55	14.2	2.63	17.65
K973183		1.69	7.92	24.9	1370	1.58	1.25	2.69	4.88	48.1	7.8	11	14.10	16.0	3.14	17.15
K973185		11.75	6.09	8110	900	1.42	4.86	3.56	46.8	40.7	5.1	7	11.00	100.5	5.12	14.10
K973186		6.95	6.01	167.0	630	1.43	5.82	1.16	18.50	48.0	24.5	9	5.32	72.5	10.00	15.85
K863248		0.18	7.17	16.4	2140	1.86	0.14	2.73	0.16	38.2	7.4	8	13.35	6.9	2.65	16.40
K863249		56.9	6.36	1960	830	1.55	20.9	3.04	89.3	44.6	6.0	7	16.85	794	4.52	12.90
K863250		0.18	7.04	15.8	1920	1.61	0.16	2.56	0.13	40.8	5.3	9	13.15	6.2	2.76	15.50
K271610		0.12	0.08	<5	20	0.05	0.04	20.5	0.23	1.45	1.6	<1	0.19	2.9	0.44	0.44
K863289		0.13	6.88	7.1	2570	1.38	0.35	2.36	0.19	42.5	6.8	19	10.15	3.8	2.51	15.25
K863291		1.90	7.41	476	250	1.57	1.26	2.56	13.00	58.3	35.0	15	15.75	15.4	4.35	16.25
K863292		>100	2.27	>10000	130	0.55	89.5	4.06	>1000	14.75	3.8	7	4.83	1605	10.05	5.94
K863293		1.02	7.29	98.6	1700	1.47	0.81	1.95	5.76	55.4	10.7	18	17.45	10.8	3.33	16.30
K863294		0.57	6.79	56.6	2300	1.51	0.67	2.49	2.65	47.3	8.8	19	13.65	9.0	3.20	15.35
K863296		0.22	7.08	9.0	2000	1.46	0.43	1.92	0.30	38.4	6.1	18	14.65	4.8	3.26	15.50
G006293		>100	1.32	1135	160	0.22	58.6	1.72	484	12.95	28.7	30	0.70	>10000	17.05	15.75
K863297		0.66	7.76	521	2310	1.77	0.64	2.05	2.58	59.0	14.6	21	17.90	15.8	3.70	17.95
K863298		49.6	4.73	>10000	170	1.08	8.36	2.27	239	34.6	4.3	13	9.78	308	5.85	11.50
K863299		0.93	6.45	110.0	1430	1.60	0.73	2.32	1.91	44.7	7.6	7	26.8	40.4	2.68	16.00
K863308		0.35	6.30	40.8	2360	1.64	0.38	2.83	0.80	38.3	6.8	8	17.45	9.0	2.53	16.00
K863309		5.61	6.84	444	550	1.56	1.17	2.31	47.2	59.4	6.9	8	19.40	36.7	4.08	15.15
K863310		1.28	6.66	767	1680	1.61	0.52	2.68	5.64	52.9	7.9	8	28.6	20.3	2.86	15.30
K863311		0.19	6.69	15.2	2800	1.60	0.41	2.35	0.37	36.6	6.8	7	18.75	8.9	2.72	15.35
K863312		53.7	6.28	3730	2070	1.33	60.1	0.74	319	45.0	5.9	8	11.05	544	5.53	15.35
K863313		0.56	6.97	21.5	2560	1.97	0.24	2.17	0.94	61.6	5.7	12	20.7	18.5	2.22	19.10
K863314		0.56	7.31	37.9	2350	1.96	0.34	2.28	1.50	63.5	6.1	13	19.75	21.0	2.48	19.95
G006294		>100	7.45	53.0	1540	1.26	1.65	2.34	55.2	31.6	13.2	21	2.50	4620	3.91	19.80
K863315		0.44	7.95	26.3	1090	2.24	0.25	1.35	0.75	72.2	5.8	16	20.4	26.6	2.50	20.5
K863316		7.12	5.80	265	190	1.60	5.28	2.12	37.7	48.3	10.5	7	23.9	101.0	3.69	13.25
K863317		0.11	7.60	49.7	2150	2.14	0.19	2.67	0.58	55.2	6.5	24	13.85	28.6	2.70	19.75
K863325		3.46	6.51	472	240	1.27	3.40	0.74	25.4	46.2	12.5	8	8.42	35.3	5.91	14.40
K863326		8.20	3.59	1235	210	0.69	4.66	0.38	15.30	11.50	114.5	6	4.61	206	16.95	7.44
K863328		1.56	7.17	54.1	130	1.30	2.64	0.98	2.39	48.9	11.3	8	8.85	12.1	4.67	15.45
K863337		0.32	7.39	46.0	2180	1.50	0.61	2.91	0.69	50.1	7.4	7	14.90	7.0	2.71	16.35
K863338		>100	6.44	1950	1310	1.26	81.1	1.79	17.05	51.1	5.9	8	14.60	1115	3.83	12.50
K863339		0.37	7.65	14.5	1690	2.05	0.65	1.33	0.17	62.2	7.8	9	12.30	16.8	2.42	17.15



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026544

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
K973181		0.18	1.1	0.099	2.70	20.6	43.8	0.73	618	0.77	1.36	8.3	1.9	650	29.3	99.0
K973182		0.14	1.0	0.118	1.96	18.9	225	0.55	537	0.88	0.05	7.9	2.0	650	23.6	80.6
K973183		0.20	1.0	0.129	2.74	24.8	137.5	0.98	775	1.07	0.05	7.3	1.7	610	210	138.0
K973185		0.20	0.7	1.215	2.61	20.6	23.4	1.32	3060	19.25	0.03	5.7	1.0	440	1910	166.0
K973186		0.25	0.8	0.494	2.79	24.9	10.5	0.55	939	8.80	0.04	5.5	2.3	480	1185	186.0
K863248		0.16	1.3	0.053	2.58	18.2	11.1	0.63	675	0.56	1.84	7.6	1.6	550	29.0	88.2
K863249		0.14	1.0	4.28	2.60	24.2	28.1	0.89	1970	1.12	0.07	6.2	1.2	440	>10000	157.5
K863250		0.07	1.4	0.034	2.77	22.6	17.0	0.70	650	1.32	1.66	8.8	1.9	540	22.6	92.3
K271610		0.05	<0.1	0.012	0.03	0.7	1.2	12.45	199	0.14	0.01	0.4	<0.2	200	38.3	1.8
K863289		0.07	1.0	0.029	2.62	23.9	19.9	0.59	506	1.35	1.40	7.8	1.6	540	17.9	91.1
K863291		0.11	1.0	0.154	3.30	30.5	39.1	0.95	1280	3.10	0.04	8.0	3.6	560	457	161.0
K863292		0.16	0.2	26.0	1.01	7.5	15.2	1.50	4720	17.40	0.01	2.3	1.3	130	>10000	58.5
K863293		0.08	1.2	0.107	3.19	29.7	56.7	0.67	1290	2.35	0.03	8.5	2.8	550	242	169.0
K863294		0.09	1.0	0.092	2.50	24.1	19.4	0.63	639	1.77	1.35	8.1	2.7	520	66.3	101.5
K863296		0.11	1.0	0.055	2.61	21.6	16.8	0.57	537	1.04	1.56	8.4	2.1	540	20.7	104.0
G006293		0.93	0.5	6.40	0.40	7.6	6.1	0.80	371	38.2	0.02	2.0	57.2	370	>10000	16.6
K863297		0.08	1.2	0.086	2.44	31.1	152.5	0.75	994	1.65	0.03	9.3	3.2	630	91.5	117.5
K863298		0.10	0.7	5.34	2.06	18.1	19.0	0.81	6010	4.72	0.02	5.2	2.1	320	6820	120.5
K863299		0.06	1.2	0.076	2.76	22.4	121.0	0.52	923	3.59	0.07	8.4	2.2	520	234	111.5
K863308		0.10	1.4	0.053	2.68	18.3	216	0.50	700	1.02	0.10	9.3	1.9	570	30.1	76.9
K863309		0.10	1.0	0.691	3.00	33.0	31.8	0.78	3040	1.80	0.03	7.6	2.3	500	1235	195.5
K863310		0.09	1.4	0.115	2.84	28.5	31.1	0.93	1520	1.52	0.03	8.2	2.8	520	117.5	146.5
K863311		0.13	1.2	0.038	2.75	20.1	54.3	0.65	788	1.12	0.94	8.3	1.7	520	24.8	93.3
K863312		0.13	1.0	9.03	2.87	23.9	10.9	0.41	1380	2.43	0.01	6.5	2.5	450	3840	169.5
K863313		0.08	2.8	0.038	2.49	31.7	71.4	0.74	479	2.25	0.02	11.2	4.9	880	30.1	84.1
K863314		0.10	3.2	0.053	2.59	32.6	76.0	0.78	539	2.02	0.02	11.8	5.2	950	38.2	87.1
G006294		0.10	0.4	13.15	2.28	16.0	11.1	0.67	584	40.2	2.50	7.4	12.0	800	9220	67.8
K863315		0.17	4.5	0.040	2.24	37.1	100.0	0.69	637	4.07	0.03	12.3	5.0	1220	38.9	76.8
K863316		0.08	1.5	0.755	1.99	25.6	63.3	0.78	1360	9.93	0.03	6.0	4.7	520	663	134.0
K863317		0.15	4.4	0.044	0.95	29.9	167.0	0.91	742	0.78	0.02	12.9	6.7	1390	25.6	24.2
K863325		0.14	1.0	0.509	3.17	24.3	13.9	0.48	1080	1.05	0.03	4.9	2.6	510	514	203
K863326		0.31	0.5	0.285	1.60	5.3	19.3	0.23	734	3.21	0.02	3.1	3.2	150	409	110.5
K863328		0.12	1.1	0.100	3.48	24.7	96.3	0.74	617	1.85	0.05	4.3	2.6	550	125.5	210
K863337		0.14	1.2	0.046	2.66	25.0	220	0.91	1040	0.60	0.04	7.9	1.9	600	41.2	97.3
K863338		0.09	1.0	0.290	2.68	27.5	44.4	0.69	971	2.22	0.03	6.1	2.2	470	>10000	144.5
K863339		0.09	1.3	0.026	1.82	33.7	560	0.52	505	1.09	0.02	8.5	2.6	640	38.4	93.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026544

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K973181		<0.002	0.68	7.59	12.4	2	2.1	297	0.71	0.26	12.7	0.264	1.30	3.9	76	2.0
K973182		<0.002	1.49	20.5	12.1	3	3.3	145.0	0.62	0.54	11.8	0.262	1.35	4.0	74	2.5
K973183		<0.002	2.05	11.60	12.8	2	3.6	125.0	0.58	0.42	13.5	0.242	2.21	5.0	72	2.7
K973185		<0.002	2.82	62.8	10.5	3	5.3	119.0	0.45	0.18	10.6	0.183	2.56	6.5	56	3.5
K973186		<0.002	>10.0	23.8	9.6	3	9.1	28.9	0.43	0.75	10.7	0.172	2.13	2.9	77	3.5
K863248		<0.002	0.06	3.66	9.7	2	1.4	375	0.68	<0.05	10.5	0.230	1.40	3.3	63	1.1
K863249		<0.002	3.67	89.1	9.1	4	3.7	119.0	0.56	0.14	13.1	0.190	2.45	6.3	53	3.2
K863250		<0.002	0.17	3.47	9.5	<1	1.4	294	0.82	<0.05	12.3	0.241	1.32	3.9	64	1.4
K271610		<0.002	0.01	0.19	0.4	<1	<0.2	49.5	<0.05	<0.05	<0.2	<0.005	<0.02	0.5	3	0.1
K863289		<0.002	0.61	3.44	9.7	<1	1.6	294	0.65	0.11	11.7	0.234	1.28	3.8	65	1.8
K863291		<0.002	2.83	12.20	10.8	2	2.2	112.5	0.67	0.45	13.9	0.223	2.80	7.5	63	4.0
K863292		<0.002	>10.0	239	2.7	10	6.9	75.4	0.17	0.30	4.0	0.061	1.12	3.2	18	3.3
K863293		<0.002	1.27	9.96	9.4	1	1.8	99.9	0.75	0.22	15.1	0.225	3.06	4.2	61	5.6
K863294		0.002	0.42	5.00	9.9	2	2.0	248	0.67	0.19	12.9	0.226	1.51	4.4	62	2.3
K863296		<0.002	0.30	3.97	9.7	<1	1.8	205	0.72	0.08	13.0	0.236	1.60	3.9	63	1.7
G006293		0.035	>10.0	244	2.5	233	104.5	38.5	0.10	0.80	1.2	0.040	33.3	4.2	56	1.9
K863297		<0.002	1.04	15.00	11.5	2	2.6	196.0	0.74	0.17	15.0	0.261	2.04	4.4	75	3.4
K863298		<0.002	4.24	109.0	6.2	3	11.6	105.5	0.46	0.06	9.2	0.140	2.00	4.7	39	6.3
K863299		<0.002	0.62	14.90	9.3	1	5.5	131.5	0.72	0.06	12.6	0.228	2.07	4.9	63	3.7
K863308		<0.002	0.60	6.08	9.1	<1	1.8	291	0.85	0.08	10.0	0.247	1.77	3.1	70	3.2
K863309		<0.002	2.64	15.35	9.8	2	3.8	116.5	0.61	0.17	14.9	0.214	2.81	5.1	61	6.7
K863310		<0.002	0.91	13.35	9.4	2	2.1	192.0	0.67	0.11	13.7	0.219	2.62	6.4	59	5.9
K863311		<0.002	0.69	3.90	9.5	<1	1.8	279	0.71	0.08	10.8	0.230	1.65	3.9	62	3.9
K863312		<0.002	5.82	42.5	9.1	4	12.4	68.8	0.56	0.21	12.6	0.188	2.90	3.8	58	9.6
K863313		<0.002	0.11	12.35	4.8	1	2.3	373	0.79	<0.05	9.5	0.275	1.10	3.9	43	2.5
K863314		<0.002	0.09	11.55	5.0	2	2.4	436	0.83	<0.05	9.8	0.290	1.19	4.1	47	2.5
G006294		0.020	1.56	147.0	6.8	5	332	680	0.45	0.12	5.3	0.223	3.50	1.2	76	20.5
K863315		<0.002	0.12	14.90	6.4	<1	2.7	1545	0.82	<0.05	10.2	0.336	1.18	4.4	59	2.4
K863316		<0.002	2.95	31.9	7.5	2	4.2	414	0.47	0.30	11.0	0.169	1.89	3.7	48	5.6
K863317		<0.002	0.15	22.6	6.8	<1	4.1	1420	0.85	<0.05	7.6	0.375	0.67	3.3	68	5.0
K863325		<0.002	5.64	10.35	10.0	2	6.8	47.5	0.41	0.25	12.5	0.159	2.76	3.0	58	6.3
K863326		0.002	>10.0	71.3	3.3	7	11.0	37.9	0.25	0.38	5.3	0.083	1.50	1.6	28	2.7
K863328		<0.002	4.45	6.78	10.6	2	5.0	95.8	0.40	0.20	14.6	0.130	2.45	3.7	61	3.6
K863337		<0.002	1.19	8.89	9.2	2	2.5	213	0.67	0.71	12.7	0.256	2.27	5.7	66	4.6
K863338		<0.002	3.22	267	8.1	2	4.2	102.0	0.54	0.35	11.5	0.183	2.43	4.2	56	3.6
K863339		<0.002	1.26	26.5	11.7	2	3.2	245	0.70	0.14	16.3	0.238	1.40	6.6	69	4.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026544

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K973181		14.1	87	29.4				
K973182		11.5	66	27.2				
K973183		13.1	371	27.3				
K973185		11.1	3370	19.8				
K973186		9.4	1740	20.4				
K863248		12.7	50	34.5				
K863249		13.1	7630	29.3			2.00	
K863250		15.6	48	38.4				
K271610		0.9	38	<0.5				
K863289		14.4	55	27.2				
K863291		13.0	971	30.4				
K863292		6.2	>10000	7.8	127		1.660	9.47
K863293		11.6	438	35.1				
K863294		14.8	231	28.5				
K863296		15.5	76	27.1				
G006293		6.8	>10000	17.7	165	1.345	1.590	9.81
K863297		14.7	253	35.7				
K863298		8.8	>10000	20.7				1.885
K863299		13.0	191	37.2				
K863308		13.3	100	39.4				
K863309		14.0	3330	33.8				
K863310		14.7	419	48.3				
K863311		13.1	79	33.1				
K863312		9.7	>10000	31.5				2.06
K863313		8.5	214	101.0				
K863314		9.0	251	116.0				
G006294		10.3	7070	15.1	104			
K863315		11.2	132	165.5				
K863316		9.3	2460	55.2				
K863317		11.6	113	166.0				
K863325		9.9	1740	29.5				
K863326		7.0	1140	14.3				
K863328		11.0	185	32.5				
K863337		13.5	80	35.0				
K863338		11.6	1060	28.6	132		2.88	
K863339		13.7	34	38.5				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026544

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.