



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 6-MAR-2012
Account: ROCKHA

CERTIFICATE WH12026545

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026545

Sample Description	Method Analyte Units LOR	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05
K863341		1.22	8.11	69.1	980	1.90	1.18	1.83	7.37	50.4	9.8	8	15.65	14.1	4.56	19.50
K863342		0.18	7.52	18.1	1590	2.39	0.70	2.13	0.26	46.9	11.0	9	18.10	15.5	3.47	18.05
K863343		12.70	6.50	2100	990	1.20	3.83	1.44	37.4	49.7	6.4	10	10.20	107.0	5.09	13.05
K863345		0.32	7.78	23.1	1850	1.55	0.36	2.20	1.19	51.3	7.0	10	17.65	6.6	3.36	16.30
G006295		>100	1.41	1140	200	0.28	52.6	1.79	509	13.30	27.6	31	0.76	>10000	17.75	15.10
K972025		0.39	7.31	39.9	2060	1.47	0.71	2.62	0.97	44.1	7.2	8	18.25	25.8	3.69	16.00
K972026		16.35	7.25	3900	100	1.41	1.95	0.85	75.1	45.9	8.9	8	16.00	48.9	8.77	16.35
K972027		0.24	7.68	20.0	1990	1.56	0.52	2.55	0.55	34.5	8.2	12	15.40	9.0	2.97	19.25
K972028		5.14	6.50	342	670	1.34	1.04	2.59	30.5	34.3	9.0	8	23.3	31.6	5.39	17.05
K972029		0.28	6.63	24.8	1360	1.63	0.51	2.87	1.68	30.3	9.3	8	21.8	8.9	2.75	17.80
K972030		2.43	7.53	170.5	340	1.72	0.83	2.65	20.9	37.3	12.2	9	23.9	47.2	4.34	19.95
K972031		4.51	6.90	3560	250	1.89	3.35	2.79	105.5	29.2	11.7	8	44.6	45.6	5.94	21.7
K972044		0.16	7.54	11.7	1480	1.43	0.43	3.20	0.55	47.5	5.5	12	13.90	13.2	2.49	20.7
K972045		14.55	7.88	321	340	1.29	1.87	3.71	72.2	29.8	13.4	4	12.70	74.2	6.50	21.9
K972047		0.25	7.57	12.6	1940	1.26	1.03	2.72	1.15	36.6	9.3	13	6.95	10.6	3.45	20.4
K269006		1.28	7.38	41.4	1150	1.00	0.36	2.44	8.78	53.0	8.0	8	8.27	6.5	2.23	16.35
K269008		76.7	3.86	594	790	0.68	77.4	1.83	176.0	19.05	133.5	6	3.73	1310	13.40	9.77
K269010		1.72	7.05	40.5	1210	1.15	1.70	1.82	3.85	67.3	15.8	8	8.27	12.3	2.36	16.55
K269021		2.52	7.54	463	1400	1.40	0.99	2.15	14.55	47.5	4.8	8	14.80	41.0	2.63	16.95
G006296		>100	7.84	57.1	1560	1.13	1.60	2.35	54.2	27.3	13.7	22	2.42	4780	3.84	22.5
K269022		52.4	4.94	4090	1140	1.10	9.58	2.82	928	29.2	5.4	7	9.10	849	4.32	11.70
K269023		22.0	0.82	197	1700	0.97	20.8	14.90	147.0	7.16	2.7	2	2.48	526	3.54	2.43
K269024		13.35	4.98	5660	920	1.05	12.60	2.87	92.4	30.5	5.4	6	17.75	234	3.23	12.25
K269026		1.36	7.69	184.5	760	1.48	1.12	3.03	5.61	38.8	8.5	9	19.75	30.9	2.59	18.50
K269027		0.78	7.29	331	2060	1.34	0.20	4.02	1.38	40.6	7.4	7	18.60	25.7	2.77	15.80
K269028		9.15	6.69	5510	1290	1.33	9.16	2.85	92.9	38.0	7.2	8	17.50	125.0	4.21	14.85
K269029		0.58	7.35	269	1140	1.45	0.19	2.00	2.65	37.7	7.2	9	21.4	17.3	3.17	16.90
K269031		0.81	7.22	340	1720	1.14	0.33	3.17	0.95	46.0	8.9	9	17.85	72.8	2.89	16.00
K269032		1.33	3.47	220	740	1.37	0.42	10.40	4.05	20.8	3.1	4	8.55	18.3	3.21	8.68
K269033		6.54	6.40	3500	1110	1.17	1.57	0.79	86.4	45.1	6.7	9	11.65	282	7.08	17.80
K269034		>100	5.33	>10000	390	1.08	182.0	1.15	884	32.7	5.2	9	8.61	2590	7.64	15.40
K271640		0.28	0.14	73	30	0.08	0.23	20.5	1.37	1.74	1.3	1	0.40	6.9	0.55	0.52
K269035		0.56	7.68	58.3	2100	1.56	0.50	2.84	2.16	40.6	8.9	9	24.1	36.0	3.25	18.65
K269041		22.9	7.34	610	2240	1.37	5.75	2.93	225	43.6	7.4	7	11.45	172.0	3.45	15.85
K269042		45.6	5.32	6350	1140	0.93	21.8	1.03	315	29.9	13.5	8	7.91	291	7.51	13.80
K269044		1.74	7.46	138.5	1750	1.44	1.03	1.73	9.57	41.0	7.1	9	14.35	30.7	3.34	17.25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026545

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10	ppm 0.5
K863341		0.18	1.4	0.143	2.92	22.8	311	0.73	1110	2.96	0.05	8.6	2.7	590	339
K863342		0.17	1.2	0.065	1.82	24.2	520	0.67	1060	0.31	0.03	8.7	2.9	650	16.9
K863343		0.18	1.1	0.687	2.98	24.7	29.8	0.67	887	5.78	0.04	5.4	2.2	470	3930
K863345		0.16	1.3	0.055	3.23	23.1	93.0	0.69	822	4.69	0.55	8.5	2.6	620	122.5
G006295		1.04	0.6	6.71	0.42	6.9	6.7	0.85	389	39.5	0.02	1.8	56.7	390	>10000
K972025		0.13	1.3	0.048	2.39	19.7	73.6	0.77	730	1.13	0.19	8.7	2.3	590	64.7
K972026		0.23	1.1	0.777	3.40	21.0	13.3	0.51	1540	14.60	0.03	6.0	2.8	520	3670
K972027		0.10	1.2	0.050	2.70	17.3	61.0	0.64	767	0.34	0.32	8.5	1.6	620	45.7
K972028		0.12	1.0	0.303	2.77	16.8	24.4	0.58	2100	3.28	0.03	6.0	1.7	570	1600
K972029		0.11	1.2	0.057	2.27	15.4	81.4	0.43	813	0.47	0.16	8.2	1.3	580	63.3
K972030		0.13	1.2	0.184	3.26	18.3	26.7	0.71	1520	1.59	0.03	7.2	2.0	580	566
K972031		0.14	1.2	1.630	2.94	13.6	27.2	0.57	1270	0.47	0.04	8.3	2.5	600	724
K972044		0.14	1.7	0.058	2.64	26.2	13.5	0.62	516	0.43	1.49	8.4	2.0	650	23.3
K972045		0.14	1.6	0.953	2.71	12.8	15.1	1.40	2330	0.69	0.99	5.4	2.6	1190	3990
K972047		0.15	1.9	0.067	2.93	17.0	13.6	0.99	657	2.45	1.94	7.4	3.1	780	36.2
K269006		0.13	1.0	0.082	3.46	29.6	5.9	0.99	2150	0.64	0.05	5.9	1.3	580	426
K269008		0.22	0.5	4.02	1.86	10.9	6.5	0.78	1330	4.27	0.04	2.5	3.8	250	5720
K269010		0.13	1.0	0.138	3.15	41.9	19.9	0.79	1330	1.82	0.04	5.6	1.4	520	204
K269021		0.12	1.3	0.245	3.08	25.5	33.2	0.78	1380	1.56	0.04	7.8	1.3	540	601
G006296		0.13	0.6	13.80	2.26	15.0	9.8	0.68	601	36.8	2.51	7.4	10.9	830	9390
K269022		0.07	0.9	19.30	2.18	16.0	16.4	1.19	1740	4.21	0.02	5.0	1.0	340	>10000
K269023		<0.05	0.1	7.42	0.33	4.1	12.3	6.67	3180	5.00	0.01	0.9	<0.2	50	2910
K269024		0.07	0.8	3.70	1.83	16.6	39.5	1.09	2120	17.65	0.02	5.3	1.0	350	2080
K269026		0.12	1.1	0.315	2.90	20.3	88.3	1.10	1480	2.82	0.03	8.4	1.5	640	135.0
K269027		0.14	0.9	0.102	2.86	23.3	22.6	1.61	1500	2.74	0.03	7.5	1.1	530	44.3
K269028		0.12	1.0	3.23	2.62	21.3	25.5	1.17	2430	1.70	0.03	6.9	1.7	510	1240
K269029		0.10	1.2	0.074	2.36	19.0	107.5	0.72	1480	3.99	0.02	8.0	1.9	590	127.5
K269031		0.14	1.1	0.087	2.67	25.7	32.9	1.11	1660	6.39	0.03	7.6	2.0	570	48.8
K269032		<0.05	0.5	0.219	1.36	12.5	18.9	4.77	2940	4.08	0.02	3.6	<0.2	260	273
K269033		0.15	0.9	3.23	2.73	24.8	9.2	0.62	4430	2.09	0.02	6.6	2.2	480	1215
K269034		0.14	0.8	30.9	2.31	17.8	8.2	0.63	3420	1.32	0.02	5.7	1.5	380	>10000
K271640		0.09	<0.1	0.053	0.06	0.9	1.7	12.80	242	0.09	0.01	0.5	<0.2	190	29.7
K269035		0.13	1.3	0.111	2.88	20.5	34.5	0.77	839	1.56	1.40	9.0	1.7	620	72.8
K269041		0.13	1.1	4.57	2.34	24.0	106.0	0.96	1100	1.42	0.08	7.5	1.4	520	4810
K269042		0.15	0.9	5.58	2.37	15.9	13.9	0.52	1380	39.8	0.04	4.4	2.3	400	7330
K269044		0.12	1.2	0.136	2.86	22.1	58.3	0.77	1720	5.01	0.03	7.2	2.3	570	429



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026545

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K863341		<0.002	2.66	20.0	9.9	1	10.7	154.5	0.74	0.13	14.1	0.249	2.30	4.6	89	5.0
K863342		0.002	1.62	25.5	11.6	1	5.5	259	0.71	0.16	13.8	0.267	1.82	7.0	74	4.6
K863343		<0.002	4.62	41.0	8.1	2	8.0	56.8	0.44	0.17	13.4	0.167	2.67	4.3	54	4.6
K863345		<0.002	1.70	8.63	9.6	1	2.2	189.5	0.69	0.13	14.3	0.249	2.29	4.5	67	3.2
G006295		0.033	>10.0	273	2.4	221	106.5	39.7	0.10	0.82	1.2	0.042	32.7	4.1	58	1.9
K972025		<0.002	1.44	10.50	9.1	1	5.2	230	0.72	0.34	13.0	0.253	1.79	4.6	68	2.6
K972026		<0.002	8.33	49.7	8.5	2	9.4	53.0	0.52	0.30	13.0	0.191	3.24	3.4	63	8.1
K972027		<0.002	1.40	8.12	15.4	1	2.5	205	0.73	0.18	12.8	0.251	1.94	4.0	67	2.3
K972028		<0.002	5.32	23.5	13.7	2	7.8	160.0	0.49	0.25	9.3	0.198	2.81	3.0	65	7.0
K972029		<0.002	1.77	13.00	13.2	1	2.7	250	0.72	0.21	10.1	0.239	1.74	3.4	64	1.9
K972030		<0.002	3.88	14.70	14.6	2	10.2	174.5	0.64	0.32	11.4	0.219	3.28	3.3	66	4.5
K972031		<0.002	5.98	25.2	14.2	2	7.4	196.5	0.71	0.41	9.4	0.248	2.75	5.7	78	7.3
K972044		<0.002	0.84	3.57	10.1	2	1.8	324	0.68	0.22	11.2	0.255	1.30	3.3	62	0.9
K972045		<0.002	4.43	19.80	17.5	2	4.0	586	0.33	0.54	2.6	0.416	2.40	1.7	147	7.5
K972047		0.003	1.68	2.33	10.8	2	2.2	445	0.57	0.49	8.7	0.284	1.31	3.4	81	1.0
K269006		<0.002	1.18	6.19	11.8	1	2.3	54.6	0.53	0.18	11.3	0.191	2.99	3.5	64	2.6
K269008		<0.002	>10.0	183.5	4.7	4	3.4	39.7	0.20	0.84	4.2	0.077	1.43	1.3	36	2.8
K269010		<0.002	1.38	9.13	12.5	1	2.9	57.8	0.46	0.24	12.2	0.171	2.59	4.2	60	2.9
K269021		<0.002	1.01	16.45	12.3	1	3.1	74.6	0.71	0.06	12.3	0.219	2.54	6.1	60	2.6
G006296		0.020	1.67	147.0	9.3	4	346	683	0.44	0.17	4.9	0.221	3.59	1.0	78	18.2
K269022		<0.002	6.36	72.5	8.2	7	9.8	58.9	0.45	0.05	8.3	0.149	2.22	3.5	42	5.9
K269023		<0.002	1.19	79.0	2.1	2	1.1	275	0.07	<0.05	1.6	0.024	0.36	6.2	11	2.2
K269024		<0.002	1.88	92.0	9.6	2	6.2	139.5	0.44	<0.05	8.2	0.161	2.24	5.3	45	6.6
K269026		<0.002	0.65	16.60	15.2	1	2.3	214	0.68	0.05	10.4	0.265	2.89	5.3	75	6.6
K269027		<0.002	0.88	23.0	12.5	1	1.8	172.5	0.57	<0.05	10.8	0.223	2.76	5.3	62	6.1
K269028		<0.002	2.26	48.9	12.1	2	2.8	152.5	0.57	0.06	10.2	0.204	2.40	4.6	59	5.0
K269029		<0.002	0.41	25.0	12.8	1	2.2	144.5	0.70	<0.05	10.4	0.241	2.54	4.9	67	7.1
K269031		<0.002	0.74	41.2	13.2	1	2.7	190.5	0.62	<0.05	12.7	0.230	2.62	7.1	64	7.7
K269032		<0.002	0.86	19.75	6.3	1	3.1	255	0.27	<0.05	5.3	0.103	1.32	4.2	29	5.4
K269033		<0.002	2.62	55.8	11.6	2	11.6	37.0	0.53	0.13	10.3	0.196	2.83	3.9	56	12.2
K269034		<0.002	7.34	181.5	9.4	7	16.9	36.5	0.48	0.14	8.3	0.169	2.30	3.3	46	9.8
K271640		<0.002	0.04	0.86	0.6	1	0.2	48.9	<0.05	<0.05	0.2	0.006	0.03	0.6	4	0.2
K269035		<0.002	0.24	6.62	17.8	2	2.4	294	0.72	<0.05	11.3	0.287	1.64	4.6	90	4.8
K269041		<0.002	1.45	38.2	12.1	3	3.2	224	0.65	<0.05	11.5	0.221	1.65	5.7	63	4.6
K269042		<0.002	8.57	81.8	10.6	4	8.3	51.4	0.37	0.53	8.6	0.145	2.08	4.6	53	5.8
K269044		<0.002	1.82	19.20	13.2	1	3.2	182.0	0.63	0.15	11.9	0.218	2.78	5.0	66	3.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026545

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K863341		13.5	509	37.8				
K863342		14.8	64	32.2				
K863343		11.2	2520	30.1				
K863345		13.4	120	37.8				
G006295		7.1	>10000	19.1	161	1.235	1.505	9.27
K972025		14.1	163	34.8				
K972026		11.4	4920	31.4				
K972027		16.1	82	35.2				
K972028		11.9	2190	27.9				
K972029		13.0	164	33.1				
K972030		14.6	1500	33.5				
K972031		13.4	6990	33.9				
K972044		16.5	84	52.2				
K972045		14.4	4950	59.0				
K972047		15.4	149	57.6				
K269006		12.5	805	27.7				
K269008		6.1	>10000	13.0				1.510
K269010		11.3	340	27.8				
K269021		13.9	1140	35.8				
G006296		12.3	7540	17.6	104			
K269022		9.8	>10000	23.8			1.870	6.20
K269023		10.9	9670	3.7				
K269024		10.5	6890	21.7				
K269026		16.5	482	30.9				
K269027		15.9	134	28.0				
K269028		13.8	6880	28.7				
K269029		14.6	247	31.7				
K269031		17.2	115	31.2				
K269032		9.5	324	15.3				
K269033		10.8	6090	25.9				
K269034		9.9	>10000	23.2	169		1.755	5.91
K271640		1.1	147	0.7				
K269035		19.5	213	35.3				
K269041		18.1	>10000	31.2				1.360
K269042		9.8	>10000	24.6				1.905
K269044		13.7	699	33.4				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026545

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.