



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 5-MAR-2012
Account: ROCKHA

CERTIFICATE WH12026546

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026546

Sample Description	Method Analyte Units LOR	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05
K972686		0.40	6.90	25.9	1120	1.43	0.45	3.22	0.50	33.0	9.7	11	15.65	46.9	2.84	17.25
K972687		28.6	6.58	2340	670	1.04	9.75	0.28	142.0	21.4	9.5	8	15.10	3670	4.92	17.40
K972689		1.63	7.59	95.5	1070	1.35	1.09	1.20	5.57	38.7	8.7	9	17.30	28.4	3.80	16.75
K972720		0.26	6.89	26.5	2430	1.50	0.62	2.82	0.56	40.0	7.6	9	18.25	6.2	2.61	16.25
K972721		0.41	6.68	63.3	1760	1.35	0.44	2.64	0.96	36.8	10.0	10	21.1	4.5	4.50	15.90
G006297		>100	1.40	1165	290	0.29	52.9	1.69	505	12.60	27.7	30	0.80	>10000	16.55	17.75
K972722		0.38	6.93	74.3	1600	1.62	0.26	2.33	0.92	37.2	8.8	9	15.10	17.4	2.85	15.80
K972395		0.46	7.43	22.0	860	1.51	0.18	1.65	2.66	39.9	7.3	10	15.65	18.4	3.80	16.30
K972396		45.7	5.85	1090	1770	1.19	4.29	0.68	165.5	22.5	29.2	6	18.70	931	7.04	16.70
K972398		4.80	6.58	111.5	630	1.22	1.03	0.90	177.0	36.5	7.2	8	23.1	107.0	4.11	16.25
K972399		2.71	5.94	266	520	1.26	1.63	0.61	15.75	28.5	13.2	6	31.8	45.4	5.18	15.20
K972400		8.47	5.17	441	650	0.85	1.83	0.80	27.7	19.40	18.9	7	14.75	87.7	5.93	14.25
K972401		1.42	6.86	393	760	1.29	0.61	0.79	7.53	36.8	9.8	7	18.75	47.1	3.86	16.60
K972402		6.42	5.33	1225	1520	1.10	1.39	1.27	113.5	30.6	8.0	7	32.4	117.0	5.73	14.65
K972403		5.02	4.56	5380	400	0.84	0.89	1.08	116.5	30.4	5.1	7	13.80	108.0	4.33	14.65
G006298		>100	7.39	53.4	1070	1.32	1.70	2.54	57.9	22.1	14.5	24	2.58	5190	4.15	23.7
K972404		99.9	4.30	4400	660	0.95	29.7	0.86	609	21.6	12.3	6	20.0	2640	7.04	12.40
K972406		2.35	6.42	326	830	1.19	0.62	0.86	38.3	28.4	8.8	8	18.95	68.5	6.00	16.40
K972497		1.58	7.45	194.0	970	1.62	0.34	2.16	4.16	52.9	7.3	12	23.4	20.9	3.76	16.15
K972498		12.85	4.16	2500	490	0.96	1.19	5.12	72.2	26.5	4.6	9	8.23	81.1	5.24	9.91
K972499		0.22	7.42	24.7	1970	1.42	0.13	2.09	0.62	46.4	6.4	12	17.55	6.8	2.88	16.65
L828580		0.74	5.69	13.6	160	2.76	1.04	0.32	0.33	15.20	0.3	2	32.2	2.6	0.48	16.80
L828581		28.7	5.10	1170	1460	1.30	34.2	2.03	123.0	31.7	5.8	7	12.00	235	6.90	14.15
K271684		0.04	0.09	<5	20	0.09	0.17	20.1	0.17	1.16	1.4	1	0.24	2.2	0.45	0.48
L828582		5.52	7.37	117.0	1440	1.46	6.61	1.68	42.4	58.6	6.6	11	11.25	92.8	4.17	17.80
L828583		3.67	6.99	192.0	1040	1.32	1.34	1.49	50.2	40.6	3.6	9	12.35	53.9	5.48	16.60
L828584		1.45	7.41	27.1	1430	1.72	0.25	2.37	30.3	41.8	4.8	8	18.00	17.2	3.37	15.95
K972267		1.74	7.55	32.2	550	1.13	2.55	0.62	1.08	47.8	9.2	8	26.5	9.2	5.52	17.15
K972268		>100	5.57	268	1080	0.95	61.7	0.89	58.8	30.2	18.6	6	24.1	2150	3.33	13.45
K972269		6.06	6.53	83.8	530	1.03	2.76	0.67	6.26	43.8	14.8	8	23.5	215	5.13	15.45
K973251		1.42	7.11	138.5	1500	1.45	0.81	1.53	5.87	41.2	6.0	8	16.95	16.5	3.31	15.60
K973252		15.90	6.39	3220	850	1.28	3.13	0.91	78.3	43.6	5.4	7	12.85	454	5.05	15.35
K973253		0.23	7.18	17.0	2030	1.66	0.30	2.23	0.39	39.0	5.4	10	15.60	6.0	2.69	15.85
K973272		0.41	8.01	34.6	1770	1.40	0.58	1.19	0.87	52.3	7.5	9	19.20	8.6	3.35	16.15
K973273		20.7	5.51	4440	680	1.11	26.7	2.27	59.2	26.7	7.7	8	7.45	343	7.33	14.10
K973274		5.12	7.56	428	980	1.58	6.85	1.12	6.99	51.6	7.1	9	15.90	189.5	5.24	16.60



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026546

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
K972686		0.12	1.4	0.067	2.93	16.8	44.3	0.55	2480	0.56	0.05	8.3	2.3	680	25.2	115.0
K972687		0.10	1.0	8.56	2.86	10.8	8.4	0.22	2250	1.34	0.02	6.9	1.9	500	3270	159.5
K972689		0.13	1.3	0.219	3.11	20.7	24.5	0.60	3110	0.90	0.03	7.8	2.3	610	340	173.0
K972720		0.13	1.7	0.050	2.79	20.6	30.3	0.74	1690	0.49	0.06	8.5	2.1	650	26.8	131.5
K972721		0.13	1.2	0.122	2.64	19.5	30.5	0.72	3560	0.51	0.05	7.1	2.1	530	64.2	129.5
G006297		1.02	0.6	7.50	0.42	7.2	7.5	0.81	384	33.0	0.02	1.7	53.1	390	>10000	16.9
K972722		0.08	1.2	0.051	2.81	19.3	41.0	0.72	2040	0.42	0.03	7.4	2.1	570	42.5	123.5
K972395		0.11	1.0	0.095	3.56	19.9	5.3	0.69	4450	0.45	0.04	7.8	2.7	610	150.0	170.5
K972396		0.13	0.8	7.85	2.43	10.7	16.2	0.48	14050	1.68	0.02	5.8	2.4	460	>10000	129.0
K972398		0.08	1.0	2.48	2.65	18.9	15.3	0.44	16100	1.14	0.02	6.7	1.9	520	600	156.0
K972399		0.11	1.1	0.501	2.32	14.6	23.2	0.37	11300	1.93	0.02	6.2	1.9	470	880	142.0
K972400		0.10	0.8	1.810	2.20	10.1	15.9	0.39	17750	2.58	0.02	5.5	2.3	390	4080	126.0
K972401		0.11	1.1	0.269	3.04	19.6	12.4	0.40	8740	1.01	0.03	7.2	1.9	510	345	172.5
K972402		0.10	0.8	1.810	2.06	16.0	19.7	0.57	28800	1.13	0.03	5.5	1.7	420	1195	134.0
K972403		0.08	0.7	2.41	2.03	16.9	22.8	0.45	37200	3.31	0.02	4.8	1.1	370	1335	124.5
G006298		0.11	0.6	14.70	2.47	10.3	11.2	0.67	710	44.8	2.79	7.9	12.1	910	>10000	55.5
K972404		0.12	0.7	22.3	1.75	10.6	20.4	0.42	17000	3.65	0.03	4.4	2.2	320	>10000	98.9
K972406		0.10	0.9	0.446	2.84	14.8	9.9	0.47	8480	0.78	0.04	6.6	2.0	500	470	171.5
K972497		0.11	1.1	0.290	2.88	28.9	17.7	0.84	3250	2.44	0.04	8.3	2.4	570	349	152.0
K972498		0.11	0.6	0.714	1.86	15.0	13.6	2.01	6890	2.50	0.02	4.2	0.5	280	2990	123.5
K972499		0.13	1.1	0.066	2.59	23.2	39.0	0.63	933	1.88	1.27	8.1	2.0	580	53.7	101.5
L828580		<0.05	2.6	0.051	2.18	6.8	33.2	0.14	402	2.86	0.05	14.7	0.3	30	64.7	167.0
L828581		0.17	0.8	2.57	2.19	16.8	14.9	0.81	4260	5.74	0.03	6.4	1.3	340	867	135.5
K271684		0.14	<0.1	0.007	0.03	0.5	1.3	12.50	227	0.19	0.01	0.4	<0.2	180	5.0	1.8
L828582		0.17	0.8	0.430	3.44	33.4	6.2	0.84	2120	1.88	0.04	6.4	2.7	550	1095	217
L828583		0.15	1.0	2.18	3.23	22.2	8.8	0.76	3680	1.79	0.03	7.1	2.2	500	840	201
L828584		0.13	1.0	0.823	3.37	22.0	64.9	0.81	2000	1.63	0.06	8.2	1.7	580	562	148.5
K972267		0.18	1.6	0.235	3.35	25.7	7.5	0.43	5470	1.44	0.03	7.8	2.7	580	243	204
K972268		0.10	1.2	0.694	2.33	15.5	16.2	0.36	7640	5.21	0.03	5.7	2.1	420	>10000	125.0
K972269		0.13	1.4	0.299	2.79	21.9	9.4	0.41	7020	2.11	0.04	6.8	3.2	500	345	158.5
K973251		0.13	1.2	0.169	2.88	21.3	41.5	0.55	1200	1.73	0.05	7.8	1.8	540	386	139.5
K973252		0.16	1.1	2.91	2.88	22.6	8.7	0.48	1640	7.03	0.02	6.9	2.0	500	3920	199.5
K973253		0.16	1.2	0.075	2.91	19.9	20.1	0.62	739	2.77	1.69	8.2	1.6	530	64.0	106.5
K973272		0.16	1.0	0.123	2.72	28.4	35.2	0.45	902	1.39	0.15	7.9	2.1	620	65.0	116.0
K973273		0.19	0.8	0.520	2.68	13.2	10.8	0.41	1060	4.36	0.03	5.6	1.6	460	1425	139.5
K973274		0.17	0.9	0.282	3.33	28.8	8.9	0.67	1740	2.11	0.03	7.0	2.5	600	510	191.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 5-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026546

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K972686		<0.002	0.14	14.15	13.0	1	2.0	190.5	0.69	<0.05	9.7	0.263	2.10	3.9	73	2.5
K972687		<0.002	4.26	497	12.1	2	12.3	30.2	0.57	<0.05	10.4	0.226	2.08	2.0	66	2.8
K972689		<0.002	0.59	20.4	13.9	1	2.4	90.5	0.68	0.26	12.7	0.256	2.31	5.6	75	2.6
K972720		<0.002	0.24	11.45	11.6	1	1.6	210	0.72	<0.05	11.0	0.249	2.20	4.4	67	2.9
K972721		<0.002	0.92	12.60	12.8	1	1.8	204	0.59	<0.05	10.7	0.225	1.89	4.8	70	3.1
G006297		0.031	>10.0	258	3.6	236	113.5	41.8	0.10	0.98	0.9	0.041	31.3	3.4	57	1.8
K972722		<0.002	0.43	14.60	12.9	1	1.7	167.5	0.61	<0.05	11.4	0.240	2.43	6.6	72	1.8
K972395		<0.002	0.33	11.85	12.4	1	2.2	92.4	0.70	<0.05	11.6	0.268	2.39	3.3	76	3.3
K972396		<0.002	4.00	584	9.5	3	14.0	119.5	0.52	0.18	8.1	0.198	2.07	7.6	62	3.4
K972398		<0.002	1.73	51.3	10.7	3	12.2	107.0	0.61	0.08	12.1	0.228	2.06	2.6	64	4.5
K972399		<0.002	3.01	42.0	10.0	1	6.5	92.7	0.57	0.07	11.8	0.209	2.09	3.2	61	3.2
K972400		<0.002	3.64	46.5	8.4	1	10.2	54.4	0.49	0.08	9.4	0.177	1.81	1.9	50	2.9
K972401		<0.002	1.36	38.5	10.9	1	6.5	78.1	0.72	0.07	13.8	0.229	2.35	3.8	68	4.1
K972402		0.002	2.45	81.7	9.2	2	12.6	108.0	0.48	<0.05	9.5	0.184	1.69	3.5	55	4.0
K972403		<0.002	2.30	138.0	8.2	2	4.3	51.4	0.42	<0.05	8.7	0.169	1.97	3.1	49	5.5
G006298		0.023	1.81	160.0	7.8	5	363	731	0.51	0.18	4.5	0.242	4.15	1.1	86	21.6
K972404		<0.002	7.51	899	6.1	7	14.6	85.1	0.38	0.08	6.9	0.147	1.66	2.7	50	4.8
K972406		<0.002	3.14	42.8	10.8	1	5.3	86.7	0.56	0.06	11.2	0.219	2.17	2.5	67	5.1
K972497		<0.002	0.62	16.70	10.7	1	2.6	94.2	0.77	<0.05	16.0	0.233	2.54	6.9	64	4.8
K972498		<0.002	2.87	34.3	5.9	1	3.3	67.7	0.37	0.07	7.9	0.124	1.94	3.0	36	3.6
K972499		<0.002	0.14	8.11	10.7	1	1.9	264	0.73	<0.05	13.7	0.237	1.37	3.9	66	1.7
L828580		<0.002	0.04	20.4	2.6	1	3.5	40.3	2.40	<0.05	20.5	0.028	1.83	8.3	3	1.3
L828581		<0.002	7.49	59.6	7.0	2	7.5	60.1	0.59	0.71	8.6	0.145	2.36	5.6	41	7.9
K271684		<0.002	0.02	0.17	0.4	1	<0.2	44.7	<0.05	0.11	<0.2	<0.005	<0.02	0.6	3	0.1
L828582		<0.002	1.72	12.70	12.0	1	2.5	48.2	0.51	0.11	11.1	0.210	3.36	7.0	70	5.7
L828583		0.002	2.82	10.75	9.7	1	3.8	38.3	0.67	0.05	12.7	0.203	3.22	3.7	59	5.1
L828584		<0.002	0.41	5.57	10.4	1	2.3	149.0	0.77	<0.05	13.6	0.239	2.82	11.2	68	2.9
K972267		<0.002	0.63	23.6	10.8	1	1.8	70.8	0.75	<0.05	16.1	0.250	2.70	4.4	72	4.2
K972268		<0.002	2.32	599	7.1	2	2.1	76.7	0.50	0.06	9.5	0.187	1.64	4.9	50	2.5
K972269		<0.002	1.50	132.0	10.7	1	1.7	73.4	0.61	0.06	13.3	0.223	2.14	4.1	68	2.1
K973251		<0.002	1.59	14.75	10.0	1	3.1	98.1	0.71	0.10	14.2	0.218	2.46	5.7	61	5.1
K973252		<0.002	4.54	76.3	9.6	2	8.8	29.0	0.62	0.10	12.9	0.206	3.03	7.5	60	7.6
K973253		<0.002	0.10	4.36	10.0	1	1.8	299	0.76	0.06	14.0	0.230	1.56	5.2	64	2.0
K973272		<0.002	0.52	19.25	11.1	2	2.0	88.8	0.60	0.06	14.2	0.253	1.75	4.7	69	4.3
K973273		<0.002	7.68	50.3	7.9	2	5.4	47.7	0.43	1.33	6.6	0.185	2.47	6.7	54	7.7
K973274		<0.002	2.74	52.0	11.0	1	3.8	34.2	0.52	0.22	10.9	0.244	3.22	4.7	69	8.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 5-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026546

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K972686		13.7	93	42.0				
K972687		7.0	>10000	26.4				1.095
K972689		14.4	700	33.0				
K972720		14.8	115	48.4				
K972721		14.8	180	30.6				
G006297		7.6	>10000	19.6	160	1.265	1.435	9.50
K972722		14.7	204	32.4				
K972395		15.2	388	28.2				
K972396		11.2	>10000	22.6			1.175	1.645
K972398		11.6	>10000	27.0				1.985
K972399		10.0	1550	26.3				
K972400		8.8	2490	21.3				
K972401		11.3	789	27.9				
K972402		12.2	>10000	23.3				1.115
K972403		9.5	>10000	19.3				1.365
G006298		11.0	8380	18.4	107		0.944	
K972404		10.1	>10000	18.6			1.850	6.07
K972406		11.2	4670	24.8				
K972497		16.2	472	28.5				
K972498		8.2	5160	14.6				
K972499		15.7	100	28.3				
L828580		10.9	58	44.6				
L828581		8.1	>10000	20.5				1.045
K271684		0.9	31	<0.5				
L828582		12.5	3050	22.9				
L828583		9.2	3760	26.1				
L828584		16.2	2240	28.1				
K972267		11.8	135	49.8				
K972268		8.2	6130	38.4	142		1.540	
K972269		10.0	390	43.6				
K973251		13.0	504	34.9				
K973252		9.6	5490	31.3				
K973253		15.3	71	37.0				
K973272		14.6	116	30.9				
K973273		9.5	3940	21.9				
K973274		10.0	642	27.7				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026546

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.