



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 7-MAR-2012
Account: ROCKHA

CERTIFICATE WH12026548

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026548

Sample Description	Method Analyte Units LOR	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05
K269055		0.59	7.49	28.6	870	1.64	0.26	3.51	1.15	42.5	6.2	9	22.6	8.4	3.00	16.60
K269056		46.7	5.45	478	1470	1.34	11.35	0.85	83.6	30.4	20.5	7	15.60	175.5	6.78	12.80
K269058		0.46	7.56	32.7	2230	1.62	0.14	3.40	0.34	52.2	6.2	8	22.3	11.0	2.79	17.00
K269062		0.34	7.48	22.8	1720	1.63	0.37	2.70	0.82	41.9	7.1	9	17.80	32.5	2.99	17.05
K269064		51.2	6.80	2680	1280	1.48	10.45	1.61	72.4	45.0	6.6	9	13.90	470	5.26	15.35
K269065		0.54	7.45	61.2	2050	1.47	0.57	2.65	0.85	47.2	8.3	9	16.00	7.5	2.93	16.45
G0557542		>100	7.96	43.5	1540	1.38	1.86	2.45	54.9	30.1	13.8	22	2.45	4640	3.92	23.1
K269074		1.64	7.50	18.0	2150	1.59	0.66	2.52	11.65	44.4	7.6	12	12.05	19.8	3.43	17.20
K269075		31.5	5.27	>10000	200	1.08	43.3	1.54	486	27.4	10.8	9	10.25	899	9.90	12.80
K269076		0.54	7.34	43.3	1950	1.51	0.65	2.27	2.27	48.5	7.4	9	19.55	10.0	3.01	16.45
K269077		0.32	7.54	30.2	1860	1.49	0.75	2.36	1.41	43.5	8.1	9	13.45	13.6	3.05	17.55
L828885		0.90	8.01	47.4	1080	2.04	0.80	2.42	3.85	67.1	7.6	24	16.25	26.6	3.04	20.2
L828886		>100	6.16	2700	1380	1.85	50.6	1.26	210	40.3	8.3	8	22.5	1245	5.27	15.95
L828887		3.39	7.61	158.5	1390	1.62	0.70	1.93	4.01	54.0	6.4	8	22.1	10.1	4.47	17.50
L828888		1.87	6.95	99.4	1230	1.45	1.63	1.11	4.83	42.1	10.8	8	12.00	8.8	7.69	16.20
K271746		0.03	0.10	<5	30	0.07	0.04	21.3	0.10	1.41	1.2	1	0.23	2.2	0.43	0.34
L828889		49.7	3.84	593	550	0.81	55.1	0.49	36.9	17.80	31.6	11	5.03	254	11.05	10.60
L828890		0.35	7.86	9.9	890	2.01	0.25	3.39	0.22	50.2	7.0	11	25.4	7.7	2.61	19.65
L828908		0.41	7.39	12.6	1960	1.69	0.54	2.72	0.58	42.4	8.1	22	21.3	7.0	3.04	16.65
L828909		33.8	5.01	2510	470	1.05	34.4	1.37	182.5	33.7	5.7	21	9.99	516	5.82	11.80
L828910		0.27	6.98	16.7	990	1.26	0.36	1.76	0.53	46.4	6.8	21	17.25	11.9	2.74	15.70
L828947		9.46	6.83	1395	4740	1.49	8.88	1.50	12.20	43.4	8.3	7	16.70	36.6	4.13	16.00
L828949		21.9	6.28	3190	1070	1.47	6.46	1.18	40.2	39.6	7.5	8	11.85	82.1	5.90	16.35
L828950		0.33	7.61	30.8	1980	1.54	0.32	2.47	0.70	40.9	7.8	8	23.0	17.3	2.86	17.90
K973399		0.24	7.23	22.4	2040	1.56	0.12	2.80	0.34	40.2	7.0	12	15.40	5.7	2.96	16.65
K973400		76.5	5.14	252	650	1.18	0.89	6.38	257	42.9	7.9	6	14.65	157.0	4.36	11.20
G0557543		>100	1.39	946	260	0.30	60.1	1.84	516	12.45	27.8	32	0.75	>10000	17.30	18.25
K973402		0.31	7.77	9.5	2060	1.71	0.14	2.76	0.65	46.6	8.1	10	13.20	18.0	3.21	18.00
K973413		0.52	7.93	30.5	1120	1.65	0.24	2.59	0.84	51.2	7.1	10	24.7	4.5	2.70	17.55
K973414		36.0	6.43	283	400	1.35	11.00	2.05	42.5	35.9	48.9	9	14.75	171.5	6.50	14.85
K973416		0.95	7.17	10.4	2100	1.52	0.34	2.71	0.69	45.0	8.7	10	13.10	7.7	3.21	16.70
K973425		0.27	7.00	5.2	2190	1.53	0.14	2.66	0.24	43.7	7.3	13	10.05	7.6	3.10	16.95
K973426		14.00	6.50	1905	1660	1.51	2.59	2.51	127.5	46.4	6.9	8	21.1	186.0	3.31	16.10
K973427		0.42	6.99	60.2	2110	1.52	0.18	2.44	2.49	50.6	7.4	14	11.30	14.1	3.32	17.25
K973436		0.86	7.10	7.6	2100	1.59	0.16	2.65	0.33	48.9	7.4	11	10.00	11.0	3.08	17.25
K973437		64.5	5.59	1070	2880	1.49	37.8	1.86	95.3	40.0	35.4	7	14.25	371	6.32	13.25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026548

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
K269055		0.08	3.3	0.052	3.26	20.6	38.3	1.07	701	1.01	0.07	8.9	4.1	780	47.6	100.5
K269056		0.11	1.3	2.13	2.28	14.3	51.7	0.44	2090	7.40	0.04	5.4	2.7	420	2810	140.5
K269058		0.10	3.4	0.070	2.64	24.7	227	1.12	761	1.20	0.06	9.0	4.4	750	24.0	113.5
K269062		0.14	1.3	0.051	3.07	20.0	69.4	0.63	1080	1.37	1.03	7.8	2.2	570	70.9	117.0
K269064		0.17	1.3	1.810	2.83	23.5	15.6	0.66	3560	1.04	0.02	6.9	2.6	500	>10000	177.0
K269065		0.15	1.2	0.060	3.10	24.3	15.4	0.87	2140	1.04	0.02	7.6	2.2	540	42.2	179.0
G0557542		0.18	0.6	12.75	2.26	15.0	11.6	0.71	601	40.2	2.59	7.4	11.4	830	9340	73.0
K269074		0.16	1.4	0.126	2.80	21.8	24.2	0.78	850	1.39	1.75	8.3	2.5	620	680	119.0
K269075		0.24	1.0	20.2	2.53	12.6	14.5	0.50	2400	1.75	0.11	5.5	1.6	390	1305	144.5
K269076		0.15	1.2	0.080	2.82	26.1	115.5	0.76	1200	1.07	0.14	7.4	2.2	500	72.6	150.0
K269077		0.18	1.3	0.101	2.84	21.7	64.7	0.91	641	1.33	0.83	7.3	2.4	550	28.9	136.0
L828885		0.20	4.6	0.132	2.64	33.4	360	1.07	676	1.40	0.05	11.9	7.6	1350	43.9	101.0
L828886		0.18	2.4	4.00	1.84	20.2	61.4	0.62	1520	2.50	0.08	7.7	3.6	540	>10000	102.5
L828887		0.19	1.2	0.107	3.13	28.7	20.7	0.93	1510	2.03	0.03	7.6	2.2	590	231	188.5
L828888		0.23	1.0	0.122	3.08	21.7	26.5	0.87	2190	2.02	0.03	4.8	2.2	530	259	187.0
K271746		0.10	<0.1	<0.005	0.03	0.6	1.4	13.20	190	0.07	0.01	0.4	1.8	200	2.7	1.9
L828889		0.27	0.8	1.395	1.66	9.1	26.4	0.32	1140	4.88	0.02	3.3	3.2	290	479	108.0
L828890		0.17	3.7	0.036	3.00	25.1	146.5	1.11	793	0.98	0.05	10.9	4.1	750	17.8	131.5
L828908		0.16	1.2	0.051	2.71	20.8	84.5	0.65	745	3.01	1.43	8.3	2.3	570	26.6	118.0
L828909		0.18	0.7	3.95	2.15	16.9	22.7	0.52	2100	8.08	0.02	4.6	1.5	350	4470	134.5
L828910		0.16	1.1	0.046	2.49	24.4	129.5	0.62	677	5.54	0.04	7.3	2.4	530	28.9	125.5
L828947		0.17	1.1	0.223	2.82	20.6	20.1	0.56	2420	2.03	<0.01	6.0	2.1	470	1700	175.0
L828949		0.20	1.0	0.678	2.72	20.4	17.9	0.50	2360	6.34	0.02	6.3	2.4	460	4920	173.0
L828950		0.17	1.3	0.061	2.77	19.3	214	0.70	854	0.65	0.25	8.7	2.2	620	53.4	103.5
K973399		0.18	1.4	0.043	2.89	19.2	15.3	0.65	908	1.49	1.64	8.4	2.4	560	39.7	113.0
K973400		0.17	0.9	0.927	2.42	24.5	24.6	1.05	3810	1.50	0.04	5.4	1.6	380	>10000	152.5
G0557543		1.13	0.7	7.01	0.41	6.8	8.0	0.85	393	39.1	0.02	1.8	52.5	390	>10000	17.1
K973402		0.15	1.5	0.054	2.72	22.3	16.4	0.69	766	1.31	1.75	8.9	2.7	710	48.3	108.0
K973413		0.15	1.2	0.048	3.02	26.0	63.5	0.84	884	0.82	0.07	8.6	2.2	600	65.5	139.5
K973414		0.18	1.0	0.702	3.10	18.5	29.6	0.63	1130	0.70	0.09	7.1	3.1	510	9460	146.0
K973416		0.14	1.2	0.045	2.93	22.7	10.9	0.79	671	1.01	1.91	8.3	2.3	630	260	111.5
K973425		0.14	1.2	0.057	2.85	21.8	11.1	0.70	698	0.91	2.18	8.7	2.8	580	55.2	111.0
K973426		0.14	1.0	2.76	3.28	24.9	24.6	0.68	2350	0.53	0.46	7.8	2.1	510	2350	160.0
K973427		0.13	1.2	0.079	2.74	26.5	15.5	0.79	726	1.12	2.15	8.7	2.8	560	79.5	119.0
K973436		0.16	1.2	0.072	2.70	25.5	14.1	0.76	664	4.97	2.04	8.4	2.6	570	24.2	114.5
K973437		0.23	0.9	8.11	2.64	21.8	24.7	0.61	1940	1.64	0.24	6.1	2.3	420	>10000	151.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026548

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K269055		<0.002	0.22	13.40	6.6	1	1.5	378	0.72	0.12	7.5	0.292	2.11	5.0	73	3.7
K269056		<0.002	6.08	39.3	6.9	1	5.6	114.0	0.46	0.39	7.9	0.174	2.16	3.5	50	5.1
K269058		0.004	0.33	7.06	7.1	1	2.1	410	0.82	0.10	9.2	0.280	2.38	5.5	69	5.8
K269062		<0.002	0.45	5.30	9.2	1	2.0	261	0.66	0.24	11.6	0.249	2.22	4.2	68	3.4
K269064		<0.002	3.40	78.1	9.4	1	4.9	120.0	0.56	0.10	12.5	0.227	2.91	4.3	58	5.5
K269065		<0.002	1.40	7.90	10.7	1	1.8	150.5	0.60	0.10	13.2	0.239	3.27	5.5	63	5.9
G0557542		0.018	1.57	154.0	7.9	4	389	704	0.41	0.10	5.2	0.242	3.40	1.2	76	18.1
K269074		<0.002	0.84	2.70	11.4	1	2.4	738	0.69	0.19	13.3	0.260	1.67	4.4	69	3.0
K269075		<0.002	>10.0	90.6	7.5	5	3.5	82.8	0.45	0.67	8.8	0.176	2.25	4.0	47	3.3
K269076		<0.002	1.32	14.30	10.5	1	2.5	197.5	0.61	0.15	14.0	0.236	2.37	4.7	62	3.8
K269077		<0.002	1.41	5.85	10.2	1	1.8	280	0.58	0.14	12.2	0.227	1.80	4.5	62	3.2
L828885		<0.002	0.17	22.6	7.2	1	2.3	634	0.74	<0.05	9.1	0.371	1.33	3.5	66	2.6
L828886		<0.002	4.81	466	7.5	2	13.3	401	0.59	0.24	8.3	0.233	1.65	4.7	53	4.3
L828887		<0.002	1.51	11.55	11.8	1	3.5	162.0	0.60	0.19	13.7	0.248	2.90	4.8	66	5.8
L828888		<0.002	4.25	9.74	9.8	1	4.9	73.5	0.39	0.23	12.8	0.175	2.55	4.1	57	8.1
K271746		<0.002	0.02	0.14	0.3	1	<0.2	52.1	<0.05	<0.05	<0.2	0.014	<0.02	0.7	1	0.1
L828889		<0.002	>10.0	65.2	5.6	2	6.8	48.4	0.25	0.74	5.2	0.110	1.30	3.6	43	3.7
L828890		<0.002	0.10	18.20	8.1	1	1.4	431	0.80	<0.05	9.8	0.305	2.10	5.7	68	3.4
L828908		<0.002	0.77	7.68	10.6	1	1.6	315	0.71	<0.05	12.7	0.254	1.41	4.6	66	1.6
L828909		0.002	5.87	47.0	7.5	2	8.4	50.7	0.35	0.28	9.4	0.146	2.09	8.8	43	3.6
L828910		0.002	1.12	27.3	10.3	1	2.3	169.5	0.61	0.08	12.9	0.235	1.74	10.7	65	4.4
L828947		<0.002	3.79	24.9	9.8	1	4.1	139.0	0.52	0.20	12.3	0.200	2.92	5.6	57	4.4
L828949		<0.002	5.30	56.3	9.2	1	6.2	61.7	0.51	0.23	11.1	0.210	2.66	4.9	56	6.2
L828950		<0.002	0.35	13.70	10.5	1	2.0	240	0.67	0.06	11.9	0.272	1.73	3.3	70	2.7
K973399		<0.002	0.08	4.12	10.1	1	1.6	306	0.69	<0.05	11.3	0.257	1.51	4.1	66	1.7
K973400		<0.002	3.53	80.8	7.6	2	2.6	160.0	0.45	0.05	8.9	0.173	2.12	5.6	47	2.3
G0557543		0.031	>10.0	268	2.8	232	115.5	43.9	0.10	0.86	1.1	0.053	32.6	4.1	58	1.8
K973402		<0.002	0.09	8.98	11.7	1	1.9	290	0.75	<0.05	13.0	0.285	1.30	4.6	80	2.6
K973413		<0.002	0.32	11.85	11.2	1	1.7	173.0	0.70	0.06	14.4	0.266	2.04	5.0	68	3.3
K973414		<0.002	5.31	37.9	10.3	2	2.0	89.7	0.59	3.13	11.9	0.215	2.20	4.3	62	6.0
K973416		<0.002	0.31	3.68	11.6	1	1.7	329	0.67	0.13	11.7	0.272	1.47	3.7	77	1.7
K973425		<0.002	0.04	2.09	10.7	1	1.7	349	0.75	0.06	12.2	0.251	1.30	4.4	68	1.4
K973426		<0.002	1.48	39.5	10.5	1	2.4	140.0	0.65	0.10	13.2	0.218	2.52	5.1	59	2.7
K973427		<0.002	0.21	3.42	11.4	1	1.8	347	0.72	0.06	14.1	0.247	1.19	4.6	66	1.7
K973436		<0.002	0.09	2.10	11.5	<1	1.8	319	0.70	0.08	13.1	0.251	1.28	4.5	68	9.6
K973437		<0.002	5.53	55.3	9.0	2	2.7	107.0	0.49	0.63	10.7	0.181	2.17	5.5	52	3.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026548

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K269055		12.6	146	123.0				
K269056		9.7	6170	44.9				
K269058		13.6	78	125.0				
K269062		14.2	97	34.9				
K269064		12.0	5230	33.4			1.160	
K269065		14.0	98	31.7				
G0557542		11.5	7510	14.9	105			
K269074		16.2	1350	34.0				
K269075		10.3	>10000	24.2				5.18
K269076		13.8	226	30.9				
K269077		13.8	166	33.7				
L828885		11.7	315	172.5				
L828886		11.8	>10000	76.3	226		1.050	1.485
L828887		14.3	353	28.4				
L828888		9.8	412	24.0				
K271746		0.9	19	<0.5				
L828889		7.1	2470	23.7				
L828890		14.8	66	126.0				
L828908		15.4	79	28.9				
L828909		9.1	>10000	17.5				1.215
L828910		14.5	70	25.4				
L828947		11.1	866	26.0				
L828949		10.0	2630	24.6				
L828950		14.8	84	31.5				
K973399		15.0	61	33.8				
K973400		12.9	>10000	21.0			2.48	1.725
G0557543		7.4	>10000	18.0	159	1.295	1.525	9.45
K973402		17.7	135	35.6				
K973413		15.9	115	29.4				
K973414		12.1	2780	27.8				
K973416		15.3	81	34.2				
K973425		15.2	53	32.9				
K973426		14.5	8530	28.9				
K973427		17.3	248	34.0				
K973436		16.8	57	34.3				
K973437		13.0	9100	24.6			1.935	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026548

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.