



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 6-MAR-2012
Account: ROCKHA

CERTIFICATE WH12026549

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026549

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
K269078		54.2	6.22	218	510	1.41	48.3	1.63	148.0	44.8	7.0	6	18.10	803	4.94	15.10
K269080		0.31	7.55	24.1	2300	1.38	0.55	2.54	1.27	50.3	7.6	9	20.6	30.4	2.96	17.60
K269088		0.18	7.61	12.8	2840	1.58	0.31	2.47	0.41	49.2	7.5	9	21.5	25.1	2.96	18.15
K269089		19.85	6.81	1400	640	1.63	9.42	2.23	75.3	45.9	7.2	7	21.0	247	4.75	16.50
K269091		5.03	7.65	1055	2090	1.56	4.71	2.70	37.1	50.2	7.7	9	15.70	113.5	3.43	17.50
K269108		0.26	7.86	66.8	1230	2.33	0.28	2.72	0.57	56.5	7.6	23	37.2	21.4	2.40	22.5
K269109		23.2	5.48	>10000	590	1.20	0.76	0.81	197.0	27.1	6.3	8	11.25	83.1	5.82	13.05
K269110		3.55	7.38	909	410	1.54	0.80	1.72	12.30	52.9	8.2	7	19.10	18.8	3.43	17.80
G0557544		>100	1.47	1210	140	0.26	62.6	1.90	542	12.70	32.1	31	0.86	>10000	18.25	18.55
K269111		0.54	7.52	31.7	3320	1.49	0.42	2.64	1.45	48.9	7.9	10	19.00	36.1	3.01	17.90
L828717		0.40	7.55	104.0	1930	2.17	1.39	1.47	2.74	45.7	5.5	7	29.7	9.8	2.66	17.75
L828718		8.01	5.93	729	260	1.42	0.99	4.01	114.0	40.5	5.8	4	19.40	110.5	5.26	14.00
L828720		1.03	6.73	129.5	1380	1.47	0.08	2.60	4.41	44.4	6.6	7	23.5	14.6	2.85	16.00
L828761		1.84	7.58	27.5	2120	1.47	0.21	2.68	19.35	48.2	9.7	11	12.95	12.8	3.10	17.25
L828762		58.3	6.48	2510	280	1.57	37.4	2.79	161.5	45.3	7.8	7	21.3	519	5.75	14.90
L828763		0.30	7.57	22.4	2070	1.61	0.16	2.64	0.78	46.6	6.3	10	18.60	9.0	2.97	18.05
L828823		0.23	7.59	11.7	2240	1.63	0.21	2.54	1.18	50.5	8.1	11	11.95	8.0	3.21	17.95
L828824		>100	6.30	1620	270	1.49	11.25	2.66	96.0	42.3	8.1	7	15.20	274	4.93	14.95
L828826		0.33	7.44	18.1	2140	1.61	0.10	2.65	0.23	49.2	7.3	10	19.95	6.8	3.06	17.55
G0557545		>100	7.84	56.8	1590	1.41	1.42	2.50	60.9	30.3	14.6	21	2.78	4890	4.03	22.6
L828839		0.14	6.94	14.2	2140	1.64	0.34	2.71	0.15	38.9	7.5	12	10.65	7.2	2.92	15.60
L828840		13.25	6.89	174.5	1010	1.83	6.31	2.21	68.0	47.8	5.4	7	20.4	58.8	4.20	16.20
L828841		0.34	7.24	15.1	2160	1.87	0.39	2.87	0.35	42.9	9.2	10	13.45	9.3	3.18	17.00
L828848		0.19	7.39	17.3	2070	1.97	0.19	2.67	1.06	46.7	6.7	10	13.90	12.9	3.01	16.75
L828849		3.10	7.01	1650	450	1.94	0.74	3.19	50.0	46.8	5.9	7	23.0	30.1	4.06	15.15
L828850		0.20	7.61	19.2	1990	1.54	0.17	2.29	0.38	41.3	7.0	7	15.35	12.3	3.87	16.25
K269119		0.04	0.10	32	30	0.05	0.04	22.2	0.11	1.19	0.9	3	0.34	3.4	0.51	0.27
L828851		1.30	7.19	436	1610	1.69	0.67	2.98	13.55	53.9	6.9	7	24.2	23.5	3.37	16.70
L828852		0.50	7.52	33.0	2610	1.39	0.23	1.98	7.20	51.4	6.9	5	26.9	17.5	3.05	16.65
L828853		9.39	5.73	1400	1020	1.18	4.70	2.75	70.9	42.5	10.1	4	12.45	108.0	4.75	13.20
L828854		0.23	6.73	12.2	2190	1.45	0.95	2.90	0.26	43.2	6.4	7	9.91	4.0	2.51	16.85
L828861		0.67	6.77	211	1000	1.58	0.14	2.74	0.57	46.0	6.5	5	23.9	87.2	2.89	15.70
L828862		11.10	6.73	1775	750	1.61	13.55	2.01	40.6	50.0	7.4	6	21.5	134.5	4.71	15.00
L828864		0.15	7.60	9.4	2170	1.48	0.32	1.96	0.21	54.8	11.0	6	15.60	15.3	3.01	17.25
L828883		0.27	7.73	19.6	1160	1.97	0.18	1.62	0.39	73.9	6.1	14	22.1	10.6	2.56	20.4
L828884		49.2	3.37	4580	580	0.91	38.3	1.49	406	23.6	6.4	5	15.30	869	8.14	8.12



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026549

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm 0.05	ppm 0.1	ppm 0.005	% 0.01	ppm 0.5	ppm 0.2	% 0.01	ppm 5	ppm 0.05	% 0.01	ppm 0.1	ppm 0.2	ppm 10	ppm 0.5
K269078		0.21	1.0	4.03	2.75	24.1	31.5	0.75	2440	3.92	0.03	6.6	2.3	450	>10000
K269080		0.22	1.2	0.077	2.90	25.7	22.9	0.77	691	1.31	1.72	8.8	2.5	590	42.0
K269088		0.24	1.4	0.051	3.03	24.0	52.6	0.73	853	7.93	1.79	9.3	2.9	590	31.5
K269089		0.25	1.3	1.235	2.59	23.5	240	0.76	3020	7.94	0.03	7.8	2.4	550	5690
K269091		0.24	1.3	0.533	3.04	25.0	21.7	0.73	764	1.22	1.80	8.9	2.5	590	445
K269108		0.26	3.7	0.036	2.86	27.3	112.5	0.98	589	1.27	0.06	11.3	18.7	820	22.3
K269109		0.23	0.9	1.025	2.43	12.2	23.3	0.34	1400	1.40	0.02	5.8	2.6	390	8630
K269110		0.21	1.3	0.200	3.34	27.3	18.2	0.67	2300	2.80	0.03	8.7	2.6	570	1535
G0557544		1.08	0.6	7.73	0.45	6.9	6.8	0.90	415	40.4	0.02	2.0	61.6	420	>10000
K269111		0.21	1.4	0.060	3.63	24.6	39.7	0.67	941	1.26	0.85	8.4	2.7	570	93.7
L828717		0.22	1.4	0.090	3.71	22.2	37.4	0.36	1100	1.35	0.10	9.5	2.2	590	82.0
L828718		0.22	1.1	0.331	2.65	21.2	15.8	1.08	4660	6.84	0.03	7.0	1.7	450	758
L828720		0.20	1.2	0.050	2.88	22.3	21.6	0.81	1360	2.42	0.04	8.0	2.5	520	70.0
L828761		0.25	1.4	0.113	3.16	25.2	14.3	0.83	950	1.01	1.41	8.6	3.1	580	771
L828762		0.25	1.1	2.73	2.80	24.2	19.8	0.95	1990	2.44	0.03	7.1	2.2	480	>10000
L828763		0.24	1.5	0.064	3.03	22.6	11.3	0.69	776	1.32	1.79	9.1	2.8	600	82.1
L828823		0.28	1.4	0.061	3.00	24.6	16.1	0.85	709	1.03	2.17	8.9	3.0	600	48.2
L828824		0.26	1.0	3.32	2.98	21.9	18.2	0.91	3720	1.60	0.05	7.1	2.3	490	>10000
L828826		0.25	1.3	0.043	3.28	23.8	27.3	0.71	596	0.91	1.64	8.8	2.8	590	28.1
G0557545		0.26	0.6	14.40	2.37	15.2	13.5	0.72	609	40.6	2.63	7.8	13.2	860	9680
L828839		0.08	1.2	0.041	2.84	19.3	10.4	0.48	517	0.90	1.96	7.9	2.5	590	18.0
L828840		0.09	1.3	2.03	3.20	25.7	42.9	0.65	2550	5.15	0.41	7.5	2.6	510	3080
L828841		0.10	1.3	0.051	2.89	22.7	13.7	0.54	594	1.30	1.71	8.4	2.8	560	33.7
L828848		0.09	1.6	0.050	2.91	23.6	18.8	0.68	684	2.41	1.99	8.9	2.5	550	41.0
L828849		0.09	1.4	0.865	2.99	25.0	18.1	1.14	3990	2.73	0.07	7.5	2.5	520	136.5
L828850		0.09	1.5	0.049	3.17	20.3	70.8	0.70	1220	2.47	0.11	8.5	2.4	600	40.8
K269119		0.06	<0.1	0.010	0.04	0.6	1.3	13.10	227	0.06	0.01	0.2	4.0	190	7.0
L828851		0.10	1.4	0.297	2.93	29.6	27.2	1.01	2200	2.86	0.03	8.0	2.5	520	110.5
L828852		0.14	1.4	0.251	2.88	27.4	15.0	0.77	946	2.19	0.03	7.9	2.4	550	122.5
L828853		0.15	1.0	3.53	2.39	22.7	23.5	0.93	2260	3.16	0.02	5.7	2.2	410	1465
L828854		0.14	1.0	0.058	2.33	20.7	94.0	0.80	685	0.19	0.86	7.3	1.8	560	14.2
L828861		0.15	1.0	0.101	2.75	23.6	37.0	0.90	1280	1.48	0.03	7.2	2.3	550	22.4
L828862		0.17	1.0	0.775	2.64	27.6	64.4	0.77	1860	4.32	0.03	6.8	2.3	510	478
L828864		0.15	1.4	0.054	2.94	28.4	36.3	0.77	586	1.35	0.67	8.4	2.4	600	23.1
L828883		0.18	4.4	0.032	2.55	39.3	233	0.76	566	3.21	0.04	10.9	5.4	1130	27.3
L828884		0.18	1.0	11.30	1.08	11.8	51.1	0.60	1240	29.4	0.02	3.7	2.8	320	1840



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026549

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K269078		<0.002	3.17	179.5	9.4	2	5.1	112.0	0.52	0.24	12.1	0.195	2.85	4.4	54	6.8
K269080		<0.002	0.79	4.37	12.0	2	2.1	380	0.68	0.16	14.3	0.254	1.65	4.5	70	1.9
K269088		<0.002	0.57	5.31	11.9	2	1.9	361	0.76	0.13	14.0	0.252	1.79	4.7	69	2.0
K269089		<0.002	3.05	49.9	12.0	2	5.3	160.5	0.65	0.13	12.7	0.227	2.69	7.2	69	6.3
K269091		<0.002	1.03	7.02	12.0	2	2.7	339	0.73	0.08	13.9	0.247	1.54	4.7	70	3.1
K269108		<0.002	0.13	14.50	7.7	2	2.6	558	0.86	0.18	10.7	0.296	2.68	5.3	56	2.5
K269109		<0.002	5.42	120.5	8.3	2	7.5	123.5	0.49	0.12	8.5	0.174	2.69	3.1	48	6.3
K269110		<0.002	2.29	27.3	12.2	2	3.0	118.0	0.71	0.16	14.7	0.245	3.57	5.1	71	6.7
G0557544		0.035	>10.0	283	2.9	242	118.5	43.5	0.10	0.86	1.1	0.043	36.2	4.1	62	1.9
K269111		<0.002	0.82	6.92	11.5	2	2.1	325	0.67	0.12	14.2	0.236	2.49	4.3	65	2.3
L828717		<0.002	0.16	13.25	12.0	2	2.6	137.0	0.75	<0.05	13.2	0.252	2.29	3.4	70	3.2
L828718		<0.002	3.21	23.8	9.0	2	2.8	96.1	0.57	0.05	9.8	0.186	2.66	4.0	55	4.1
L828720		<0.002	0.57	10.50	10.8	1	1.8	91.9	0.65	<0.05	11.6	0.225	2.89	3.7	64	5.5
L828761		<0.002	0.38	7.87	12.0	2	2.0	232	0.70	0.19	14.1	0.242	1.84	4.9	67	2.0
L828762		<0.002	4.85	95.2	10.1	3	3.5	96.0	0.57	0.28	11.9	0.204	2.86	4.1	57	4.5
L828763		<0.002	0.13	4.93	12.0	2	2.0	290	0.73	0.06	13.3	0.250	1.58	4.6	69	3.0
L828823		<0.002	0.09	2.35	12.3	2	1.8	369	0.70	0.07	13.0	0.254	1.33	4.1	73	1.3
L828824		<0.002	3.52	147.5	10.0	2	3.7	90.9	0.55	0.11	11.3	0.203	2.96	3.8	57	4.3
L828826		<0.002	0.26	4.70	12.2	2	1.9	305	0.71	0.11	13.2	0.251	1.97	4.1	69	2.2
G0557545		0.020	1.73	159.0	8.5	5	343	713	0.43	0.15	5.2	0.231	3.67	1.1	80	20.0
L828839		<0.002	0.36	4.33	8.9	1	1.9	252	0.60	0.12	9.9	0.260	1.60	4.0	72	2.0
L828840		<0.002	1.67	33.5	10.1	1	2.7	144.0	0.61	0.10	12.1	0.229	2.44	5.5	63	2.5
L828841		0.002	0.36	4.28	10.4	1	2.0	237	0.63	0.25	11.8	0.243	1.78	4.4	67	2.1
L828848		<0.002	0.05	2.29	10.0	1	1.7	334	0.78	<0.05	13.8	0.246	1.47	5.4	66	1.6
L828849		<0.002	1.42	16.25	9.6	1	2.5	110.5	0.60	<0.05	11.3	0.226	3.17	5.1	63	7.0
L828850		<0.002	0.19	12.30	10.3	1	2.1	124.5	0.67	<0.05	11.8	0.259	2.23	3.9	70	5.6
K269119		<0.002	0.02	0.21	0.2	<1	<0.2	49.3	<0.05	0.05	<0.2	<0.005	0.02	0.4	2	0.1
L828851		<0.002	1.03	22.6	10.1	1	2.6	115.0	0.65	<0.05	13.3	0.229	3.49	5.1	63	7.5
L828852		<0.002	0.40	10.70	9.8	1	1.9	149.5	0.67	0.05	13.1	0.240	2.77	5.3	65	5.8
L828853		<0.002	3.64	40.4	7.6	1	6.3	125.0	0.47	0.33	9.6	0.173	2.49	5.0	48	4.7
L828854		<0.002	0.50	5.89	9.2	1	1.9	122.5	0.58	0.48	9.4	0.233	1.69	3.3	61	2.5
L828861		<0.002	0.43	19.90	9.5	1	1.7	116.5	0.56	<0.05	10.3	0.231	2.74	4.8	63	4.2
L828862		<0.002	2.60	42.1	9.2	1	2.8	113.0	0.52	0.13	11.5	0.222	2.65	4.5	59	4.2
L828864		<0.002	0.40	5.41	10.6	1	1.9	192.5	0.71	0.10	13.4	0.256	1.68	4.5	70	2.0
L828883		<0.002	0.08	13.75	5.6	1	2.0	626	0.74	0.05	9.9	0.324	1.28	4.4	54	3.0
L828884		<0.002	9.10	218	3.8	3	12.5	193.0	0.27	0.27	4.9	0.113	1.14	4.5	27	3.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026549

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K269078		11.6	9770	30.3			1.120	
K269080		16.2	128	41.0				
K269088		16.9	62	43.7				
K269089		14.4	4500	36.8				
K269091		17.1	2270	39.3				
K269108		13.6	87	132.5				
K269109		8.6	>10000	27.1				1.205
K269110		13.3	881	39.5				
G0557544		7.5	>10000	21.3	164	1.270	1.470	9.21
K269111		15.3	251	42.9				
L828717		17.5	249	41.1				
L828718		13.4	6880	30.3				
L828720		14.6	378	35.8				
L828761		15.5	1320	41.3				
L828762		12.3	>10000	34.2			1.150	1.110
L828763		16.4	121	41.4				
L828823		16.8	121	41.6				
L828824		10.7	6220	28.9	116		1.020	
L828826		15.5	55	35.9				
G0557545		11.1	7720	17.0	106			
L828839		14.0	46	31.4				
L828840		14.4	4350	33.1				
L828841		16.3	64	34.6				
L828848		17.1	104	40.1				
L828849		15.3	3120	35.5				
L828850		17.0	79	37.5				
K269119		0.9	18	<0.5				
L828851		15.5	816	38.2				
L828852		15.2	458	38.2				
L828853		10.2	4720	24.8				
L828854		13.6	61	26.6				
L828861		14.1	63	27.8				
L828862		13.7	2770	26.7				
L828864		16.7	52	35.7				
L828883		10.5	125	167.5				
L828884		6.1	>10000	34.4				2.78



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026549

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.