



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

Page: 1

Finalized Date: 11-MAR-2012

Account: ROCKHA

**CERTIFICATE WH12026720**

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

**SAMPLE PREPARATION**

| ALS CODE | DESCRIPTION                    |
|----------|--------------------------------|
| FND-03   | Find Reject for Addn Analysis  |
| LOG-22   | Sample login - Rcd w/o BarCode |
| PUL-QC   | Pulverizing QC Test            |
| LOG-24   | Pulp Login - Rcd w/o Barcode   |
| SPL-21   | Split sample - riffle splitter |
| PUL-31   | Pulverize split to 85% <75 um  |

**ANALYTICAL PROCEDURES**

| ALS CODE | DESCRIPTION                    | INSTRUMENT |
|----------|--------------------------------|------------|
| ME-OG62  | Ore Grade Elements - Four Acid | ICP-AES    |
| Cu-OG62  | Ore Grade Cu - Four Acid       | VARIABLE   |
| Pb-OG62  | Ore Grade Pb - Four Acid       | VARIABLE   |
| Zn-OG62  | Ore Grade Zn - Four Acid       | VARIABLE   |
| ME-MS61  | 48 element four acid ICP-MS    |            |
| Aq-OG62  | Ore Grade Ag - Four Acid       | VARIABLE   |

To: **ROCKHAVEN RESOURCES LTD.**  
**ATTN: JOAN MARIACHER**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 11-MAR-2012  
Account: ROCKHA

Project: Klaza

**CERTIFICATE OF ANALYSIS WH12026720**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 | ME-MS61 |
|--------------------|-----------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
|                    |                                   | Ag      | Al      | As      | Ba      | Be      | Bi      | Ca      | Cd      | Ce      | Co      | Cr      | Cs      | Cu      | Fe      |
|                    |                                   | ppm     | %       | ppm     | ppm     | ppm     | ppm     | %       | ppm     | ppm     | ppm     | ppm     | ppm     | ppm     | %       |
|                    |                                   | 0.01    | 0.01    | 0.2     | 10      | 0.05    | 0.01    | 0.01    | 0.02    | 0.01    | 0.1     | 1       | 0.05    | 0.2     | 0.01    |
| K272419            |                                   | 2.47    | 7.75    | 80.7    | 1160    | 1.54    | 1.47    | 1.61    | 6.00    | 55.3    | 13.7    | 12      | 14.90   | 13.7    | 3.92    |
| K272420            |                                   | 76.0    | 3.94    | 1485    | 640     | 0.89    | 35.7    | 1.46    | 17.85   | 19.65   | 39.1    | 9       | 6.23    | 1510    | 7.21    |
| K272422            |                                   | >100    | 7.44    | 464     | 1870    | 2.00    | 1.52    | 2.35    | 59.5    | 65.8    | 6.0     | 16      | 19.65   | 324     | 3.05    |
| K272423            |                                   | 1.86    | 7.81    | 50.7    | 2130    | 1.99    | 0.21    | 3.00    | 1.34    | 59.9    | 7.6     | 18      | 21.6    | 15.2    | 2.73    |
| K272478            |                                   | 12.00   | 6.67    | 466     | 400     | 1.07    | 5.44    | 0.90    | 6.27    | 47.1    | 10.9    | 10      | 6.11    | 368     | 6.77    |
| K272479            |                                   | >100    | 2.35    | >10000  | 290     | 0.54    | 45.6    | 3.57    | 686     | 15.45   | 4.0     | 6       | 4.50    | 6940    | 9.41    |
| K272481            |                                   | 1.02    | 6.69    | 31.7    | 1480    | 1.69    | 0.25    | 3.16    | 0.96    | 53.3    | 6.2     | 16      | 16.20   | 25.6    | 2.51    |
| K271423            |                                   | 1.11    | 0.09    | 55      | 20      | 0.06    | 0.24    | 21.8    | 3.13    | 1.40    | 1.2     | <1      | 0.21    | 31.4    | 0.46    |
| K272521            |                                   | 0.25    | 7.23    | 60.5    | 2020    | 1.58    | 0.16    | 2.17    | 1.41    | 48.7    | 7.3     | 11      | 9.65    | 27.0    | 3.30    |
| K272522            |                                   | 20.9    | 6.69    | 6200    | 240     | 1.17    | 5.30    | 0.61    | 72.7    | 42.2    | 9.1     | 10      | 8.25    | 276     | 8.03    |
| K272523            |                                   | 0.69    | 7.68    | 163.5   | 1730    | 1.48    | 0.42    | 1.22    | 16.60   | 63.0    | 9.6     | 14      | 13.30   | 20.2    | 4.00    |
| K272524            |                                   | 0.51    | 7.42    | 104.0   | 1140    | 1.98    | 0.21    | 2.85    | 1.50    | 61.3    | 7.1     | 19      | 18.20   | 8.5     | 2.83    |
| K272525            |                                   | 21.5    | 5.33    | 1060    | 520     | 1.04    | 5.46    | 1.39    | 32.5    | 28.3    | 14.7    | 9       | 9.34    | 173.0   | 6.46    |
| K272526            |                                   | 0.54    | 7.52    | 229     | 1140    | 1.75    | 0.43    | 2.57    | 1.38    | 51.4    | 7.2     | 18      | 19.70   | 29.3    | 3.08    |
| K272527            |                                   | 0.49    | 6.90    | 58.9    | 2350    | 1.70    | 0.12    | 3.01    | 0.50    | 57.4    | 6.6     | 17      | 17.30   | 7.4     | 2.70    |
| K272528            |                                   | 0.20    | 6.85    | 33.6    | 1500    | 1.85    | 0.15    | 2.75    | 0.13    | 55.2    | 6.9     | 17      | 16.25   | 8.9     | 2.48    |
| G0557546           |                                   | >100    | 7.64    | 47.7    | 1570    | 1.45    | 1.62    | 2.53    | 54.9    | 31.6    | 13.1    | 21      | 2.60    | 4730    | 4.05    |
| K272529            |                                   | 74.0    | 5.50    | >10000  | 330     | 1.21    | 7.04    | 1.64    | 249     | 28.9    | 7.6     | 9       | 11.75   | 425     | 9.13    |
| K272530            |                                   | 9.21    | 3.19    | 1115    | 370     | 0.65    | 13.40   | 1.36    | 3.52    | 21.2    | 8.7     | 11      | 6.02    | 28.2    | 10.55   |
| K272531            |                                   | 14.25   | 3.80    | 859     | 280     | 0.39    | 21.0    | 0.45    | 5.78    | 12.15   | 9.4     | 10      | 3.08    | 53.6    | 18.15   |
| K272533            |                                   | 4.11    | 7.05    | 267     | 870     | 1.45    | 2.65    | 2.14    | 12.85   | 50.4    | 6.9     | 29      | 8.62    | 45.1    | 4.70    |
| K272607            |                                   | 1.18    | 6.66    | 110.5   | 1670    | 1.67    | 0.60    | 2.56    | 2.88    | 45.2    | 7.2     | 13      | 17.25   | 17.1    | 4.00    |
| K272608            |                                   | 27.2    | 6.29    | 1555    | 1190    | 1.46    | 20.6    | 2.28    | 66.4    | 41.5    | 21.4    | 8       | 13.50   | 623     | 8.05    |
| K272610            |                                   | 0.63    | 6.84    | 25.6    | 2240    | 1.52    | 1.57    | 3.07    | 0.34    | 41.5    | 8.2     | 13      | 13.45   | 9.6     | 3.62    |
| K272664            |                                   | 0.25    | 6.87    | 16.1    | 2190    | 1.60    | 0.22    | 2.80    | 0.27    | 46.9    | 7.7     | 15      | 9.88    | 36.1    | 3.00    |
| K272665            |                                   | 24.3    | 6.11    | 3300    | 1160    | 1.42    | 31.7    | 2.90    | 21.4    | 47.4    | 10.2    | 10      | 13.50   | 111.0   | 6.34    |
| K272666            |                                   | 0.29    | 7.39    | 21.7    | 1490    | 1.40    | 0.25    | 2.19    | 0.27    | 39.3    | 7.0     | 9       | 15.75   | 11.1    | 2.82    |
| K270108            |                                   | 1.42    | 7.24    | 246     | 970     | 1.65    | 0.31    | 2.71    | 12.30   | 53.3    | 7.3     | 9       | 21.0    | 16.9    | 3.50    |
| K270109            |                                   | 22.5    | 6.43    | 1980    | 440     | 1.34    | 12.00   | 1.14    | 56.9    | 44.6    | 18.8    | 8       | 7.09    | 203     | 6.43    |
| K270110            |                                   | >100    | 0.65    | 5460    | 60      | 0.10    | 2560    | 0.80    | 160.0   | 4.92    | 101.0   | 6       | 0.61    | 2600    | 33.1    |
| G0557547           |                                   | >100    | 1.35    | 1090    | 250     | 0.34    | 46.9    | 1.81    | 495     | 12.95   | 31.0    | 30      | 0.76    | >10000  | 17.45   |
| K270112            |                                   | >100    | 4.47    | 9670    | 520     | 0.84    | 116.5   | 4.14    | 217     | 37.1    | 14.3    | 8       | 7.08    | 1495    | 8.76    |
| K270113            |                                   | 0.93    | 7.20    | 37.4    | 1490    | 2.02    | 0.78    | 2.91    | 0.59    | 59.2    | 7.3     | 17      | 17.85   | 16.6    | 2.56    |
| K270114            |                                   | 3.26    | 6.72    | 613     | 1690    | 1.74    | 2.50    | 3.40    | 4.07    | 48.3    | 7.7     | 7       | 19.75   | 129.0   | 2.99    |
| K270115            |                                   | 49.8    | 3.56    | >10000  | 590     | 0.68    | 21.2    | 0.96    | 130.0   | 25.8    | 21.4    | 9       | 7.55    | 502     | 13.00   |
| K270117            |                                   | 0.75    | 7.32    | 26.8    | 1980    | 1.57    | 1.27    | 2.52    | 1.46    | 49.5    | 8.6     | 10      | 11.50   | 12.5    | 3.35    |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 11-MAR-2012  
Account: ROCKHA

Project: Klaza

**CERTIFICATE OF ANALYSIS WH12026720**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS61<br>Ge<br>ppm<br>0.05 | ME-MS61<br>Hf<br>ppm<br>0.1 | ME-MS61<br>In<br>ppm<br>0.005 | ME-MS61<br>K<br>%<br>0.01 | ME-MS61<br>La<br>ppm<br>0.5 | ME-MS61<br>Li<br>ppm<br>0.2 | ME-MS61<br>Mg<br>%<br>0.01 | ME-MS61<br>Mn<br>ppm<br>5 | ME-MS61<br>Mo<br>ppm<br>0.05 | ME-MS61<br>Na<br>%<br>0.01 | ME-MS61<br>Nb<br>ppm<br>0.1 | ME-MS61<br>Ni<br>ppm<br>0.2 | ME-MS61<br>P<br>ppm<br>10 | ME-MS61<br>Pb<br>ppm<br>0.5 | ME-MS61<br>Rb<br>ppm<br>0.1 |
|--------------------|-----------------------------------|------------------------------|-----------------------------|-------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|---------------------------|------------------------------|----------------------------|-----------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|
| K272419            |                                   | 0.19                         | 1.3                         | 0.128                         | 2.78                      | 29.3                        | 21.5                        | 0.61                       | 2230                      | 2.98                         | 0.15                       | 8.6                         | 3.6                         | 590                       | 484                         | 148.5                       |
| K272420            |                                   | 0.20                         | 0.7                         | 1.005                         | 1.67                      | 10.6                        | 21.5                        | 0.50                       | 1360                      | 29.0                         | 0.02                       | 4.3                         | 2.7                         | 300                       | 1530                        | 103.0                       |
| K272422            |                                   | 0.18                         | 2.8                         | 0.536                         | 2.11                      | 33.4                        | 40.3                        | 0.84                       | 1340                      | 2.85                         | 0.06                       | 10.8                        | 4.4                         | 930                       | >10000                      | 98.6                        |
| K272423            |                                   | 0.18                         | 3.6                         | 0.035                         | 3.08                      | 30.1                        | 41.6                        | 1.12                       | 771                       | 1.38                         | 0.04                       | 10.6                        | 6.4                         | 1100                      | 198.0                       | 154.5                       |
| K272478            |                                   | 0.18                         | 1.0                         | 0.416                         | 3.21                      | 24.8                        | 7.8                         | 0.48                       | 977                       | 1.93                         | 0.04                       | 6.8                         | 3.0                         | 510                       | 912                         | 198.5                       |
| K272479            |                                   | 0.18                         | 0.5                         | 2.61                          | 0.93                      | 8.1                         | 37.5                        | 1.18                       | 2220                      | 16.95                        | 0.07                       | 2.6                         | 1.5                         | 170                       | >10000                      | 52.7                        |
| K272481            |                                   | 0.16                         | 3.1                         | 0.036                         | 2.17                      | 27.8                        | 55.1                        | 1.15                       | 941                       | 2.21                         | 0.04                       | 9.3                         | 6.0                         | 950                       | 49.1                        | 114.5                       |
| K271423            |                                   | 0.14                         | <0.1                        | 0.018                         | 0.04                      | 0.7                         | 1.2                         | 13.30                      | 193                       | 0.21                         | 0.01                       | 0.3                         | 0.9                         | 170                       | 86.8                        | 1.9                         |
| K272521            |                                   | 0.20                         | 1.1                         | 0.049                         | 2.80                      | 24.5                        | 11.7                        | 0.74                       | 674                       | 3.35                         | 2.12                       | 8.0                         | 2.9                         | 580                       | 24.0                        | 120.0                       |
| K272522            |                                   | 0.23                         | 1.0                         | 0.576                         | 3.27                      | 21.4                        | 7.5                         | 0.48                       | 1010                      | 8.33                         | 0.04                       | 6.9                         | 2.8                         | 500                       | 5520                        | 200                         |
| K272523            |                                   | 0.18                         | 1.9                         | 0.071                         | 3.15                      | 34.1                        | 44.6                        | 0.64                       | 1500                      | 4.11                         | 0.13                       | 10.0                        | 4.6                         | 760                       | 60.1                        | 151.5                       |
| K272524            |                                   | 0.22                         | 3.7                         | 0.038                         | 2.88                      | 31.1                        | 89.9                        | 1.08                       | 941                       | 2.85                         | 0.08                       | 10.5                        | 6.0                         | 1100                      | 73.7                        | 108.0                       |
| K272525            |                                   | 0.19                         | 0.9                         | 0.618                         | 2.41                      | 14.4                        | 11.3                        | 0.58                       | 1140                      | 11.45                        | 0.04                       | 5.4                         | 2.8                         | 390                       | 2300                        | 134.5                       |
| K272526            |                                   | 0.19                         | 2.2                         | 0.050                         | 2.67                      | 25.5                        | 84.3                        | 0.91                       | 1040                      | 1.68                         | 0.22                       | 9.7                         | 4.0                         | 820                       | 43.6                        | 101.5                       |
| K272527            |                                   | 0.22                         | 3.1                         | 0.031                         | 2.77                      | 30.3                        | 64.6                        | 1.09                       | 968                       | 1.49                         | 0.06                       | 9.1                         | 5.6                         | 900                       | 21.3                        | 130.5                       |
| K272528            |                                   | 0.21                         | 3.4                         | 0.030                         | 2.62                      | 27.8                        | 100.5                       | 1.03                       | 698                       | 1.22                         | 0.07                       | 9.8                         | 5.8                         | 970                       | 10.0                        | 103.0                       |
| G0557546           |                                   | 0.23                         | 0.6                         | 13.40                         | 2.32                      | 16.2                        | 13.0                        | 0.71                       | 589                       | 39.5                         | 2.68                       | 7.0                         | 11.7                        | 820                       | 9280                        | 65.5                        |
| K272529            |                                   | 0.23                         | 1.3                         | 2.55                          | 2.36                      | 14.2                        | 21.2                        | 0.63                       | 1340                      | 5.04                         | 0.04                       | 6.0                         | 3.4                         | 490                       | 6120                        | 119.5                       |
| K272530            |                                   | 0.18                         | 1.2                         | 0.423                         | 1.14                      | 10.3                        | 22.0                        | 0.43                       | 459                       | 6.72                         | 0.05                       | 4.3                         | 2.7                         | 360                       | 306                         | 66.8                        |
| K272531            |                                   | 0.33                         | 0.6                         | 0.550                         | 1.76                      | 5.6                         | 3.3                         | 0.23                       | 222                       | 5.91                         | 0.03                       | 3.9                         | 1.7                         | 230                       | 791                         | 95.2                        |
| K272533            |                                   | 0.17                         | 1.4                         | 0.192                         | 3.31                      | 27.4                        | 6.1                         | 0.96                       | 4040                      | 1.29                         | 0.03                       | 7.1                         | 9.5                         | 560                       | 594                         | 210                         |
| K272607            |                                   | 0.18                         | 1.2                         | 0.149                         | 2.82                      | 22.3                        | 20.3                        | 0.78                       | 1480                      | 1.53                         | 0.79                       | 7.5                         | 2.9                         | 580                       | 140.0                       | 110.5                       |
| K272608            |                                   | 0.24                         | 0.8                         | 1.540                         | 2.59                      | 21.4                        | 26.6                        | 0.99                       | 1840                      | 6.56                         | 0.26                       | 6.5                         | 3.0                         | 550                       | 2830                        | 136.5                       |
| K272610            |                                   | 0.20                         | 0.8                         | 0.079                         | 2.45                      | 19.9                        | 16.2                        | 0.89                       | 668                       | 0.75                         | 1.76                       | 7.8                         | 3.3                         | 640                       | 26.2                        | 89.0                        |
| K272664            |                                   | 0.21                         | 1.0                         | 0.047                         | 2.52                      | 22.3                        | 15.5                        | 0.75                       | 673                       | 3.49                         | 2.25                       | 7.8                         | 2.8                         | 580                       | 24.0                        | 89.1                        |
| K272665            |                                   | 0.23                         | 0.8                         | 0.240                         | 2.69                      | 25.6                        | 24.6                        | 1.03                       | 4030                      | 4.53                         | 0.13                       | 6.2                         | 3.1                         | 490                       | 3020                        | 164.5                       |
| K272666            |                                   | 0.18                         | 1.1                         | 0.045                         | 2.62                      | 18.4                        | 54.4                        | 0.57                       | 956                       | 1.56                         | 0.11                       | 8.9                         | 2.8                         | 680                       | 25.4                        | 77.4                        |
| K270108            |                                   | 0.23                         | 1.3                         | 0.101                         | 3.09                      | 28.7                        | 15.6                        | 0.98                       | 2980                      | 1.90                         | 0.04                       | 7.8                         | 2.8                         | 550                       | 207                         | 143.5                       |
| K270109            |                                   | 0.24                         | 1.2                         | 1.235                         | 3.11                      | 23.9                        | 11.2                        | 0.50                       | 1740                      | 1.39                         | 0.03                       | 6.7                         | 2.5                         | 460                       | 1740                        | 195.0                       |
| K270110            |                                   | 0.62                         | 0.1                         | 4.76                          | 0.30                      | 2.8                         | 4.8                         | 0.29                       | 334                       | 4.40                         | 0.01                       | 1.4                         | 1.8                         | 30                        | >10000                      | 15.2                        |
| G0557547           |                                   | 0.92                         | 0.6                         | 6.93                          | 0.41                      | 7.3                         | 16.9                        | 0.86                       | 379                       | 39.3                         | 0.02                       | 1.8                         | 59.3                        | 370                       | >10000                      | 16.4                        |
| K270112            |                                   | 0.17                         | 0.9                         | 3.14                          | 1.92                      | 20.4                        | 16.3                        | 1.46                       | 2740                      | 4.59                         | 0.02                       | 4.8                         | 2.7                         | 300                       | >10000                      | 111.0                       |
| K270113            |                                   | 0.16                         | 3.4                         | 0.037                         | 2.84                      | 30.7                        | 53.5                        | 1.14                       | 1100                      | 2.23                         | 0.04                       | 9.9                         | 5.9                         | 1000                      | 51.6                        | 171.5                       |
| K270114            |                                   | 0.17                         | 1.3                         | 0.127                         | 2.25                      | 25.5                        | 78.4                        | 1.18                       | 2460                      | 3.70                         | 0.04                       | 7.1                         | 2.6                         | 560                       | 270                         | 119.0                       |
| K270115            |                                   | 0.25                         | 0.7                         | 1.300                         | 1.47                      | 13.4                        | 17.8                        | 0.35                       | 1300                      | 8.81                         | 0.06                       | 3.9                         | 2.2                         | 250                       | 1940                        | 82.7                        |
| K270117            |                                   | 0.16                         | 1.2                         | 0.049                         | 2.84                      | 24.7                        | 18.8                        | 0.71                       | 719                       | 7.10                         | 1.56                       | 8.3                         | 2.7                         | 630                       | 86.3                        | 118.0                       |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 11-MAR-2012  
Account: ROCKHA

Project: Klaza

**CERTIFICATE OF ANALYSIS WH12026720**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS61<br>Re<br>ppm<br>0.002 | ME-MS61<br>S<br>%<br>0.01 | ME-MS61<br>Sb<br>ppm<br>0.05 | ME-MS61<br>Sc<br>ppm<br>0.1 | ME-MS61<br>Se<br>ppm<br>1 | ME-MS61<br>Sn<br>ppm<br>0.2 | ME-MS61<br>Sr<br>ppm<br>0.2 | ME-MS61<br>Ta<br>ppm<br>0.05 | ME-MS61<br>Te<br>ppm<br>0.05 | ME-MS61<br>Th<br>ppm<br>0.2 | ME-MS61<br>Ti<br>%<br>0.005 | ME-MS61<br>Ti<br>ppm<br>0.02 | ME-MS61<br>U<br>ppm<br>0.1 | ME-MS61<br>V<br>ppm<br>1 | ME-MS61<br>W<br>ppm<br>0.1 |
|--------------------|-----------------------------------|-------------------------------|---------------------------|------------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|------------------------------|----------------------------|--------------------------|----------------------------|
| K272419            |                                   | 0.002                         | 1.21                      | 11.35                        | 11.3                        | 1                         | 2.8                         | 79.4                        | 0.75                         | 0.24                         | 14.6                        | 0.265                       | 2.05                         | 4.7                        | 66                       | 10.7                       |
| K272420            |                                   | 0.002                         | 6.98                      | 435                          | 5.2                         | 1                         | 5.5                         | 36.5                        | 0.36                         | 2.30                         | 5.7                         | 0.134                       | 1.44                         | 8.0                        | 36                       | 5.1                        |
| K272422            |                                   | <0.002                        | 1.36                      | 193.0                        | 6.6                         | 1                         | 3.0                         | 162.5                       | 0.77                         | <0.05                        | 9.2                         | 0.279                       | 1.98                         | 6.2                        | 53                       | 6.2                        |
| K272423            |                                   | <0.002                        | 0.28                      | 9.75                         | 7.2                         | 1                         | 1.6                         | 202                         | 0.74                         | <0.05                        | 9.9                         | 0.307                       | 3.10                         | 5.3                        | 62                       | 2.6                        |
| K272478            |                                   | <0.002                        | 6.05                      | 44.6                         | 9.3                         | 1                         | 15.2                        | 26.4                        | 0.57                         | 0.45                         | 12.5                        | 0.213                       | 2.16                         | 9.0                        | 61                       | 8.3                        |
| K272479            |                                   | <0.002                        | >10.0                     | 506                          | 3.0                         | 5                         | 19.7                        | 81.7                        | 0.19                         | 1.86                         | 3.9                         | 0.075                       | 0.94                         | 14.9                       | 22                       | 3.8                        |
| K272481            |                                   | <0.002                        | 0.27                      | 15.75                        | 6.4                         | 1                         | 2.0                         | 263                         | 0.63                         | <0.05                        | 9.0                         | 0.255                       | 2.43                         | 10.2                       | 55                       | 2.2                        |
| K271423            |                                   | <0.002                        | 0.05                      | 2.56                         | 0.3                         | 1                         | 0.2                         | 48.9                        | <0.05                        | <0.05                        | 0.2                         | <0.005                      | 0.02                         | 0.7                        | 3                        | 0.1                        |
| K272521            |                                   | 0.002                         | 0.04                      | 2.67                         | 10.3                        | 1                         | 2.2                         | 320                         | 0.76                         | <0.05                        | 16.5                        | 0.248                       | 1.17                         | 2.5                        | 67                       | 1.1                        |
| K272522            |                                   | <0.002                        | 6.23                      | 52.6                         | 8.8                         | 2                         | 12.2                        | 21.2                        | 0.57                         | 0.45                         | 12.5                        | 0.216                       | 2.43                         | 4.8                        | 61                       | 6.5                        |
| K272523            |                                   | <0.002                        | 0.32                      | 11.80                        | 9.2                         | 1                         | 2.2                         | 89.1                        | 0.83                         | 0.06                         | 17.2                        | 0.266                       | 1.93                         | 4.6                        | 64                       | 5.1                        |
| K272524            |                                   | 0.002                         | 0.16                      | 11.25                        | 7.2                         | 1                         | 1.4                         | 158.5                       | 0.74                         | <0.05                        | 9.9                         | 0.299                       | 2.34                         | 6.5                        | 62                       | 2.0                        |
| K272525            |                                   | <0.002                        | 5.72                      | 59.6                         | 7.1                         | 2                         | 9.5                         | 46.3                        | 0.42                         | 0.33                         | 9.5                         | 0.168                       | 1.73                         | 3.9                        | 51                       | 6.7                        |
| K272526            |                                   | 0.002                         | 0.15                      | 10.20                        | 9.7                         | 1                         | 1.7                         | 138.5                       | 0.78                         | 0.08                         | 13.5                        | 0.275                       | 2.16                         | 5.2                        | 70                       | 2.6                        |
| K272527            |                                   | 0.002                         | 0.56                      | 14.20                        | 6.7                         | 1                         | 1.3                         | 169.0                       | 0.66                         | <0.05                        | 9.8                         | 0.260                       | 2.56                         | 6.4                        | 57                       | 1.8                        |
| K272528            |                                   | 0.002                         | 0.15                      | 14.20                        | 6.6                         | 1                         | 1.3                         | 211                         | 0.70                         | <0.05                        | 9.2                         | 0.267                       | 2.54                         | 5.4                        | 59                       | 1.5                        |
| G0557546           |                                   | 0.021                         | 1.60                      | 150.0                        | 7.5                         | 4                         | 333                         | 683                         | 0.41                         | 0.13                         | 5.7                         | 0.226                       | 3.82                         | 1.3                        | 75                       | 17.7                       |
| K272529            |                                   | 0.003                         | 9.15                      | 152.0                        | 7.0                         | 4                         | 16.1                        | 93.8                        | 0.49                         | 0.51                         | 9.6                         | 0.185                       | 2.14                         | 4.6                        | 49                       | 6.7                        |
| K272530            |                                   | 0.004                         | >10.0                     | 16.50                        | 3.2                         | 5                         | 2.4                         | 86.0                        | 0.28                         | 1.08                         | 4.9                         | 0.112                       | 1.05                         | 2.8                        | 27                       | 2.6                        |
| K272531            |                                   | 0.002                         | >10.0                     | 7.71                         | 4.6                         | 6                         | 6.8                         | 11.7                        | 0.31                         | 2.64                         | 7.1                         | 0.113                       | 1.36                         | 1.4                        | 34                       | 8.0                        |
| K272533            |                                   | <0.002                        | 2.51                      | 12.80                        | 9.5                         | 1                         | 3.2                         | 34.6                        | 0.63                         | 0.12                         | 14.3                        | 0.211                       | 3.27                         | 6.5                        | 64                       | 3.9                        |
| K272607            |                                   | 0.002                         | 0.86                      | 10.80                        | 10.6                        | 1                         | 2.1                         | 177.5                       | 0.61                         | 0.06                         | 12.0                        | 0.241                       | 1.86                         | 4.3                        | 69                       | 2.9                        |
| K272608            |                                   | 0.006                         | 5.76                      | 179.5                        | 9.9                         | 2                         | 4.7                         | 94.4                        | 0.45                         | 1.84                         | 8.4                         | 0.225                       | 2.20                         | 9.0                        | 62                       | 4.4                        |
| K272610            |                                   | <0.002                        | 0.63                      | 2.65                         | 11.4                        | 2                         | 1.8                         | 339                         | 0.59                         | 0.19                         | 9.3                         | 0.264                       | 1.27                         | 3.3                        | 76                       | 4.0                        |
| K272664            |                                   | 0.002                         | 0.05                      | 1.96                         | 10.9                        | 2                         | 1.5                         | 385                         | 0.60                         | <0.05                        | 12.6                        | 0.252                       | 1.02                         | 4.0                        | 70                       | 4.5                        |
| K272665            |                                   | 0.002                         | 4.60                      | 48.5                         | 9.4                         | 2                         | 4.4                         | 89.6                        | 0.47                         | 0.27                         | 11.0                        | 0.205                       | 2.43                         | 4.7                        | 57                       | 4.9                        |
| K272666            |                                   | 0.002                         | 0.08                      | 8.68                         | 11.4                        | 1                         | 1.6                         | 111.5                       | 0.71                         | <0.05                        | 11.8                        | 0.281                       | 1.31                         | 2.3                        | 76                       | 7.3                        |
| K270108            |                                   | 0.002                         | 0.59                      | 12.40                        | 10.7                        | 1                         | 1.9                         | 85.5                        | 0.68                         | <0.05                        | 15.2                        | 0.237                       | 2.56                         | 6.0                        | 64                       | 4.6                        |
| K270109            |                                   | 0.002                         | 6.07                      | 60.6                         | 9.1                         | 2                         | 11.1                        | 22.1                        | 0.59                         | 1.13                         | 12.6                        | 0.200                       | 2.73                         | 4.4                        | 54                       | 4.8                        |
| K270110            |                                   | 0.005                         | >10.0                     | 487                          | 0.9                         | 9                         | 24.2                        | 12.7                        | 0.05                         | 23.2                         | 1.1                         | 0.019                       | 0.37                         | 1.0                        | 5                        | 0.7                        |
| G0557547           |                                   | 0.033                         | >10.0                     | 254                          | 3.3                         | 218                       | 110.0                       | 41.8                        | 0.11                         | 0.87                         | 1.1                         | 0.042                       | 34.3                         | 4.3                        | 57                       | 1.8                        |
| K270112            |                                   | <0.002                        | 9.04                      | 302                          | 6.2                         | 3                         | 10.4                        | 83.1                        | 0.42                         | 1.46                         | 8.2                         | 0.141                       | 1.82                         | 3.9                        | 39                       | 4.0                        |
| K270113            |                                   | 0.002                         | 0.40                      | 10.35                        | 6.9                         | 1                         | 1.6                         | 219                         | 0.70                         | <0.05                        | 10.0                        | 0.271                       | 3.49                         | 5.2                        | 57                       | 2.6                        |
| K270114            |                                   | <0.002                        | 0.76                      | 23.5                         | 9.1                         | 1                         | 11.6                        | 214                         | 0.57                         | 0.15                         | 11.9                        | 0.218                       | 2.44                         | 5.0                        | 57                       | 4.4                        |
| K270115            |                                   | 0.002                         | >10.0                     | 177.0                        | 4.6                         | 4                         | 7.4                         | 51.8                        | 0.30                         | 2.51                         | 6.1                         | 0.116                       | 1.36                         | 4.6                        | 32                       | 4.3                        |
| K270117            |                                   | <0.002                        | 0.13                      | 4.71                         | 11.2                        | 2                         | 2.1                         | 261                         | 0.68                         | 0.05                         | 13.0                        | 0.262                       | 1.38                         | 2.6                        | 72                       | 5.9                        |



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981)  
 LIMITED  
 1016 - 510 W HASTINGS STREET  
 VANCOUVER BC V6B 1L8

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 11-MAR-2012  
 Account: ROCKHA

Project: Klaza

**CERTIFICATE OF ANALYSIS WH12026720**

| Sample Description | Method<br>Analyte<br>Units<br>LOR | ME-MS61<br>Y<br>ppm<br>0.1 | ME-MS61<br>Zn<br>ppm<br>2 | ME-MS61<br>Zr<br>ppm<br>0.5 | Ag-OG62<br>Ag<br>ppm<br>1 | Cu-OG62<br>Cu<br>%<br>0.001 | Pb-OG62<br>Pb<br>%<br>0.001 | Zn-OG62<br>Zn<br>%<br>0.001 |
|--------------------|-----------------------------------|----------------------------|---------------------------|-----------------------------|---------------------------|-----------------------------|-----------------------------|-----------------------------|
| K272419            |                                   | 16.2                       | 540                       | 28.7                        |                           |                             |                             |                             |
| K272420            |                                   | 6.2                        | 1400                      | 17.7                        |                           |                             |                             |                             |
| K272422            |                                   | 13.0                       | 3600                      | 91.4                        | 209                       |                             | 3.25                        |                             |
| K272423            |                                   | 13.1                       | 149                       | 129.0                       |                           |                             |                             |                             |
| K272478            |                                   | 9.1                        | 482                       | 24.4                        |                           |                             |                             |                             |
| K272479            |                                   | 4.8                        | >10000                    | 15.4                        | 221                       |                             | 1.610                       | 4.62                        |
| K272481            |                                   | 12.6                       | 122                       | 123.0                       |                           |                             |                             |                             |
| K271423            |                                   | 0.9                        | 222                       | 0.5                         |                           |                             |                             |                             |
| K272521            |                                   | 17.3                       | 399                       | 26.8                        |                           |                             |                             |                             |
| K272522            |                                   | 9.9                        | 4730                      | 25.5                        |                           |                             |                             |                             |
| K272523            |                                   | 16.3                       | 1580                      | 62.9                        |                           |                             |                             |                             |
| K272524            |                                   | 12.8                       | 244                       | 139.0                       |                           |                             |                             |                             |
| K272525            |                                   | 7.4                        | 2180                      | 23.0                        |                           |                             |                             |                             |
| K272526            |                                   | 14.4                       | 242                       | 73.2                        |                           |                             |                             |                             |
| K272527            |                                   | 12.5                       | 124                       | 115.0                       |                           |                             |                             |                             |
| K272528            |                                   | 12.1                       | 57                        | 129.5                       |                           |                             |                             |                             |
| G0557546           |                                   | 10.4                       | 7240                      | 15.9                        | 105                       |                             |                             |                             |
| K272529            |                                   | 7.5                        | >10000                    | 40.8                        |                           |                             |                             | 2.19                        |
| K272530            |                                   | 5.7                        | 298                       | 42.6                        |                           |                             |                             |                             |
| K272531            |                                   | 4.9                        | 432                       | 14.1                        |                           |                             |                             |                             |
| K272533            |                                   | 11.1                       | 1180                      | 38.7                        |                           |                             |                             |                             |
| K272607            |                                   | 14.2                       | 278                       | 31.4                        |                           |                             |                             |                             |
| K272608            |                                   | 11.8                       | 4970                      | 18.0                        |                           |                             |                             |                             |
| K272610            |                                   | 15.0                       | 67                        | 18.9                        |                           |                             |                             |                             |
| K272664            |                                   | 15.0                       | 59                        | 23.0                        |                           |                             |                             |                             |
| K272665            |                                   | 10.4                       | 1790                      | 19.0                        |                           |                             |                             |                             |
| K272666            |                                   | 13.9                       | 56                        | 24.0                        |                           |                             |                             |                             |
| K270108            |                                   | 13.8                       | 981                       | 30.7                        |                           |                             |                             |                             |
| K270109            |                                   | 6.7                        | 4790                      | 27.1                        |                           |                             |                             |                             |
| K270110            |                                   | 1.3                        | >10000                    | 2.3                         | 726                       |                             | 2.31                        | 1.045                       |
| G0557547           |                                   | 7.3                        | >10000                    | 19.1                        | 157                       | 1.260                       | 1.510                       | 9.27                        |
| K270112            |                                   | 7.8                        | >10000                    | 23.2                        | 206                       |                             | 2.26                        | 1.810                       |
| K270113            |                                   | 13.0                       | 111                       | 134.5                       |                           |                             |                             |                             |
| K270114            |                                   | 12.7                       | 443                       | 37.9                        |                           |                             |                             |                             |
| K270115            |                                   | 7.4                        | 8870                      | 17.7                        |                           |                             |                             |                             |
| K270117            |                                   | 16.6                       | 186                       | 29.6                        |                           |                             |                             |                             |



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 11-MAR-2012  
Account: ROCKHA

**CERTIFICATE OF ANALYSIS WH12026720**

| Method             | CERTIFICATE COMMENTS   |
|--------------------|--|
| ME-MS61<br>ME-MS61 | Interference: Ca>10% on ICP-MS As,ICP-AES results shown.<br>REE's may not be totally soluble in this method. |