



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 9-MAR-2012
Account: ROCKHA

CERTIFICATE WH12026722

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026722

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
K974194		0.33	7.51	35.1	2760	1.36	0.20	1.42	1.27	59.0	6.3	9	18.50	14.8	3.21	17.30
K974195		54.5	5.45	3270	2020	1.31	10.10	1.85	116.0	42.7	8.0	10	11.65	293	4.96	14.35
K974197		1.72	7.08	71.9	2550	1.53	0.26	2.32	3.34	48.4	6.3	10	20.4	18.0	3.17	16.75
K972901		1.92	7.16	766	1370	1.55	0.36	3.77	7.35	48.8	6.4	9	22.5	51.7	3.10	15.50
G0557550		>100	7.21	51.0	1540	1.36	1.84	2.26	58.8	32.1	12.1	21	2.58	4660	3.86	21.4
K972902		7.89	6.68	4810	1250	1.56	1.04	1.87	35.5	58.1	5.7	10	21.0	105.5	3.88	15.75
K972904		0.40	7.47	24.5	3000	1.33	0.22	1.51	2.96	63.6	6.6	9	30.4	17.5	2.67	17.30
K972922		1.14	6.47	81.3	2330	1.43	1.09	1.97	6.91	75.7	10.4	8	24.2	22.1	3.69	14.80
K972923		6.46	6.96	626	1110	1.44	4.71	1.57	110.5	52.7	12.0	7	15.80	116.0	5.64	16.20
K271534		0.03	0.09	<5	20	0.06	0.03	20.9	0.21	1.75	1.2	<1	0.19	2.1	0.43	0.36
K972925		2.24	7.63	175.5	1480	1.86	1.98	2.50	45.6	51.3	5.6	9	27.4	48.8	4.57	16.60
K972943		0.21	7.47	15.1	1870	1.35	0.27	1.59	0.49	43.9	8.3	7	10.40	15.2	2.95	15.35
K972944		51.5	6.04	1280	1530	1.45	41.2	1.46	430	35.3	7.5	7	15.35	2120	6.12	13.15
K972946		0.47	7.78	44.0	2940	1.50	0.25	1.62	2.84	50.8	8.0	9	26.5	18.9	2.76	16.45
K972947		0.55	7.64	26.1	1970	1.56	0.72	1.71	2.11	45.9	7.9	9	14.15	16.2	3.17	16.30
K972948		29.3	6.25	2680	650	1.22	13.00	0.53	124.5	39.8	6.2	8	7.61	456	8.49	13.85
K972949		0.40	8.53	39.3	2190	1.43	0.19	1.97	1.80	45.6	7.9	10	13.60	13.5	3.34	17.85
K972950		4.72	7.35	111.0	1640	1.48	2.88	2.77	7.84	43.5	10.0	7	10.60	20.8	4.13	16.50
K972952		0.27	8.37	16.5	1980	1.23	0.42	1.69	0.30	50.3	8.2	10	12.50	14.2	2.96	17.40
K972953		79.0	6.14	>10000	810	1.20	143.5	1.13	56.0	36.5	18.3	8	13.35	521	11.55	13.05
K972954		0.21	7.99	35.9	1500	1.45	0.49	2.43	0.31	40.0	6.9	8	21.0	16.9	2.97	17.05
G0561916		>100	1.42	1225	50	0.26	63.1	1.85	534	13.10	27.7	31	0.75	>10000	18.55	16.65
K972960		1.72	7.92	111.0	690	1.66	1.20	1.86	3.49	51.8	8.3	9	14.00	67.2	3.73	16.40
K972961		15.35	6.00	3520	990	1.27	5.05	1.40	209	47.9	6.0	7	13.95	258	5.04	13.85
K972962		0.48	7.25	50.0	2100	1.65	0.24	2.61	0.77	42.6	8.6	9	21.4	11.0	3.01	17.15
K972963		9.03	6.85	1400	940	1.60	8.37	1.76	50.3	48.0	8.8	7	14.60	186.0	4.14	15.90
K972964		0.32	7.66	25.7	2290	1.48	0.66	2.43	0.58	48.7	7.5	9	13.90	21.0	2.91	16.90
K972968		0.16	7.78	11.5	1910	1.59	0.94	2.35	0.38	42.8	7.7	9	17.05	9.7	2.79	17.25
K972969		3.71	7.08	1010	1800	1.71	1.31	1.93	23.3	45.0	6.5	7	18.85	56.6	3.08	16.30
K972970		0.40	7.65	19.1	2210	1.50	0.92	2.38	1.68	39.5	8.1	8	12.95	9.0	3.06	17.15
K972971		0.58	7.68	15.4	2190	1.60	0.21	2.10	0.32	37.8	7.5	10	14.35	4.5	3.15	16.90
K972972		3.82	7.16	52.5	1140	1.83	3.17	1.79	8.45	31.0	24.1	7	14.90	19.8	4.23	15.35
K972973		4.98	7.50	2220	1520	1.69	2.03	2.21	61.7	47.1	9.1	7	14.40	49.2	3.11	16.50
K972975		0.37	7.46	38.7	2270	1.58	0.48	2.84	0.38	47.3	8.3	7	12.50	3.6	2.55	16.75
K972978		0.13	7.42	11.5	2360	1.62	0.39	2.53	0.38	44.8	7.5	10	13.60	5.7	2.85	16.50
K972979		5.17	6.33	2870	5040	1.62	0.74	1.12	13.55	38.9	8.9	9	13.95	14.4	4.62	14.25



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026722

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
K974194		0.16	1.0	0.054	1.95	31.7	87.8	0.62	946	2.56	0.03	8.1	2.9	610	70.7	99.4
K974195		0.16	0.8	2.31	2.57	22.1	26.1	0.80	3720	4.95	0.04	5.6	2.8	420	>10000	141.0
K974197		0.16	1.1	0.067	2.96	23.9	29.0	0.60	834	2.26	1.08	8.3	2.4	610	710	117.5
K972901		0.18	1.1	0.136	2.82	24.9	74.8	1.42	1240	1.42	0.12	7.6	2.2	530	344	95.1
G0557550		0.16	0.6	13.85	2.23	16.2	12.9	0.67	585	39.1	2.54	7.1	12.3	820	9310	63.6
K972902		0.18	1.1	0.377	2.88	32.1	35.1	0.70	1700	8.00	0.03	7.3	2.7	500	1790	157.0
K972904		0.16	1.2	0.094	3.14	33.5	95.6	0.49	709	1.78	0.11	8.4	2.2	590	161.0	144.5
K972922		0.20	1.8	0.153	2.94	42.2	30.2	0.71	1080	3.92	0.05	5.8	2.7	380	148.0	171.5
K972923		0.20	1.0	2.32	3.28	26.4	14.0	0.76	1330	5.09	0.04	6.7	2.6	660	582	221
K271534		0.06	<0.1	0.011	0.04	0.8	1.6	13.30	200	0.12	0.01	0.5	0.7	370	3.9	1.6
K972925		0.17	1.2	0.486	3.20	28.8	15.6	0.88	2130	2.19	0.09	7.8	2.7	610	593	177.0
K972943		0.14	1.1	0.053	2.26	23.3	56.7	0.60	833	0.80	0.07	7.6	2.2	580	38.8	98.8
K972944		0.19	0.9	11.00	2.63	19.1	30.1	0.62	2260	3.82	0.04	6.1	2.5	460	3410	147.0
K972946		0.15	1.1	0.092	3.06	27.3	75.2	0.52	875	1.72	0.16	8.3	2.3	600	172.0	139.0
K972947		0.15	1.1	0.099	2.90	24.2	69.5	0.60	1080	1.36	0.10	7.9	2.3	620	89.2	123.0
K972948		0.21	0.9	3.88	2.72	21.4	14.9	0.36	720	5.21	0.03	5.9	2.4	480	4460	156.5
K972949		0.13	1.2	0.063	3.19	23.4	35.8	0.66	746	1.43	0.48	9.0	2.6	670	118.0	124.0
K972950		0.16	1.1	0.161	3.12	22.3	36.3	0.92	1160	1.58	0.08	5.9	2.5	560	525	154.5
K972952		0.15	1.2	0.055	2.86	26.7	55.5	0.64	745	1.83	0.13	8.7	2.6	680	24.9	109.5
K972953		0.28	0.8	2.13	2.45	19.3	43.3	0.47	692	11.60	0.04	5.5	2.1	460	2430	140.0
K972954		0.10	1.0	0.054	2.75	19.8	98.0	0.59	763	3.08	0.10	8.5	2.1	620	29.9	98.5
G0561916		1.08	0.6	6.60	0.43	7.5	6.8	0.90	399	37.7	0.02	1.6	61.0	410	>10000	16.3
K972960		0.11	1.1	0.107	1.98	29.0	273	0.71	1140	2.92	0.03	7.9	2.2	630	328	119.0
K972961		0.15	0.9	3.75	2.62	26.7	35.8	0.54	2410	10.20	0.05	5.9	2.2	450	2030	177.0
K972962		0.13	1.0	0.049	2.79	21.4	91.5	0.57	737	2.07	1.02	8.3	2.3	640	176.5	109.0
K972963		0.16	1.0	0.710	2.81	27.3	75.2	0.66	1230	2.35	0.04	6.9	2.8	520	1310	174.0
K972964		0.14	1.0	0.048	2.87	25.6	30.7	0.71	583	2.06	1.71	7.8	2.4	600	33.0	120.0
K972968		0.15	1.2	0.055	2.69	21.8	45.5	0.57	509	3.34	0.86	8.6	2.4	610	26.3	101.0
K972969		0.14	1.0	0.257	2.66	25.1	142.5	0.63	1080	2.16	0.08	7.0	2.4	550	733	154.0
K972970		0.14	1.1	0.068	2.43	19.9	65.5	0.67	578	2.65	0.23	7.7	2.4	620	40.7	82.5
K972971		0.15	1.1	0.041	2.63	18.6	67.4	0.70	570	2.40	0.49	8.4	2.6	620	28.2	79.2
K972972		0.15	1.0	0.330	3.13	15.1	31.2	0.69	969	7.91	0.05	7.1	2.5	460	404	203
K972973		0.15	1.0	1.060	3.03	25.9	75.3	0.82	1400	3.60	0.04	7.5	2.1	570	508	172.0
K972975		0.13	1.0	0.057	2.21	25.6	138.0	0.94	918	2.80	0.06	7.5	2.5	570	18.5	106.0
K972978		0.16	1.1	0.048	2.86	22.9	23.9	0.71	631	1.20	1.45	7.9	2.4	580	27.0	109.5
K972979		0.16	0.9	0.146	2.81	20.0	32.2	0.47	1460	15.15	0.07	6.2	2.7	470	1005	166.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026722

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K974194		<0.002	0.41	23.6	10.7	2	2.7	96.1	0.66	<0.05	14.5	0.244	1.90	4.1	66	3.9
K974195		<0.002	3.26	136.5	8.0	2	8.9	74.4	0.46	0.06	9.5	0.180	2.51	7.3	51	5.6
K974197		<0.002	0.18	15.05	10.3	2	2.0	228	0.68	<0.05	12.3	0.251	1.82	3.7	70	4.3
K972901		<0.002	0.38	20.5	9.4	1	2.3	114.0	0.66	<0.05	11.8	0.225	2.12	5.0	62	7.9
G0557550		0.022	1.63	156.5	7.2	5	341	651	0.43	0.15	5.0	0.221	3.73	1.1	77	19.5
K972902		0.002	2.07	71.0	10.1	2	5.3	73.7	0.61	<0.05	13.1	0.229	3.17	6.3	62	4.9
K972904		<0.002	0.20	25.1	10.8	2	2.6	117.5	0.69	0.05	14.2	0.251	2.06	3.7	68	3.6
K972922		<0.002	2.58	7.68	8.4	2	1.6	166.5	0.82	0.30	23.1	0.153	2.71	5.8	51	2.3
K972923		0.002	3.86	11.95	10.0	2	3.9	68.1	0.54	0.32	13.3	0.213	3.28	2.9	64	4.6
K271534		<0.002	0.01	0.20	0.4	1	<0.2	52.3	<0.05	<0.05	<0.2	<0.005	<0.02	0.5	2	0.1
K972925		<0.002	1.23	9.21	10.8	2	3.1	220	0.63	0.10	12.1	0.237	2.92	4.0	64	5.6
K972943		<0.002	0.60	15.00	10.9	2	1.9	108.5	0.61	0.05	11.7	0.235	1.50	2.1	63	4.1
K972944		<0.002	5.58	171.0	8.8	5	3.8	88.7	0.48	0.13	9.1	0.193	2.53	4.7	53	3.9
K972946		<0.002	0.22	21.5	11.3	2	2.2	121.0	0.66	<0.05	11.5	0.246	1.92	3.1	68	3.3
K972947		<0.002	0.33	18.80	11.5	2	1.9	131.5	0.62	0.38	11.9	0.250	1.79	3.3	67	4.3
K972948		<0.002	9.18	69.3	9.5	3	8.1	31.9	0.46	0.18	10.1	0.197	2.33	3.8	59	3.1
K972949		<0.002	0.28	7.04	11.9	2	2.1	173.0	0.71	<0.05	11.8	0.272	1.65	3.1	73	4.0
K972950		<0.002	2.48	13.85	9.8	2	3.7	114.5	0.50	1.17	10.5	0.198	2.37	3.8	62	3.6
K972952		<0.002	0.49	15.75	11.9	2	2.1	123.5	0.71	0.11	13.1	0.269	1.33	2.8	69	5.3
K972953		<0.002	>10.0	161.0	8.5	3	3.2	84.7	0.46	1.10	9.6	0.173	2.07	6.1	52	2.6
K972954		<0.002	0.34	14.65	11.0	2	1.9	156.5	0.69	0.11	10.0	0.267	1.62	4.4	77	4.8
G0561916		0.035	>10.0	270	2.7	232	106.5	37.6	0.10	0.80	1.3	0.044	38.6	4.7	61	1.8
K972960		<0.002	1.40	28.0	11.6	2	2.7	188.0	0.64	0.07	13.3	0.246	1.70	3.7	68	5.9
K972961		<0.002	4.08	58.3	8.7	3	5.6	63.9	0.51	0.13	10.7	0.188	2.60	6.0	52	3.9
K972962		<0.002	0.26	9.94	10.7	2	1.8	256	0.68	<0.05	10.7	0.251	1.50	3.5	69	1.9
K972963		0.002	2.99	21.9	10.5	2	4.5	109.5	0.54	0.28	12.4	0.214	2.31	5.4	62	3.9
K972964		<0.002	0.93	5.38	11.1	2	1.9	331	0.62	0.23	11.5	0.248	1.49	3.8	68	2.2
K972968		0.002	0.78	8.94	11.5	2	2.0	222	0.72	0.43	11.3	0.253	1.30	3.3	70	3.7
K972969		<0.002	1.92	22.5	11.0	2	4.1	109.5	0.52	0.15	10.0	0.226	2.26	4.0	64	2.8
K972970		<0.002	0.92	7.92	11.2	2	2.1	151.5	0.62	0.30	9.4	0.243	1.43	2.9	68	3.6
K972971		<0.002	0.21	8.45	11.1	1	1.7	194.0	0.66	0.05	9.9	0.260	1.29	3.4	71	2.8
K972972		<0.002	3.29	13.80	9.7	2	3.6	55.4	0.58	1.03	10.6	0.224	2.72	4.5	56	3.7
K972973		<0.002	1.63	17.35	11.3	2	3.8	98.2	0.57	0.34	11.9	0.232	2.85	6.7	67	3.2
K972975		<0.002	0.86	10.00	10.9	2	1.8	176.0	0.58	0.13	11.7	0.233	1.97	3.8	66	3.1
K972978		<0.002	0.56	3.88	11.2	2	1.6	311	0.65	0.08	11.3	0.246	1.53	3.7	69	1.7
K972979		<0.002	4.14	43.7	9.5	2	4.2	102.5	0.51	0.14	10.1	0.195	2.85	4.2	55	4.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026722

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K974194 K974195 K974197 K972901 G0557550		15.2 10.4 15.5 14.7 10.7	199 7130 298 524 7330	28.6 21.4 30.6 30.4 15.5			1.710	
K972902 K972904 K972922 K972923 K271534		14.7 15.7 11.3 11.7 1.0	2360 263 489 6520 24	30.1 31.7 45.8 26.6 1.2				
K972925 K972943 K972944 K972946 K972947		13.5 13.6 11.1 14.3 14.1	3410 76 >10000 295 216	36.2 31.7 27.9 29.7 29.8				2.81
K972948 K972949 K972950 K972952 K972953		10.6 15.5 13.5 15.5 10.9	>10000 207 698 66 6520	25.1 33.2 30.2 33.2 22.3				1.315
K972954 G0561916 K972960 K972961 K972962		13.9 7.4 14.5 11.0 14.7	70 >10000 429 >10000 103	29.8 17.4 30.1 23.0 27.8	184	1.340	1.615	9.62 1.410
K972963 K972964 K972968 K972969 K972970		13.7 15.3 15.3 12.9 14.1	3800 96 68 1830 152	26.8 28.5 32.7 27.4 29.8				
K972971 K972972 K972973 K972975 K972978		14.2 12.7 13.2 13.6 14.9	62 668 4310 72 71	30.0 25.9 27.8 28.1 30.1				
K972979		10.2	1130	24.7				



ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026722

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.