



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 11-MAR-2012

Account: ROCKHA

CERTIFICATE WH12026781

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026781

Sample Description	Method Analyte Units LOR	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05
K972646		4.10	7.59	396	1780	1.49	2.83	2.06	7.82	42.7	6.1	7	18.10	120.5	3.48	16.55
L828612		1.80	7.48	142.0	1310	1.72	0.40	2.19	29.0	38.5	5.1	9	14.45	32.8	3.62	16.80
L828613		4.40	6.98	1380	480	1.41	0.87	1.32	9.22	41.6	6.2	5	14.55	27.3	5.34	16.85
L828614		0.20	7.82	13.5	2000	1.65	0.12	1.78	1.23	73.6	4.2	5	16.85	7.1	4.05	16.95
L828621		1.22	7.49	184.0	1440	1.42	0.58	1.75	9.00	101.0	5.2	6	10.90	24.5	2.99	16.15
L828622		3.32	6.47	1735	660	1.28	1.51	2.33	46.2	32.4	5.6	6	10.80	145.0	3.46	14.65
G0561923		>100	7.98	45.1	1490	1.32	1.52	2.40	50.5	26.8	12.5	20	2.34	4660	3.85	21.8
L828623		6.90	6.39	709	610	1.32	3.29	0.70	53.2	31.9	8.1	5	14.05	95.0	5.67	14.95
L828625		3.11	7.04	825	650	1.51	1.06	1.55	16.85	45.7	7.4	6	15.25	43.6	4.02	15.00
L828626		8.36	6.94	4440	1010	1.37	5.62	1.71	160.0	37.6	9.3	4	19.10	172.5	4.31	14.95
L828627		0.59	7.46	31.3	1100	1.52	0.53	2.52	2.91	40.9	6.1	7	12.30	4.8	2.86	16.85
L828628		0.63	7.45	243	1510	1.64	0.51	2.49	2.09	43.8	5.6	7	12.50	9.4	2.68	17.40
L828629		24.4	7.38	160.5	1460	1.48	21.1	2.10	46.5	36.7	20.3	7	12.95	413	5.11	16.15
L828630		0.59	7.38	30.3	1610	1.66	0.45	2.59	3.03	42.9	5.2	6	10.80	4.8	2.75	16.75
L828631		2.03	7.79	2130	1420	1.56	1.52	2.48	14.65	54.3	6.4	7	12.15	22.9	3.06	16.75
L828632		2.01	8.04	86.7	1670	1.69	1.47	2.46	15.65	72.4	5.2	7	11.05	20.8	2.69	18.25
G0561924		>100	1.47	1200	160	0.28	56.2	1.83	545	11.85	25.9	31	0.69	>10000	17.65	18.45
L828655		0.67	6.86	321	1770	1.48	0.17	2.16	3.39	42.7	6.2	8	15.40	6.5	2.72	16.45
L828656		33.9	5.64	9110	870	1.24	7.44	1.90	59.8	60.6	10.8	6	7.63	383	5.53	13.40
L828658		7.90	7.13	146.5	800	1.56	0.29	2.98	30.7	43.4	11.5	8	8.19	49.5	3.51	17.15
L828659		13.75	7.10	235	570	1.59	0.65	2.41	85.6	36.3	9.7	8	7.63	124.0	4.05	16.20
L828669		0.30	6.97	23.9	2060	1.69	0.35	2.44	0.37	44.4	6.1	9	13.50	29.4	2.79	16.95
L828670		>100	5.74	1370	2150	1.48	2.26	4.07	33.1	42.8	7.4	7	18.35	1400	6.29	13.10
L828672		0.17	6.79	16.2	1310	2.04	0.12	2.45	0.41	47.9	5.4	13	21.1	8.1	2.28	20.8
L828698		0.85	7.16	41.5	1490	1.57	0.61	1.88	1.50	46.9	5.5	8	10.85	79.8	2.87	17.50
L828699		26.3	6.38	1640	490	1.34	23.3	0.45	19.85	44.9	14.8	9	6.18	485	8.60	15.35
K272061		0.02	0.10	<5	30	0.08	0.05	20.7	0.11	1.53	1.2	3	0.22	3.0	0.43	0.28
L828700		0.64	7.31	76.4	1120	1.42	0.87	2.57	2.57	56.5	8.6	9	11.10	18.0	3.04	17.85
L829279		1.12	5.87	47.2	90	3.25	0.43	0.20	4.26	18.45	0.5	2	22.4	13.2	0.74	19.60
L829280		33.0	4.02	343	450	1.70	8.09	5.37	236	26.9	3.0	3	11.05	254	5.83	10.15
L829281		7.41	6.73	503	1730	1.88	0.76	1.03	61.2	46.7	4.8	7	17.90	35.9	4.77	16.60
L829305		1.17	7.30	40.5	1610	1.58	0.21	2.10	5.09	47.3	4.3	9	14.25	6.2	3.02	18.20
L829306		39.6	6.91	2370	670	1.52	3.07	1.28	126.5	48.7	4.7	8	15.70	293	5.68	17.65
L829307		13.55	7.18	55.1	1530	1.51	0.77	1.62	40.7	45.1	5.1	9	19.75	65.6	2.76	17.90
L829365		0.90	7.21	39.1	770	1.52	1.42	2.00	1.50	21.4	16.8	15	8.35	3.3	4.23	16.70
L829367		15.75	5.81	3040	720	1.26	3.00	2.90	8.81	15.25	32.3	12	7.03	52.2	7.69	13.40



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026781

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
K972646		0.18	1.0	0.305	3.05	23.9	78.3	0.58	2270	0.79	0.88	7.8	2.3	560	287	136.5
L828612		0.18	1.2	0.353	3.11	21.0	84.0	0.69	1120	0.77	0.06	8.0	2.1	590	319	125.0
L828613		0.20	0.8	0.294	2.97	21.7	17.1	0.65	2770	1.70	0.02	6.4	2.4	500	926	176.0
L828614		0.21	0.9	0.061	3.22	45.8	37.2	0.77	1420	0.61	0.06	7.3	2.2	640	51.0	170.0
L828621		0.21	1.0	0.194	3.02	66.0	37.0	0.73	1160	0.60	0.03	6.7	1.6	620	347	204
L828622		0.17	0.8	0.980	2.55	19.0	40.1	0.69	1730	1.26	0.05	4.7	2.2	440	326	159.5
G0561923		0.18	0.5	12.20	2.26	14.6	11.4	0.70	626	36.0	2.57	6.8	12.2	850	9660	60.0
L828623		0.18	0.8	1.345	2.70	18.5	21.4	0.52	5030	8.36	0.02	5.5	2.4	490	1615	156.5
L828625		0.18	0.8	0.372	2.65	27.4	54.2	0.71	2140	8.97	0.02	6.7	2.4	540	1175	152.0
L828626		0.19	0.8	5.00	2.69	22.2	23.6	0.60	1780	1.84	0.02	6.1	2.5	510	764	159.0
L828627		0.18	1.0	0.067	3.02	24.1	41.6	0.79	1140	1.18	0.04	6.5	2.4	610	67.3	135.5
L828628		0.19	0.9	0.151	3.04	24.6	79.1	0.58	952	0.63	0.12	7.6	2.5	620	97.4	120.0
L828629		0.23	0.8	1.080	3.24	22.1	12.4	0.84	2130	1.63	0.03	6.2	3.0	580	1790	199.0
L828630		0.17	0.9	0.053	3.16	24.5	53.4	0.72	1060	1.33	0.26	7.3	2.2	610	94.0	125.5
L828631		0.20	0.9	0.359	3.49	34.5	16.5	0.96	1180	2.39	0.04	6.1	2.7	570	256	179.0
L828632		0.20	0.9	0.296	3.60	46.5	15.6	0.97	1220	3.06	0.04	6.0	2.5	640	487	166.0
G0561924		1.05	0.5	6.64	0.43	7.0	7.5	0.87	422	34.3	0.02	1.8	54.9	420	>10000	15.8
L828655		0.14	1.1	0.060	2.55	23.3	89.4	0.54	697	0.61	0.25	7.9	2.2	530	190.5	108.0
L828656		0.18	0.9	1.375	2.49	37.5	14.9	0.56	1160	1.70	0.03	5.8	2.1	410	8590	152.5
L828658		0.16	0.9	0.246	3.18	22.7	8.7	0.64	1340	0.64	0.05	7.1	2.5	550	3290	182.5
L828659		0.17	1.0	0.958	3.01	18.0	10.6	0.72	892	0.98	0.05	6.8	1.7	540	5590	206
L828669		0.16	1.1	0.070	2.64	22.8	19.0	0.68	582	1.59	1.73	8.6	2.5	540	52.1	110.0
L828670		0.19	1.5	0.660	2.20	22.7	77.7	0.62	2480	7.25	0.15	6.4	3.5	560	4120	116.0
L828672		0.14	3.0	0.032	2.53	24.0	106.5	0.69	487	1.01	0.53	11.3	5.1	960	35.9	80.4
L828698		0.17	1.0	0.071	2.97	25.3	24.5	0.71	1120	0.42	0.04	7.6	2.2	560	133.5	161.5
L828699		0.24	0.9	0.593	2.93	25.3	8.4	0.34	472	5.23	0.03	5.4	2.6	480	1030	204
K272061		<0.05	<0.1	0.005	0.04	0.7	1.6	13.05	185	0.23	0.01	0.3	2.5	200	3.7	1.8
L828700		0.15	1.1	0.126	3.18	31.9	91.8	0.92	809	0.47	0.05	6.9	2.4	570	66.6	175.0
L829279		0.09	2.8	0.145	1.50	9.2	212	0.13	347	4.95	0.03	20.7	0.6	40	218	132.0
L829280		0.13	0.8	4.64	1.51	15.1	69.9	1.91	4800	19.45	0.03	6.1	1.9	230	7270	99.7
L829281		0.16	1.0	0.700	2.79	27.4	16.0	0.53	3370	2.15	0.04	8.4	1.5	470	2170	161.5
L829305		0.16	1.2	0.062	2.79	25.0	24.1	0.61	918	1.01	0.83	8.5	2.3	550	515	137.0
L829306		0.19	1.1	1.585	2.95	27.0	13.5	0.67	2140	1.33	0.03	7.7	2.3	520	>10000	187.5
L829307		0.17	1.2	0.598	2.90	23.5	49.9	0.55	1480	0.73	0.07	8.5	2.4	570	2650	129.0
L829365		0.16	0.9	0.160	3.17	9.4	15.2	0.86	1600	3.41	0.08	6.8	3.1	560	121.0	192.5
L829367		0.19	0.7	0.571	2.44	6.5	9.0	1.07	3080	10.10	0.08	5.4	2.6	420	255	155.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026781

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K972646		<0.002	0.87	44.4	10.5	1	2.6	229	0.63	<0.05	12.1	0.240	1.98	3.9	67	2.0
L828612		<0.002	1.04	10.45	10.1	1	2.2	158.5	0.69	<0.05	11.6	0.245	2.45	4.0	67	3.8
L828613		<0.002	2.92	24.4	9.4	1	4.1	83.4	0.49	0.05	10.4	0.215	3.22	4.2	61	6.1
L828614		<0.002	0.19	8.90	11.1	1	1.6	100.5	0.56	<0.05	12.5	0.250	3.01	4.0	74	4.3
L828621		<0.002	0.81	13.00	10.4	1	1.6	165.0	0.51	<0.05	12.5	0.217	2.73	5.3	62	3.3
L828622		<0.002	1.73	42.1	9.2	1	2.2	92.4	0.40	0.09	9.4	0.163	2.28	4.9	62	3.0
G0561923		0.019	1.65	149.5	7.5	4	324	690	0.40	0.10	5.0	0.235	3.67	1.1	81	18.8
L828623		<0.002	2.71	43.7	9.1	1	4.9	109.5	0.42	0.06	11.0	0.181	2.89	3.7	59	5.4
L828625		<0.002	1.38	37.5	10.4	1	3.5	129.5	0.50	0.11	11.7	0.225	2.67	7.4	65	4.9
L828626		<0.002	3.25	34.3	9.0	2	4.2	83.7	0.48	0.12	10.3	0.198	2.63	5.5	57	4.3
L828627		<0.002	1.26	5.94	9.8	1	1.2	80.0	0.52	0.12	10.8	0.221	2.58	4.3	70	1.9
L828628		<0.002	0.86	8.53	10.3	1	2.0	163.0	0.59	0.06	10.7	0.242	2.21	3.9	72	2.7
L828629		<0.002	2.92	66.1	9.6	2	3.1	90.5	0.45	0.16	11.7	0.194	3.36	4.1	60	4.5
L828630		<0.002	1.07	5.72	10.0	1	1.4	108.0	0.55	0.09	10.8	0.228	2.41	5.1	72	1.6
L828631		<0.002	1.70	12.30	10.1	1	2.5	70.1	0.49	0.09	12.8	0.197	2.84	5.9	65	2.3
L828632		<0.002	1.49	9.42	11.1	1	2.5	70.6	0.48	0.10	12.1	0.201	2.84	5.3	75	2.0
G0561924		0.029	>10.0	280	2.7	238	107.5	41.5	0.09	0.82	1.1	0.044	34.7	4.0	62	1.8
L828655		<0.002	0.53	17.10	9.8	1	2.2	140.0	0.65	0.07	11.7	0.234	1.75	4.3	65	2.9
L828656		<0.002	4.69	90.0	8.5	2	4.9	38.9	0.46	0.19	10.0	0.176	2.20	5.7	55	2.7
L828658		<0.002	2.96	7.45	10.5	2	6.5	65.0	0.60	0.12	13.0	0.211	2.53	4.7	62	1.8
L828659		<0.002	4.04	11.20	10.1	2	9.2	57.2	0.56	0.16	13.6	0.198	2.44	4.3	59	1.9
L828669		<0.002	0.10	2.92	10.7	1	1.9	310	0.70	0.06	12.7	0.234	1.33	4.4	66	3.1
L828670		<0.002	5.73	158.5	6.8	1	5.3	441	0.49	0.13	9.1	0.192	1.61	4.9	44	2.3
L828672		<0.002	0.04	6.21	4.7	1	1.6	411	0.79	<0.05	7.9	0.287	1.12	3.1	47	1.6
L828698		<0.002	1.29	22.2	10.3	1	2.7	76.4	0.63	0.13	13.2	0.218	2.59	3.2	66	2.1
L828699		<0.002	9.02	59.3	9.3	1	11.4	16.6	0.46	0.39	11.5	0.169	2.39	4.5	55	5.5
K272061		<0.002	0.01	0.13	0.3	1	<0.2	46.9	<0.05	<0.05	<0.2	<0.005	<0.02	0.6	3	0.1
L828700		<0.002	1.90	5.25	11.1	1	3.3	101.5	0.59	0.18	13.3	0.209	2.78	4.2	65	2.3
L829279		<0.002	0.05	28.6	3.5	1	2.8	48.1	2.43	<0.05	20.9	0.041	1.14	5.6	6	1.9
L829280		0.002	2.91	68.6	5.5	2	3.7	94.4	0.58	0.06	8.4	0.098	1.34	7.1	33	3.3
L829281		<0.002	1.07	17.25	10.0	1	3.7	64.3	0.67	0.09	13.1	0.202	2.44	5.4	57	4.6
L829305		<0.002	0.30	5.23	10.9	1	2.0	179.5	0.74	0.07	13.3	0.237	1.90	5.3	67	2.0
L829306		<0.002	3.48	60.2	10.8	2	6.1	51.0	0.65	<0.05	13.4	0.224	2.99	4.2	63	6.3
L829307		<0.002	0.46	19.05	10.9	2	2.1	118.5	0.70	0.05	13.1	0.245	2.23	4.8	68	4.2
L829365		0.002	3.55	3.15	10.0	2	2.3	103.0	0.55	0.51	12.4	0.204	3.13	3.8	61	2.2
L829367		0.005	7.17	41.1	8.1	2	3.6	60.6	0.42	0.56	9.5	0.165	2.50	3.8	48	1.7



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026781

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K972646		13.4	672	26.6				
L828612		12.7	2440	32.6				
L828613		9.0	716	21.9				
L828614		13.6	182	25.3				
L828621		14.0	805	27.9				
L828622		10.2	4590	21.1				
G0561923		10.0	7500	13.5	103			
L828623		7.8	4160	21.6				
L828625		11.8	1390	24.5				
L828626		10.6	>10000	23.7				1.070
L828627		11.1	271	27.4				
L828628		11.8	276	25.6				
L828629		10.3	3320	23.6				
L828630		10.8	372	26.3				
L828631		9.5	1120	27.2				
L828632		9.6	1280	26.8				
G0561924		6.9	>10000	16.7	159	1.285	1.515	9.57
L828655		14.4	342	28.7				
L828656		11.9	4540	22.0				
L828658		11.5	3340	23.7				
L828659		11.8	8450	24.5				
L828669		16.8	67	30.6				
L828670		10.9	2690	55.1	98			
L828672		8.3	125	106.0				
L828698		13.1	185	28.1				
L828699		9.8	1720	23.0				
K272061		0.9	18	0.6				
L828700		12.7	285	28.4				
L829279		11.8	401	50.4				
L829280		19.5	>10000	19.7				1.075
L829281		9.9	2700	26.4				
L829305		15.1	412	30.7				
L829306		12.3	8290	27.6			0.962	
L829307		15.4	2710	31.0				
L829365		10.7	150	24.4				
L829367		9.6	724	17.5				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 11-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026781

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.