



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 7-MAR-2012
Account: ROCKHA

CERTIFICATE WH12026783

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026783

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
L829405		0.89	7.51	78.9	990	1.63	0.30	2.35	1.07	53.3	4.6	8	20.5	21.9	3.34	17.45
L829406		40.6	4.40	1500	360	1.10	20.3	2.28	78.6	28.9	5.4	6	12.45	1310	6.45	11.40
L829408		0.48	7.55	44.8	540	1.78	0.28	1.94	3.35	54.9	7.5	7	28.1	19.0	3.65	17.85
L829409		0.77	6.88	28.6	1850	1.63	0.63	2.18	13.10	42.7	4.9	8	16.70	69.0	3.36	16.20
L829410		0.64	7.21	15.1	1140	1.76	0.54	2.36	10.10	56.6	4.5	8	12.40	29.0	3.25	17.45
L829411		1.51	6.22	574	1170	1.35	0.30	3.77	5.27	47.2	5.5	6	15.90	31.7	3.48	14.40
G0561927		>100	1.38	938	280	0.27	60.5	1.82	505	12.05	26.7	31	0.74	>10000	17.05	18.10
L829412		2.65	6.76	248	1340	1.58	2.00	1.95	5.60	56.2	5.7	6	15.55	95.8	5.01	16.25
L829413		0.46	7.28	178.5	950	1.79	0.27	2.13	1.61	45.8	5.6	7	22.1	11.6	3.38	17.30
L829414		73.6	5.40	5620	170	1.22	33.1	1.47	54.3	45.1	10.7	7	9.82	2170	8.43	13.20
L829416		0.87	7.19	69.1	1190	1.65	0.85	2.04	10.05	52.6	4.5	8	11.30	23.8	3.77	16.70
L829417		1.31	7.36	27.0	1110	1.75	0.91	2.12	3.56	59.8	4.4	8	9.02	108.5	2.75	17.75
L829418		0.91	7.16	33.8	1620	1.87	0.33	2.38	2.54	45.2	4.1	9	13.65	138.0	3.36	17.05
L829419		54.9	3.36	9050	390	0.87	36.5	2.49	359	33.6	30.2	5	3.16	679	12.80	9.11
L829420		2.30	7.09	362	1350	1.56	1.55	2.49	22.2	55.4	4.2	8	18.25	31.3	3.25	16.50
K272277		0.09	0.09	11	30	0.07	0.07	20.3	0.47	1.58	1.1	<1	0.38	2.2	0.41	0.31
L829428		1.23	7.40	107.5	1250	1.76	0.94	1.68	8.29	61.0	4.4	8	11.50	18.3	3.84	17.35
L829430		15.15	5.82	449	480	1.17	17.25	1.44	117.0	41.8	9.2	7	11.30	392	8.22	13.30
L829431		19.70	5.35	428	450	1.12	23.0	1.23	138.0	54.4	5.1	8	10.50	625	5.58	12.90
L829432		0.53	7.65	44.8	1520	1.60	0.32	2.77	1.27	71.6	4.8	8	16.30	52.7	3.58	16.20
L829433		2.82	6.73	1045	800	1.54	0.63	1.35	29.5	52.0	6.5	7	17.60	43.7	4.48	14.70
L829434		>100	4.22	3520	360	0.99	11.95	2.17	89.2	28.0	4.6	7	8.43	644	6.33	10.40
L829435		1.07	7.41	19.9	940	2.01	0.25	1.80	0.65	63.2	5.4	13	17.10	10.4	2.41	18.50
L829448		0.74	6.96	16.8	1990	1.52	0.34	2.53	2.05	45.6	6.4	9	15.10	25.1	3.38	15.60
G0561928		97.8	7.45	48.8	1530	1.30	1.40	2.36	54.7	30.6	13.0	21	2.41	4540	3.94	21.6
L829449		38.5	5.71	223	630	1.25	12.60	1.79	322	53.5	7.0	8	12.65	727	5.25	12.75
L829450		1.03	7.14	22.4	1810	1.55	0.71	2.10	6.02	45.9	6.8	9	11.35	16.2	3.37	16.90
L829451		23.4	6.13	1300	510	1.26	27.3	0.75	43.8	43.9	8.4	8	6.65	642	8.19	14.35
L829452		0.27	7.57	12.9	2750	1.57	0.31	2.21	0.51	49.9	7.3	9	17.55	10.2	3.36	16.20
L829486		0.51	7.38	18.2	1990	1.38	1.20	2.18	0.48	60.2	6.4	11	14.35	12.3	2.73	15.55
L829487		>100	4.88	702	230	0.92	253	2.08	106.0	35.7	7.5	8	7.58	1355	9.61	11.45
L829489		0.52	7.40	10.6	840	1.21	1.20	1.86	0.79	47.3	9.5	7	13.95	8.3	4.42	16.65
K269192		0.53	7.25	32.4	2520	1.59	0.71	1.76	13.05	75.9	11.8	14	11.05	10.2	3.71	15.75
K269193		45.7	6.81	1635	720	1.46	32.4	1.70	54.0	52.6	6.3	11	19.90	1345	5.15	15.10
K269195		0.35	6.66	12.9	2050	1.65	0.22	2.45	2.66	41.8	5.1	12	8.52	11.7	2.74	15.55
K269204		3.56	7.09	31.9	1630	1.66	1.51	3.03	41.9	55.9	38.9	16	13.90	37.4	3.65	15.80



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026783

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
L829405		0.17	1.0	0.113	3.07	30.0	30.9	0.81	3180	2.42	0.04	8.2	3.4	570	44.5	196.0
L829406		0.17	0.6	2.17	1.68	15.9	36.9	0.77	5980	11.90	0.02	4.5	2.1	300	928	101.5
L829408		0.16	0.9	0.103	2.56	32.5	131.5	0.79	1460	0.84	0.03	8.1	2.5	590	56.7	152.0
L829409		0.14	0.9	0.238	1.98	22.3	175.5	0.76	1260	1.03	0.04	8.1	1.8	600	52.4	97.9
L829410		0.16	0.9	0.225	2.70	30.5	208	0.92	1280	0.56	0.05	7.8	2.2	570	72.8	135.5
L829411		0.17	0.9	0.165	2.23	28.2	68.7	1.03	1590	2.96	0.03	6.6	2.3	450	89.9	127.0
G0561927		1.10	0.6	7.03	0.41	6.6	7.8	0.84	385	39.4	0.02	1.7	50.4	380	>10000	17.0
L829412		0.19	0.9	0.353	2.81	33.5	15.6	0.95	2300	0.62	0.03	6.6	2.3	490	139.0	179.5
L829413		0.18	1.1	0.152	2.69	25.1	78.2	0.79	1460	0.55	0.04	7.9	2.4	540	40.0	133.0
L829414		0.22	0.7	2.54	2.35	25.3	15.0	0.59	3290	3.64	0.03	5.5	2.2	400	774	151.5
L829416		0.16	1.2	0.287	2.36	31.1	102.5	0.83	1250	0.97	0.04	7.9	2.3	530	136.5	152.0
L829417		0.16	1.2	0.166	2.07	32.9	61.9	0.66	1000	0.49	0.11	7.8	2.0	570	102.0	101.0
L829418		0.15	1.1	0.120	2.45	22.5	76.0	0.66	942	5.06	0.89	8.3	2.3	550	72.3	118.5
L829419		0.26	0.3	11.80	1.49	15.8	14.3	0.96	2320	2.82	0.02	2.3	1.7	160	4210	101.5
L829420		0.19	1.2	0.714	2.86	33.4	37.1	0.89	1600	1.03	0.04	7.9	2.1	530	219	184.5
K272277		<0.05	<0.1	0.016	0.04	0.8	1.4	11.95	188	0.06	0.01	0.3	1.7	220	7.6	2.2
L829428		0.17	1.0	0.259	3.06	36.9	103.0	0.70	1160	2.48	0.05	7.7	2.1	540	184.5	198.5
L829430		0.16	0.8	4.00	2.55	23.3	14.4	0.76	2540	3.89	0.03	5.8	2.7	430	297	156.0
L829431		0.14	0.9	5.43	2.40	31.6	25.0	0.56	2180	9.01	0.03	5.3	2.9	390	603	182.5
L829432		0.19	1.1	0.087	2.67	42.2	52.0	0.78	901	0.68	0.07	7.4	2.2	570	45.8	150.5
L829433		0.16	1.1	0.622	2.66	29.6	92.2	0.65	1760	4.57	0.03	6.7	2.4	500	657	183.0
L829434		0.16	0.7	1.170	1.83	13.9	28.8	0.84	2550	22.0	0.02	4.5	2.9	300	1720	146.0
L829435		0.16	2.9	0.030	2.72	33.8	208	0.73	582	2.31	0.04	9.6	5.0	930	27.1	105.0
L829448		0.17	1.1	0.109	3.30	24.0	30.4	0.67	967	0.92	0.64	7.7	2.2	550	42.1	133.0
G0561928		0.17	0.5	13.50	2.18	17.2	10.7	0.67	577	40.5	2.51	7.0	12.4	800	8850	71.2
L829449		0.19	0.9	4.48	2.56	29.7	28.9	0.64	2430	1.21	0.06	5.5	2.0	420	636	145.0
L829450		0.20	1.1	0.133	2.88	24.4	27.6	0.66	760	1.04	0.74	8.3	2.5	560	220	134.0
L829451		0.20	1.0	1.560	2.81	24.7	32.2	0.49	1220	1.88	0.03	5.9	2.1	440	1225	192.5
L829452		0.18	1.1	0.066	2.92	26.8	69.5	0.82	642	0.93	0.48	7.8	2.4	570	27.7	123.5
L829486		0.18	0.9	0.073	2.16	32.4	58.2	0.73	1020	0.61	0.11	6.0	2.4	570	30.0	128.5
L829487		0.22	0.5	4.46	2.19	21.4	13.0	0.73	4090	43.3	0.03	3.8	2.6	340	1160	165.5
L829489		0.16	0.9	0.045	2.64	25.5	50.7	0.73	828	0.99	0.05	5.7	2.2	590	42.8	158.5
K269192		0.21	1.2	0.142	2.23	44.4	11.7	0.51	843	1.99	1.69	7.5	2.6	560	75.1	127.0
K269193		0.19	1.1	1.730	2.59	29.2	19.2	0.55	1530	1.71	0.18	7.0	2.5	500	1655	147.5
K269195		0.18	1.3	0.058	2.66	22.4	8.8	0.68	521	2.02	2.05	7.7	2.8	540	131.5	97.7
K269204		0.19	1.1	1.235	2.59	30.6	13.7	0.69	1460	2.32	0.70	7.6	3.3	600	943	138.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026783

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
L829405		<0.002	1.17	20.5	11.1	1	3.2	80.2	0.66	0.06	14.6	0.236	3.49	6.5	71	5.1
L829406		<0.002	5.62	210	6.4	1	8.3	85.2	0.37	0.10	7.9	0.137	2.07	6.9	41	6.0
L829408		<0.002	0.35	17.20	11.9	1	2.9	134.5	0.63	0.06	12.9	0.244	2.74	4.6	70	6.2
L829409		<0.002	0.34	38.4	11.3	1	2.4	148.5	0.62	0.05	10.7	0.239	1.97	4.3	67	3.8
L829410		<0.002	0.37	13.95	11.2	1	3.4	122.0	0.67	0.05	14.3	0.217	2.74	5.1	62	3.0
L829411		<0.002	1.53	29.5	9.4	2	2.8	135.0	0.54	<0.05	11.7	0.197	2.37	4.7	55	6.0
G0561927		0.033	>10.0	261	2.7	234	114.5	42.7	0.10	0.85	1.0	0.052	32.5	4.1	58	1.8
L829412		<0.002	1.51	27.4	9.9	1	4.7	83.4	0.51	0.07	12.5	0.204	3.11	3.8	60	6.9
L829413		<0.002	0.42	9.53	10.8	1	2.4	120.5	0.61	<0.05	12.2	0.236	2.73	4.6	67	4.8
L829414		<0.002	7.12	147.0	8.0	1	6.9	41.0	0.45	0.28	9.3	0.165	2.52	4.4	51	3.7
L829416		<0.002	0.82	11.60	10.7	1	3.2	113.5	0.72	0.07	14.6	0.219	2.34	5.0	63	3.1
L829417		<0.002	0.28	15.45	11.0	1	3.1	107.0	0.67	0.07	14.2	0.214	1.97	3.8	60	2.3
L829418		0.002	0.23	9.43	11.1	1	2.3	220	0.71	0.08	12.1	0.233	1.81	3.9	68	2.3
L829419		<0.002	>10.0	133.0	4.1	4	7.3	57.8	0.18	0.87	4.2	0.069	1.42	2.5	29	2.0
L829420		<0.002	1.61	13.75	10.1	1	3.9	106.5	0.68	0.05	15.0	0.215	3.14	5.4	59	5.5
K272277		<0.002	0.01	0.25	0.3	1	<0.2	47.2	<0.05	<0.05	0.2	<0.005	0.02	0.8	3	0.1
L829428		0.002	1.76	9.40	10.7	1	5.9	89.2	0.65	0.07	15.0	0.221	3.09	7.2	62	2.9
L829430		<0.002	5.91	67.2	8.4	1	5.9	59.8	0.56	0.29	11.1	0.190	2.83	5.9	52	6.0
L829431		<0.002	4.68	157.5	7.7	2	6.4	65.6	0.48	0.09	11.5	0.172	2.61	9.5	47	5.3
L829432		<0.002	0.30	10.80	11.3	1	3.3	135.0	0.71	<0.05	15.4	0.238	2.09	6.0	67	4.1
L829433		<0.002	2.16	31.6	10.5	1	4.4	87.0	0.62	<0.05	13.9	0.223	2.77	6.4	60	7.0
L829434		<0.002	6.13	358	6.1	1	10.5	127.5	0.36	0.09	7.3	0.133	1.82	7.4	36	18.3
L829435		<0.002	0.07	24.6	5.2	1	1.6	357	0.80	<0.05	11.2	0.275	1.41	4.7	43	3.0
L829448		<0.002	0.16	8.70	10.2	1	2.1	210	0.73	<0.05	12.3	0.246	2.16	4.2	64	2.4
G0561928		0.017	1.58	139.0	7.8	4	317	668	0.42	0.11	5.5	0.228	3.46	1.2	74	17.9
L829449		<0.002	4.05	32.3	8.5	3	4.6	84.2	0.50	0.11	12.7	0.182	2.06	5.3	50	2.0
L829450		<0.002	0.27	6.92	11.5	1	2.2	193.0	0.74	<0.05	13.9	0.245	1.56	4.4	67	1.6
L829451		<0.002	7.03	64.0	9.2	1	10.9	44.4	0.54	0.15	13.2	0.191	2.19	4.9	52	3.9
L829452		<0.002	0.22	6.58	11.2	1	1.9	207	0.70	<0.05	15.4	0.252	1.77	4.7	67	2.4
L829486		<0.002	1.41	14.75	11.5	2	2.2	158.5	0.61	0.22	15.8	0.226	2.07	6.5	61	2.7
L829487		<0.002	9.99	300	7.1	2	8.8	50.2	0.34	1.22	10.4	0.122	2.28	45.0	43	4.7
L829489		<0.002	3.85	9.79	12.0	2	1.9	131.0	0.56	0.22	16.3	0.202	2.28	5.4	72	2.7
K269192		<0.002	0.75	4.50	11.1	1	3.5	220	0.66	0.09	13.8	0.236	1.52	4.1	67	2.0
K269193		<0.002	3.47	45.7	10.7	2	4.6	75.6	0.66	0.37	14.1	0.225	2.40	5.3	59	3.7
K269195		<0.002	0.06	2.37	10.2	1	1.8	310	0.78	<0.05	12.8	0.241	1.27	4.1	64	2.4
K269204		<0.002	1.12	7.17	11.8	2	3.0	157.5	0.65	0.25	13.8	0.239	2.01	5.3	73	2.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026783

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
L829405		14.4	129	27.7				
L829406		8.5	5190	17.3				
L829408		15.4	300	23.8				
L829409		14.8	1020	23.5				
L829410		13.8	787	22.0				
L829411		14.6	414	22.8				
G0561927		7.2	>10000	17.6	158	1.265	1.485	9.39
L829412		11.9	541	25.5				
L829413		14.4	168	28.1				
L829414		10.6	3600	18.6				
L829416		14.1	814	29.3				
L829417		13.8	317	30.5				
L829418		15.4	230	27.2				
L829419		5.8	>10000	8.7				2.85
L829420		14.0	1640	32.7				
K272277		1.0	47	<0.5				
L829428		13.7	717	26.1				
L829430		11.0	8330	22.2				
L829431		9.6	9080	27.3				
L829432		16.5	128	30.3				
L829433		11.1	2180	30.5				
L829434		7.0	8100	22.8	259			
L829435		10.5	179	105.0				
L829448		16.0	210	30.3				
G0561928		12.5	7150	16.9				
L829449		12.8	>10000	24.6				2.22
L829450		17.8	501	33.6				
L829451		11.1	3350	25.7				
L829452		16.8	77	32.5				
L829486		16.6	95	23.2				
L829487		11.3	7610	16.6	160			
L829489		15.9	124	25.6				
K269192		18.6	992	33.6				
K269193		15.3	3640	34.1				
K269195		16.1	221	37.4				
K269204		17.8	2830	32.9				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026783

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.