



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1

Finalized Date: 12-MAR-2012

Account: ROCKHA

CERTIFICATE WH12026784

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026784

Sample Description	Method Analyte Units LOR	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05
K269205		25.7	5.99	154.0	570	1.20	5.42	2.72	112.5	41.8	21.3	14	12.75	127.5	4.01	14.10
K269206		0.67	7.17	17.9	1030	1.27	0.45	2.14	3.72	44.5	7.2	13	10.55	4.8	2.20	16.25
K269246		0.34	7.60	25.9	2220	1.66	0.26	2.16	5.36	37.6	9.4	11	13.70	6.2	3.14	18.30
K269247		3.40	6.03	>10000	390	1.46	2.41	1.02	88.1	36.8	6.7	12	12.25	51.3	5.36	16.15
G0561929		>100	1.42	1135	120	0.26	63.1	1.80	514	11.45	31.0	30	0.72	>10000	18.00	18.45
K269249		0.65	7.53	89.1	1140	1.71	0.19	1.92	2.76	44.4	7.8	10	22.7	9.6	3.19	17.80
K269250		1.88	6.51	547	550	1.50	0.38	1.18	8.04	40.9	7.6	8	20.6	18.3	3.27	15.20
K269251		78.7	2.67	8120	140	0.86	84.3	1.44	554	14.55	5.0	8	11.85	1585	4.99	7.23
K269252		3.95	6.56	891	1160	1.38	4.97	2.11	33.4	41.4	9.0	7	23.4	58.9	3.15	15.05
K269253		0.77	7.26	67.0	2600	1.30	0.54	2.38	2.70	45.8	6.5	7	15.80	20.2	2.72	15.05
K269254		0.61	7.65	122.5	1620	1.37	0.26	3.04	1.20	57.8	10.6	9	17.35	5.4	3.34	15.95
K272318		0.02	0.12	<5	20	0.05	0.03	21.1	0.15	1.75	1.7	<1	0.30	1.6	0.40	0.57
K269255		57.5	5.89	>10000	190	1.25	29.9	1.62	355	42.7	10.2	6	11.30	587	7.27	16.20
K269256		0.59	7.15	552	1450	1.64	0.33	2.49	8.19	39.0	8.5	10	20.1	13.1	3.13	17.40
K269257		2.98	7.70	587	1930	1.45	0.15	2.31	35.4	41.8	7.6	9	11.65	20.0	3.21	18.35
K269298		0.17	7.25	29.6	2000	1.70	0.17	2.78	0.54	38.1	7.0	17	16.90	3.1	3.08	18.00
K269299		37.5	7.02	3660	310	1.66	28.4	2.09	55.4	41.8	6.8	9	22.2	706	4.63	16.50
K269300		0.61	7.60	53.3	2120	1.53	0.59	2.22	0.98	40.5	6.9	12	13.50	38.3	3.01	17.70
K269341		1.13	7.39	73.2	2020	1.64	0.98	2.87	0.89	39.3	6.4	10	15.75	34.2	3.16	17.00
K269342		80.5	5.97	2390	730	1.16	80.8	1.33	7.73	29.9	8.9	10	9.71	3790	11.05	13.90
K269343		0.37	7.69	20.0	2150	1.88	0.39	2.46	0.39	40.3	13.6	10	13.95	68.0	2.83	17.60
G0561930		>100	8.21	51.7	1530	1.45	1.85	2.53	57.0	28.5	14.4	22	2.38	4810	4.22	23.4
L828026		0.42	7.46	42.0	2190	1.37	0.28	1.81	1.47	36.3	7.3	11	13.55	47.7	3.33	17.50
L828027		39.1	7.47	4810	1000	1.40	34.8	1.37	179.0	42.8	8.7	7	19.75	1245	6.44	18.40
L828028		4.03	6.63	231	840	1.46	2.73	3.62	52.7	40.7	8.9	8	18.55	199.0	4.04	14.45
L828029		1.24	8.24	37.6	820	1.82	0.81	1.79	11.45	51.7	9.1	9	15.30	12.9	4.72	18.20
L828031		0.47	8.11	16.6	2320	1.80	0.30	2.44	0.76	41.1	8.0	8	14.55	52.8	3.68	18.60
L828032		0.83	7.89	1500	2460	1.37	0.58	1.31	4.14	48.6	8.4	8	14.40	22.7	3.36	17.80
L828033		4.76	7.33	290	2570	1.60	6.11	2.06	31.0	43.9	7.1	7	22.9	150.0	4.55	17.55
L828034		2.80	7.53	686	1410	1.82	3.09	2.42	9.66	47.2	8.4	8	21.0	30.7	3.45	17.00
L828035		1.19	7.62	326	1640	1.81	0.44	1.94	10.60	46.0	7.4	8	17.00	18.0	3.69	17.35
L828037		0.43	7.57	9.1	1990	2.14	0.24	2.21	5.65	41.3	7.9	8	14.10	11.4	3.98	17.30
L828038		28.7	6.29	6060	220	1.41	38.6	1.29	539	34.2	7.0	8	12.30	400	4.64	15.90
L828039		0.56	7.51	97.3	2090	1.60	0.53	2.13	5.93	41.8	7.7	9	14.50	18.6	3.04	17.00
L828063		0.18	7.23	11.9	1910	1.58	0.21	2.22	0.37	38.5	6.2	8	11.70	5.8	3.13	17.00
L828064		9.34	6.28	6530	410	1.33	8.56	0.56	44.0	32.7	13.5	8	9.76	242	7.13	14.35



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026784

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
K269205		0.11	0.9	1.875	2.48	22.7	15.5	1.00	3060	2.14	0.06	5.3	2.2	480	5500	142.0
K269206		0.13	1.1	0.064	1.90	19.1	89.2	0.67	831	0.95	0.10	7.8	2.2	590	129.5	89.3
K269246		0.19	1.2	0.149	3.03	18.2	32.5	0.62	921	1.50	0.44	8.6	2.1	620	171.5	130.0
K269247		0.13	1.0	1.265	2.54	19.4	14.9	0.49	2230	7.81	0.02	6.3	2.2	430	472	147.0
G0561929		0.97	0.6	6.69	0.42	6.4	7.9	0.88	393	40.7	0.02	1.8	57.4	390	>10000	15.7
K269249		0.14	1.3	0.072	2.95	22.9	23.3	0.77	1540	2.75	0.07	8.1	2.3	580	248	140.5
K269250		0.14	1.0	0.180	1.69	22.3	278	0.53	1780	13.95	0.03	6.6	2.0	500	786	101.5
K269251		0.05	0.4	18.45	1.01	7.9	53.6	0.32	1680	20.9	0.02	2.7	2.2	190	7910	59.2
K269252		0.14	1.1	1.300	1.88	22.6	78.5	0.75	1330	7.83	0.03	6.8	2.3	480	337	116.0
K269253		0.15	1.1	0.137	1.90	24.2	133.5	0.82	831	2.15	0.04	7.4	1.9	570	63.5	79.1
K269254		0.21	1.2	0.074	2.83	32.7	53.1	1.11	1180	1.53	0.04	8.0	2.4	560	36.4	140.0
K272318		0.35	<0.1	0.006	0.05	0.9	1.7	13.30	186	0.12	0.01	0.5	0.2	250	3.9	2.2
K269255		0.14	0.8	6.19	2.60	23.5	11.1	0.64	1760	2.03	0.02	6.1	2.1	430	>10000	141.5
K269256		0.15	1.2	0.108	2.81	19.2	61.2	0.60	581	0.80	0.13	7.7	2.1	550	84.7	105.5
K269257		0.20	1.4	0.179	2.97	20.6	34.4	0.63	477	1.24	0.14	8.8	2.3	600	738	110.0
K269298		0.21	1.2	0.055	2.93	18.2	50.2	0.73	700	0.80	1.21	8.3	2.1	610	34.9	111.0
K269299		0.14	1.1	1.105	2.96	21.3	41.2	0.70	853	1.63	0.06	7.4	2.3	540	6720	148.5
K269300		0.17	1.3	0.131	3.29	19.9	59.4	0.67	809	1.04	0.18	8.4	2.2	600	53.1	128.0
K269341		0.20	1.0	0.051	3.25	19.2	31.1	0.72	1020	1.14	1.31	7.8	1.9	580	275	131.5
K269342		0.17	0.7	1.415	2.67	15.9	41.0	0.52	1150	4.38	0.15	5.9	1.6	420	1545	153.5
K269343		0.22	1.1	0.040	2.93	20.4	53.5	0.58	459	5.14	1.60	8.2	2.5	590	28.4	117.5
G0561930		0.18	0.6	12.60	2.33	14.5	11.6	0.75	621	42.3	2.71	7.4	12.4	850	9720	70.4
L828026		0.17	1.3	0.078	3.16	18.0	26.4	0.49	743	0.74	0.12	8.4	2.2	600	73.2	131.5
L828027		0.18	1.2	5.14	2.89	22.5	32.7	0.64	1030	1.40	0.07	7.5	2.2	550	3640	179.5
L828028		0.14	1.1	3.38	2.33	22.1	38.6	0.91	1380	1.10	0.04	6.4	2.1	500	633	124.5
L828029		0.21	1.3	0.104	3.15	27.6	32.9	0.77	1060	1.04	0.72	7.0	2.6	600	231	165.5
L828031		0.22	1.4	0.069	3.21	19.8	21.3	0.74	691	0.82	1.23	8.8	2.2	630	85.4	113.0
L828032		0.20	1.4	0.109	2.75	25.7	34.6	0.53	1130	1.15	0.10	8.4	2.5	610	181.0	122.0
L828033		0.19	1.2	0.582	3.03	22.9	66.6	0.83	2000	0.91	0.06	7.3	2.1	530	414	145.5
L828034		0.20	1.3	0.216	3.29	24.4	61.1	0.77	1700	1.41	0.06	7.8	2.1	550	466	156.5
L828035		0.22	1.3	0.155	3.37	23.3	32.7	0.60	1200	1.26	0.70	8.1	2.2	560	396	149.0
L828037		0.22	1.4	0.089	3.25	19.9	20.4	0.74	752	0.93	0.83	8.6	2.4	570	170.0	122.0
L828038		0.17	1.0	19.65	3.20	16.9	60.5	0.42	1780	0.84	0.17	6.7	1.9	460	1185	143.0
L828039		0.22	1.2	0.212	2.94	20.7	44.0	0.66	691	1.07	1.37	8.1	2.1	580	53.5	116.0
L828063		0.25	1.0	0.042	2.56	18.9	25.1	0.73	546	1.46	1.90	8.1	2.2	570	24.1	100.0
L828064		0.18	0.9	0.725	2.72	17.3	18.6	0.36	664	2.44	0.03	5.6	3.0	440	1245	163.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026784

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K269205		<0.002	2.07	29.5	8.4	1	3.8	68.0	0.49	0.27	10.5	0.169	2.53	2.8	56	3.8
K269206		0.002	0.36	21.7	9.7	1	2.8	108.5	0.76	0.26	12.8	0.244	1.92	5.9	65	2.4
K269246		<0.002	0.34	12.40	12.0	2	1.7	146.5	0.72	<0.05	11.0	0.263	1.88	3.5	73	3.5
K269247		<0.002	2.85	70.6	9.1	2	7.3	46.6	0.55	<0.05	10.2	0.190	2.59	4.9	54	4.6
G0561929		0.037	>10.0	271	2.7	240	115.0	41.8	0.10	0.83	1.0	0.042	34.7	3.7	59	1.9
K269249		<0.002	0.40	13.75	11.7	2	1.7	104.0	0.74	<0.05	13.2	0.249	3.02	7.2	69	3.7
K269250		<0.002	0.57	59.7	9.6	2	2.2	160.0	0.57	<0.05	11.4	0.212	1.71	5.1	60	4.9
K269251		<0.002	5.68	401	3.8	4	5.3	175.5	0.22	0.13	4.3	0.083	1.37	7.6	24	2.5
K269252		<0.002	0.94	35.0	10.0	2	2.6	191.0	0.61	0.05	12.1	0.207	2.07	11.7	56	6.2
K269253		0.027	0.43	10.10	9.6	1	1.5	398	0.67	<0.05	11.9	0.242	1.83	4.4	65	5.3
K269254		<0.002	0.57	8.49	9.8	2	2.0	174.5	0.75	<0.05	14.2	0.240	2.86	4.8	64	4.5
K272318		<0.002	<0.01	0.20	0.3	1	<0.2	51.7	<0.05	<0.05	0.2	0.005	0.02	0.6	3	0.1
K269255		<0.002	6.91	105.0	8.7	3	9.4	58.7	0.53	0.08	8.9	0.189	2.76	3.0	54	4.2
K269256		<0.002	0.39	8.04	10.6	2	1.9	133.0	0.71	<0.05	11.6	0.246	1.82	4.1	66	2.8
K269257		<0.002	0.49	11.80	11.7	2	1.8	119.5	0.80	<0.05	12.5	0.266	1.41	5.4	68	4.6
K269298		<0.002	0.16	4.87	11.5	2	1.9	274	0.71	<0.05	10.6	0.258	1.91	3.5	74	2.0
K269299		<0.002	3.14	50.5	10.7	2	5.2	135.5	0.63	0.07	10.9	0.231	2.67	4.8	64	3.5
K269300		<0.002	0.26	15.25	11.0	2	1.8	188.0	0.80	<0.05	11.3	0.259	1.95	3.1	70	3.0
K269341		<0.002	0.25	4.28	10.5	2	2.9	261	0.70	<0.05	11.5	0.246	1.82	4.0	66	3.0
K269342		<0.002	>10.0	250	8.3	2	5.6	74.5	0.50	0.70	9.1	0.182	1.93	3.5	54	3.1
K269343		<0.002	0.46	20.9	11.5	2	1.7	299	0.74	0.08	12.1	0.256	1.35	4.2	70	2.1
G0561930		0.020	1.70	155.0	8.1	5	346	707	0.45	0.12	5.0	0.241	3.67	1.1	81	19.9
L828026		<0.002	0.26	19.25	11.0	2	1.7	102.0	0.74	<0.05	11.1	0.257	1.94	3.9	70	4.5
L828027		<0.002	4.92	193.0	11.4	3	5.0	72.1	0.63	0.15	12.2	0.235	2.58	3.3	67	5.4
L828028		<0.002	1.21	55.8	10.2	2	1.8	115.0	0.55	0.07	11.1	0.205	1.92	6.0	63	4.4
L828029		<0.002	1.63	10.25	12.2	2	1.7	170.0	0.65	0.47	13.8	0.230	2.29	5.2	69	2.8
L828031		<0.002	0.07	8.87	11.7	2	1.7	248	0.78	<0.05	11.7	0.271	1.72	3.3	74	2.7
L828032		<0.002	0.59	27.6	11.6	2	2.1	84.7	0.75	<0.05	14.4	0.256	1.76	3.2	68	5.6
L828033		<0.002	1.05	32.2	10.3	2	4.5	109.0	0.64	<0.05	12.5	0.227	2.81	5.0	63	4.7
L828034		<0.002	1.05	25.8	10.9	2	3.7	97.5	0.71	0.05	12.8	0.241	3.19	4.8	65	4.7
L828035		<0.002	1.39	13.65	10.9	2	2.7	178.0	0.72	<0.05	12.8	0.242	2.33	4.5	66	3.5
L828037		0.002	0.09	4.99	11.2	2	1.9	182.0	0.76	<0.05	12.0	0.258	1.94	3.5	67	2.8
L828038		<0.002	3.65	30.4	9.3	5	5.9	93.0	0.57	0.07	10.1	0.205	2.30	3.4	58	3.5
L828039		<0.002	0.17	12.30	10.8	2	1.6	253	0.71	<0.05	11.8	0.249	1.46	3.7	68	3.5
L828063		<0.002	0.12	5.36	10.7	2	1.7	308	0.67	<0.05	10.6	0.246	1.20	3.6	68	2.2
L828064		<0.002	6.36	58.8	8.2	2	6.1	27.2	0.49	0.26	9.7	0.188	2.45	4.5	58	6.1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026784

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K269205		10.2	6930	23.4				
K269206		13.2	281	27.1				
K269246		14.3	381	34.2				
K269247		9.5	5590	28.1				
G0561929		6.6	>10000	19.8	154	1.220	1.480	8.98
K269249		13.9	267	37.9				
K269250		11.8	602	29.1				
K269251		6.2	>10000	11.7				3.78
K269252		12.6	2140	33.9				
K269253		13.3	205	31.1				
K269254		14.2	126	32.4				
K272318		1.1	21	0.5				
K269255		10.5	>10000	22.4			1.485	2.07
K269256		12.8	573	35.0				
K269257		15.3	2150	39.8				
K269298		13.8	70	33.6				
K269299		12.5	3680	31.2				
K269300		13.9	92	36.5				
K269341		13.7	123	29.4				
K269342		10.9	691	21.6				
K269343		13.8	74	33.0				
G0561930		10.6	7580	16.8	105			
L828026		13.0	152	37.0				
L828027		12.9	>10000	36.0				1.370
L828028		16.0	5910	32.6				
L828029		14.4	835	38.5				
L828031		15.2	122	40.9				
L828032		14.3	415	40.5				
L828033		13.2	2120	35.2				
L828034		13.4	768	38.4				
L828035		13.7	880	38.8				
L828037		15.1	473	41.4				
L828038		11.1	>10000	31.5				3.67
L828039		14.5	433	36.6				
L828063		14.4	69	27.9				
L828064		9.0	3300	25.2				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 12-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026784

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.