



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 6-MAR-2012
Account: ROCKHA

CERTIFICATE WH12026785

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026785

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
L828066		0.29	7.37	11.1	1920	1.59	0.20	2.29	1.41	46.6	6.3	9	12.85	18.4	3.08	16.40
L828087		0.26	6.19	32.2	1670	1.44	0.31	3.19	0.31	48.9	8.3	8	16.90	8.8	2.74	15.35
L828088		44.0	6.18	1530	710	1.53	19.95	2.10	15.05	39.8	7.8	9	18.50	2190	6.63	14.45
L828089		0.29	7.97	52.6	1040	1.97	0.25	2.41	0.35	73.6	7.7	24	19.95	16.1	2.99	19.45
L828090		20.1	5.08	970	1400	1.25	15.30	1.02	6.38	152.0	13.1	7	8.59	169.5	8.78	11.75
L828092		0.20	6.52	14.4	2340	1.47	0.15	2.80	0.17	42.6	5.4	8	12.65	6.5	2.82	15.20
L828967		0.21	5.18	21.2	80	2.92	0.64	0.53	5.53	20.4	3.2	5	18.75	4.9	0.65	15.30
G0561931		>100	1.38	920	270	0.25	46.6	1.76	500	14.75	26.5	30	0.75	>10000	17.50	17.95
L828968		24.1	3.88	4330	520	1.35	3.56	1.82	122.0	26.6	4.6	7	13.25	230	4.82	9.50
L828969		1.10	7.28	75.4	1930	1.66	0.77	1.33	20.3	51.0	8.8	10	14.40	45.4	3.23	17.05
L828987		0.49	6.70	37.6	2180	1.48	0.16	2.84	2.94	39.1	6.6	9	15.10	12.8	3.36	15.35
L828988		39.8	6.24	871	1230	1.46	38.7	2.19	95.4	43.4	6.5	7	12.90	2280	5.89	13.35
L828989		0.32	7.05	11.1	2370	1.60	0.24	2.29	0.77	45.0	6.3	14	12.35	9.7	3.06	15.15
L828993		0.18	7.17	12.7	3290	1.62	0.15	2.71	0.59	40.9	7.7	7	20.3	11.1	3.08	15.85
L828994		48.3	4.76	>10000	540	0.86	13.80	0.40	901	24.4	6.3	11	6.55	1155	7.85	11.80
G0561932		>100	7.71	53.0	1310	1.29	1.64	2.44	56.1	32.0	13.0	22	2.49	4700	4.09	21.8
L828995		0.29	7.30	23.4	2060	1.28	0.15	1.28	2.20	47.4	6.8	11	12.05	11.5	2.92	16.85
L829006		3.14	6.87	67.2	1900	1.62	4.40	2.56	4.29	43.0	8.6	10	19.55	62.7	3.02	15.65
L829007		15.05	6.62	3880	900	1.55	18.60	2.02	21.7	44.7	6.8	9	15.80	342	4.55	15.90
L829008		1.31	7.27	213	1430	1.68	1.01	1.86	6.34	51.0	11.0	9	17.95	33.2	5.84	15.90
L829009		>100	4.46	1880	450	0.97	354	0.44	5.18	14.55	667	7	3.40	315	19.30	11.05
L829011		2.77	7.20	134.0	810	1.46	2.36	1.76	11.10	50.0	30.7	9	9.17	66.8	3.49	15.90
L829012		6.03	7.27	251	1150	1.64	3.67	2.20	18.30	51.8	15.1	8	13.75	29.6	4.05	16.20
K272350		0.05	0.10	6	20	0.07	0.07	20.0	0.16	1.81	2.0	2	0.20	2.4	0.42	0.41
L829013		29.7	6.04	439	470	1.34	34.0	2.29	164.5	43.6	7.9	10	15.20	620	5.07	13.70
L829014		7.17	5.02	608	740	1.05	7.22	1.45	42.3	27.0	47.9	7	12.20	166.5	4.23	10.95
L829015		1.83	5.82	696	490	1.30	1.80	0.89	10.95	40.7	7.9	7	17.90	23.4	4.08	13.35
L829016		2.27	6.60	92.3	890	1.33	1.24	1.84	21.5	48.7	13.8	8	13.70	26.2	3.48	14.20
L829017		0.87	7.84	197.5	1150	1.81	0.95	1.75	7.02	51.0	7.1	9	27.5	26.0	3.19	16.80
L829018		2.51	7.09	233	1440	1.57	2.26	2.50	5.59	49.4	6.7	7	16.30	67.7	4.56	16.60
L829019		>100	5.13	2390	800	1.26	219	2.18	55.5	29.9	5.5	7	11.00	4840	8.74	13.10
L829021		0.61	7.53	24.7	1980	1.55	0.66	2.36	1.07	51.4	7.7	9	22.7	22.6	3.45	16.20
L829046		0.96	6.84	280	1310	1.77	0.62	2.89	4.57	43.0	8.4	8	20.6	48.4	2.76	15.85
L829047		24.8	4.50	3300	1370	0.98	36.3	1.04	25.7	28.0	25.3	9	6.72	225	8.96	10.15
L829049		0.18	7.81	29.7	660	1.98	0.18	1.96	0.51	48.7	5.8	8	27.4	7.7	2.61	16.65
L829054		0.75	6.84	238	1680	1.75	0.36	1.83	0.96	44.3	8.7	7	21.7	25.7	2.84	15.20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026785

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
L828066		0.20	1.0	0.057	2.94	24.8	51.4	0.70	678	1.83	1.45	7.0	2.5	580	74.4	117.0
L828087		0.19	0.9	0.069	2.33	26.1	39.9	0.90	661	0.95	1.57	6.8	3.1	530	38.2	92.9
L828088		0.20	1.1	0.946	2.49	21.7	30.8	0.60	695	1.36	0.47	6.4	3.3	520	610	138.5
L828089		0.20	4.4	0.043	2.28	37.9	72.0	1.04	568	0.54	0.06	11.0	8.4	1350	25.5	75.2
L828090		0.24	0.7	0.365	2.37	133.0	15.2	0.46	1200	5.01	0.04	4.7	1.9	350	420	162.5
L828092		0.16	1.2	0.043	2.61	23.1	80.4	0.75	469	3.64	0.62	7.7	2.1	560	30.8	88.5
L828967		0.08	2.4	0.033	1.60	10.1	136.5	0.10	369	2.39	0.03	16.0	0.5	60	35.3	132.5
G0561931		1.08	0.6	7.44	0.41	8.2	7.5	0.83	384	40.5	0.02	1.8	56.3	380	>10000	20.6
L828968		0.11	0.7	1.260	1.61	15.3	34.4	0.70	2390	45.9	0.03	4.4	1.5	210	4460	119.0
L828969		0.19	1.1	0.091	3.13	26.9	29.8	0.48	1120	1.68	0.23	7.9	2.7	580	219	160.5
L828987		0.20	1.0	0.080	2.83	20.9	16.0	0.71	888	1.02	1.07	7.3	2.4	560	156.0	95.7
L828988		0.19	0.9	3.58	2.90	24.6	17.4	0.55	1550	2.21	0.27	6.0	2.2	460	2400	170.0
L828989		0.20	1.0	0.048	2.62	24.0	21.6	0.84	489	1.35	1.86	7.6	2.5	600	55.8	98.7
L828993		0.21	1.1	0.061	2.76	21.8	26.7	0.70	488	1.07	1.26	7.9	2.3	570	24.2	107.0
L828994		0.17	0.6	13.85	2.15	12.6	10.2	0.28	1300	2.54	0.03	4.7	1.7	340	7920	140.5
G0561932		0.17	0.6	13.85	2.26	17.7	11.1	0.70	598	40.8	2.60	7.2	12.6	820	9120	70.9
L828995		0.17	1.0	0.076	2.85	25.2	26.1	0.38	694	0.78	0.15	8.0	2.2	580	75.0	123.0
L829006		0.11	1.1	0.184	2.97	20.4	34.8	0.48	974	0.42	1.28	8.1	1.7	550	101.5	109.0
L829007		0.15	0.9	0.969	2.74	23.4	22.6	0.74	3780	0.78	0.03	6.9	1.5	480	424	142.5
L829008		0.19	1.1	0.368	3.00	29.6	10.6	0.88	3860	0.56	0.03	7.6	1.8	530	138.5	158.5
L829009		0.39	0.5	0.709	2.07	7.0	7.0	0.27	1130	25.6	0.02	3.5	18.0	200	1770	118.5
L829011		0.13	1.0	0.269	3.23	29.0	9.1	0.78	1780	2.22	0.03	6.6	1.8	510	491	187.5
L829012		0.15	1.0	0.501	3.21	29.6	12.7	0.91	1880	0.96	0.03	7.2	1.8	560	148.0	180.0
K272350		<0.05	<0.1	0.010	0.04	0.8	1.3	12.30	192	0.22	<0.01	0.4	<0.2	280	3.4	2.0
L829013		0.13	1.0	5.29	2.39	24.5	53.1	0.84	1640	3.95	0.03	6.4	1.3	420	1175	121.5
L829014		0.06	0.7	1.430	1.97	13.0	80.1	0.55	1310	10.35	0.02	4.6	2.0	290	104.5	103.5
L829015		0.08	1.0	0.401	2.40	22.9	30.9	0.47	1600	11.25	0.02	6.4	1.8	400	257	145.5
L829016		0.11	1.0	0.398	2.67	27.9	24.2	0.76	1380	1.94	0.03	6.9	1.7	480	708	130.5
L829017		0.12	1.3	0.139	2.46	28.1	218	0.70	978	0.72	0.04	8.8	1.5	570	86.2	121.5
L829018		0.15	1.2	0.241	2.95	27.5	15.3	0.95	5460	0.88	0.02	8.3	1.5	540	123.0	153.5
L829019		0.14	0.8	3.47	2.11	14.2	16.4	0.95	4560	0.89	0.02	5.4	0.9	340	1415	100.5
L829021		0.12	1.3	0.063	2.69	29.5	100.0	0.88	1130	0.62	0.08	8.5	2.0	540	45.3	120.5
L829046		0.13	1.0	0.246	2.89	23.1	67.2	0.79	2030	1.52	0.04	8.2	1.6	520	64.8	120.5
L829047		0.17	0.6	0.883	1.97	14.1	16.7	0.39	2410	6.55	0.02	4.6	2.1	310	395	109.0
L829049		0.12	1.2	0.036	2.55	26.3	343	0.76	744	3.56	0.04	8.9	1.4	640	32.4	114.0
L829054		0.15	0.9	0.114	2.86	25.4	24.8	0.69	1220	9.07	0.03	7.5	2.3	550	38.0	179.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 6-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026785

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
L828066		<0.002	0.12	9.90	11.1	1	1.5	267	0.64	<0.05	13.2	0.256	1.66	4.1	67	2.6
L828087		<0.002	0.34	3.39	9.3	1	2.1	253	0.59	0.05	9.6	0.234	1.66	3.0	62	1.2
L828088		<0.002	5.96	52.0	9.5	2	4.6	184.0	0.53	0.63	10.4	0.206	2.13	5.0	55	2.7
L828089		<0.002	0.09	7.74	7.7	1	1.4	464	0.82	<0.05	10.2	0.364	1.02	3.8	66	2.0
L828090		<0.002	8.11	35.1	8.3	1	6.7	96.0	0.46	0.35	10.2	0.152	2.12	5.4	50	3.2
L828092		<0.002	0.08	5.56	10.4	1	2.0	344	0.83	<0.05	11.4	0.245	1.44	2.8	65	2.9
L828967		<0.002	0.03	31.0	2.7	1	2.7	70.6	2.28	<0.05	18.3	0.029	1.11	5.0	3	1.6
G0561931		0.031	>10.0	262	2.8	228	101.0	43.5	0.10	0.78	1.2	0.042	32.1	4.3	57	1.8
L828968		<0.002	2.48	125.0	5.9	1	4.2	43.8	0.43	0.05	8.0	0.116	1.83	8.8	34	4.9
L828969		<0.002	0.18	17.55	11.0	1	1.5	97.2	0.71	<0.05	15.1	0.246	2.00	4.3	67	3.4
L828987		<0.002	0.17	5.89	9.8	1	1.6	276	0.69	<0.05	11.2	0.245	1.55	3.9	66	3.5
L828988		<0.002	4.89	62.5	9.6	2	4.5	102.5	0.65	0.14	11.8	0.202	2.44	5.0	54	4.1
L828989		<0.002	0.04	3.58	11.2	1	1.6	324	0.73	<0.05	13.2	0.265	1.10	3.1	74	3.6
L828993		<0.002	0.07	7.14	10.6	1	1.5	315	0.70	<0.05	11.3	0.251	1.19	3.2	68	1.9
L828994		<0.002	8.78	114.0	6.5	5	5.6	14.8	0.41	0.21	7.7	0.157	2.31	2.6	42	6.4
G0561932		0.019	1.64	142.0	7.9	4	327	691	0.45	0.10	5.6	0.235	3.77	1.3	76	19.8
L828995		<0.002	0.10	13.80	11.0	1	1.6	90.3	0.70	<0.05	14.4	0.259	1.45	3.5	70	5.5
L829006		<0.002	0.48	6.24	10.5	<1	2.1	243	0.74	0.07	11.4	0.239	1.81	4.1	65	2.2
L829007		<0.002	2.35	35.2	10.0	<1	5.7	93.9	0.61	0.08	12.5	0.210	2.86	4.9	59	5.8
L829008		<0.002	1.44	9.22	10.7	<1	3.2	81.2	0.68	0.16	14.5	0.224	3.26	5.5	62	7.6
L829009		0.017	>10.0	48.1	4.0	6	12.6	14.5	0.30	16.80	6.2	0.105	1.64	2.3	55	4.8
L829011		0.003	1.91	18.30	10.3	<1	5.9	63.7	0.57	0.18	15.1	0.197	2.88	5.8	67	5.4
L829012		0.002	1.71	12.05	11.0	1	3.9	86.8	0.61	0.34	14.4	0.211	3.19	5.4	67	5.0
K272350		<0.002	0.02	0.20	0.4	<1	<0.2	53.4	<0.05	<0.05	0.2	<0.005	<0.02	0.6	3	0.1
L829013		0.002	3.62	134.0	8.7	2	3.7	99.5	0.61	0.50	13.2	0.183	2.39	6.9	51	5.8
L829014		0.003	3.09	53.9	6.1	<1	5.4	125.5	0.40	0.44	8.4	0.142	1.84	5.1	46	5.6
L829015		<0.002	2.23	37.5	8.5	<1	4.0	71.9	0.58	0.08	12.3	0.182	2.43	7.6	53	5.0
L829016		0.002	1.20	16.95	9.8	<1	3.3	108.0	0.61	0.11	14.4	0.206	2.47	6.5	60	5.9
L829017		<0.002	0.55	16.85	11.9	<1	2.1	126.5	0.77	<0.05	15.9	0.254	2.07	4.5	70	5.5
L829018		<0.002	1.48	18.45	11.5	<1	5.8	79.5	0.75	<0.05	14.7	0.236	3.61	5.4	66	8.7
L829019		0.002	6.43	186.5	7.3	1	7.6	64.7	0.51	0.32	9.9	0.156	2.35	5.0	43	6.9
L829021		0.002	0.30	6.82	11.2	<1	1.6	140.0	0.75	<0.05	15.0	0.234	2.24	6.3	66	4.4
L829046		<0.002	0.72	15.80	10.3	<1	1.9	109.5	0.70	<0.05	13.1	0.227	3.21	5.5	62	4.3
L829047		0.002	9.12	76.3	6.4	<1	3.9	45.2	0.42	0.74	7.9	0.133	2.01	4.0	39	4.0
L829049		0.002	0.29	8.47	12.4	<1	2.0	246	0.84	<0.05	16.2	0.251	2.33	5.2	68	3.8
L829054		<0.002	1.63	23.5	11.2	<1	2.8	130.0	0.65	<0.05	13.6	0.221	3.27	9.2	66	4.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 6-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026785

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
L828066		15.5	162	28.0				
L828087		13.3	70	27.5				
L828088		13.3	1120	38.9				
L828089		13.5	92	177.0				
L828090		11.0	540	18.7				
L828092		14.3	50	34.8				
L828967		12.5	303	41.4				
G0561931		8.6	>10000	20.7	164	1.240	1.505	9.16
L828968		14.1	3750	20.2				
L828969		17.5	2180	32.7				
L828987		16.0	253	28.1				
L828988		15.1	7100	23.2				
L828989		16.2	93	27.0				
L828993		18.4	89	30.8				
L828994		6.7	>10000	16.7				5.57
G0561932		12.6	7470	16.8	106			
L828995		16.8	211	29.2				
L829006		13.7	318	29.1				
L829007		11.7	1620	23.9				
L829008		12.8	587	26.6				
L829009		5.4	417	14.1	192			
L829011		11.1	963	25.5				
L829012		12.8	1350	26.6				
K272350		1.0	21	<0.5				
L829013		12.7	>10000	24.0				1.060
L829014		8.9	2880	18.5				
L829015		9.6	786	25.6				
L829016		11.8	2090	26.3				
L829017		15.8	521	32.0				
L829018		13.6	470	29.3				
L829019		9.3	4040	21.2	116			
L829021		16.9	121	33.0				
L829046		14.7	433	28.2				
L829047		8.5	1960	15.8				
L829049		16.1	83	28.5				
L829054		13.9	126	23.2				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 6-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026785

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.