



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 7-MAR-2012
Account: ROCKHA

CERTIFICATE WH12026786

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026786

Sample Description	Method Analyte Units LOR	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05
L829055		21.6	5.61	1835	1660	1.45	15.20	1.69	155.0	36.8	7.4	7	13.75	277	6.03	12.70
L829056		0.18	7.11	13.1	1230	2.24	0.15	1.61	0.68	59.9	6.0	13	19.80	12.5	2.33	18.75
L829063		5.97	6.75	1745	830	1.43	2.69	1.08	91.0	40.1	8.7	50	8.31	82.4	5.69	17.15
L829064		>100	5.86	5980	790	1.26	18.70	1.62	65.7	36.4	7.5	13	8.22	3560	10.30	12.90
L829065		6.18	6.84	458	320	1.46	7.16	0.39	16.75	47.0	6.6	9	8.06	132.5	6.59	15.50
L829078		0.48	7.48	20.9	1820	1.62	0.18	2.64	1.70	49.3	7.4	16	12.35	35.2	2.94	16.40
L829079		10.95	6.24	1380	400	1.33	9.33	0.77	79.2	43.7	6.7	9	9.41	283	7.70	13.65
G0561933		>100	1.43	1135	250	0.27	57.3	1.77	514	13.60	29.5	30	0.71	>10000	17.15	16.90
L829081		2.02	7.03	35.0	1880	1.67	3.22	2.34	1.88	46.7	8.0	11	12.95	74.6	3.18	15.50
L829082		50.6	5.70	1040	770	1.22	77.0	1.19	60.1	35.1	8.2	9	10.25	1835	11.60	12.20
L829083		0.38	7.14	28.6	2000	1.79	0.42	2.31	0.60	45.3	7.7	11	12.75	10.4	3.25	16.60
L829102		0.08	6.27	41.6	1690	2.02	0.13	3.65	15.00	48.4	8.5	22	18.85	11.7	2.67	18.15
L829103		3.92	7.02	1555	1080	1.48	5.70	1.70	94.9	43.4	8.0	7	22.9	63.3	3.88	15.60
L829104		0.13	7.15	22.7	2050	1.73	0.12	2.29	1.55	45.5	6.7	9	25.9	5.3	3.19	16.65
L829109		1.24	7.17	35.7	1190	1.73	1.21	1.49	7.33	52.5	7.0	7	19.80	14.7	4.85	15.85
L829110		15.35	6.48	1365	610	1.57	19.10	2.28	107.0	50.2	7.3	9	16.70	163.5	5.19	14.60
L829112		0.14	6.95	7.1	2100	1.73	0.10	2.37	0.58	44.2	6.9	11	12.00	9.9	2.82	15.95
L829153		2.24	6.67	347	760	1.44	1.89	1.32	65.5	57.5	6.5	8	10.70	40.8	3.48	15.85
L829154		52.3	3.53	978	270	1.04	56.3	1.76	48.2	24.5	6.0	7	11.15	2370	5.16	8.59
L829155		3.81	5.50	536	340	1.25	2.20	0.88	24.6	37.5	4.7	7	17.30	129.5	4.73	14.40
G0561934		96.4	7.19	43.8	1440	1.24	1.55	2.23	53.3	27.6	12.5	21	2.33	4320	3.63	20.6
L829156		2.27	6.81	1210	920	1.28	1.42	1.59	24.0	47.3	4.9	7	23.7	56.9	3.26	14.90
L829158		2.67	6.75	103.0	960	1.44	2.25	1.31	19.95	46.9	8.0	7	9.97	49.1	3.46	16.40
L829159		3.59	7.13	252	630	1.45	3.18	1.04	37.8	50.2	5.9	10	7.26	77.8	3.84	16.35
L829160		5.83	6.68	1415	930	1.37	5.72	0.95	56.0	51.6	6.1	8	7.35	97.5	4.29	16.15
L829161		1.02	7.04	39.1	1420	1.57	0.76	2.01	6.11	43.7	35.3	10	6.36	7.9	2.27	15.45
L829162		0.56	6.99	15.2	1370	1.49	0.56	2.08	6.07	56.0	27.5	9	7.60	5.0	2.80	15.35
L829163		0.38	7.16	12.2	1410	1.70	0.31	2.34	4.94	51.8	6.7	10	13.65	6.5	3.75	16.80
L829164		0.40	7.12	9.5	1080	1.75	0.37	2.11	6.50	58.1	5.6	9	9.37	4.8	2.25	16.75
L829165		3.35	6.37	287	1160	1.30	1.55	2.79	14.10	44.9	14.9	9	8.59	18.6	3.86	14.65
L829166		0.19	6.79	10.5	1570	1.67	0.11	2.33	0.23	45.4	6.9	7	18.85	3.0	2.77	16.85
L829167		0.27	7.44	52.1	1740	1.78	0.36	1.57	1.05	47.9	6.1	8	17.55	9.8	3.05	17.25
K272390		0.04	0.09	<5	30	0.07	0.01	20.4	0.09	1.46	0.7	2	0.22	23.5	0.41	0.30
L829168		0.23	7.13	16.2	1140	1.57	0.22	2.18	2.02	46.0	4.4	7	9.59	22.1	2.55	15.95
L829169		5.14	5.99	2200	1220	1.29	4.77	1.58	62.2	41.9	7.9	6	16.95	97.2	4.06	13.80
L829171		0.29	7.25	11.6	1050	1.54	0.32	2.17	0.19	46.1	11.9	8	10.35	5.2	2.96	16.15



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026786

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
L829055		0.15	0.8	3.68	2.33	18.6	21.6	0.62	3070	10.90	0.03	6.2	2.1	430	597	138.0
L829056		0.16	3.3	0.030	2.54	32.0	369	0.66	562	1.97	0.03	10.8	4.2	900	26.8	86.5
L829063		0.18	1.7	1.210	3.22	20.4	7.1	0.79	4320	1.37	0.03	6.9	19.3	600	1640	198.0
L829064		0.25	0.9	1.610	2.53	17.2	8.6	0.66	3090	1.74	0.02	6.0	3.7	420	886	129.5
L829065		0.15	0.9	0.579	3.11	24.7	9.4	0.40	1060	0.94	0.03	7.1	2.0	500	384	163.5
L829078		0.14	1.0	0.064	2.59	26.7	14.2	0.70	994	0.50	1.93	8.0	1.4	560	85.0	100.5
L829079		0.20	0.9	2.28	2.66	21.8	59.3	0.59	1660	0.57	0.03	6.4	2.1	460	1005	143.0
G0561933		1.08	0.6	7.37	0.41	7.5	8.5	0.86	389	34.8	0.02	1.9	61.8	390	>10000	17.6
L829081		0.10	1.1	0.132	2.73	24.2	26.3	0.69	746	0.63	1.75	8.3	1.5	550	99.8	98.1
L829082		0.22	0.8	4.42	2.45	16.8	20.9	0.49	2470	0.72	0.34	5.8	1.4	390	1235	118.0
L829083		0.16	1.2	0.073	2.82	23.0	36.8	0.71	866	0.56	1.75	8.9	1.6	560	29.3	101.0
L829102		0.15	4.6	0.072	1.96	23.6	70.5	0.61	731	0.87	0.06	11.6	7.2	1330	22.2	51.4
L829103		0.16	1.1	5.61	2.54	23.1	70.9	0.35	552	1.04	0.19	7.9	1.3	530	383	108.5
L829104		0.18	1.3	0.073	2.85	22.5	32.3	0.66	832	1.05	0.95	8.6	1.7	580	43.0	108.0
L829109		0.17	1.2	0.137	3.11	30.3	24.5	0.84	2290	1.37	0.04	7.6	1.8	540	370	167.5
L829110		0.16	1.3	4.12	2.63	25.7	38.0	0.64	2100	4.63	0.03	7.2	1.7	490	1230	149.5
L829112		0.16	1.4	0.039	2.63	23.0	16.2	0.70	527	1.21	2.20	8.5	1.5	550	53.1	89.8
L829153		0.11	0.9	1.040	2.94	34.9	29.0	0.71	1580	4.18	0.03	6.0	5.7	520	514	195.5
L829154		0.09	0.6	2.06	1.39	11.9	33.3	0.70	2590	3.26	0.02	3.4	2.7	190	1800	81.0
L829155		0.11	0.8	0.759	2.17	19.0	32.0	0.48	2350	12.65	0.02	5.6	3.3	370	316	141.0
G0561934		0.09	0.5	12.00	2.08	13.2	10.9	0.64	562	36.1	2.40	6.7	11.6	770	8620	62.7
L829156		0.11	1.1	0.862	2.49	25.4	45.1	0.61	1420	3.16	0.03	6.4	2.6	500	182.0	149.0
L829158		0.10	0.8	0.382	2.98	21.6	28.7	0.72	1800	1.08	0.03	5.1	2.8	480	572	195.0
L829159		0.13	1.1	0.672	3.31	26.3	7.4	0.63	1810	1.38	0.03	6.6	3.3	540	916	221
L829160		0.10	0.9	1.085	3.02	27.8	6.6	0.53	2540	1.42	0.03	6.3	2.6	490	1050	190.0
L829161		0.12	1.0	0.144	3.05	20.0	45.1	0.61	1240	1.33	0.05	5.8	4.4	540	240	183.0
L829162		0.11	1.1	0.123	2.44	29.7	51.0	0.56	957	0.77	0.68	5.8	3.4	530	177.0	126.5
L829163		0.11	1.3	0.125	2.24	25.3	53.0	0.64	952	1.07	0.66	8.4	2.7	570	155.5	94.5
L829164		0.13	1.3	0.130	1.84	28.8	180.5	0.63	759	0.73	0.05	8.1	2.5	570	129.0	83.6
L829165		0.11	0.9	0.383	2.79	22.1	10.1	1.02	2920	1.15	0.04	5.6	2.7	450	380	175.0
L829166		0.11	1.4	0.039	2.31	20.6	182.5	0.45	481	0.97	0.27	8.9	3.0	560	20.6	88.1
L829167		0.10	1.2	0.079	2.53	22.1	233	0.47	733	2.07	0.08	8.3	2.7	630	28.1	109.5
K272390		0.07	<0.1	0.006	0.04	0.7	1.9	12.50	191	0.16	<0.01	0.3	0.2	270	2.7	1.9
L829168		0.12	1.1	0.119	1.75	23.9	229	0.70	864	1.76	0.04	7.4	2.1	610	28.2	66.6
L829169		0.11	0.9	1.530	2.49	23.0	23.5	0.63	2470	6.88	0.03	5.7	2.7	450	421	143.5
L829171		0.09	1.0	0.038	2.28	23.5	188.5	0.80	808	3.47	0.04	7.3	4.2	600	10.1	109.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 7-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026786

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
L829055		0.002	5.52	91.8	8.5	2	9.3	103.0	0.52	0.07	10.5	0.174	2.41	5.1	48	4.9
L829056		<0.002	0.05	29.7	5.3	<1	1.9	241	0.82	<0.05	10.6	0.279	1.26	4.7	45	3.3
L829063		0.002	2.20	14.30	9.3	1	4.0	37.6	0.63	<0.05	10.4	0.193	3.18	4.7	69	3.1
L829064		0.002	>10.0	260	8.2	1	7.8	71.2	0.52	0.18	10.4	0.180	2.50	4.0	51	4.5
L829065		<0.002	5.84	25.1	10.1	<1	9.3	27.9	0.60	0.08	13.0	0.216	2.66	3.6	61	4.8
L829078		0.002	0.10	1.76	10.9	<1	1.9	336	0.68	<0.05	14.5	0.240	1.35	4.2	65	1.3
L829079		<0.002	5.75	8.71	9.5	1	6.5	42.0	0.56	0.06	12.2	0.198	2.10	4.3	56	3.7
G0561933		0.035	>10.0	257	2.9	210	108.5	42.6	0.10	0.88	1.2	0.042	34.1	4.1	57	1.8
L829081		<0.002	0.51	1.90	10.7	<1	1.9	316	0.77	<0.05	14.1	0.234	1.39	4.5	65	0.8
L829082		<0.002	>10.0	52.9	7.9	1	4.5	89.9	0.52	0.26	10.3	0.169	2.02	4.0	48	3.1
L829083		0.002	0.30	3.64	11.1	<1	1.9	323	0.77	<0.05	13.6	0.248	1.48	4.4	67	1.3
L829102		<0.002	0.04	11.30	6.0	<1	1.2	463	0.79	<0.05	7.2	0.341	1.18	4.0	63	1.7
L829103		<0.002	1.90	9.68	11.3	1	2.4	149.5	0.67	0.07	13.5	0.237	1.89	3.3	67	3.6
L829104		<0.002	0.09	3.89	11.3	<1	1.6	212	0.75	<0.05	13.1	0.252	1.80	3.0	67	3.4
L829109		0.002	0.51	8.40	11.1	<1	2.5	76.3	0.65	0.05	14.6	0.229	3.11	6.1	64	5.8
L829110		<0.002	3.73	29.9	9.7	1	3.6	74.9	0.64	0.22	13.1	0.199	2.82	5.6	58	5.1
L829112		<0.002	0.03	1.69	10.7	<1	1.5	337	0.80	<0.05	13.8	0.242	1.06	4.4	66	1.8
L829153		0.004	1.08	19.40	9.0	1	4.1	42.9	0.43	<0.05	11.4	0.196	2.84	5.0	59	3.8
L829154		0.003	3.43	439	5.3	<1	7.0	41.3	0.28	0.08	6.2	0.109	1.73	3.3	34	4.9
L829155		0.004	2.81	69.4	8.2	1	8.1	63.9	0.42	<0.05	10.1	0.172	2.32	4.6	50	5.0
G0561934		0.020	1.53	142.5	6.9	3	318	652	0.37	0.10	4.8	0.213	3.41	1.2	73	17.6
L829156		0.004	1.37	28.9	9.5	<1	4.1	103.5	0.53	<0.05	13.1	0.209	2.58	7.3	58	5.2
L829158		0.003	1.01	22.9	9.9	1	3.4	38.1	0.40	<0.05	12.1	0.169	2.65	3.8	65	3.6
L829159		0.003	1.28	17.15	9.6	1	4.3	24.5	0.51	0.07	13.8	0.192	3.11	4.9	60	5.8
L829160		0.004	2.19	20.7	9.6	1	5.6	21.7	0.49	0.10	12.4	0.191	2.87	4.6	62	4.3
L829161		0.006	0.89	8.36	9.4	1	3.0	59.0	0.45	0.09	14.5	0.179	2.71	8.8	59	3.8
L829162		0.003	0.69	7.14	9.1	<1	2.6	101.0	0.49	0.07	13.3	0.189	2.19	6.7	60	2.2
L829163		0.002	0.16	7.62	10.6	1	2.4	170.5	0.68	<0.05	11.7	0.244	1.86	4.4	72	3.9
L829164		0.004	0.17	15.55	10.5	1	2.4	197.0	0.65	<0.05	12.9	0.233	1.84	3.9	66	6.0
L829165		0.004	1.96	11.45	8.6	2	3.0	78.2	0.44	0.06	12.0	0.170	2.76	5.3	53	2.4
L829166		0.003	0.07	11.15	9.9	2	2.1	182.0	0.69	<0.05	10.8	0.250	1.41	3.5	70	5.7
L829167		0.004	0.39	17.95	10.9	1	2.1	182.5	0.67	<0.05	11.5	0.259	1.59	2.7	71	5.2
K272390		0.003	0.01	0.17	0.2	<1	<0.2	48.1	<0.05	<0.05	0.2	<0.005	0.03	0.6	3	0.1
L829168		0.003	0.11	17.35	9.8	1	2.2	223	0.58	<0.05	10.7	0.250	1.50	2.6	70	3.5
L829169		<0.002	2.01	42.7	8.8	<1	5.3	76.3	0.45	<0.05	9.6	0.190	2.50	6.2	58	4.6
L829171		0.002	0.44	14.85	10.6	<1	1.6	173.5	0.56	0.07	11.1	0.238	1.98	3.5	70	3.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 7-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026786

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
L829055		10.0	>10000	20.6				1.435
L829056		9.4	157	105.5				
L829063		7.7	6790	49.3				
L829064		8.4	5260	23.2	126			
L829065		8.9	1360	24.0				
L829078		16.2	209	25.7				
L829079		10.7	8580	22.1				
G0561933		7.8	>10000	18.6	162	1.305	1.555	9.50
L829081		16.1	248	27.3				
L829082		11.5	5640	20.6				
L829083		16.7	88	29.9				
L829102		10.3	1410	171.0				
L829103		13.4	5840	30.2				
L829104		15.0	295	33.0				
L829109		13.2	700	30.4				
L829110		14.2	7840	33.9				
L829112		16.5	89	38.8				
L829153		11.8	4240	21.6				
L829154		7.2	4480	13.7				
L829155		9.4	1610	22.1				
G0561934		10.0	7120	14.2				
L829156		11.9	1620	25.1				
L829158		9.1	1380	22.9				
L829159		10.1	2610	26.7				
L829160		9.3	3890	24.0				
L829161		11.5	446	25.9				
L829162		11.2	479	27.7				
L829163		14.6	379	34.8				
L829164		14.5	459	33.9				
L829165		12.4	1040	24.8				
L829166		14.4	51	36.3				
L829167		13.9	116	30.9				
K272390		1.0	29	0.5				
L829168		13.5	185	26.8				
L829169		9.7	4210	22.2				
L829171		11.6	64	25.6				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 7-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026786

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.