



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 8-MAR-2012
Account: ROCKHA

CERTIFICATE WH12026789

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026789

Sample Description	Method Analyte Units LOR	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05
K976021		0.13	7.25	7.5	2220	1.66	0.13	2.33	0.16	46.4	6.9	10	11.60	6.9	2.69	17.55
K976022		16.10	5.64	1940	1630	1.42	9.38	1.92	161.0	38.1	5.3	6	15.45	1080	7.49	13.45
K976023		0.28	7.25	9.1	2180	1.60	0.21	2.45	1.39	45.9	5.8	12	11.60	6.5	2.89	17.35
K272441		0.04	0.12	<5	30	0.11	0.04	20.9	0.36	1.71	1.2	<1	0.30	3.7	0.39	0.42
K976043		0.16	7.15	16.1	1690	1.62	0.19	1.92	0.28	42.3	5.6	8	16.85	7.0	2.64	17.10
K976044		7.50	6.84	689	910	1.53	8.51	1.26	187.0	66.0	4.1	7	11.70	158.0	4.59	16.70
K976045		0.13	7.38	7.8	2020	1.83	0.14	2.70	0.34	46.9	6.7	10	19.35	5.9	2.86	18.00
K976046		0.17	7.29	14.0	2040	1.71	0.18	2.78	0.75	45.4	6.4	10	17.45	7.3	2.92	17.70
K976048		0.57	7.23	326	1810	1.57	0.43	1.99	6.59	43.0	4.5	10	15.60	13.3	2.97	16.40
K976049		13.00	6.72	2010	850	1.55	7.63	0.69	64.7	44.5	5.4	10	11.35	129.5	6.39	16.45
K976050		4.19	7.34	199.5	1030	1.61	4.55	1.62	19.00	46.5	6.1	7	15.85	226	4.20	16.15
K976052		1.10	7.04	162.0	1800	1.64	1.18	2.63	8.14	42.2	5.3	8	17.30	29.8	3.45	17.50
K976053		5.37	6.90	9240	1110	1.50	4.08	1.37	59.3	58.1	3.0	7	10.90	125.5	4.58	16.60
G0561939		95.3	7.35	54.5	1540	1.42	1.88	2.33	51.1	30.8	13.2	20	2.43	4400	3.79	22.6
K976054		1.65	7.60	89.2	2500	1.51	0.76	2.22	23.1	70.8	2.0	8	10.10	24.0	3.47	17.30
K976055		6.70	6.96	1335	880	1.47	1.53	1.61	70.0	28.2	3.9	8	8.10	67.8	3.76	16.45
K976056		63.0	7.00	394	920	1.47	144.0	1.94	25.7	73.6	4.1	9	12.30	864	5.82	16.40
K976058		4.55	6.80	1190	940	1.55	5.48	1.00	17.25	45.8	3.8	10	14.40	101.0	5.63	17.40
K976059		1.63	7.03	340	1210	1.52	2.23	1.63	18.05	45.6	3.3	8	11.45	27.8	4.58	16.40
K976060		2.74	5.09	882	670	1.27	2.35	2.10	36.2	44.2	5.0	8	12.30	42.0	3.67	12.15
K976061		10.75	4.34	386	1050	1.19	17.65	3.68	17.45	28.2	3.4	6	11.05	143.5	3.85	10.10
K976062		1.14	7.13	162.5	1400	1.49	1.28	1.75	5.92	58.8	4.7	8	15.50	16.0	4.33	16.80
K976063		15.60	6.07	2840	1290	1.33	26.1	2.29	26.0	43.6	5.1	6	13.35	191.5	4.57	15.10
G0561940		>100	1.33	1025	270	0.29	56.4	1.71	486	12.35	27.4	29	0.71	>10000	16.70	18.05
K976064		0.67	7.45	125.0	710	1.35	0.61	1.80	2.03	57.9	4.5	11	16.85	11.0	3.89	16.55
K976065		4.43	6.48	603	1050	1.44	5.74	1.32	50.1	52.2	3.6	7	11.70	65.4	4.93	15.65
K976066		3.25	7.08	284	1220	1.47	4.83	2.27	24.8	51.0	4.1	8	16.20	51.7	3.19	15.95
K976068		0.46	7.19	120.0	1630	1.66	0.41	2.25	2.03	45.0	6.0	8	13.75	7.0	3.79	16.30
K976069		6.34	6.41	346	860	1.31	7.84	1.06	24.1	40.2	3.8	8	9.96	71.1	6.16	15.90
K976070		1.06	7.06	147.0	1850	1.54	0.67	2.51	4.80	43.8	5.9	7	15.10	16.1	3.23	16.25
K976071		35.7	7.71	221	1530	1.75	5.92	1.86	29.8	56.3	5.0	8	14.65	141.0	3.89	16.75
K976072		20.7	7.65	102.0	1330	1.54	29.6	2.75	9.51	42.4	4.4	7	14.80	22.8	3.27	15.40
K976091		0.67	6.90	390	1750	1.27	0.56	3.08	2.32	37.5	9.4	7	9.57	44.2	2.50	15.65
K976092		37.5	6.26	1210	2320	1.30	5.02	2.53	51.7	41.9	10.1	8	11.65	327	5.54	14.20
K976093		1.04	7.81	188.5	1480	1.55	0.74	2.17	1.45	36.4	10.4	9	11.15	22.0	2.91	16.50
K976106		0.26	8.26	27.1	1310	2.00	0.17	1.87	0.44	72.6	6.6	15	19.35	6.5	2.55	19.55



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026789

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
K976021		0.17	1.1	0.049	2.71	23.3	16.0	0.75	515	1.66	2.31	8.5	2.1	540	19.3	103.5
K976022		0.26	0.8	10.35	2.50	20.6	13.3	0.59	2470	1.64	0.07	5.8	1.8	390	829	153.0
K976023		0.17	1.1	0.081	2.73	22.9	13.4	0.69	520	1.94	2.13	8.8	2.3	560	28.8	103.0
K272441		0.10	<0.1	0.028	0.05	0.8	1.5	12.60	183	0.14	0.01	0.6	1.8	230	3.2	2.7
K976043		0.18	1.3	0.057	2.23	20.3	161.5	0.58	751	1.28	0.22	8.7	1.9	570	17.1	90.5
K976044		0.23	1.0	3.49	3.00	37.7	16.5	0.60	1600	0.86	0.22	7.0	1.7	480	844	208
K976045		0.18	1.5	0.045	2.64	22.7	36.7	0.67	513	1.25	2.08	9.7	2.4	610	18.9	100.5
K976046		0.21	1.2	0.061	2.69	21.5	16.6	0.65	578	1.29	1.89	9.1	2.4	580	23.1	108.5
K976048		0.18	1.1	0.132	2.98	21.0	136.5	0.68	765	1.80	0.07	8.2	2.0	560	138.0	133.5
K976049		0.22	1.0	1.705	2.97	23.3	12.8	0.52	2050	1.56	0.03	7.4	2.1	490	457	189.5
K976050		0.19	1.1	0.710	2.46	24.2	106.0	0.65	2380	1.48	0.03	8.1	2.0	530	255	135.5
K976052		0.19	1.0	0.226	3.07	20.5	40.2	0.71	1300	1.00	0.82	8.8	2.2	610	148.5	126.5
K976053		0.22	0.9	1.065	3.12	32.1	7.9	0.65	1940	0.60	0.03	6.7	1.7	480	882	193.5
G0561939		0.20	0.6	12.35	2.17	15.3	10.9	0.67	574	41.5	2.48	7.5	11.5	780	9050	65.8
K976054		0.21	1.0	0.313	3.33	41.5	20.0	0.98	1620	0.74	0.19	7.1	1.7	560	761	197.0
K976055		0.18	0.9	0.583	3.13	13.2	8.9	0.74	1540	0.88	0.10	6.5	2.0	500	2860	207
K976056		0.25	0.9	0.901	3.05	44.3	14.9	0.87	1740	0.65	0.05	7.0	1.8	540	1730	176.5
K976058		0.21	1.0	0.425	2.96	24.8	15.7	0.66	2010	1.66	0.04	7.3	2.5	500	328	187.5
K976059		0.20	1.0	0.518	3.19	24.5	18.7	0.86	1990	2.30	0.03	7.2	1.7	500	216	202
K976060		0.17	0.7	0.591	2.04	26.1	64.8	0.85	1500	29.6	0.02	5.0	2.1	350	649	135.0
K976061		0.17	0.6	0.410	1.75	14.9	40.0	1.35	2420	11.40	0.01	4.6	1.9	270	240	107.5
K976062		0.21	1.0	0.215	2.63	32.8	61.5	0.84	1820	3.19	0.02	7.9	2.5	530	79.3	155.5
K976063		0.20	0.9	0.825	2.56	23.6	14.8	0.79	2990	4.31	0.01	6.7	2.4	430	470	153.0
G0561940		1.14	0.6	6.60	0.40	6.9	7.0	0.81	372	38.4	0.01	1.9	52.6	370	>10000	15.9
K976064		0.14	1.1	0.148	2.95	33.4	46.3	0.83	2400	1.69	0.04	7.3	2.7	550	57.4	166.5
K976065		0.19	0.9	0.947	2.68	29.7	53.0	0.71	2200	2.95	0.03	7.0	2.5	470	149.5	159.5
K976066		0.17	1.0	0.519	2.88	27.3	38.4	0.76	1180	1.36	0.04	7.4	1.9	530	202	138.0
K976068		0.18	1.1	0.128	2.91	21.9	36.5	0.76	1410	1.44	0.21	8.1	2.5	560	53.9	111.5
K976069		0.21	0.9	1.105	2.94	19.8	7.9	0.67	5140	1.22	0.02	6.5	2.5	450	136.5	164.0
K976070		0.17	1.0	0.152	2.79	21.1	32.0	0.69	704	0.90	0.19	8.6	2.1	540	33.9	94.5
K976071		0.17	1.0	0.778	2.70	33.2	108.0	0.74	2110	0.90	0.04	7.7	2.7	550	389	156.0
K976072		0.16	0.9	0.328	2.57	21.6	96.0	0.80	2030	0.85	0.06	7.3	2.5	550	912	124.5
K976091		0.17	1.0	0.103	2.36	19.3	41.7	0.59	914	0.89	0.08	8.3	2.3	560	82.7	77.8
K976092		0.19	0.8	0.848	2.65	21.6	15.8	0.82	5290	1.44	0.03	6.8	2.5	480	2900	152.0
K976093		0.17	1.2	0.112	3.30	18.4	51.8	0.70	1310	0.97	0.09	8.3	2.7	580	62.3	133.5
K976106		0.18	4.2	0.031	2.73	39.9	282	0.85	576	2.44	0.04	11.5	5.8	1150	26.0	106.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026789

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K976021		<0.002	0.03	2.01	10.2	1	1.7	371	0.61	<0.05	13.0	0.240	1.07	3.5	61	0.9
K976022		<0.002	6.82	71.7	7.9	2	7.5	70.4	0.41	0.11	10.1	0.167	2.49	4.2	45	4.0
K976023		<0.002	0.05	2.89	10.4	1	1.9	315	0.63	<0.05	11.5	0.247	1.10	3.4	64	1.2
K272441		<0.002	0.01	0.31	0.3	1	<0.2	49.4	<0.05	<0.05	0.2	0.005	0.02	0.9	2	0.1
K976043		<0.002	0.16	21.6	10.1	1	1.7	184.0	0.71	<0.05	11.7	0.238	1.48	3.3	61	4.5
K976044		<0.002	2.74	17.80	9.6	2	4.0	59.6	0.56	0.32	12.6	0.195	3.06	4.6	53	3.7
K976045		<0.002	0.03	2.17	11.0	1	1.9	346	0.78	<0.05	11.9	0.260	1.17	4.3	68	2.2
K976046		<0.002	0.05	3.68	11.2	1	2.0	326	0.68	<0.05	12.0	0.259	1.38	3.7	69	1.7
K976048		<0.002	0.42	17.55	10.0	1	2.0	141.5	0.64	<0.05	11.8	0.239	2.20	3.7	63	3.2
K976049		<0.002	4.28	26.7	9.8	1	5.0	32.6	0.55	0.09	12.1	0.215	3.09	4.5	57	7.7
K976050		<0.002	1.52	28.1	10.1	1	2.8	117.0	0.61	<0.05	13.2	0.230	2.49	4.4	62	4.8
K976052		<0.002	0.47	9.69	10.8	1	3.1	206	0.61	<0.05	10.5	0.262	2.32	3.8	71	3.0
K976053		<0.002	2.35	26.0	9.8	1	7.5	39.0	0.51	0.05	12.7	0.191	3.28	4.5	53	5.0
G0561939		0.019	1.55	143.5	7.3	4	319	653	0.41	0.12	5.1	0.220	3.73	1.1	72	19.6
K976054		<0.002	0.79	9.77	10.4	1	4.9	98.6	0.54	<0.05	13.7	0.211	3.30	5.1	58	3.6
K976055		<0.002	2.35	22.8	9.6	1	8.4	72.2	0.51	0.15	12.1	0.203	3.11	4.0	62	3.4
K976056		<0.002	3.52	50.6	10.0	2	5.9	58.5	0.49	0.21	12.1	0.202	3.23	4.6	57	4.4
K976058		<0.002	2.82	23.9	9.9	1	9.7	39.6	0.58	0.05	12.5	0.205	3.12	3.7	57	5.2
K976059		<0.002	1.13	14.35	8.9	1	4.5	50.7	0.60	<0.05	13.6	0.203	3.58	3.8	55	4.3
K976060		<0.002	2.20	47.2	7.4	1	3.9	143.0	0.38	0.08	9.6	0.144	2.35	7.1	44	3.8
K976061		<0.002	1.70	53.2	6.3	1	1.8	83.8	0.33	0.05	7.8	0.128	2.12	5.0	35	4.5
K976062		<0.002	0.89	14.05	10.7	1	2.9	102.5	0.56	<0.05	13.3	0.228	2.79	5.0	63	6.2
K976063		<0.002	2.59	71.2	8.7	1	5.9	71.2	0.49	0.06	10.8	0.188	2.77	4.8	51	4.3
G0561940		0.031	>10.0	257	2.8	210	104.5	39.8	0.09	0.78	1.0	0.040	33.0	3.6	53	1.8
K976064		<0.002	0.67	11.75	10.5	1	3.2	115.5	0.62	<0.05	12.3	0.233	3.13	5.7	65	5.5
K976065		0.002	1.55	13.15	9.2	1	4.8	104.0	0.50	<0.05	11.9	0.198	2.74	5.9	53	5.2
K976066		<0.002	0.96	12.40	9.3	1	3.8	90.3	0.54	<0.05	11.8	0.219	2.54	4.3	57	3.1
K976068		<0.002	0.34	7.88	9.6	1	2.4	124.5	0.60	<0.05	11.6	0.240	2.12	5.0	64	4.4
K976069		<0.002	1.74	18.35	8.6	1	5.3	26.0	0.51	<0.05	11.8	0.189	3.00	4.4	50	5.7
K976070		<0.002	0.28	8.68	9.4	1	1.9	140.5	0.65	<0.05	11.5	0.242	1.66	3.6	62	3.8
K976071		<0.002	1.65	48.4	10.7	1	6.2	114.5	0.60	<0.05	14.2	0.232	2.55	6.1	65	3.9
K976072		<0.002	0.73	16.80	9.6	1	3.2	106.0	0.57	0.05	11.1	0.226	2.54	4.1	65	3.7
K976091		<0.002	0.57	21.0	9.6	1	1.8	133.0	0.65	0.07	10.8	0.241	1.57	2.9	57	4.1
K976092		<0.002	4.00	97.2	9.9	1	12.2	95.3	0.51	0.09	11.8	0.203	3.30	4.6	60	6.9
K976093		<0.002	0.67	11.65	10.3	1	2.0	112.0	0.73	0.29	11.9	0.240	2.49	4.2	68	3.5
K976106		<0.002	0.08	21.1	6.0	1	1.7	551	0.74	<0.05	11.2	0.321	1.50	4.3	52	2.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026789

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K976021		16.4	40	31.8				
K976022		11.6	>10000	22.5				1.185
K976023		15.7	121	32.5				
K272441		1.1	38	0.5				
K976043		14.6	71	34.4				
K976044		10.2	>10000	26.1				1.200
K976045		17.4	59	39.1				
K976046		17.1	85	32.8				
K976048		13.1	497	28.2				
K976049		10.8	4430	27.3				
K976050		14.1	1360	30.3				
K976052		15.3	595	29.2				
K976053		10.6	3980	25.2				
G0561939		11.4	7180	16.1				
K976054		12.4	1730	27.9				
K976055		9.5	5070	25.9				
K976056		13.3	1920	24.7				
K976058		10.1	1380	27.6				
K976059		9.9	1330	27.3				
K976060		9.4	2760	20.1				
K976061		9.0	1300	17.0				
K976062		13.6	479	26.9				
K976063		11.3	1860	23.9				
G0561940		7.2	>10000	17.8	154	1.265	1.490	9.28
K976064		13.5	197	30.1				
K976065		11.4	3470	24.6				
K976066		12.5	1720	27.5				
K976068		13.5	187	30.2				
K976069		8.2	1850	23.0				
K976070		14.4	361	29.2				
K976071		13.8	2270	27.4				
K976072		12.1	793	26.6				
K976091		12.4	185	29.1				
K976092		11.9	5200	23.4				
K976093		12.6	135	30.8				
K976106		10.6	142	177.0				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026789

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.