



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 8-MAR-2012
Account: ROCKHA

CERTIFICATE WH12026830

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-FEB-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-03	Find Reject for Addn Analysis
LOG-22	Sample login - Rcd w/o BarCode
PUL-QC	Pulverizing QC Test
LOG-24	Pulp Login - Rcd w/o Barcode
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026830

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
K976107		47.8	4.35	2970	900	1.24	73.5	1.82	119.5	25.1	12.7	9	10.55	1020	5.61	9.81
K976108		0.50	8.00	64.7	1630	2.09	0.59	2.61	0.99	72.2	8.0	23	22.0	15.5	2.92	18.40
K976109		3.10	6.76	661	870	1.27	2.29	1.75	22.9	43.2	7.4	9	11.55	51.8	6.48	14.25
K976127		0.21	7.53	14.1	1910	1.58	0.26	2.47	0.34	50.6	5.6	9	14.40	10.9	2.87	16.35
K976128		21.5	6.02	297	4000	1.44	64.7	0.80	20.5	36.2	9.9	8	12.45	83.6	8.37	12.90
K976129		0.23	8.62	44.4	1300	1.81	0.25	3.50	0.52	53.7	7.3	9	21.1	9.0	2.78	18.55
K976130		0.65	7.94	37.5	980	1.81	0.70	3.02	5.21	54.4	6.9	9	24.5	11.5	2.56	18.35
K976131		77.9	2.72	894	1370	0.64	105.5	1.08	>1000	47.1	5.2	6	4.04	1445	9.28	7.00
K272480		0.27	0.08	8	20	<0.05	0.10	19.90	1.47	1.40	1.3	<1	0.26	10.4	0.47	0.29
K976133		0.96	8.12	95.3	1450	1.75	0.94	2.04	11.80	63.3	5.6	8	15.45	24.4	3.27	16.60
K976145		3.35	8.34	238	1710	1.39	5.50	1.63	3.94	49.6	5.7	8	10.25	65.4	4.05	16.35
K976146		94.9	6.02	926	630	1.18	184.5	1.16	14.05	62.3	12.6	8	6.90	1440	8.33	13.35
K976147		0.23	8.17	14.3	1940	1.53	0.33	2.52	0.82	56.3	7.2	9	9.38	5.2	3.08	16.75
K976148		0.62	8.06	12.6	1930	1.55	1.21	2.33	0.26	48.9	7.2	10	10.15	12.1	3.09	16.80
G0561941		>100	8.26	56.5	1600	1.40	1.76	2.48	54.5	31.9	13.3	21	2.51	4700	3.99	22.1
K976149		0.31	8.10	30.6	1980	1.53	0.35	2.48	0.75	58.5	8.2	8	11.35	7.0	2.54	16.65
K976150		43.7	6.26	640	1070	1.29	83.1	1.48	141.5	63.0	7.2	6	12.25	1950	6.98	14.00
K976152		1.30	8.12	36.8	1460	1.53	1.79	1.76	6.52	64.2	8.2	8	12.40	17.5	3.28	16.20
K973619		0.57	7.91	48.4	2240	1.62	1.28	2.63	4.95	46.3	4.8	11	16.20	11.5	3.00	16.55
K973620		15.70	6.71	490	640	2.89	6.45	1.33	93.1	41.3	5.9	6	12.75	158.0	5.53	15.75
K973622		0.31	6.78	22.8	70	4.11	0.42	1.61	2.29	13.55	0.4	2	21.1	2.8	0.66	19.00
K973623		0.13	6.67	12.8	50	3.67	0.32	0.90	1.48	14.00	0.2	2	20.5	2.1	0.57	19.40
K973624		0.39	7.29	21.3	70	3.88	0.72	0.61	5.13	17.90	0.5	1	20.3	4.3	0.72	19.90
K973625		10.65	7.00	258	420	2.49	6.90	0.43	27.1	40.3	3.8	5	26.4	57.9	3.93	17.70
K973626		1.51	7.65	147.0	890	1.91	0.77	2.28	7.20	53.9	7.9	7	19.20	12.7	3.05	16.10
K973639		3.38	7.34	84.9	1250	1.51	2.18	1.35	64.8	58.2	10.8	9	8.54	34.8	4.50	17.65
K973640		17.75	5.38	>10000	690	1.21	21.6	1.53	123.5	36.6	3.4	10	8.89	282	5.80	12.50
K973642		1.61	7.85	143.0	920	1.57	1.59	1.61	22.4	60.3	3.3	9	16.50	23.3	4.74	16.95
K973643		22.9	7.00	>10000	790	1.32	9.85	0.46	105.0	56.2	3.3	9	10.65	528	6.38	18.30
G0561942		>100	1.44	1115	290	0.33	64.6	1.77	511	13.05	25.8	30	0.76	>10000	17.05	16.35
K973644		2.42	7.08	774	1210	1.61	1.99	1.76	58.2	56.2	3.6	9	15.80	21.1	4.44	17.25
K973645		0.64	6.90	47.8	1230	1.50	0.50	2.28	12.85	48.5	3.7	9	15.50	7.5	3.15	17.30
K973646		16.10	6.50	188.5	800	1.37	23.0	1.56	96.9	48.3	3.5	10	14.75	156.0	4.71	16.05
K973672		5.39	6.94	1780	750	1.42	5.95	1.39	24.9	78.3	5.3	11	15.70	54.9	7.76	18.35
K973674		0.48	7.13	46.5	990	1.81	0.32	2.39	1.50	51.2	4.9	16	15.45	25.1	3.11	19.15
K973675		5.47	5.46	320	1390	1.57	2.42	3.16	40.2	49.6	15.0	7	15.45	63.7	4.91	13.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026830

Sample Description	Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
K976107		0.16	0.9	3.10	1.47	12.8	47.4	0.79	841	15.95	0.03	4.5	3.1	360	485	93.3
K976108		0.19	4.2	0.055	2.43	40.6	315	1.23	959	1.16	0.05	11.4	8.7	1250	33.7	116.5
K976109		0.21	0.9	0.487	2.99	24.1	12.0	0.89	1680	1.65	0.03	7.2	2.7	490	413	215
K976127		0.17	1.1	0.071	3.02	26.8	62.7	0.77	786	0.70	0.75	8.3	2.6	610	26.3	123.5
K976128		0.23	1.3	0.440	2.43	17.6	88.9	0.43	893	2.84	0.05	6.5	3.7	460	661	139.0
K976129		0.20	3.4	0.045	3.24	29.0	71.3	1.20	715	1.36	0.06	10.8	4.7	800	22.5	136.5
K976130		0.18	3.4	0.104	3.08	29.5	50.0	1.02	625	1.04	0.06	10.5	4.3	740	212	136.5
K976131		0.20	0.4	38.9	1.15	30.1	25.5	0.46	2330	9.72	0.02	2.4	1.3	180	774	71.8
K272480		0.06	<0.1	0.020	0.03	0.7	1.5	12.00	198	0.14	<0.01	0.3	2.2	150	15.1	1.7
K976133		0.17	1.1	0.340	3.08	37.3	69.4	0.77	1280	0.75	0.36	8.9	2.2	570	152.0	179.5
K976145		0.18	0.9	0.220	3.06	27.9	31.5	0.67	1260	1.83	0.52	8.1	2.2	600	83.8	159.0
K976146		0.23	0.7	1.045	2.64	40.4	62.5	0.71	1120	5.04	0.04	5.1	2.1	410	1575	180.0
K976147		0.18	1.0	0.072	2.67	32.1	26.7	0.80	703	0.68	1.94	8.3	2.2	590	44.0	135.5
K976148		0.19	1.0	0.053	2.48	26.7	21.5	0.72	477	0.82	2.24	8.6	2.6	600	26.6	100.5
G0561941		0.16	0.5	13.05	2.33	16.7	12.1	0.73	609	41.0	2.64	7.5	12.2	850	9610	70.5
K976149		0.19	1.0	0.076	2.95	33.4	99.4	0.84	876	0.78	0.27	8.0	2.4	580	39.0	142.5
K976150		0.22	0.8	5.54	2.67	37.5	17.8	0.63	2740	1.78	0.03	6.4	1.7	440	459	165.5
K976152		0.18	1.0	0.178	3.04	37.0	76.5	0.68	900	6.27	0.26	8.2	2.3	580	110.5	142.0
K973619		0.18	1.1	0.080	3.36	24.5	19.8	0.65	1180	1.12	1.38	8.3	2.3	600	147.5	153.5
K973620		0.19	1.3	1.915	2.81	23.6	22.3	0.56	3000	2.66	0.05	10.1	2.1	390	2210	196.5
K973622		0.11	3.3	0.052	1.79	6.4	106.0	0.20	667	1.88	0.03	26.0	0.5	40	101.0	127.5
K973623		0.10	3.2	0.033	1.76	7.0	89.8	0.15	481	0.84	0.03	26.2	0.4	20	41.7	137.0
K973624		0.10	3.4	0.061	1.81	9.5	205	0.24	1030	2.48	0.03	26.4	0.5	50	63.4	147.5
K973625		0.16	1.7	1.235	2.70	23.7	29.5	0.36	2710	25.2	0.03	13.7	1.7	330	1125	185.0
K973626		0.18	1.1	0.121	3.56	31.9	11.1	0.85	2620	2.87	0.06	8.9	2.4	540	317	222
K973639		0.21	0.8	1.520	3.28	36.0	6.6	0.79	2390	6.43	0.06	6.5	2.2	550	1300	204
K973640		0.19	0.6	4.22	2.35	20.6	18.3	0.68	1300	9.83	0.03	5.1	1.9	370	1045	148.5
K973642		0.20	1.0	0.422	3.29	37.7	13.7	0.85	2330	2.67	0.04	7.4	2.2	560	392	196.5
K973643		0.21	0.9	2.38	3.14	33.3	7.3	0.43	1310	3.47	0.04	6.8	2.2	510	1555	196.5
G0561942		0.96	0.6	7.31	0.41	7.8	7.9	0.86	389	37.8	0.02	1.7	51.5	390	>10000	18.1
K973644		0.12	1.0	1.005	3.21	32.2	7.6	0.83	1560	9.29	0.03	7.6	2.2	500	784	177.5
K973645		0.12	1.1	0.256	3.16	25.9	21.2	0.86	1130	3.18	0.04	7.3	2.1	550	334	145.5
K973646		0.13	1.0	3.24	2.67	28.3	29.7	0.68	1620	2.48	0.03	6.8	2.3	490	1175	150.0
K973672		0.19	1.5	0.629	3.10	48.4	11.8	0.83	2600	6.03	0.03	6.5	3.4	760	847	167.5
K973674		0.13	2.3	0.135	2.23	27.3	60.0	0.72	1240	2.02	0.03	8.0	4.4	1040	68.4	76.2
K973675		0.13	1.2	0.630	2.26	29.8	16.5	0.97	2670	4.67	0.01	5.2	3.7	530	1375	144.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 8-MAR-2012
Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026830

Sample Description	Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
K976107		0.002	5.55	246	4.9	2	5.9	159.0	0.32	0.39	6.6	0.131	1.48	2.7	35	2.9
K976108		<0.002	0.34	20.4	7.5	1	1.7	633	0.70	<0.05	10.9	0.336	1.53	4.8	65	3.2
K976109		<0.002	6.39	22.3	9.5	1	5.5	78.7	0.53	0.11	12.9	0.212	3.40	4.3	58	6.9
K976127		<0.002	0.15	7.19	10.1	1	2.1	239	0.65	0.06	11.7	0.248	2.07	3.9	70	2.7
K976128		<0.002	7.55	19.30	7.5	2	3.5	179.0	0.50	1.22	9.4	0.190	2.20	4.9	55	3.3
K976129		<0.002	0.19	15.25	8.3	1	1.7	450	0.77	<0.05	10.7	0.303	2.51	6.0	70	4.7
K976130		<0.002	0.18	16.65	8.1	1	1.6	396	0.76	<0.05	11.1	0.280	2.58	5.7	68	2.4
K976131		<0.002	>10.0	77.3	3.3	12	5.5	33.7	0.19	1.28	4.6	0.068	1.08	2.0	25	2.1
K272480		<0.002	0.02	0.67	0.3	1	<0.2	41.6	<0.05	<0.05	<0.2	<0.005	<0.02	0.5	2	0.1
K976133		<0.002	0.96	10.15	11.0	1	2.9	182.0	0.75	<0.05	14.2	0.240	2.72	5.6	64	2.7
K976145		<0.002	1.10	24.7	10.9	1	3.2	138.5	0.63	0.08	14.2	0.251	2.17	4.6	69	2.7
K976146		<0.002	7.39	209	8.0	1	7.6	43.5	0.39	1.55	11.7	0.153	2.30	5.3	53	3.1
K976147		<0.002	0.20	3.57	11.2	1	2.3	322	0.63	<0.05	14.0	0.249	1.70	5.2	69	1.3
K976148		<0.002	0.22	4.77	11.3	1	2.3	325	0.66	0.05	13.4	0.258	1.25	4.9	69	1.1
G0561941		0.020	1.68	154.0	7.8	4	362	722	0.41	0.12	5.9	0.235	4.00	1.3	79	19.7
K976149		<0.002	0.50	8.88	10.7	1	2.8	193.5	0.62	0.08	14.0	0.244	2.31	4.2	65	2.2
K976150		<0.002	5.82	47.3	8.4	2	5.6	64.9	0.52	0.74	12.1	0.184	2.90	4.4	51	4.2
K976152		<0.002	0.78	10.80	10.9	1	2.6	144.0	0.66	0.36	14.5	0.243	2.21	5.0	67	2.6
K973619		<0.002	0.21	3.76	11.3	1	2.0	260	0.61	<0.05	12.0	0.259	2.12	4.5	74	1.7
K973620		<0.002	3.50	24.6	8.3	2	9.1	104.5	0.84	0.10	13.8	0.168	3.13	8.2	48	6.0
K973622		<0.002	0.07	4.30	3.3	1	3.0	127.0	2.67	<0.05	17.2	0.038	1.62	10.3	2	1.8
K973623		<0.002	0.02	4.48	3.3	1	2.9	61.8	2.72	<0.05	18.6	0.033	1.43	4.5	1	1.8
K973624		<0.002	0.03	6.04	3.7	1	3.3	64.4	2.65	<0.05	22.9	0.040	1.50	9.7	2	2.5
K973625		<0.002	1.75	37.2	7.7	1	5.9	77.5	1.21	0.08	16.9	0.160	3.00	13.5	43	6.5
K973626		0.002	1.31	8.95	10.5	1	2.3	86.8	0.66	<0.05	14.5	0.226	3.59	6.5	60	5.4
K973639		0.003	1.61	7.52	11.1	1	4.0	29.2	0.48	0.08	15.2	0.189	3.16	4.1	72	4.4
K973640		0.002	4.54	79.5	7.3	1	4.4	32.8	0.39	0.11	10.1	0.148	2.49	5.1	49	4.2
K973642		<0.002	1.34	9.34	10.5	1	3.3	55.8	0.57	<0.05	14.8	0.223	3.44	5.1	60	6.1
K973643		<0.002	5.02	91.4	9.5	1	11.4	15.1	0.54	<0.05	13.3	0.206	3.06	4.0	59	6.5
G0561942		0.031	>10.0	264	2.4	209	111.5	39.0	0.09	0.88	1.2	0.040	36.5	4.3	58	1.8
K973644		0.002	1.44	9.06	9.6	2	4.7	52.2	0.62	<0.05	13.6	0.212	3.00	5.6	60	5.2
K973645		<0.002	0.35	7.35	10.1	1	2.7	78.1	0.60	<0.05	11.9	0.217	3.04	5.9	70	3.1
K973646		0.002	1.85	23.8	9.0	2	3.3	68.8	0.55	0.08	12.3	0.200	2.60	5.8	59	5.9
K973672		0.004	4.17	21.7	11.9	1	6.6	44.6	0.49	0.21	9.5	0.259	3.21	3.8	95	9.8
K973674		0.002	0.39	19.00	15.0	2	3.3	243	0.57	<0.05	8.4	0.363	2.51	6.1	120	9.1
K973675		0.003	3.65	25.9	9.0	2	4.9	99.3	0.39	0.41	8.0	0.180	2.44	11.0	72	5.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 8-MAR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12026830

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
K976107		7.7	7630	29.8				
K976108		13.2	165	185.0				
K976109		10.4	1700	28.6				
K976127		14.3	64	29.5				
K976128		11.9	1480	44.7				
K976129		14.4	96	135.5				
K976130		14.5	420	134.0				
K976131		6.3	>10000	13.0				14.85
K272480		0.8	110	0.7				
K976133		15.5	883	29.5				
K976145		13.2	384	25.6				
K976146		10.3	1130	19.6				
K976147		15.3	117	27.4				
K976148		15.2	60	28.0				
G0561941		11.6	7460	15.5	100			
K976149		13.8	100	26.8				
K976150		12.3	9430	22.9				
K976152		14.0	520	28.3				
K973619		14.6	400	32.0				
K973620		12.6	8170	33.7				
K973622		13.9	265	59.4				
K973623		12.6	196	56.3				
K973624		17.5	585	65.8				
K973625		12.3	2460	37.4				
K973626		15.9	1500	29.6				
K973639		10.8	5140	24.1				
K973640		8.3	8420	18.7				
K973642		11.1	1660	27.2				
K973643		10.6	7650	26.7				
G0561942		7.3	>10000	18.3	156	1.235	1.545	9.50
K973644		10.7	4030	29.9				
K973645		12.8	958	31.8				
K973646		11.2	5840	28.5				
K973672		9.6	1920	60.3				
K973674		14.9	147	84.2				
K973675		14.5	2700	41.9				



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 8-MAR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12026830

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.