



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 5-APR-2012
Account: ROCKHA

CERTIFICATE WH12063517

Project: Klaza

P.O. No.:

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23-MAR-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

MATT TURNER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
LOG-22	Sample login - Rcd w/o BarCode
SPL-21	Split sample - riffle splitter
WEI-25	Wt. of Crushed Reject
FND-03	Find Reject for Addn Analysis
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A)
 Plus Appendix Pages
 Finalized Date: 5-APR-2012
 Account: ROCKHA

Project: Klaza

CERTIFICATE OF ANALYSIS WH12063517

Sample Description	Method Analyte Units LOR	ME-MS61 Ag ppm 0.01	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	WEI-25 Reject W kg 0.001
K271073		22.4				3.51
K271074		0.22				1.080
K271075		4.30				6.17
K271076		12.50				3.97
K271077		1.81				10.60
K271078		0.23				9.32
K271079		0.98				8.37
K271080		7.35				5.69
K271081		0.36				7.25
K271082		NSS				<0.001
K271083		0.15				5.10
K271084		0.82				4.15
K271085		0.15				6.51
K271086		0.80				5.39
K271087		1.59				12.15
K271088		1.00				6.38
K271089		3.44				4.63
K271090		0.37				6.81
K271091		0.09				11.15
K271092		0.05				11.50
K271093		0.03				11.10
K271094		0.32				4.98
K271095		3.63				8.30
K271096		10.10				4.42
K271097		0.26				2.79
K271098		>100	106	1.575	1.655	2.23
K271099		0.17				2.40
K271100		26.9				5.23
K271101		2.14				3.07
K271102		0.35				9.43
K271103		NSS				<0.001
K271104		0.38				5.23
K271105		15.45				7.81
K271106		0.24				5.18
K271107		0.90				7.45
K271108		0.05				8.38



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 5-APR-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12063517

Method	CERTIFICATE COMMENTS
ALL METHODS ME-MS61	NSS is non-sufficient sample. REE's may not be totally soluble in this method.