



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 11-JUL-2012
Account: ROCKHA

CERTIFICATE WH12144366

Project: Klaza TR-12-8

P.O. No.: Batch 5

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 22-JUN-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144366

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N828621		2.63	0.062	1.26	8.19	83.4	2380	1.35	1.98	0.15	2.76	43.2	6.7	7	10.85	73.5
N828622		4.01	0.066	1.50	7.70	214	1250	1.24	1.75	0.21	2.61	75.0	5.2	7	25.9	39.4
N828623		3.46	0.240	3.46	6.19	84.5	1310	1.00	3.96	0.17	0.97	52.7	0.6	6	9.44	14.0
N828624		3.04	0.097	2.46	7.53	150.5	1410	1.27	3.66	0.16	1.43	43.4	7.1	8	15.65	39.2
N828625		2.21	0.073	2.27	7.98	127.0	1870	1.41	4.07	0.19	3.19	37.8	10.0	7	14.65	33.0
N828626		3.33	0.182	4.81	7.31	202	2560	1.38	5.57	0.13	3.05	49.2	3.2	7	12.85	29.0
N828627		5.77	0.106	4.15	7.69	148.0	2500	1.37	6.47	0.15	1.61	50.8	2.2	6	18.10	52.5
N828628		3.43	0.156	3.19	7.85	133.0	3050	1.17	3.86	0.16	1.09	52.1	1.6	7	18.95	39.2
N828629		3.48	0.070	2.40	7.94	172.5	1550	1.15	4.82	0.18	1.27	56.3	1.8	7	21.2	33.0
N828630		4.30	0.282	6.53	7.58	179.5	1770	1.25	16.50	0.17	1.19	60.7	1.3	9	9.61	23.1
N828631		4.10	0.062	2.70	7.81	144.5	2210	1.42	2.92	0.39	1.56	49.7	3.1	7	12.50	46.4
N828632		3.75	0.044	1.43	7.79	53.1	2370	1.53	3.25	0.83	3.91	40.6	5.8	8	10.45	44.6
N828633		3.54	0.044	1.27	7.97	50.7	2020	1.57	2.59	0.49	2.12	36.9	4.6	8	12.85	38.7
N828634		4.67	0.071	1.23	7.81	51.6	2440	1.70	3.03	0.60	3.50	48.9	6.9	7	10.95	53.7
N828635		4.31	0.100	2.32	8.13	162.0	2280	1.79	3.62	0.18	5.59	61.3	7.1	7	22.8	66.6
N828636		3.61	0.366	6.00	7.72	132.5	1820	1.67	10.05	0.11	3.71	61.6	2.8	7	15.75	57.6
N828637		4.66	0.375	4.58	6.94	242	900	1.30	7.98	0.13	2.67	61.2	1.4	7	12.00	15.9
N828638		1.85	0.579	2.45	7.59	231	1130	1.31	1.72	0.11	2.87	54.6	2.5	7	18.00	61.7
N828639		6.56	0.150	1.40	7.81	136.5	2110	1.53	2.25	1.02	4.08	53.2	6.4	10	10.15	42.2
N828640		0.25	2.34	25.4	6.01	2930	170	1.44	19.05	2.24	85.0	41.1	10.2	19	13.75	432
N828641		2.76	0.052	0.93	7.85	49.8	2090	1.61	1.73	0.87	4.36	51.7	7.7	10	9.15	35.3
N828642		4.15	0.047	1.04	8.61	34.0	2310	1.61	1.79	0.33	4.79	39.9	8.9	8	12.45	40.5
N828643		3.07	0.115	0.53	7.72	165.0	2150	1.62	1.11	0.86	7.33	54.7	9.6	9	8.05	25.5
N828644		3.73	0.068	0.45	8.00	59.7	3820	2.30	1.50	0.30	20.3	72.6	19.7	8	17.40	56.6
N828645		2.41	0.571	1.22	7.59	124.5	1490	1.56	1.79	0.14	3.37	69.6	3.3	7	20.2	42.1
N828646		2.92	0.063	1.09	7.31	73.9	1960	1.53	2.13	0.18	4.65	38.2	7.8	9	10.00	86.3
N828647		4.51	0.060	0.94	7.98	53.8	2270	1.64	1.88	0.13	9.21	56.9	11.4	8	11.40	60.6
N828648		4.79	0.053	0.43	8.18	37.4	2390	2.09	1.37	0.14	9.23	52.1	11.7	7	13.85	75.1
N828649		2.64	0.027	0.44	8.44	25.5	2230	1.53	1.67	0.12	4.45	35.9	3.3	6	14.90	59.9
N828650		3.53	0.358	1.17	8.24	49.3	2880	1.33	2.75	0.14	2.83	42.8	2.8	7	13.80	47.6
N828651		3.88	0.050	0.52	8.62	19.5	2840	1.75	2.64	0.13	5.15	45.1	6.8	7	12.40	46.7
N828652		4.54	0.059	0.77	8.34	39.0	2930	1.94	2.01	0.12	10.25	55.1	9.0	7	15.00	40.7
N828653		3.26	0.063	1.38	8.60	45.9	2330	2.17	2.25	0.15	18.30	57.6	12.6	7	20.2	57.0
N828654		5.23	0.132	3.00	7.70	166.5	1890	1.57	4.72	0.10	4.66	64.3	3.3	7	22.0	24.1
N828655		5.63	<0.005	0.01	0.09	<5	30	0.05	0.03	21.5	0.10	1.19	1.5	<1	0.23	1.7
N828656		2.74	0.062	1.63	8.40	69.8	2700	1.31	2.05	0.14	2.02	41.4	2.3	5	9.55	26.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144366

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N828621		4.99	17.10	0.10	1.1	0.374	3.68	25.2	26.5	0.24	285	4.85	0.16	7.2	3.0	640
N828622		5.24	16.00	0.12	1.1	0.360	3.16	44.5	14.6	0.23	432	4.03	0.05	7.1	2.5	670
N828623		2.39	14.80	0.10	1.1	0.322	2.72	29.7	11.7	0.27	155	3.18	0.09	7.2	1.2	230
N828624		5.01	16.25	0.12	1.0	0.466	3.19	24.1	10.2	0.25	649	2.74	0.05	6.2	2.6	520
N828625		5.33	17.40	0.12	1.1	0.488	2.87	21.0	14.7	0.34	544	4.28	0.16	6.2	2.9	750
N828626		4.24	18.45	0.13	1.0	0.639	3.12	28.7	10.4	0.28	206	10.65	0.07	5.7	1.7	500
N828627		3.72	17.10	0.13	1.0	0.607	3.20	27.8	20.6	0.22	134	8.79	0.06	7.1	1.9	610
N828628		3.60	16.95	0.14	1.1	0.585	3.17	28.4	13.9	0.21	130	4.32	0.08	7.4	1.8	600
N828629		3.72	17.10	0.14	1.2	0.417	2.95	30.3	24.2	0.20	136	3.60	0.09	7.7	2.0	690
N828630		2.64	17.45	0.15	1.2	0.455	3.41	34.0	11.9	0.30	228	4.02	0.16	7.5	1.5	340
N828631		4.77	16.15	0.14	1.2	0.418	3.30	27.5	15.5	0.39	189	3.87	0.86	7.4	2.3	620
N828632		4.30	18.20	0.11	1.3	0.297	2.59	22.8	15.0	0.64	379	2.92	1.73	8.2	2.9	610
N828633		3.72	18.55	0.10	1.3	0.377	2.58	24.0	14.4	0.45	310	2.30	1.59	8.1	2.7	540
N828634		3.83	17.15	0.12	1.3	0.265	2.76	27.8	13.7	0.53	364	2.27	1.30	7.7	3.2	560
N828635		3.70	18.35	0.15	1.2	0.414	3.97	33.8	18.1	0.23	431	2.94	0.30	8.2	2.7	640
N828636		3.92	16.90	0.13	1.1	1.300	3.55	35.0	12.0	0.26	388	4.25	0.07	7.1	1.9	540
N828637		2.84	17.55	0.13	1.3	0.633	3.07	34.6	14.2	0.28	256	3.40	0.12	8.8	1.4	390
N828638		6.11	15.65	0.14	1.0	0.760	3.36	32.0	11.9	0.22	382	4.24	0.06	7.4	1.9	770
N828639		4.21	17.15	0.13	1.2	0.409	2.78	33.3	16.3	0.54	450	3.86	1.64	8.0	3.3	730
N828640		6.82	14.20	0.12	0.9	1.515	2.62	21.7	26.8	0.92	1880	12.85	0.04	5.5	13.7	440
N828641		3.72	17.45	0.13	1.3	0.255	2.77	29.5	15.1	0.51	532	3.83	1.53	8.0	3.4	620
N828642		4.09	18.35	0.12	1.1	0.222	2.72	24.8	20.1	0.21	388	5.16	0.94	8.2	2.9	590
N828643		3.36	16.70	0.13	1.2	0.179	2.60	28.4	15.7	0.54	815	2.36	1.47	7.9	3.1	580
N828644		3.64	16.25	0.14	1.2	0.196	2.96	35.3	14.9	0.37	1900	2.24	0.69	7.5	4.2	610
N828645		3.27	15.40	0.12	1.1	0.190	3.19	43.3	16.6	0.28	196	7.24	0.07	6.7	2.5	490
N828646		3.52	15.20	0.11	1.1	0.276	2.82	21.3	24.1	0.23	364	9.73	0.20	6.5	3.3	620
N828647		3.69	17.15	0.14	1.1	0.351	3.00	27.9	24.5	0.21	780	3.21	0.13	7.1	2.7	600
N828648		3.88	15.80	0.13	1.3	0.182	2.92	23.2	35.3	0.13	649	3.91	0.16	8.1	3.7	590
N828649		3.43	17.20	0.11	1.2	0.208	3.09	19.1	25.3	0.17	142	4.10	0.21	8.4	1.8	560
N828650		3.12	16.70	0.11	1.3	0.203	3.03	25.0	28.2	0.18	150	3.63	0.12	7.8	2.0	570
N828651		3.05	17.40	0.12	1.3	0.167	2.60	23.6	35.6	0.17	269	5.30	0.06	7.5	2.0	620
N828652		4.01	15.75	0.15	1.2	0.234	3.01	29.7	30.0	0.21	597	3.93	0.08	7.4	2.5	620
N828653		3.86	16.25	0.14	1.2	0.354	3.37	30.1	20.5	0.24	942	5.23	0.07	7.0	3.4	620
N828654		3.58	16.60	0.14	1.4	0.498	2.82	37.0	33.0	0.24	233	7.25	0.07	7.7	1.8	520
N828655		0.50	0.78	0.20	<0.1	0.005	0.04	0.6	1.2	12.75	218	0.13	<0.01	0.3	<0.2	170
N828656		2.33	17.10	0.08	1.3	0.246	2.74	23.2	45.1	0.16	120	4.49	0.07	8.7	2.5	360



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144366

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N828621		132.5	183.0	<0.002	0.09	6.28	9.4	1	3.0	85.6	0.60	0.19	17.3	0.225	2.59	3.7
N828622		260	174.0	<0.002	0.63	8.86	10.3	1	2.9	85.6	0.60	0.20	18.1	0.233	3.33	3.5
N828623		497	160.0	<0.002	0.48	11.85	8.1	1	6.4	59.5	0.62	0.41	8.1	0.233	3.17	1.6
N828624		217	191.5	<0.002	0.37	15.80	9.1	1	3.4	59.0	0.55	0.87	14.4	0.213	3.18	3.3
N828625		174.5	175.5	<0.002	0.39	8.37	10.0	2	3.9	83.2	0.57	0.55	17.8	0.214	2.90	3.6
N828626		345	171.0	<0.002	0.41	14.65	9.3	2	5.8	68.3	0.51	0.53	14.3	0.194	3.21	2.4
N828627		376	168.5	<0.002	0.40	14.25	9.6	1	3.3	85.1	0.58	0.50	15.7	0.236	3.26	3.1
N828628		233	161.0	<0.002	0.34	10.00	9.2	1	3.3	60.8	0.65	0.20	14.6	0.242	3.30	3.1
N828629		223	149.5	<0.002	0.42	11.65	10.1	1	2.6	123.0	0.66	0.23	16.8	0.253	2.81	3.1
N828630		606	182.5	<0.002	0.26	21.7	9.2	1	12.8	65.2	0.66	0.33	11.2	0.257	3.73	2.0
N828631		218	160.0	<0.002	0.30	8.98	9.9	1	2.8	148.0	0.63	0.27	17.0	0.240	2.55	3.2
N828632		172.5	124.0	<0.002	0.06	6.00	10.1	2	2.8	237	0.68	0.22	16.2	0.238	1.57	3.2
N828633		357	131.0	<0.002	0.18	7.37	10.6	1	3.9	196.0	0.66	0.30	16.3	0.233	1.75	3.0
N828634		114.5	137.5	<0.002	0.08	6.56	11.9	1	2.5	202	0.63	0.30	16.0	0.233	1.76	3.7
N828635		208	198.0	<0.002	0.28	7.69	12.3	2	3.1	96.4	0.65	0.17	16.5	0.247	3.59	4.9
N828636		505	196.0	<0.002	0.22	9.95	9.9	2	7.2	58.3	0.58	0.95	14.8	0.219	3.65	4.3
N828637		420	177.5	<0.002	0.19	13.95	8.2	1	12.0	75.6	0.71	0.33	11.2	0.265	3.34	1.8
N828638		503	180.0	<0.002	0.19	8.64	8.2	1	3.8	48.0	0.56	0.12	11.2	0.237	3.49	3.5
N828639		175.0	131.5	<0.002	0.13	5.22	9.6	1	3.0	265	0.61	0.22	15.3	0.257	1.79	3.6
N828640		2760	159.0	0.002	4.83	94.8	7.7	2	7.8	91.9	0.43	0.40	9.6	0.171	2.29	4.7
N828641		152.0	135.5	<0.002	0.07	5.85	10.6	2	2.6	231	0.66	0.34	14.2	0.256	1.67	3.4
N828642		137.0	122.0	<0.002	0.05	14.00	11.6	2	2.5	152.5	0.64	0.49	15.9	0.261	1.63	4.4
N828643		110.0	128.5	<0.002	0.06	6.98	10.4	2	2.5	211	0.67	0.16	13.7	0.251	1.76	3.4
N828644		44.1	163.5	<0.002	0.15	7.58	11.0	2	2.1	110.5	0.63	0.29	15.6	0.235	2.85	6.8
N828645		107.0	188.5	<0.002	0.29	12.95	9.6	2	3.2	80.7	0.55	0.40	12.9	0.213	3.32	4.7
N828646		181.5	149.0	<0.002	0.11	13.65	9.6	2	3.3	74.4	0.53	0.37	13.4	0.210	2.13	4.3
N828647		119.5	157.5	<0.002	0.08	17.90	9.5	1	2.8	57.0	0.60	0.35	13.9	0.230	2.35	4.7
N828648		52.6	127.0	<0.002	0.03	24.0	10.4	1	2.1	65.0	0.68	0.15	15.2	0.246	1.75	6.5
N828649		49.9	151.5	<0.002	0.02	15.45	9.9	2	2.4	61.0	0.69	0.27	15.7	0.259	2.06	4.4
N828650		166.5	158.0	<0.002	0.10	18.95	8.8	2	2.7	61.1	0.66	0.30	15.1	0.245	2.26	3.5
N828651		51.7	133.0	<0.002	0.07	21.6	10.9	2	2.2	46.3	0.66	0.16	16.5	0.236	1.91	5.1
N828652		105.0	155.5	<0.002	0.15	18.15	10.4	2	2.8	57.2	0.63	0.44	15.4	0.235	2.59	5.2
N828653		228	187.5	<0.002	0.09	9.68	11.2	2	3.5	39.6	0.60	0.36	16.1	0.229	3.19	6.5
N828654		455	168.0	<0.002	0.24	22.0	7.8	2	5.3	128.5	0.69	1.02	14.2	0.236	2.60	3.1
N828655		2.2	1.6	<0.002	0.02	0.07	<0.1	1	<0.2	46.3	<0.05	<0.05	<0.2	<0.005	0.02	0.4
N828656		178.5	142.5	<0.002	0.26	16.20	5.8	1	3.0	130.5	0.75	0.26	10.7	0.270	1.86	2.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JUL-2012
 Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144366

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N828621		64	2.0	11.0	545	30.0
N828622		65	3.3	10.0	672	25.4
N828623		54	7.9	5.3	84	29.0
N828624		62	3.2	9.7	636	24.2
N828625		68	2.3	11.0	631	24.2
N828626		72	3.6	7.7	378	23.9
N828627		70	2.7	8.7	374	24.0
N828628		67	4.9	7.9	291	28.1
N828629		72	3.8	7.3	293	28.0
N828630		66	11.2	6.9	179	28.5
N828631		67	3.1	7.5	381	28.9
N828632		67	2.1	12.7	326	37.9
N828633		71	1.9	9.2	377	31.0
N828634		66	1.6	13.3	385	34.8
N828635		69	3.3	11.5	592	31.1
N828636		62	5.3	10.5	646	26.9
N828637		59	9.8	7.3	208	36.7
N828638		68	3.1	8.7	1260	23.3
N828639		72	2.0	13.1	349	29.1
N828640		57	4.9	8.9	5320	21.8
N828641		70	2.2	13.5	454	30.6
N828642		72	2.3	15.4	556	28.7
N828643		70	2.2	16.3	397	27.8
N828644		65	2.4	23.4	861	28.1
N828645		61	4.0	11.1	319	27.4
N828646		65	2.8	11.2	363	26.3
N828647		67	2.7	17.1	543	27.6
N828648		65	3.9	18.8	628	33.5
N828649		71	2.4	12.2	326	31.3
N828650		70	3.2	10.0	306	30.5
N828651		70	4.0	12.8	362	31.2
N828652		69	3.1	15.4	676	29.0
N828653		68	2.7	20.5	862	28.6
N828654		63	3.8	11.2	478	32.6
N828655		3	0.1	0.7	19	<0.5
N828656		64	3.2	8.3	281	31.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 11-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12144366

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.