



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 11-JUL-2012
Account: ROCKHA

CERTIFICATE WH12144367

Project: Klaza TR-12-8

P.O. No.: Batch 6

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 22-JUN-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144367

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N828657		6.95	0.230	3.75	7.34	79.5	2050	1.29	5.13	0.26	2.98	48.9	2.9	12	8.96	27.0
N828658		3.59	0.168	4.04	7.36	154.0	1710	1.44	5.11	0.17	4.60	58.9	2.5	9	17.35	57.6
N828659		3.25	0.139	4.06	7.42	107.5	1940	1.57	5.66	0.09	4.15	64.1	4.3	12	11.65	38.3
N828660		3.32	0.135	4.99	6.95	160.5	1610	1.37	8.60	0.12	3.69	53.6	3.4	10	36.8	39.4
N828661		4.25	0.071	1.90	8.25	66.6	2520	1.57	3.75	0.17	4.32	49.3	7.4	12	16.55	92.1
N828662		3.06	0.039	0.90	7.79	45.1	2230	1.72	2.40	0.31	3.91	42.3	4.4	10	10.60	99.6
N828663		4.11	0.044	1.39	7.73	95.4	2330	1.88	3.33	0.13	4.23	42.8	6.8	10	13.05	97.5
N828664		3.79	1.210	50.9	7.14	568	2120	1.73	47.6	0.14	6.18	70.0	2.8	18	20.1	371
N828665		4.41	0.916	9.43	7.82	225	1630	2.02	16.80	0.16	6.68	66.5	5.3	24	16.35	297
N828666		4.01	0.080	1.49	8.24	52.5	1730	2.42	1.71	0.31	23.9	66.1	9.6	25	18.70	147.5
N828667		3.49	0.040	1.16	7.48	51.8	2100	1.95	1.31	0.24	14.00	65.1	9.7	23	13.75	107.0
N828668		4.50	0.059	1.33	8.07	70.6	1370	2.90	1.23	0.28	34.2	76.0	18.6	27	14.15	258
N828669		3.91	0.228	6.26	6.27	129.5	860	1.62	4.25	0.13	6.89	56.0	2.5	10	15.40	95.0
N828670		3.90	0.042	1.91	7.13	114.5	1410	1.38	2.07	0.15	6.08	53.9	4.7	8	14.40	59.8
N828671		3.00	0.061	1.92	7.21	161.0	1290	1.42	1.96	0.12	4.01	52.8	5.3	7	10.15	50.6
N828672		2.67	0.196	2.22	4.18	92.5	1550	0.90	1.91	0.06	1.61	31.2	1.6	20	4.72	35.1
N828673		4.12	0.087	1.54	8.03	85.4	2840	1.83	1.79	0.15	15.60	49.2	15.2	11	7.52	93.3
N828674		3.58	0.050	1.43	7.60	65.2	1940	1.76	1.65	0.16	5.63	57.9	5.9	10	5.92	93.4
N828675		4.41	0.082	1.52	8.11	90.9	2250	1.46	2.33	0.22	5.38	36.2	4.2	8	9.32	43.2
N828676		4.21	0.055	1.55	8.09	101.0	2440	1.81	2.42	0.17	6.88	54.3	6.2	9	8.32	70.6
N828677		4.37	0.050	0.97	8.14	69.1	2190	1.67	1.77	0.15	8.25	46.8	8.8	10	7.91	58.0
N828678		3.69	0.032	1.06	7.70	53.7	7210	1.64	1.60	0.15	8.80	43.2	15.8	11	8.26	69.2
N828679		0.19	2.25	26.5	6.10	2850	980	1.46	18.85	2.28	82.7	42.5	10.6	19	13.10	436
N828680		3.91	0.072	1.61	6.94	92.2	2620	1.26	4.43	0.15	4.91	34.7	14.4	14	7.91	194.0
N828681		2.90	0.058	1.01	7.44	60.2	3070	1.59	3.70	0.17	4.34	46.6	6.2	12	7.48	102.0
N828682		3.62	0.057	0.77	8.24	39.4	2420	1.49	6.12	0.22	4.26	30.0	4.8	9	8.49	52.7
N828683		2.22	0.033	0.67	8.20	50.5	2820	1.90	3.26	0.30	6.39	42.5	5.5	9	10.80	67.7
N828684		3.32	0.025	0.54	8.31	38.3	2460	1.34	1.25	0.20	4.93	41.0	3.1	12	10.30	38.6
N828685		3.56	0.072	2.43	7.32	126.5	1670	1.69	2.04	0.12	6.17	69.9	1.6	11	14.95	125.0
N828686		2.87	0.033	1.21	7.54	77.5	1570	1.68	1.96	0.11	3.88	54.3	1.9	9	8.96	84.9
N828687		2.35	0.386	2.75	7.09	171.5	2600	1.57	1.80	0.16	7.64	59.8	1.8	8	12.50	104.0
N828688		2.83	0.038	0.87	8.26	35.8	1490	1.83	1.33	0.14	4.17	56.0	2.0	8	9.22	80.8
N828689		2.29	0.049	2.26	8.28	57.0	1890	2.06	1.23	0.10	5.37	41.3	2.1	10	7.57	105.5
N828690		3.21	0.058	2.38	6.57	77.7	1830	1.25	1.53	0.18	5.27	36.9	1.3	13	9.75	67.3
N828691		2.08	<0.005	0.02	0.10	<5	20	0.07	0.03	21.6	0.11	1.24	1.3	1	0.26	2.1
N828692		3.20	0.107	2.75	7.16	156.5	2040	1.40	2.61	0.16	3.35	46.5	1.0	11	7.78	68.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144367

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N828657		3.04	15.60	0.11	1.2	0.660	3.15	27.1	14.3	0.30	265	7.81	0.29	6.6	2.3	410
N828658		4.70	16.80	0.12	1.2	1.195	3.15	36.0	13.9	0.24	211	6.49	0.08	7.2	2.5	510
N828659		5.10	15.35	0.11	1.0	1.340	3.38	36.4	8.2	0.27	224	4.99	0.06	5.5	1.4	520
N828660		5.14	16.00	0.14	1.2	0.700	2.83	34.1	18.0	0.28	232	4.60	0.05	6.5	1.7	380
N828661		4.98	16.85	0.12	1.1	0.401	3.15	29.7	24.7	0.42	410	3.82	0.11	6.8	2.9	650
N828662		3.99	16.80	0.11	1.1	0.301	3.15	21.8	10.4	0.37	253	3.06	1.00	6.7	3.2	560
N828663		4.37	16.50	0.11	1.2	0.514	3.39	23.0	26.1	0.30	372	4.24	0.13	7.1	4.5	630
N828664		5.47	19.00	0.13	2.3	2.92	2.76	45.3	21.9	0.25	158	9.35	0.07	7.5	3.6	860
N828665		5.40	18.50	0.13	3.3	0.758	2.91	38.4	28.0	0.23	246	9.49	0.06	9.3	6.5	820
N828666		3.75	19.50	0.13	3.3	0.249	3.06	34.8	46.7	0.22	1040	5.52	0.06	10.1	10.3	920
N828667		3.05	17.75	0.12	3.6	0.140	2.67	33.3	97.2	0.21	827	12.30	0.07	9.3	10.0	830
N828668		4.40	21.5	0.10	3.8	0.158	2.74	34.0	96.6	0.25	1670	10.20	0.15	10.1	17.2	940
N828669		3.49	15.50	0.08	1.5	0.522	2.56	31.2	28.1	0.22	215	12.95	0.06	7.1	3.1	400
N828670		5.15	15.75	0.08	1.3	0.414	2.56	29.6	23.0	0.19	359	5.12	0.05	7.8	3.4	750
N828671		3.79	16.05	0.08	1.2	0.429	2.46	29.0	33.9	0.21	323	7.28	0.05	6.9	3.1	530
N828672		1.84	10.85	<0.05	0.8	0.299	1.93	17.4	11.1	0.19	83	23.1	0.05	4.0	1.8	250
N828673		3.15	18.10	0.09	1.1	0.411	3.26	22.3	19.6	0.32	977	4.75	0.18	6.0	4.1	670
N828674		2.98	16.95	0.11	1.0	0.254	2.78	28.4	17.1	0.26	204	8.79	0.34	4.6	3.1	650
N828675		3.18	18.00	0.09	1.1	0.196	3.25	18.6	21.6	0.34	208	3.10	0.36	7.3	2.9	520
N828676		3.87	17.50	0.12	1.0	0.413	3.03	25.9	11.0	0.29	199	15.85	0.91	5.4	3.7	660
N828677		3.71	15.35	0.12	1.0	0.381	3.17	21.1	9.4	0.33	328	8.91	0.67	4.6	4.0	660
N828678		3.67	16.45	0.11	1.1	0.222	3.31	19.8	13.0	0.40	433	5.61	0.16	5.7	4.1	640
N828679		6.97	14.50	0.10	1.0	1.610	2.66	21.4	25.4	0.94	1900	13.50	0.04	5.9	15.8	450
N828680		3.43	15.05	0.09	1.2	0.215	3.05	17.5	14.6	0.28	203	11.95	0.34	5.3	2.7	600
N828681		3.06	16.70	0.10	1.2	0.147	3.03	24.6	14.9	0.33	179	5.14	0.32	5.7	3.3	530
N828682		2.84	17.35	0.09	1.2	0.199	2.91	16.9	18.5	0.21	182	1.85	0.46	7.5	2.1	520
N828683		4.55	16.70	0.12	1.2	0.268	2.68	22.0	13.3	0.50	305	2.60	1.08	7.4	3.1	580
N828684		3.39	16.55	0.10	1.2	0.163	3.03	23.8	22.3	0.25	180	2.05	0.21	7.6	2.6	520
N828685		3.72	14.65	0.12	1.0	0.821	3.10	39.9	13.3	0.26	163	3.11	0.07	6.0	2.4	580
N828686		2.95	14.75	0.12	1.0	0.551	2.69	28.8	22.5	0.25	125	2.61	0.05	5.7	4.7	560
N828687		5.03	14.55	0.13	0.9	0.534	2.98	33.3	12.5	0.26	246	3.75	0.05	6.1	2.8	560
N828688		2.77	16.20	0.11	1.1	0.301	2.66	26.1	27.8	0.24	175	1.54	0.10	7.2	1.9	520
N828689		3.56	15.90	0.13	1.0	0.628	3.45	17.5	13.3	0.31	166	3.78	0.05	5.7	3.4	650
N828690		5.05	12.60	0.11	0.8	1.490	2.93	17.9	11.4	0.26	223	6.16	0.06	4.0	1.6	670
N828691		0.50	0.67	0.19	<0.1	0.008	0.04	0.6	1.2	12.80	210	0.66	0.01	0.3	<0.2	170
N828692		5.10	14.65	0.12	1.0	0.646	3.23	21.7	36.2	0.30	187	5.23	0.07	5.4	1.8	510



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144367

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N828657		406	157.0	0.003	0.14	10.65	8.4	1	5.7	74.0	0.62	0.60	11.7	0.227	2.64	3.2
N828658		608	177.5	0.005	0.51	8.82	9.4	1	8.3	43.1	0.63	0.29	13.2	0.206	2.92	3.3
N828659		625	183.0	0.008	0.26	6.49	9.7	<1	6.1	25.0	0.46	0.75	14.3	0.172	2.97	3.7
N828660		485	164.0	0.009	0.12	15.90	8.2	<1	7.1	38.9	0.59	0.74	9.5	0.191	2.90	2.4
N828661		206	156.0	0.007	0.15	9.04	10.8	1	3.1	78.2	0.64	0.31	16.0	0.220	2.30	4.9
N828662		89.5	164.5	0.004	0.07	6.21	10.8	1	2.8	127.0	0.57	0.27	14.1	0.209	2.43	5.0
N828663		302	166.5	<0.002	0.12	8.52	10.5	1	3.5	72.2	0.62	0.20	15.6	0.215	2.67	6.8
N828664		5010	162.0	0.004	0.41	74.9	9.1	2	50.7	195.5	0.61	0.65	15.7	0.218	2.55	6.4
N828665		882	148.5	0.008	0.14	55.7	9.4	2	8.2	150.0	0.74	0.27	14.5	0.259	2.63	10.1
N828666		165.0	140.0	0.005	0.08	26.0	8.2	1	2.2	107.0	0.79	<0.05	13.4	0.250	2.75	9.9
N828667		123.0	124.0	0.003	0.09	34.6	7.7	1	1.7	143.5	0.78	<0.05	12.6	0.236	2.39	9.8
N828668		106.5	137.0	<0.002	0.07	30.1	11.3	2	1.8	217	0.73	0.07	12.6	0.256	2.45	14.9
N828669		445	152.0	<0.002	0.22	41.3	9.9	1	6.2	77.9	0.57	0.20	11.3	0.212	2.77	5.1
N828670		364	140.5	<0.002	0.25	15.95	12.2	2	2.9	73.6	0.65	0.19	20.1	0.228	2.63	6.5
N828671		573	139.5	<0.002	0.32	17.55	10.3	1	3.2	77.0	0.58	0.24	17.8	0.216	2.15	4.7
N828672		627	118.0	0.003	0.24	13.95	7.2	1	2.6	39.0	0.33	0.31	8.4	0.124	1.57	2.0
N828673		173.0	174.0	<0.002	0.20	8.93	11.9	1	2.8	43.9	0.50	0.40	17.7	0.179	2.58	5.6
N828674		296	138.5	0.002	0.11	10.15	9.3	1	2.8	38.2	0.40	0.31	16.1	0.150	2.06	4.1
N828675		231	148.5	<0.002	0.12	10.20	10.1	1	3.9	79.6	0.61	0.21	13.2	0.221	1.97	3.8
N828676		212	147.0	0.006	0.14	9.50	11.4	2	3.4	87.9	0.45	0.46	14.7	0.171	2.14	4.4
N828677		144.5	156.0	<0.002	0.06	8.73	9.5	1	3.0	59.8	0.46	0.29	14.7	0.160	2.41	4.7
N828678		141.0	172.0	<0.002	0.22	8.85	10.3	2	2.8	98.8	0.49	0.28	14.3	0.179	2.64	3.9
N828679		2830	158.5	0.002	4.93	95.2	8.5	2	8.1	92.5	0.46	0.44	10.2	0.181	2.31	5.2
N828680		114.5	140.5	<0.002	0.18	19.70	9.9	1	1.8	68.3	0.46	0.23	13.9	0.176	1.86	5.3
N828681		88.6	154.0	<0.002	0.13	15.05	9.8	1	2.0	67.5	0.51	0.17	13.5	0.182	2.03	4.8
N828682		66.7	123.0	<0.002	0.06	30.0	10.6	1	2.4	86.5	0.66	0.08	13.0	0.239	1.55	4.3
N828683		68.1	119.5	<0.002	0.09	10.05	11.1	2	2.8	139.5	0.68	0.15	16.0	0.228	1.54	5.7
N828684		62.0	120.0	<0.002	0.11	12.00	10.0	1	2.4	96.7	0.68	0.06	15.4	0.244	1.47	4.9
N828685		691	168.5	<0.002	0.43	10.25	10.2	1	5.5	64.3	0.51	0.19	15.1	0.186	2.53	5.0
N828686		180.0	132.5	<0.002	0.23	16.85	9.9	1	3.0	50.7	0.52	0.18	14.4	0.182	2.23	6.0
N828687		514	160.5	<0.002	0.60	19.10	9.8	1	7.1	42.0	0.52	0.28	13.0	0.201	2.69	4.9
N828688		118.0	138.5	<0.002	0.21	19.20	10.4	2	3.6	87.9	0.63	0.15	14.7	0.228	2.01	4.2
N828689		648	188.5	<0.002	0.12	12.30	10.7	2	4.6	25.0	0.49	0.27	15.0	0.185	2.99	4.7
N828690		1235	150.5	<0.002	0.97	8.92	9.3	1	4.6	37.9	0.37	0.24	16.6	0.135	2.72	2.9
N828691		5.2	2.0	<0.002	0.01	0.23	0.5	1	<0.2	45.0	<0.05	<0.05	0.2	<0.005	0.02	0.5
N828692		628	189.5	<0.002	0.69	7.32	9.5	1	7.6	32.8	0.47	0.34	15.2	0.179	2.78	2.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JUL-2012
 Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144367

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N828657		57	4.3	11.4	424	28.8
N828658		61	4.8	12.7	717	28.5
N828659		58	3.4	11.0	929	24.2
N828660		51	4.6	9.3	762	30.4
N828661		61	2.2	13.7	703	28.7
N828662		64	1.8	13.3	480	29.9
N828663		64	2.9	13.4	811	29.6
N828664		64	6.0	14.0	680	69.3
N828665		70	4.5	19.8	1220	118.5
N828666		70	6.3	21.1	865	113.5
N828667		63	4.5	17.8	711	109.5
N828668		74	5.2	31.1	1510	147.0
N828669		58	6.1	11.6	549	49.2
N828670		62	2.6	15.5	1290	35.0
N828671		60	2.7	12.4	835	30.0
N828672		47	2.4	5.4	105	20.1
N828673		64	1.9	14.0	663	30.1
N828674		53	1.6	9.8	403	26.7
N828675		67	2.4	12.5	459	29.4
N828676		66	1.7	16.0	521	26.2
N828677		63	1.4	12.8	739	22.5
N828678		56	1.6	13.7	627	27.6
N828679		58	5.3	9.5	5410	24.9
N828680		68	1.9	12.4	296	29.4
N828681		78	2.1	12.6	357	29.9
N828682		69	2.6	14.7	384	30.6
N828683		67	1.5	19.1	639	29.7
N828684		66	2.7	14.2	421	31.3
N828685		64	2.7	13.0	384	25.8
N828686		57	1.7	11.8	329	24.6
N828687		72	4.4	12.1	580	24.1
N828688		72	2.1	12.7	294	29.9
N828689		54	2.1	10.6	381	26.2
N828690		47	2.5	6.3	330	19.3
N828691		3	0.1	0.7	21	<0.5
N828692		60	4.2	7.0	390	23.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 11-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12144367

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.