



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 9-JUL-2012
Account: ROCKHA

CERTIFICATE WH12144368

Project: Klaza TR-12-8

P.O. No.: Batch 7

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 22-JUN-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144368

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N828693		3.28	0.017	0.53	7.13	35.5	1440	1.42	1.00	0.12	2.03	50.5	1.9	7	7.36	25.4
N828694		4.75	0.063	0.95	7.77	48.0	1560	1.69	2.26	0.10	2.52	51.8	2.4	8	8.56	26.0
N828695		2.90	0.190	2.10	7.58	104.5	1420	1.62	5.16	0.08	6.36	69.1	2.4	7	8.23	34.5
N828696		2.64	0.409	2.58	7.64	146.0	1220	1.63	3.32	0.08	6.44	64.4	2.6	7	8.78	27.1
N828697		2.37	0.050	0.96	8.45	75.4	1630	2.13	2.08	0.09	4.02	59.1	2.9	8	9.29	57.2
N828698		3.05	0.206	1.12	8.31	68.5	1210	1.70	3.47	0.10	5.46	50.6	3.3	9	8.73	92.2
N828699		3.94	0.107	1.80	8.25	95.4	1350	1.78	4.18	0.13	3.00	61.6	3.2	9	9.17	48.1
N828700		4.77	0.085	4.64	7.85	302	1170	1.45	3.97	0.13	2.92	49.9	1.9	9	14.20	33.4
N828701		3.16	0.264	16.40	8.13	430	1390	1.37	15.85	0.10	2.08	63.9	0.8	7	13.30	17.2
N828702		2.70	0.044	2.73	8.00	638	840	1.42	2.42	0.16	3.64	60.3	3.9	10	20.2	43.0
N828703		3.20	0.080	2.48	8.77	88.8	2180	1.15	3.78	0.15	1.67	38.2	2.5	9	10.10	41.6
N828704		2.68	0.102	4.13	8.14	155.0	1890	1.63	10.00	0.37	2.61	53.5	5.3	7	13.40	71.6
N828705		2.18	0.049	1.17	7.81	50.5	2540	1.51	1.26	0.95	2.00	55.3	4.4	9	6.85	19.6
N828706		0.26	2.17	25.9	5.89	3400	650	1.13	19.05	2.10	73.8	41.0	10.1	18	13.10	424
N828707		2.10	0.047	4.24	7.97	52.2	2450	1.53	5.08	0.57	1.63	55.1	3.9	10	7.00	44.1
N828708		2.82	0.026	0.91	8.31	54.9	2210	1.48	1.74	0.40	3.27	41.2	5.0	9	10.80	18.8
N828709		2.64	0.168	0.75	8.37	35.8	2030	1.77	1.48	0.25	4.58	56.9	4.0	9	9.87	31.3
N828710		2.66	0.061	0.75	8.31	31.3	1730	1.91	1.44	0.13	14.50	81.7	12.0	7	10.30	45.1
N828711		2.76	0.094	1.44	8.33	30.6	1590	1.59	2.42	0.12	4.77	40.0	3.4	8	8.19	32.6
N828712		2.62	0.052	1.48	6.87	37.8	2070	1.64	2.62	0.16	10.55	48.5	10.1	8	10.55	29.2
N828713		3.42	0.030	0.85	7.77	51.7	1500	1.72	1.58	0.22	10.95	61.0	9.8	8	15.15	10.8
N828714		2.13	0.023	0.66	8.03	36.6	1720	1.76	1.15	0.58	20.8	61.4	19.5	8	10.15	16.7
N828715		2.71	0.030	0.69	8.72	30.5	1880	1.33	1.41	0.27	8.12	49.3	9.7	8	12.15	18.0
N828716		2.75	0.020	0.67	8.46	21.3	1370	1.51	1.35	0.16	12.10	50.9	17.9	8	12.35	23.8
N828717		2.98	0.016	0.63	8.24	18.1	1950	1.49	1.19	0.32	3.44	34.9	6.1	7	11.75	8.9
N828718		2.66	0.017	0.89	7.96	31.6	960	1.52	1.54	0.14	4.21	51.0	7.2	7	16.65	9.6
N828719		2.60	0.021	0.73	6.85	87.9	1080	1.46	1.47	0.11	3.81	62.0	3.7	8	10.45	20.6
N828720		2.52	0.012	0.42	8.53	26.7	1510	1.35	0.72	0.14	3.79	47.1	4.8	7	11.95	14.7
N828721		2.80	0.020	0.51	8.77	29.1	1890	1.55	0.73	0.33	8.00	57.2	11.0	10	12.80	14.5
N828722		2.73	0.017	0.41	8.58	34.4	2280	1.07	0.50	0.28	6.96	46.2	8.8	9	10.90	6.6
N828723		2.22	0.022	0.75	8.03	58.4	1580	1.54	1.51	0.14	16.30	58.6	12.1	8	11.45	21.9
N828724		2.91	0.059	3.59	7.77	107.0	2490	2.02	7.50	0.17	26.6	75.5	20.4	8	18.40	68.6
N828725		3.61	0.445	22.6	7.09	296	1680	1.51	34.8	0.12	9.90	60.5	4.3	8	18.65	84.4
N828726		5.12	0.113	18.90	7.63	84.8	1730	1.18	23.3	0.19	3.77	52.4	4.5	8	12.45	27.4
N828727		3.72	<0.005	0.31	0.08	<5	30	0.07	0.16	21.0	0.11	1.15	0.7	1	0.27	3.0
N828728		3.53	0.079	1.01	7.69	136.0	2030	1.72	1.15	0.24	27.4	75.8	15.9	7	14.95	33.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144368

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N828693		3.11	16.35	0.12	0.8	0.431	2.65	21.3	25.8	0.26	144	2.46	0.07	6.7	1.2	670
N828694		2.92	17.40	0.13	1.0	0.532	3.11	24.6	22.6	0.32	185	3.88	0.06	6.9	1.5	600
N828695		3.33	17.60	0.18	1.0	0.642	3.37	40.2	25.3	0.27	244	3.00	0.07	6.5	1.5	320
N828696		3.80	16.55	0.18	0.9	1.670	3.32	38.4	32.0	0.30	236	4.37	0.07	7.3	1.5	270
N828697		3.52	17.70	0.19	1.1	0.703	3.64	34.2	33.9	0.33	192	3.57	0.09	7.6	2.1	560
N828698		5.58	18.60	0.24	1.1	0.520	3.14	25.3	29.9	0.30	187	2.27	0.10	7.2	2.0	620
N828699		4.18	18.55	0.24	1.0	0.775	3.42	34.7	15.9	0.30	214	3.94	0.11	7.1	1.9	660
N828700		5.54	16.80	0.14	1.1	0.941	3.23	31.2	7.2	0.27	275	2.99	0.05	7.0	1.7	490
N828701		3.17	17.85	0.17	1.2	0.725	3.53	37.9	8.4	0.29	172	2.76	0.04	7.5	0.9	270
N828702		8.04	16.80	0.14	1.5	0.782	3.08	34.9	10.1	0.24	394	3.59	0.05	8.1	2.7	800
N828703		3.23	17.65	0.13	1.2	0.152	3.03	21.5	23.3	0.20	148	1.76	0.14	7.7	1.6	550
N828704		4.74	16.05	0.15	1.2	0.180	2.82	28.0	15.9	0.52	294	2.65	0.52	7.3	2.8	610
N828705		2.99	16.35	0.12	1.2	0.147	2.75	26.5	22.6	0.62	437	5.34	1.59	7.8	3.0	550
N828706		6.44	13.65	0.13	0.9	1.575	2.51	22.2	22.9	0.85	1830	13.55	0.04	5.3	14.3	420
N828707		3.14	16.10	0.14	1.1	0.265	3.09	30.8	17.4	0.41	318	1.78	0.84	7.1	2.6	480
N828708		3.29	16.70	0.14	1.1	0.134	3.03	24.4	17.2	0.35	327	1.90	0.90	7.7	2.8	570
N828709		3.36	17.75	0.14	1.0	0.198	2.87	33.9	14.8	0.29	293	2.04	0.73	7.3	2.5	570
N828710		2.91	17.95	0.16	1.0	0.237	2.79	34.1	22.9	0.27	1660	1.54	0.17	6.9	2.9	560
N828711		2.91	17.45	0.14	1.2	0.382	2.94	21.6	18.6	0.28	305	5.00	0.08	5.8	1.7	560
N828712		3.71	14.45	0.13	0.8	0.364	2.36	25.1	17.4	0.25	1100	2.94	0.16	5.3	3.6	530
N828713		3.58	17.70	0.15	1.0	0.459	2.23	31.5	20.2	0.28	1100	1.73	0.58	6.7	3.9	550
N828714		3.47	16.30	0.14	1.1	0.163	2.05	26.0	12.3	0.54	3350	1.47	1.89	7.2	5.1	620
N828715		3.41	18.40	0.16	1.1	0.178	2.38	33.6	23.9	0.35	988	1.82	0.41	8.2	3.4	580
N828716		3.15	18.40	0.15	1.0	0.253	2.02	21.5	24.6	0.22	1740	1.03	0.26	8.4	3.2	510
N828717		3.44	15.80	0.12	1.0	0.178	1.76	19.7	17.8	0.45	361	1.00	1.22	7.0	3.7	570
N828718		2.74	17.45	0.12	1.0	0.386	1.69	34.5	37.4	0.20	428	1.20	0.18	6.0	1.9	410
N828719		2.86	13.85	0.14	0.9	0.210	2.14	37.5	27.7	0.20	204	5.03	0.10	5.1	2.5	500
N828720		3.23	17.90	0.15	1.2	0.199	2.37	24.8	33.7	0.16	192	1.41	0.07	7.4	2.1	660
N828721		4.04	18.20	0.14	1.1	0.103	2.62	30.0	23.2	0.26	635	1.99	0.54	7.4	3.6	650
N828722		3.60	16.55	0.13	1.2	0.058	2.92	27.2	21.1	0.22	661	2.10	0.25	7.5	3.1	620
N828723		3.60	16.40	0.13	1.1	0.196	2.84	31.5	29.5	0.21	1980	1.86	0.10	6.6	3.6	540
N828724		3.98	17.10	0.16	1.0	0.267	2.76	43.9	27.7	0.21	2210	5.01	0.06	6.6	5.7	660
N828725		3.77	16.25	0.18	1.1	0.634	2.89	41.9	17.1	0.23	528	5.46	0.04	7.0	2.8	480
N828726		2.80	15.65	0.13	1.3	0.242	2.76	32.6	21.1	0.30	368	1.92	0.12	8.4	2.5	470
N828727		0.50	0.25	0.08	<0.1	0.009	0.03	0.6	1.1	12.25	209	0.12	<0.01	0.2	1.8	180
N828728		4.41	16.90	0.20	1.1	0.213	3.03	42.4	20.1	0.21	2830	3.47	0.07	7.3	3.9	580



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 9-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144368

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N828693		51.5	157.0	<0.002	0.40	13.65	11.2	1	3.2	32.1	0.55	0.30	16.9	0.182	2.22	3.6
N828694		119.5	195.5	<0.002	0.30	10.05	12.7	1	4.5	45.3	0.56	0.64	18.0	0.193	2.53	4.7
N828695		217	234	<0.002	0.13	10.70	9.8	1	7.3	21.7	0.56	0.80	11.2	0.167	3.00	2.5
N828696		201	224	<0.002	0.16	12.45	10.5	1	7.0	22.6	0.61	0.54	11.1	0.205	3.15	2.7
N828697		153.0	214	<0.002	0.11	9.13	11.8	1	5.5	28.2	0.63	0.36	15.0	0.219	3.21	4.9
N828698		138.0	190.5	<0.002	0.07	17.55	11.8	2	4.6	23.7	0.57	0.67	17.2	0.186	2.65	4.4
N828699		253	202	<0.002	0.08	13.50	12.2	1	4.5	29.7	0.59	0.77	16.8	0.199	3.02	4.8
N828700		396	196.5	0.003	0.16	8.87	10.0	1	7.8	25.4	0.62	0.24	14.7	0.211	3.65	3.8
N828701		476	212	0.002	0.23	21.9	9.9	<1	9.3	41.6	0.65	0.34	12.8	0.228	3.79	3.0
N828702		299	181.0	0.004	0.23	14.10	10.3	1	4.1	39.8	0.66	0.12	18.0	0.229	3.72	6.4
N828703		117.5	133.5	<0.002	0.06	11.40	10.5	<1	2.8	71.2	0.67	0.07	17.0	0.245	1.94	6.4
N828704		174.0	134.5	0.002	0.04	8.60	11.4	1	3.3	100.0	0.61	0.19	16.6	0.223	1.78	5.6
N828705		93.7	140.0	0.003	0.08	22.2	10.2	1	2.6	283	0.63	0.09	12.5	0.251	1.71	3.4
N828706		2640	156.0	0.002	4.60	85.3	7.6	1	7.8	86.2	0.43	0.43	10.3	0.167	2.47	5.2
N828707		161.0	159.0	<0.002	0.05	9.15	8.9	1	3.9	162.5	0.61	0.13	13.0	0.233	2.28	3.2
N828708		85.3	132.0	0.004	0.03	11.25	10.0	1	2.3	146.5	0.65	0.13	14.5	0.254	1.84	3.7
N828709		56.1	140.5	0.002	0.06	11.35	11.3	1	2.7	86.3	0.58	0.15	16.9	0.226	2.18	3.7
N828710		34.6	156.5	0.002	0.02	17.05	11.3	1	2.6	31.2	0.56	0.14	16.0	0.211	2.15	3.8
N828711		200	163.0	0.003	0.03	12.95	10.7	1	3.2	22.2	0.54	0.35	15.9	0.191	2.37	2.7
N828712		147.0	126.0	0.003	0.08	13.60	9.7	1	2.8	39.6	0.43	0.45	13.0	0.165	1.76	3.2
N828713		60.2	128.0	<0.002	0.03	5.47	10.6	1	3.6	50.7	0.55	0.28	14.5	0.202	2.01	2.4
N828714		73.4	91.3	0.004	0.03	4.96	10.2	1	2.7	242	0.66	0.22	14.9	0.228	1.42	3.8
N828715		68.5	106.5	<0.002	0.02	7.43	11.6	2	3.1	79.6	0.65	0.24	16.1	0.263	1.56	3.5
N828716		61.5	103.0	<0.002	0.02	12.45	11.4	1	3.3	44.0	0.66	0.20	16.5	0.251	1.57	4.0
N828717		66.9	83.4	0.003	0.05	4.68	10.8	1	2.8	147.0	0.59	0.15	16.8	0.225	1.37	5.6
N828718		48.9	102.5	0.005	0.08	20.2	12.0	1	3.2	51.7	0.51	0.28	17.6	0.190	1.58	4.0
N828719		171.0	111.0	0.003	0.09	25.0	8.2	1	2.3	86.9	0.44	0.41	14.4	0.166	1.72	4.3
N828720		49.3	118.0	0.002	0.03	24.3	11.0	1	2.5	47.7	0.62	0.09	15.5	0.226	1.55	3.9
N828721		55.5	113.0	0.003	0.03	11.75	11.9	1	2.2	107.0	0.62	0.08	15.5	0.250	1.48	4.4
N828722		41.5	116.0	<0.002	0.01	11.25	10.2	1	1.5	83.5	0.66	0.12	14.6	0.248	1.35	3.5
N828723		87.4	150.0	<0.002	0.03	19.00	10.3	1	2.7	55.1	0.55	0.15	15.7	0.212	2.26	4.0
N828724		159.5	157.0	0.004	0.10	29.8	11.6	1	3.1	59.8	0.54	2.22	15.8	0.199	2.47	6.1
N828725		449	176.5	0.003	0.17	44.1	9.7	1	5.0	48.1	0.56	0.40	14.7	0.209	3.34	4.4
N828726		181.5	134.5	0.003	0.07	22.3	9.6	1	3.1	57.8	0.73	0.11	12.7	0.263	1.93	3.1
N828727		2.7	1.8	0.003	0.03	0.19	0.2	<1	0.2	43.7	<0.05	<0.05	<0.2	<0.005	0.03	0.6
N828728		159.5	161.0	0.008	0.06	10.55	10.4	1	2.7	51.5	0.60	<0.05	13.8	0.226	2.60	4.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 9-JUL-2012
 Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144368

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N828693		58	1.4	10.6	246	26.4
N828694		66	1.9	11.8	271	31.4
N828695		53	3.3	12.2	438	31.3
N828696		59	5.7	11.5	841	27.8
N828697		70	2.7	14.4	567	34.7
N828698		73	2.1	14.6	459	33.5
N828699		66	4.0	13.0	736	32.6
N828700		62	8.2	10.6	960	30.4
N828701		66	9.9	9.2	368	32.2
N828702		69	7.0	13.9	1550	39.7
N828703		65	3.2	12.8	389	31.1
N828704		64	2.3	18.5	505	32.3
N828705		71	2.2	11.9	211	30.8
N828706		54	5.0	9.4	5210	23.9
N828707		62	6.4	11.1	416	28.8
N828708		69	2.7	16.1	379	27.8
N828709		68	2.7	17.6	350	25.9
N828710		69	2.7	22.4	436	25.7
N828711		65	2.0	15.6	283	28.0
N828712		56	1.9	17.4	362	21.2
N828713		68	1.6	22.4	640	23.5
N828714		66	1.3	20.0	865	27.1
N828715		72	2.0	22.0	586	28.4
N828716		68	2.6	17.5	625	27.6
N828717		66	1.6	19.6	547	24.3
N828718		65	2.5	18.7	363	25.0
N828719		53	2.3	15.7	345	22.2
N828720		65	5.0	20.1	506	28.1
N828721		73	2.8	22.6	725	28.2
N828722		67	3.0	18.9	564	29.2
N828723		63	2.7	18.7	859	27.7
N828724		66	3.2	29.1	911	29.3
N828725		59	5.5	19.1	590	29.1
N828726		60	5.0	15.3	290	31.2
N828727		2	0.1	0.8	20	<0.5
N828728		62	3.6	23.2	1110	27.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 9-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12144368

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.