



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 11-JUL-2012
Account: ROCKHA

CERTIFICATE WH12144369

Project: Klaza TR-12-8

P.O. No.: Batch 8

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 22-JUN-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144369

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N828729		2.80	0.319	2.98	7.16	447	1920	1.37	2.33	0.10	9.64	54.4	2.4	6	13.20	138.5
N828730		2.73	0.034	0.79	7.79	104.5	1240	1.80	1.01	0.20	23.5	55.0	12.1	6	20.8	28.6
N828731		4.75	0.022	0.62	8.20	34.9	2230	1.26	1.02	0.34	4.76	42.5	5.6	6	13.00	10.4
N828732		2.07	0.015	0.39	7.71	32.9	2310	1.65	0.49	0.77	10.60	59.3	10.0	6	10.70	6.7
N828733		3.68	0.021	0.46	8.17	28.5	2300	1.65	0.66	0.51	8.35	52.5	7.8	8	10.25	8.8
N828734		3.27	0.015	0.36	8.44	19.0	2480	1.56	0.55	0.44	7.36	62.8	8.1	6	11.10	10.2
N828735		5.07	0.048	0.62	8.29	35.4	2480	1.39	1.68	0.17	5.26	43.8	7.7	7	9.81	9.2
N828736		2.80	0.017	0.67	7.10	24.4	2120	1.49	1.73	0.33	7.68	62.8	21.8	7	10.75	27.2
N828737		3.56	0.023	0.63	7.40	49.5	2560	1.56	1.62	0.50	6.10	52.0	16.7	14	9.08	28.2
N828738		3.36	0.018	0.45	7.66	34.2	2140	1.66	1.00	0.71	7.66	63.5	12.0	10	9.70	22.8
N828739		2.56	0.010	0.35	8.02	18.4	2820	1.41	0.52	0.29	15.65	62.2	8.6	8	10.50	9.9
N828740		2.39	0.013	0.43	8.66	49.7	3510	1.57	0.80	0.30	21.2	59.9	12.8	8	12.05	19.1
N828741		0.21	2.39	25.0	6.20	2940	450	1.41	20.1	2.30	77.3	40.4	10.2	18	13.00	442
N828742		2.62	0.058	1.88	8.13	74.6	1620	1.61	1.71	0.24	26.1	54.3	9.3	8	10.25	37.7
N828743		3.31	1.285	53.4	7.22	630	890	1.56	103.5	0.08	9.17	57.5	2.6	7	12.45	451
N828744		2.42	0.116	2.75	8.34	176.5	910	1.85	2.09	0.11	6.17	59.7	3.5	9	14.00	231
N828745		3.99	0.104	3.48	8.40	81.6	2090	1.53	4.82	0.30	35.6	56.5	17.1	8	12.05	97.7
N828746		1.86	0.159	1.62	7.96	75.8	2460	1.52	1.56	0.36	11.50	43.7	10.1	10	7.72	98.2
N828747		1.99	0.023	0.63	8.04	37.7	2190	1.71	0.89	0.92	11.50	57.2	9.1	8	8.18	22.0
N828748		1.92	0.032	1.36	8.07	46.4	1660	1.67	2.13	0.47	22.1	57.9	11.3	9	11.70	45.2
N828749		4.65	0.116	0.68	7.89	25.8	2090	1.53	0.99	0.90	6.21	49.0	6.8	9	5.64	31.4
N828750		2.83	0.013	0.52	7.94	24.1	2160	1.74	0.92	0.85	8.55	58.5	6.7	8	5.68	22.1
N828751		4.59	0.028	1.08	7.82	38.8	2210	1.58	1.38	0.80	7.85	55.8	7.4	11	6.07	23.0
N828752		2.04	0.019	0.50	7.98	25.7	1770	1.49	0.88	0.38	9.03	52.6	6.5	9	9.91	14.9
N828753		2.35	0.202	2.66	7.67	83.9	1900	2.11	4.11	0.18	20.4	62.1	13.1	9	13.95	63.3
N828754		4.00	0.259	2.27	7.19	215	1920	1.67	3.39	0.21	33.1	54.7	22.7	9	20.9	66.6
N828755		3.18	0.010	0.01	0.10	<5	20	0.07	0.03	21.8	0.15	1.05	1.4	2	0.25	2.1
N828756		2.45	0.323	6.37	4.96	228	1760	1.07	5.41	0.25	10.90	35.7	5.9	9	8.02	72.5
N828757		2.38	0.273	1.49	7.17	105.5	2560	1.53	2.54	0.19	53.5	55.1	31.4	6	10.80	62.7
N828758		3.10	0.045	1.09	8.00	55.1	3980	1.42	1.70	0.20	14.65	50.2	12.8	7	20.5	30.2
N828759		3.94	0.102	1.29	7.98	57.9	2370	1.88	1.58	0.33	15.50	60.0	11.5	9	22.2	33.9
N828760		4.08	0.011	0.54	8.77	20.9	2650	1.61	0.61	0.32	7.84	65.5	9.7	6	19.90	12.3
N828761		3.97	0.018	0.65	8.98	98.8	2490	1.82	0.60	0.29	16.70	63.2	12.1	7	23.3	14.4
N828851		4.11	0.053	0.55	7.93	33.5	2480	1.74	0.90	0.32	0.93	50.6	5.0	10	9.26	266
N828852		3.40	0.039	0.64	8.38	43.7	2590	1.85	0.54	0.14	0.88	52.3	5.8	10	13.30	415
N828853		4.33	0.049	0.49	8.46	29.5	1940	1.49	0.54	0.26	0.42	52.4	2.8	9	11.65	183.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144369

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N828729		5.84	15.30	0.14	1.0	0.311	3.13	34.4	13.7	0.24	324	3.04	0.03	7.1	1.6	460
N828730		3.19	16.00	0.14	1.1	0.085	3.03	29.2	17.3	0.19	1640	2.49	0.13	7.4	2.9	560
N828731		2.81	16.40	0.10	1.1	0.063	2.98	21.0	22.3	0.24	289	1.17	0.44	8.0	2.0	640
N828732		2.83	15.30	0.13	1.2	0.044	2.81	27.6	17.8	0.38	1180	1.68	1.63	7.5	3.2	590
N828733		3.16	16.85	0.12	1.2	0.050	2.88	26.3	19.2	0.23	965	1.73	1.27	7.8	2.9	610
N828734		3.35	18.00	0.13	1.3	0.057	2.95	31.2	26.7	0.29	1120	1.68	0.95	8.5	2.9	640
N828735		3.31	17.20	0.14	1.3	0.094	3.20	24.2	24.4	0.22	965	1.32	0.32	7.5	2.1	560
N828736		3.26	14.80	0.10	1.0	0.078	2.31	19.0	17.1	0.47	1720	1.84	1.22	6.5	2.8	560
N828737		2.90	15.15	0.12	1.1	0.065	2.90	22.0	11.3	0.63	1030	2.73	1.63	6.8	3.1	570
N828738		3.28	15.50	0.13	1.2	0.065	2.55	28.6	16.0	0.61	1100	13.30	1.89	7.5	4.0	610
N828739		3.56	15.75	0.13	1.4	0.067	3.10	31.7	20.5	0.19	1750	1.80	0.39	7.6	3.7	590
N828740		3.31	19.40	0.13	1.3	0.065	3.30	32.8	21.9	0.22	1820	2.78	0.34	8.0	4.7	650
N828741		7.03	14.35	0.13	1.0	1.595	2.68	22.2	24.9	0.95	1920	12.75	0.04	5.5	14.5	450
N828742		4.77	17.70	0.14	1.2	0.196	3.15	30.6	27.4	0.19	2150	2.71	0.20	7.3	3.6	600
N828743		6.92	15.65	0.14	1.0	1.985	3.14	39.8	16.0	0.23	370	20.8	0.05	6.0	1.9	610
N828744		4.74	16.65	0.19	1.1	0.455	3.68	41.4	12.4	0.37	291	2.92	0.08	6.7	3.0	670
N828745		4.19	17.20	0.13	1.1	0.172	3.33	29.9	24.0	0.37	3070	4.49	0.51	6.9	4.2	680
N828746		3.61	16.70	0.11	1.1	0.132	3.36	24.6	12.6	0.45	1190	5.71	0.90	6.7	3.1	600
N828747		3.48	17.60	0.15	1.2	0.076	2.77	32.5	9.4	0.71	1020	1.73	1.90	7.2	4.2	600
N828748		4.41	16.60	0.14	1.1	0.126	2.85	33.0	15.8	0.60	2140	2.32	1.05	6.9	4.3	660
N828749		3.12	16.20	0.11	1.1	0.130	2.62	25.4	10.6	0.69	795	1.98	1.79	6.4	3.3	590
N828750		3.14	16.35	0.14	1.1	0.183	2.82	30.0	11.6	0.69	1080	1.61	1.52	6.5	3.3	580
N828751		3.12	15.80	0.13	1.1	0.154	2.81	27.9	13.5	0.60	905	2.77	1.68	6.6	3.7	550
N828752		3.20	16.65	0.13	1.1	0.070	2.65	26.5	13.2	0.56	930	1.53	1.55	6.1	3.4	590
N828753		5.23	15.35	0.17	1.2	0.430	2.80	38.8	34.7	0.24	2770	3.00	0.23	5.1	3.8	550
N828754		4.37	14.60	0.12	1.0	0.346	2.48	31.2	22.9	0.26	3370	4.49	0.24	4.7	3.8	530
N828755		0.49	0.82	0.19	<0.1	0.005	0.04	0.5	1.3	13.00	219	0.14	0.01	0.3	0.4	170
N828756		3.98	10.50	0.09	0.6	0.711	2.06	23.8	15.7	0.23	952	18.75	0.19	3.9	2.7	300
N828757		4.27	15.50	0.11	1.0	0.188	2.17	32.6	39.2	0.22	6870	3.53	0.09	6.2	4.0	510
N828758		4.43	15.45	0.13	1.0	0.099	3.21	29.3	24.3	0.26	2220	2.49	0.17	6.4	3.3	570
N828759		3.61	16.60	0.14	1.1	0.145	2.94	33.3	18.8	0.26	2190	2.20	0.35	7.1	4.0	660
N828760		3.24	17.85	0.13	1.4	0.069	3.32	31.8	28.3	0.45	1040	1.38	0.25	7.5	3.5	660
N828761		3.77	18.35	0.14	1.3	0.107	3.56	36.6	33.6	0.26	2770	3.04	0.21	7.2	3.9	660
N828851		6.09	15.45	0.15	1.0	0.046	3.00	29.6	15.2	0.34	171	4.38	1.11	4.0	4.3	800
N828852		7.21	15.20	0.13	1.0	0.041	2.80	31.2	24.7	0.28	146	4.27	0.17	4.5	7.2	1130
N828853		4.44	15.85	0.13	1.0	0.034	2.77	30.5	17.7	0.34	71	3.29	0.66	4.8	3.4	760



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 11-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144369

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N828729		331	183.5	<0.002	0.24	11.15	8.8	1	5.2	33.1	0.58	0.05	11.6	0.224	3.09	4.2
N828730		110.5	153.5	<0.002	0.03	8.86	9.2	1	1.3	41.2	0.60	0.05	13.9	0.234	2.30	3.9
N828731		52.6	126.0	<0.002	0.02	10.60	9.2	1	1.3	96.4	0.64	<0.05	14.8	0.263	1.24	2.5
N828732		36.2	109.0	<0.002	0.01	6.33	9.1	1	1.1	232	0.66	<0.05	14.3	0.242	1.06	3.0
N828733		38.3	119.5	<0.002	0.01	9.31	10.1	1	1.3	180.5	0.64	<0.05	14.9	0.247	1.18	2.9
N828734		31.4	120.5	<0.002	0.01	11.15	11.1	2	1.1	148.5	0.68	<0.05	16.2	0.264	1.18	3.2
N828735		36.8	147.0	<0.002	0.07	13.50	10.8	1	1.9	79.9	0.63	0.16	15.1	0.247	1.60	2.4
N828736		60.5	106.0	<0.002	0.07	7.99	9.9	2	2.3	178.0	0.53	0.16	13.6	0.213	1.33	3.4
N828737		55.2	127.0	<0.002	0.07	4.96	9.5	1	1.8	238	0.57	0.12	13.6	0.212	1.57	3.0
N828738		42.4	112.0	<0.002	0.07	6.21	9.7	2	2.3	247	0.62	0.11	14.2	0.241	1.31	3.7
N828739		34.6	127.0	<0.002	0.03	12.65	10.0	2	1.5	93.3	0.66	<0.05	16.2	0.242	1.46	3.1
N828740		32.7	154.5	<0.002	0.06	13.00	11.6	2	1.6	109.5	0.67	<0.05	15.7	0.263	1.88	3.5
N828741		2850	155.5	0.002	4.98	98.3	7.8	2	7.7	91.4	0.45	0.37	9.9	0.181	2.32	5.1
N828742		183.5	144.5	<0.002	0.03	14.40	10.5	2	2.6	64.8	0.61	0.06	14.4	0.245	2.17	4.2
N828743		3080	173.5	<0.002	0.17	212	9.3	2	7.3	20.7	0.51	0.18	12.8	0.207	2.93	5.8
N828744		283	245	<0.002	0.11	16.10	11.3	2	2.3	70.5	0.57	0.15	15.7	0.247	2.99	8.7
N828745		325	173.5	<0.002	0.06	18.80	10.8	2	1.9	106.5	0.59	0.13	16.5	0.251	2.14	4.3
N828746		160.5	170.5	<0.002	0.10	18.05	9.7	2	1.9	150.0	0.58	0.07	14.8	0.240	2.34	4.4
N828747		65.3	109.5	<0.002	0.02	5.04	10.2	1	1.2	269	0.66	<0.05	15.0	0.234	1.39	3.1
N828748		135.0	124.5	<0.002	0.03	5.96	10.3	2	2.4	144.0	0.63	0.06	14.6	0.248	1.96	3.9
N828749		59.4	115.0	<0.002	0.05	5.71	9.3	1	2.2	250	0.56	0.09	13.5	0.233	1.56	2.8
N828750		61.8	125.0	<0.002	0.20	4.58	9.8	2	2.6	194.5	0.58	0.15	14.3	0.222	1.67	2.9
N828751		72.6	118.0	<0.002	0.04	7.45	9.3	2	2.6	257	0.59	0.22	13.5	0.231	1.55	3.1
N828752		52.7	109.5	<0.002	0.02	5.27	9.9	2	2.2	174.5	0.55	0.10	14.7	0.212	1.68	3.3
N828753		317	136.0	<0.002	0.07	9.98	9.7	2	3.6	53.3	0.48	0.37	13.6	0.191	2.26	5.3
N828754		252	128.0	<0.002	0.07	16.15	8.8	2	3.5	83.7	0.43	0.23	13.7	0.172	2.17	4.6
N828755		1.9	1.6	<0.002	0.01	0.09	0.2	1	<0.2	45.4	<0.05	<0.05	<0.2	<0.005	0.02	0.4
N828756		1045	112.5	0.002	0.11	43.2	6.1	1	3.8	53.8	0.32	0.95	7.5	0.140	1.84	3.8
N828757		206	109.0	<0.002	0.12	16.55	8.6	2	2.4	148.0	0.60	0.21	15.2	0.197	1.77	6.0
N828758		170.5	136.0	<0.002	0.07	10.65	9.6	2	2.1	133.5	0.59	0.24	14.7	0.230	2.39	4.6
N828759		331	134.5	<0.002	0.06	8.06	10.7	2	2.2	95.6	0.64	0.17	13.8	0.248	2.23	3.8
N828760		63.6	135.5	<0.002	0.01	6.97	11.5	2	2.4	116.5	0.73	0.07	17.3	0.252	1.77	2.8
N828761		144.5	143.5	<0.002	0.02	8.29	11.0	2	2.2	118.5	0.65	0.06	16.3	0.261	2.14	3.4
N828851		47.3	115.0	<0.002	0.15	3.12	10.5	3	3.0	188.0	0.36	0.07	16.3	0.185	1.66	4.6
N828852		28.8	112.5	<0.002	0.15	12.25	11.5	3	1.9	111.5	0.41	<0.05	21.2	0.200	1.63	6.4
N828853		22.1	119.5	<0.002	0.12	12.20	11.7	3	2.3	138.0	0.46	0.06	16.5	0.212	1.56	3.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 11-JUL-2012
 Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144369

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N828729		61	9.3	13.1	1160	24.1
N828730		65	3.7	19.4	1040	26.7
N828731		72	2.6	13.7	461	27.0
N828732		65	1.7	13.9	389	27.7
N828733		67	2.9	17.3	437	28.6
N828734		71	3.2	22.5	458	31.3
N828735		71	4.0	13.2	285	29.8
N828736		62	1.9	13.9	449	22.7
N828737		61	2.2	13.3	337	25.4
N828738		67	2.1	18.2	381	27.5
N828739		66	3.3	23.9	538	31.6
N828740		70	3.5	24.8	752	32.6
N828741		58	5.3	8.6	5560	22.0
N828742		64	4.9	21.0	1170	30.0
N828743		62	8.1	13.1	1240	25.4
N828744		72	4.7	19.5	1000	27.2
N828745		70	2.8	24.1	1160	25.3
N828746		68	3.3	13.2	754	24.5
N828747		64	1.5	18.1	603	29.0
N828748		71	3.4	19.3	989	25.2
N828749		68	1.8	10.8	348	23.8
N828750		65	2.3	12.6	394	25.0
N828751		64	2.5	11.3	347	25.7
N828752		65	1.5	12.5	455	25.3
N828753		64	3.8	24.9	1260	30.3
N828754		59	3.1	22.2	1240	22.3
N828755		3	0.1	0.7	22	<0.5
N828756		47	4.9	10.7	875	17.1
N828757		58	3.2	33.2	1700	23.1
N828758		62	2.6	20.2	1240	24.2
N828759		68	2.6	23.1	1010	26.4
N828760		66	2.2	15.2	740	33.2
N828761		71	1.8	21.9	1160	30.3
N828851		72	4.5	9.9	183	19.1
N828852		75	3.9	14.0	224	20.4
N828853		77	5.1	8.4	98	19.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 11-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12144369

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.