



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 10-JUL-2012
Account: ROCKHA

CERTIFICATE WH12144530

Project: Klaza TR-12-8

P.O. No.: Batch 9

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 22-JUN-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 10-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144530

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N828854		3.77	0.029	0.33	7.79	15.3	2470	1.54	0.46	0.42	0.47	53.1	4.4	12	9.88	167.5
N828855		3.90	0.046	0.67	7.62	35.3	2320	1.61	0.96	0.18	0.49	44.8	4.5	13	11.15	322
N828856		2.83	0.039	0.36	7.78	16.3	3120	1.52	0.67	0.18	0.35	50.7	4.7	13	13.05	201
N828857		3.30	0.056	0.57	8.06	41.6	2740	1.63	1.23	0.13	0.58	53.3	3.5	13	13.65	261
N828858		2.85	0.045	0.56	8.25	29.1	4490	1.40	0.72	0.17	0.36	54.7	2.6	14	11.15	139.0
N828859		3.41	0.061	1.33	7.63	118.5	1480	1.36	2.21	0.07	0.53	53.5	2.1	12	12.15	195.5
N828860		2.61	0.029	0.82	7.92	73.0	1240	1.78	1.19	0.11	0.81	57.7	4.6	13	15.35	282
N828861		3.15	0.028	0.62	8.25	50.7	1010	1.46	0.69	0.12	1.28	55.9	16.9	12	17.30	392
N828862		3.10	0.038	0.76	8.07	34.8	2790	1.39	1.18	0.11	0.64	53.7	6.6	13	13.65	330
N828863		3.61	0.086	0.98	8.06	64.6	1270	1.36	1.76	0.13	0.74	50.4	4.5	10	15.20	339
N828864		3.31	0.048	0.63	8.10	63.4	3640	1.58	0.83	0.19	1.10	53.3	11.6	12	11.50	409
N828865		3.73	0.058	0.87	7.91	140.5	1170	1.33	0.93	0.11	0.95	53.8	5.3	12	15.00	392
N828866		3.93	0.044	0.76	7.90	76.9	1880	1.43	1.08	0.13	0.86	53.1	3.9	12	16.10	350
N828867		2.19	0.056	1.37	7.28	71.8	980	1.26	2.14	0.16	0.52	58.4	6.4	11	27.6	165.0
N828868		0.21	2.21	25.9	6.06	3530	450	1.15	18.50	2.17	76.5	43.1	11.7	18	14.65	436
N828869		3.38	0.052	1.83	8.35	48.6	2410	1.33	5.08	0.23	0.38	61.4	2.5	11	15.70	166.5
N828870		3.04	0.057	1.09	8.02	64.7	2450	1.54	1.40	0.29	0.41	57.5	2.6	11	11.75	213
N828871		3.36	0.049	1.82	7.82	88.9	970	1.33	1.90	0.11	0.30	52.0	1.1	13	13.65	128.5
N828872		2.69	0.070	1.57	8.05	109.5	1050	1.33	1.55	0.16	0.27	61.5	1.7	12	17.25	144.5
N828873		3.24	0.045	1.48	8.20	73.2	1660	1.47	1.46	0.15	0.44	56.2	2.6	12	14.35	263
N828874		3.37	0.041	2.21	8.49	117.5	1650	1.57	2.70	0.18	0.39	65.2	2.3	15	13.70	201
N828875		3.51	0.068	3.00	8.19	259	1630	1.54	3.44	0.14	0.41	67.2	1.6	14	16.40	133.5
N828876		2.35	0.058	5.88	7.64	234	1620	1.59	4.36	0.06	0.38	46.9	1.5	13	9.74	110.5
N828877		2.87	0.073	9.16	7.72	125.0	1930	1.35	9.06	0.05	0.20	64.1	1.3	13	8.76	96.2
N828878		2.70	0.068	2.22	7.95	194.5	1740	1.64	2.06	0.10	0.63	49.5	2.5	11	13.85	310
N828879		4.14	<0.005	0.04	0.07	<5	20	0.05	0.04	21.1	0.07	1.39	1.4	1	0.17	3.3
N828880		3.26	0.066	1.35	8.30	180.5	2060	1.96	1.27	0.14	0.93	65.1	4.4	12	14.25	569
N828881		3.15	0.068	1.30	8.10	29.1	2320	1.48	2.42	0.14	1.12	59.1	7.9	12	14.10	549
N828882		3.68	0.051	1.75	8.40	44.6	2670	1.70	2.15	0.21	0.95	67.6	4.4	16	14.60	349
N828883		2.61	0.099	1.71	7.44	68.9	1540	1.42	2.18	0.10	0.68	54.4	2.0	16	11.65	282
N828884		2.99	0.044	1.04	8.07	81.7	1550	2.41	1.27	0.13	1.50	55.2	6.4	11	17.50	516
N828885		3.70	0.005	0.21	7.27	12.3	1320	2.22	0.25	0.24	0.94	42.2	4.5	6	7.32	37.4
N828886		3.71	<0.005	0.16	7.14	9.0	1210	2.15	0.21	0.22	0.90	42.5	4.1	6	6.03	26.0
N828887		2.86	0.039	0.19	7.21	7.5	1220	2.34	0.21	0.23	0.62	42.8	3.7	7	7.65	22.2
N828888		3.78	0.007	0.40	7.38	13.4	1660	2.41	0.60	0.28	1.92	48.3	5.9	6	7.83	64.4
N828889		2.64	0.008	0.44	6.93	20.9	2240	2.50	1.24	0.20	1.63	45.0	6.3	5	7.24	122.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 10-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144530

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N828854		4.42	16.85	0.16	0.9	0.028	2.56	29.2	16.5	0.43	135	7.80	1.47	6.5	2.5	660
N828855		5.91	15.75	0.17	0.7	0.046	2.92	24.2	16.3	0.37	113	5.04	0.98	5.0	4.4	870
N828856		4.21	15.75	0.17	0.8	0.038	2.95	27.8	17.2	0.33	125	27.5	1.16	4.9	2.8	620
N828857		4.94	15.50	0.17	0.7	0.068	3.11	29.6	12.8	0.37	76	18.55	0.63	3.6	2.8	940
N828858		3.50	17.35	0.15	0.8	0.051	2.83	29.9	23.5	0.31	70	3.93	0.55	5.4	2.7	800
N828859		4.49	15.40	0.16	0.7	0.100	3.20	29.6	9.5	0.35	64	21.5	0.06	3.4	1.9	730
N828860		4.94	18.00	0.17	0.8	0.084	3.14	31.9	18.6	0.30	106	6.25	0.08	4.8	3.2	790
N828861		3.86	18.05	0.10	0.9	0.052	3.09	28.6	14.1	0.26	352	4.56	0.07	5.7	4.4	650
N828862		4.13	17.40	0.10	0.8	0.056	3.11	29.4	12.3	0.31	103	6.44	0.21	4.1	3.2	540
N828863		4.15	18.85	0.11	0.8	0.060	3.00	28.0	16.0	0.36	81	3.73	0.11	5.2	3.2	560
N828864		3.72	17.80	0.11	0.8	0.049	2.79	28.7	26.2	0.31	250	4.58	0.80	4.6	3.7	670
N828865		4.34	17.35	0.13	0.8	0.063	2.81	29.5	22.7	0.32	116	8.34	0.09	3.8	3.6	690
N828866		4.44	16.10	0.12	0.8	0.069	2.94	30.1	16.7	0.33	94	27.9	0.16	3.5	4.3	880
N828867		4.92	14.90	0.13	0.8	0.141	2.91	33.1	15.7	0.40	174	17.75	0.07	3.2	3.0	850
N828868		6.67	15.00	0.13	0.9	1.735	2.58	23.3	22.6	0.89	1900	14.45	0.04	6.0	14.9	440
N828869		3.27	18.70	0.11	0.8	0.152	3.35	33.6	18.2	0.41	103	7.57	0.31	4.1	2.6	580
N828870		3.58	17.15	0.12	0.8	0.104	2.92	31.5	21.1	0.34	78	13.70	0.72	4.2	3.3	670
N828871		2.85	16.65	0.11	0.7	0.187	3.39	28.2	10.3	0.38	56	19.05	0.06	4.2	1.6	440
N828872		3.83	18.25	0.13	0.8	0.151	3.28	33.0	12.9	0.34	73	3.27	0.06	5.2	1.7	870
N828873		4.36	17.85	0.13	0.8	0.127	3.12	31.4	15.0	0.37	77	6.75	0.18	4.1	3.4	720
N828874		4.16	18.95	0.16	0.9	0.243	3.50	35.4	20.1	0.40	120	6.08	0.18	4.3	3.3	780
N828875		4.23	17.45	0.17	1.0	0.377	3.55	36.7	11.8	0.41	84	10.90	0.09	3.4	2.6	1620
N828876		2.86	16.80	0.13	0.7	0.259	3.73	23.6	14.1	0.43	72	16.90	0.09	3.1	1.3	940
N828877		2.71	16.95	0.13	0.8	0.296	3.58	35.3	9.1	0.40	74	7.96	0.07	3.4	1.3	450
N828878		3.20	17.10	0.14	0.8	0.216	3.51	26.7	13.1	0.42	85	12.45	0.11	2.4	2.1	500
N828879		0.47	0.29	<0.05	<0.1	0.005	0.03	0.7	0.9	12.30	204	0.32	<0.01	0.3	2.3	170
N828880		3.58	17.10	0.13	0.8	0.125	3.25	36.9	15.4	0.40	102	10.45	0.06	3.1	5.8	640
N828881		4.40	18.45	0.16	0.8	0.166	3.37	33.4	14.3	0.39	232	7.83	0.26	3.3	3.0	590
N828882		4.86	19.05	0.16	1.1	0.200	3.42	38.5	27.1	0.38	218	9.75	0.27	4.5	3.5	740
N828883		3.48	17.35	0.11	0.9	0.134	3.18	30.3	41.5	0.34	128	18.20	0.10	4.0	2.4	350
N828884		4.41	17.95	0.15	1.0	0.081	2.93	30.4	40.0	0.29	269	3.66	0.11	4.4	4.0	640
N828885		1.50	18.85	0.07	2.4	0.022	1.05	22.1	261	0.25	377	1.60	0.38	16.4	2.6	390
N828886		1.47	18.30	0.07	2.4	0.021	1.25	22.1	178.0	0.18	377	1.21	0.34	14.4	2.2	360
N828887		1.36	18.30	0.07	2.3	0.026	1.42	22.7	137.0	0.16	292	1.21	0.38	15.3	1.9	310
N828888		1.97	19.00	0.09	2.5	0.033	1.72	24.9	175.0	0.20	825	1.93	0.35	17.0	3.2	460
N828889		1.96	17.80	0.10	2.4	0.039	1.77	22.5	174.0	0.16	699	2.65	0.27	16.3	3.0	440



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 10-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144530

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
N828854		18.9	113.5	0.003	0.14	1.65	11.4	2	2.1	217	0.49	<0.05	15.2	0.213	3.5
N828855		36.1	123.5	<0.002	0.12	3.45	10.6	3	3.3	153.0	0.37	0.11	16.0	0.179	5.4
N828856		23.2	120.0	0.004	0.13	1.99	10.8	2	3.1	193.0	0.40	0.06	14.3	0.180	4.2
N828857		25.7	129.5	0.004	0.15	5.64	11.1	2	3.9	127.5	0.27	0.08	15.7	0.162	4.0
N828858		23.1	119.5	<0.002	0.21	7.33	11.7	2	3.9	182.0	0.40	0.06	15.4	0.203	4.1
N828859		80.7	155.5	0.005	0.21	35.7	10.0	2	7.3	47.6	0.25	0.14	11.7	0.138	3.0
N828860		56.4	145.5	<0.002	0.14	13.90	11.2	2	3.3	60.7	0.32	0.09	13.8	0.186	4.1
N828861		39.2	142.5	<0.002	0.05	10.95	12.8	2	2.7	41.6	0.46	0.07	16.2	0.199	4.5
N828862		37.4	146.0	<0.002	0.38	4.24	13.3	2	5.8	99.1	0.34	0.12	14.1	0.160	3.8
N828863		50.6	143.0	<0.002	0.13	7.69	12.7	2	5.2	57.9	0.41	0.15	13.8	0.188	3.4
N828864		31.7	129.5	<0.002	0.11	5.22	12.3	2	4.1	192.0	0.39	0.11	15.7	0.166	3.9
N828865		38.0	132.0	<0.002	0.14	36.3	11.8	3	4.0	51.9	0.31	0.10	16.1	0.151	2.8
N828866		37.5	133.0	0.002	0.16	8.54	11.2	2	3.1	85.1	0.30	0.07	17.2	0.149	4.4
N828867		45.1	146.5	<0.002	0.49	12.25	11.4	2	7.7	165.0	0.28	0.16	18.4	0.136	3.6
N828868		2710	161.5	0.002	4.75	89.7	8.3	2	8.2	89.4	0.48	0.40	10.5	0.173	5.4
N828869		44.1	159.0	<0.002	0.44	8.87	14.1	2	6.3	143.5	0.33	0.15	20.2	0.181	3.0
N828870		63.1	138.5	<0.002	0.23	11.80	12.9	2	4.2	191.0	0.34	0.14	15.2	0.167	4.1
N828871		109.5	171.0	0.006	0.36	46.6	12.7	2	5.5	66.3	0.35	0.21	14.4	0.164	2.5
N828872		117.0	160.5	<0.002	0.66	12.65	12.7	2	10.3	86.6	0.45	0.12	20.6	0.194	2.4
N828873		62.7	154.5	<0.002	0.27	15.75	12.6	2	4.8	99.9	0.34	0.14	15.8	0.172	3.6
N828874		59.2	178.5	<0.002	0.25	33.5	13.3	3	5.9	95.5	0.35	0.17	19.2	0.168	3.7
N828875		85.4	182.5	<0.002	0.48	42.3	14.4	3	5.9	174.5	0.28	0.22	31.3	0.145	4.9
N828876		137.5	181.5	0.004	0.18	87.2	13.5	3	7.6	150.5	0.24	0.29	17.0	0.137	4.6
N828877		183.0	178.5	<0.002	0.31	50.6	12.3	3	10.8	105.5	0.27	0.35	16.7	0.149	2.5
N828878		115.0	176.5	0.003	0.24	49.4	12.5	2	6.5	83.4	0.19	0.27	12.2	0.118	6.0
N828879		1.8	1.7	<0.002	<0.01	0.28	0.3	1	<0.2	42.8	<0.05	<0.05	<0.2	<0.005	0.4
N828880		62.4	162.5	<0.002	0.10	19.00	12.7	2	4.7	49.6	0.26	0.14	17.8	0.143	9.5
N828881		68.4	160.0	0.002	0.16	4.58	12.7	3	6.5	100.5	0.28	0.15	14.5	0.150	5.5
N828882		151.0	171.0	<0.002	0.29	7.86	12.6	2	6.7	138.5	0.37	0.19	17.0	0.160	4.7
N828883		66.0	152.0	0.005	0.28	6.53	12.0	2	9.5	46.7	0.32	0.22	11.1	0.160	3.5
N828884		76.6	153.0	<0.002	0.07	13.60	12.8	2	3.7	62.9	0.37	0.13	18.7	0.165	6.2
N828885		27.5	45.0	<0.002	0.02	3.15	3.5	1	2.1	296	1.66	<0.05	9.7	0.142	3.1
N828886		26.1	53.2	<0.002	0.02	3.16	3.4	1	1.9	249	1.60	<0.05	9.7	0.141	2.8
N828887		30.0	59.5	<0.002	0.02	2.75	3.5	1	2.4	259	1.53	<0.05	9.7	0.138	2.7
N828888		51.8	74.4	<0.002	0.05	4.89	4.1	1	2.4	226	1.71	0.05	11.0	0.164	3.4
N828889		52.5	72.5	<0.002	0.08	5.02	4.1	1	3.0	213	1.56	0.05	10.8	0.145	4.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 10-JUL-2012
 Account: ROCKHA

Project: Klaza TR-12-8

CERTIFICATE OF ANALYSIS WH12144530

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N828854		71	4.3	11.0	120	24.4
N828855		70	4.7	10.0	164	19.4
N828856		72	7.9	10.4	173	21.2
N828857		75	7.5	10.1	136	18.7
N828858		78	7.6	8.8	97	21.8
N828859		66	10.7	6.6	106	19.3
N828860		74	6.6	9.8	160	22.3
N828861		70	4.4	13.2	155	25.0
N828862		74	12.4	10.7	133	22.1
N828863		75	6.8	10.9	153	23.4
N828864		67	8.0	13.0	121	22.7
N828865		71	7.2	12.3	125	22.7
N828866		65	6.0	11.8	127	21.3
N828867		67	15.3	9.8	159	21.1
N828868		56	5.1	10.2	5370	27.1
N828869		78	9.5	8.2	84	22.6
N828870		72	7.3	10.1	97	22.9
N828871		70	13.5	6.8	69	21.2
N828872		70	8.1	7.7	75	23.2
N828873		73	7.2	9.3	109	22.9
N828874		76	7.8	9.0	95	26.9
N828875		70	10.8	7.7	67	30.6
N828876		70	14.3	5.4	55	21.2
N828877		67	11.4	5.4	31	23.5
N828878		70	10.4	7.8	90	25.8
N828879		2	0.1	0.8	18	<0.5
N828880		70	6.8	12.8	98	22.4
N828881		70	8.3	14.5	139	22.4
N828882		70	9.1	12.8	162	32.6
N828883		68	12.7	11.7	124	26.1
N828884		67	5.8	20.3	275	28.5
N828885		17	1.8	15.0	86	56.2
N828886		16	1.8	14.1	76	53.2
N828887		17	2.0	12.4	77	54.3
N828888		21	2.2	15.4	108	59.7
N828889		19	2.3	14.0	117	57.9



ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-8

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 10-JUL-2012

Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12144530

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.