



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 18-JUL-2012
Account: ROCKHA

CERTIFICATE WH12147076

Project: Klaza-68/69

P.O. No.: Batch 7

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 25-JUN-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 18-JUL-2012
Account: ROCKHA

Project: Klaza-68/69

CERTIFICATE OF ANALYSIS WH12147076

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N829374		13.12	0.267	12.30	6.12	265	320	1.38	14.70	1.33	35.5	43.5	8.6	8	12.10	267
N829375		1.26	<0.005	0.01	0.10	<5	40	0.06	0.03	21.3	0.11	1.34	1.4	2	0.30	3.7
N829376		5.94	0.201	3.26	6.93	157.0	1050	1.76	1.66	1.93	5.16	48.3	6.6	9	23.2	315
N829377		7.22	0.006	0.15	6.73	21.7	1220	1.83	0.13	2.98	0.10	49.0	7.1	10	26.5	10.7
N829378		3.21	<0.005	0.22	7.01	8.6	1860	1.61	0.10	2.68	0.67	43.7	8.1	12	8.39	8.0
N829379		2.61	<0.005	0.07	6.79	7.8	2420	1.52	0.06	2.71	0.11	40.4	7.3	12	14.80	6.8
N829380		1.00	<0.005	0.08	6.75	8.9	2240	1.46	0.09	2.71	0.15	39.6	8.3	11	14.40	12.2
N829381		3.75	0.005	0.12	7.08	23.4	1970	1.45	0.13	2.61	0.14	50.2	8.0	13	13.10	8.0
N829382		4.68	<0.005	3.68	7.13	15.1	1890	1.65	0.08	2.77	0.39	44.9	8.3	12	12.80	12.1
N829383		3.62	<0.005	0.12	6.78	18.9	1860	1.84	0.12	2.71	0.08	40.1	8.7	13	15.05	7.3
N829384		0.23	2.24	25.7	5.83	3340	1270	1.46	21.1	2.15	79.2	44.3	11.0	20	14.20	417
N829385		2.34	0.007	2.55	7.04	113.5	5010	1.60	1.33	2.55	1.29	56.1	8.6	10	21.1	16.4
N829386		4.76	<0.005	6.57	7.22	96.2	1250	1.71	0.24	2.52	0.47	47.6	9.5	11	20.7	24.5
N829387		4.31	<0.005	0.10	6.94	22.0	1800	1.32	0.07	2.89	0.10	41.8	7.3	11	18.75	6.8
N829388		4.64	0.011	0.25	7.13	81.4	1390	1.53	0.07	2.55	0.11	44.0	9.5	11	23.9	7.2
N829389		2.48	0.030	4.13	7.15	175.5	590	1.47	0.66	2.65	0.55	49.7	9.0	10	21.1	22.0
N829390		2.64	<0.005	<0.01	0.10	<5	20	0.07	0.02	21.5	0.07	1.33	1.5	1	0.26	2.4
N829391		2.52	<0.005	0.15	7.03	51.8	1240	1.61	0.12	2.62	0.10	38.5	8.4	10	20.5	5.7
N829392		1.96	<0.005	0.10	7.11	39.1	1620	1.46	0.06	2.16	0.07	40.2	8.1	10	18.85	5.8
N829393		2.30	0.013	0.34	6.91	116.5	5620	1.53	0.09	1.94	0.72	42.8	8.7	9	20.2	13.0
N829394		3.32	0.014	0.58	7.10	49.7	1120	1.55	0.09	2.24	0.85	44.6	7.1	11	20.0	27.0
N829395		2.18	0.006	0.34	6.85	30.1	1070	1.79	0.35	2.63	0.12	40.3	6.8	12	21.2	5.3
N829396		4.24	<0.005	0.07	7.61	5.9	1860	1.48	0.05	2.63	0.05	49.0	7.8	10	13.55	5.3
N829397		5.50	<0.005	0.06	7.35	4.7	1810	1.69	0.04	2.71	0.08	49.2	7.7	12	15.05	5.9
N829398		4.95	<0.005	0.03	7.43	6.1	1930	1.46	0.04	2.40	0.05	43.2	6.9	12	12.90	4.7
N829399		0.25	2.30	26.7	5.71	3300	1600	1.40	20.9	2.09	79.6	44.5	11.2	19	14.45	419
N829400		2.88	0.042	3.43	7.11	87.1	1120	1.29	0.21	2.38	2.40	42.6	8.2	10	17.05	27.7
N829401		5.50	<0.005	0.56	7.25	5.7	1860	1.32	0.06	2.86	0.05	42.3	8.5	13	10.45	5.4
N829402		6.00	<0.005	0.05	6.93	3.0	1920	1.27	0.06	3.63	0.07	37.8	7.1	13	12.65	3.6
N829403		5.75	<0.005	0.04	7.57	1.7	1960	1.32	0.05	3.19	0.08	41.7	7.8	13	11.35	3.4
N829404		<0.02	<0.005	0.04	7.57	2.7	2030	1.22	0.06	3.28	0.09	40.8	8.0	19	11.45	3.6
N829405		6.39	<0.005	0.07	7.34	3.8	2070	1.21	0.07	2.96	0.09	39.6	7.7	13	11.85	3.9
N829406		3.83	<0.005	0.22	6.67	41.5	1630	1.66	0.08	2.40	0.21	40.6	8.1	11	22.4	10.4
N829407		4.10	0.066	3.35	6.63	539	1110	1.38	0.39	2.91	2.94	42.6	9.8	12	17.70	48.4
N829408		6.58	0.014	0.30	6.96	72.5	1860	1.49	0.12	2.70	0.29	44.8	8.1	11	14.10	20.9
N829409		3.83	<0.005	0.08	6.82	5.7	1800	1.58	0.11	2.70	0.09	41.1	6.9	11	15.45	7.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 18-JUL-2012
Account: ROCKHA

Project: Klaza-68/69

CERTIFICATE OF ANALYSIS WH12147076

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N829374		5.86	12.25	0.15	0.7	0.354	2.31	23.4	69.6	0.77	1720	4.57	0.03	5.1	2.2	430
N829375		0.50	0.35	<0.05	<0.1	<0.005	0.04	0.7	1.1	12.75	216	0.24	0.01	0.3	3.8	180
N829376		4.48	15.45	0.10	1.4	0.222	2.78	25.7	38.9	0.90	1360	2.13	0.05	6.6	2.5	540
N829377		2.28	18.25	0.12	3.9	0.032	2.70	23.2	26.1	0.92	605	1.10	0.05	9.3	4.3	690
N829378		3.12	15.90	0.10	1.5	0.055	2.54	21.0	14.5	0.82	1240	0.90	1.87	7.3	2.7	580
N829379		2.94	14.90	0.09	1.3	0.038	2.52	18.9	14.2	0.69	968	0.87	1.63	6.9	2.7	580
N829380		2.95	16.25	0.11	1.4	0.038	2.59	17.9	11.0	0.68	1120	0.85	1.64	7.3	2.7	560
N829381		3.38	15.85	0.12	1.4	0.062	2.94	22.4	27.9	0.84	1820	0.93	1.05	7.3	2.8	580
N829382		3.15	17.00	0.11	1.5	0.058	2.63	21.0	18.7	0.79	1240	1.00	1.75	8.0	3.0	580
N829383		3.09	17.10	0.10	1.6	0.056	2.60	17.7	17.8	0.75	1160	1.05	1.70	8.8	3.1	600
N829384		6.56	14.85	0.12	1.0	1.665	2.48	22.1	23.6	0.88	1820	13.45	0.05	5.7	16.0	430
N829385		3.62	16.55	0.10	1.2	0.079	2.62	29.7	88.7	0.95	2720	1.09	0.27	7.1	2.7	550
N829386		3.24	17.05	0.11	1.3	0.059	2.57	22.3	88.4	0.80	2480	0.88	0.71	7.8	3.2	620
N829387		2.72	16.80	0.08	1.2	0.042	2.49	18.4	90.9	0.61	801	0.84	0.90	7.4	2.5	610
N829388		2.62	17.10	0.08	1.3	0.039	2.35	21.8	70.2	0.86	896	1.86	0.16	7.7	3.2	600
N829389		3.29	16.15	0.10	1.2	0.067	2.68	24.4	105.0	1.02	2850	0.78	0.05	7.1	2.9	580
N829390		0.48	0.40	0.07	<0.1	<0.005	0.03	0.6	1.2	12.85	216	0.22	0.01	0.3	3.7	150
N829391		2.87	16.80	0.11	1.3	0.047	2.73	17.8	74.6	0.76	1260	0.77	0.31	7.6	2.7	600
N829392		3.06	16.25	0.08	1.4	0.036	2.68	18.9	78.4	0.56	818	0.69	0.82	7.2	2.8	600
N829393		3.05	15.80	0.08	1.2	0.068	2.73	21.6	89.6	0.82	2070	0.84	0.07	7.0	3.0	550
N829394		3.16	16.50	0.09	1.4	0.067	2.69	20.6	40.4	0.70	1740	0.63	0.11	7.3	2.4	610
N829395		3.08	16.20	0.10	1.3	0.058	3.09	19.7	26.6	0.83	1640	0.77	0.10	6.9	2.5	570
N829396		3.34	17.35	0.10	1.4	0.036	2.50	23.1	25.0	0.79	666	0.79	0.91	7.8	2.7	620
N829397		3.15	17.55	0.11	1.4	0.041	2.47	22.9	20.3	0.73	699	1.20	1.37	7.9	2.7	610
N829398		2.96	16.85	0.12	1.3	0.038	2.58	19.6	24.0	0.64	632	0.87	1.01	7.7	2.6	610
N829399		6.37	14.95	0.11	1.0	1.660	2.49	23.0	24.2	0.86	1760	13.95	0.05	5.7	16.5	420
N829400		3.33	15.85	0.10	1.4	0.063	2.88	20.4	47.2	0.73	2870	0.70	0.36	7.2	2.8	570
N829401		3.19	15.55	0.06	1.3	0.036	2.61	19.7	14.3	0.86	995	1.25	1.66	8.4	2.8	670
N829402		2.99	15.25	<0.05	1.3	0.041	2.70	17.6	20.3	0.75	1040	1.11	1.48	8.1	2.9	620
N829403		3.21	15.35	0.05	1.1	0.044	2.54	20.0	8.6	0.85	978	0.76	1.87	7.9	3.0	670
N829404		3.32	15.55	0.05	1.2	0.046	2.60	19.1	8.6	0.84	1000	0.89	1.92	8.1	3.2	680
N829405		3.19	15.15	0.05	1.1	0.040	2.65	18.9	7.6	0.84	929	0.89	1.94	7.9	2.9	660
N829406		2.89	16.35	0.10	1.1	0.043	2.92	18.5	33.9	0.62	2080	0.84	0.97	7.1	2.9	570
N829407		3.74	15.10	0.09	1.1	0.073	2.58	21.3	73.0	0.95	3680	0.95	0.04	6.6	3.1	560
N829408		3.13	16.55	0.08	1.3	0.058	2.70	20.1	15.7	0.79	1920	0.75	1.42	7.2	2.7	590
N829409		2.77	15.65	0.09	1.4	0.037	2.67	19.3	10.8	0.68	749	0.72	1.63	6.8	2.7	560



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 18-JUL-2012
Account: ROCKHA

Project: Klaza-68/69

CERTIFICATE OF ANALYSIS WH12147076

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
N829374		1190	130.0	<0.002	2.28	74.8	7.9	1	5.2	80.8	0.48	0.08	11.8	0.181	5.3
N829375		2.2	1.9	<0.002	0.01	0.26	0.3	1	<0.2	45.3	<0.05	<0.05	<0.2	<0.005	0.4
N829376		85.1	148.5	<0.002	1.25	19.15	8.6	<1	5.1	143.0	0.60	0.07	12.8	0.217	5.0
N829377		17.5	109.5	0.003	0.23	7.85	7.7	<1	1.9	291	0.74	<0.05	8.7	0.270	4.9
N829378		41.4	106.0	<0.002	0.09	4.14	10.8	1	1.9	341	0.62	<0.05	13.2	0.253	3.7
N829379		20.0	100.5	0.002	0.11	5.86	10.1	<1	1.6	327	0.59	<0.05	12.0	0.249	4.1
N829380		21.1	105.0	<0.002	0.15	6.97	10.2	1	2.5	320	0.64	<0.05	11.3	0.249	4.1
N829381		28.6	144.5	<0.002	0.31	8.61	11.4	1	2.1	236	0.66	<0.05	12.9	0.255	4.9
N829382		30.7	118.0	<0.002	0.11	11.70	11.4	1	2.0	330	0.69	<0.05	12.5	0.257	4.7
N829383		20.4	109.5	0.002	0.07	7.35	11.1	<1	2.1	332	0.92	<0.05	10.1	0.259	4.4
N829384		2680	160.5	0.002	4.75	91.3	8.3	1	8.2	88.5	0.45	0.43	10.3	0.169	5.4
N829385		433	154.0	0.003	0.43	79.4	12.0	1	2.1	153.5	0.69	<0.05	13.0	0.243	6.0
N829386		448	118.0	<0.002	0.28	113.5	12.2	1	2.1	208	0.63	<0.05	11.7	0.270	5.2
N829387		22.5	96.7	<0.002	0.07	12.60	11.3	<1	1.6	275	0.62	<0.05	10.7	0.261	3.9
N829388		27.7	101.5	<0.002	0.25	27.7	10.0	1	1.7	167.0	0.58	<0.05	12.1	0.261	5.7
N829389		1160	132.5	<0.002	0.43	132.5	11.1	1	2.0	119.5	0.61	<0.05	12.9	0.248	6.2
N829390		1.6	1.7	<0.002	0.01	1.21	0.2	1	<0.2	45.6	<0.05	<0.05	<0.2	<0.005	0.7
N829391		20.6	106.0	<0.002	0.24	20.2	11.0	<1	1.8	182.0	0.65	<0.05	11.1	0.263	5.5
N829392		24.4	97.0	<0.002	0.19	13.10	11.2	1	1.6	226	0.61	<0.05	12.3	0.261	5.3
N829393		34.8	138.0	<0.002	0.52	21.5	10.0	1	1.9	137.5	0.61	<0.05	11.7	0.243	7.5
N829394		47.8	135.5	0.002	0.44	26.2	11.5	1	2.1	110.5	0.61	<0.05	11.4	0.260	5.4
N829395		26.7	156.5	<0.002	0.33	35.2	10.6	1	1.7	102.5	0.55	<0.05	10.3	0.246	10.0
N829396		17.6	101.0	<0.002	0.02	4.97	12.6	1	1.8	256	0.64	<0.05	12.8	0.279	3.0
N829397		20.4	107.5	<0.002	0.02	4.91	12.4	1	1.8	304	0.66	<0.05	12.7	0.265	3.4
N829398		19.3	101.5	0.002	0.02	6.28	11.7	<1	1.8	245	0.64	<0.05	11.7	0.266	2.6
N829399		2590	159.0	<0.002	4.65	92.3	8.5	2	8.6	90.0	0.46	0.40	10.3	0.170	5.4
N829400		1040	125.5	<0.002	0.72	36.0	10.7	1	2.0	136.0	0.62	<0.05	12.3	0.249	5.9
N829401		17.1	92.0	<0.002	0.10	3.39	10.0	1	1.6	297	0.74	<0.05	10.2	0.276	3.5
N829402		19.0	88.5	<0.002	0.07	3.67	9.5	1	1.4	285	0.70	<0.05	9.1	0.268	3.7
N829403		17.9	88.8	<0.002	0.03	2.44	10.7	1	1.5	345	0.60	<0.05	9.7	0.289	2.6
N829404		17.9	84.9	<0.002	0.03	2.48	10.8	1	1.5	355	0.60	<0.05	9.2	0.282	2.9
N829405		19.8	84.5	<0.002	0.04	2.17	10.3	1	1.4	354	0.61	<0.05	9.4	0.274	2.4
N829406		20.9	138.5	<0.002	0.25	11.40	10.9	<1	1.8	230	0.56	<0.05	10.0	0.254	4.2
N829407		744	143.0	<0.002	1.34	84.9	10.7	1	3.1	118.5	0.55	0.05	11.3	0.239	5.3
N829408		37.6	116.0	0.002	0.16	9.01	10.9	1	2.2	312	0.58	<0.05	10.6	0.256	3.5
N829409		20.3	105.5	<0.002	0.02	4.52	9.8	1	1.8	320	0.62	<0.05	11.0	0.240	3.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 18-JUL-2012
 Account: ROCKHA

Project: Klaza-68/69

CERTIFICATE OF ANALYSIS WH12147076

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N829374		52	6.6	9.0	2620	18.4
N829375		4	0.2	0.8	21	0.6
N829376		63	5.9	10.9	420	40.5
N829377		69	3.9	13.3	56	132.0
N829378		77	2.3	15.2	142	35.4
N829379		73	1.4	13.2	64	31.5
N829380		74	1.6	13.1	66	34.2
N829381		77	2.3	14.9	75	33.1
N829382		77	1.9	15.8	123	35.3
N829383		78	2.0	15.3	55	37.2
N829384		57	5.2	9.5	5130	25.7
N829385		75	2.6	15.0	185	29.2
N829386		81	2.2	14.9	103	33.9
N829387		78	1.8	13.0	54	30.7
N829388		76	3.3	13.0	58	32.3
N829389		76	3.4	13.9	111	30.0
N829390		4	0.1	0.8	18	<0.5
N829391		79	1.5	14.1	64	32.2
N829392		77	0.8	12.0	52	32.1
N829393		72	3.4	11.8	137	30.1
N829394		75	2.5	13.0	153	34.9
N829395		73	2.0	11.9	64	31.0
N829396		83	1.5	15.1	52	35.0
N829397		80	1.3	15.5	58	33.9
N829398		78	1.9	14.5	47	31.7
N829399		56	5.2	9.6	4960	26.1
N829400		74	2.3	14.0	226	28.9
N829401		83	3.8	15.7	56	31.9
N829402		78	1.5	13.5	53	32.3
N829403		85	0.9	15.0	66	28.0
N829404		85	1.0	14.8	67	30.1
N829405		83	1.0	14.4	62	27.2
N829406		76	2.8	13.3	72	26.7
N829407		71	4.0	12.9	372	25.7
N829408		76	2.2	13.4	83	29.5
N829409		76	1.9	11.9	49	32.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-68/69

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12147076

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.