



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 21-JUL-2012
Account: ROCKHA

CERTIFICATE WH12147828

Project: Klaza-69

P.O. No.: Batch 3

This report is for 27 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27-JUN-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-JUL-2012
 Account: ROCKHA

Project: Klaza-69

CERTIFICATE OF ANALYSIS WH12147828

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
N829446		4.39	0.044	1.08	7.27	115.5	1650	1.44	0.33	2.04	6.10	47.6	10.6	11	18.45	8.5
N829447		5.53	<0.005	0.28	7.42	37.6	1310	1.67	0.18	2.40	0.43	67.7	5.8	16	27.0	4.6
N829448		6.65	<0.005	0.21	7.14	23.5	970	1.88	0.12	2.27	0.30	61.9	4.6	12	28.7	2.8
N829449		6.32	<0.005	0.08	6.90	20.1	1250	1.95	0.09	2.39	0.26	60.4	5.5	13	26.2	1.3
N829450		6.08	<0.005	0.14	7.34	15.2	1360	1.85	0.09	2.56	0.17	66.3	5.9	12	16.90	3.1
M897051		3.25	<0.005	0.32	7.23	26.3	1490	2.00	0.23	3.56	0.37	69.3	6.4	17	12.45	5.9
M897052		0.25	4.58	>100	5.31	7920	170	1.26	55.6	1.92	218	31.5	8.5	17	11.05	1195
M897053		2.17	0.720	7.23	5.82	2010	600	1.35	1.17	3.47	11.25	35.8	9.2	7	12.05	43.9
M897054		3.75	0.006	4.69	7.56	357	1970	1.67	3.06	3.56	9.46	44.7	6.1	10	15.85	47.6
M897055		2.67	<0.005	0.24	6.95	22.4	2620	1.33	0.65	3.11	0.22	44.1	19.1	9	13.40	3.8
M897056		2.07	0.005	0.35	7.07	29.2	2590	1.39	1.06	3.34	0.31	46.3	27.9	9	14.70	6.3
M897057		3.43	0.006	1.10	7.37	31.7	1600	1.76	1.05	2.88	2.23	43.4	8.9	9	16.50	4.9
M897058		4.01	<0.005	0.22	7.38	18.9	1370	2.22	0.15	3.50	0.32	59.2	7.8	16	23.7	13.2
M897059		2.20	0.018	0.71	6.34	68.9	1730	1.89	0.29	3.97	0.62	47.6	7.7	13	21.3	14.1
M897060		<0.02	0.016	0.73	6.53	71.5	1810	1.82	0.20	4.05	0.66	52.1	8.1	12	22.4	16.6
M897061		2.75	0.010	0.54	7.06	46.0	2750	1.99	0.19	4.35	1.12	55.6	8.0	14	22.3	12.8
M897062		4.00	0.039	2.37	7.00	85.0	1790	1.55	0.88	3.08	2.55	43.8	7.3	8	20.5	66.8
M897063		0.29	4.55	>100	5.21	7830	100	1.15	55.3	1.87	213	31.1	8.6	17	10.90	1180
M897064		5.02	5.79	40.2	1.94	2960	80	0.36	39.9	0.57	17.30	14.95	193.0	7	2.29	687
M897065		4.82	<0.005	0.03	0.16	5	30	0.09	0.04	21.4	0.07	1.34	1.9	3	0.65	3.0
M897066		3.35	0.801	10.50	7.20	629	90	1.30	2.93	0.41	91.6	47.5	16.5	11	7.78	191.0
M897067		4.79	2.02	>100	5.47	5170	140	1.22	6.10	1.13	265	33.0	16.0	27	6.98	1000
M897068		2.61	<0.005	0.14	0.07	8	20	0.05	0.03	20.7	0.31	1.24	1.5	<1	0.15	4.0
M897069		1.45	0.023	0.63	7.93	73.9	2010	1.58	0.30	2.98	1.44	48.8	10.3	10	14.60	13.0
M897070		7.85	0.028	0.81	7.24	298	1580	1.56	0.13	2.95	1.21	40.4	8.1	11	18.00	18.8
M897071		2.74	1.275	7.50	6.81	4300	200	1.43	0.24	2.09	31.5	47.5	8.4	9	14.75	29.2
M897072		2.55	<0.005	0.18	7.44	22.9	2010	1.55	0.08	3.02	0.22	43.3	9.1	12	13.85	9.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-JUL-2012
 Account: ROCKHA

Project: Klaza-69

CERTIFICATE OF ANALYSIS WH12147828

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N829446		3.97	16.50	0.16	1.3	0.110	3.20	24.8	35.2	0.80	2870	1.43	0.18	8.3	3.7	610
N829447		2.58	18.40	0.18	2.9	0.027	2.45	34.8	59.4	0.89	986	1.58	0.07	12.5	4.6	1040
N829448		2.45	18.15	0.15	2.5	0.029	2.66	31.2	59.4	0.81	993	0.99	0.07	11.8	2.9	860
N829449		2.42	19.25	0.11	2.4	0.042	2.39	29.3	82.3	0.78	1050	1.33	0.06	11.2	3.7	850
N829450		2.55	19.65	0.14	2.3	0.029	1.36	33.2	107.5	0.87	820	1.47	0.04	11.6	3.9	890
M897051		2.74	17.25	0.16	3.1	0.033	0.93	37.3	107.5	1.22	1340	1.50	0.04	11.2	5.4	1060
M897052		8.10	12.60	0.12	1.0	4.63	2.19	15.6	37.2	0.62	2970	15.25	0.08	5.5	12.7	430
M897053		4.14	14.95	0.10	0.9	0.258	2.47	20.0	26.6	0.80	4530	1.28	0.03	5.7	3.5	440
M897054		3.39	16.75	0.15	1.2	0.252	2.94	23.8	42.0	1.30	1880	1.31	0.07	8.0	3.2	610
M897055		3.22	16.20	0.14	1.1	0.083	2.75	21.7	42.6	1.03	1640	0.37	0.05	8.4	4.4	680
M897056		3.34	16.50	0.16	1.0	0.130	2.73	23.6	40.4	1.13	1660	0.55	0.05	8.1	4.8	630
M897057		3.50	15.10	0.17	1.2	0.066	3.02	23.6	22.9	1.13	2900	0.57	0.06	7.6	3.0	560
M897058		2.56	21.1	0.16	3.3	0.036	2.62	29.0	63.1	1.23	1200	1.15	0.05	10.8	7.9	1110
M897059		2.76	14.95	0.15	2.3	0.065	2.27	26.0	37.3	1.45	2270	2.11	0.04	8.1	4.9	790
M897060		2.80	15.55	0.14	2.5	0.067	2.37	28.5	39.6	1.49	2290	2.22	0.04	8.4	5.1	810
M897061		2.76	17.30	0.17	3.1	0.033	2.57	30.3	35.8	1.56	1350	1.76	0.04	9.8	5.8	960
M897062		2.84	15.55	0.16	1.2	0.103	2.48	23.6	84.1	1.03	2820	0.90	0.05	7.6	2.8	580
M897063		7.97	12.75	0.13	1.0	4.49	2.16	15.4	36.3	0.61	2920	15.40	0.08	5.5	13.0	430
M897064		24.7	4.99	0.25	0.3	2.40	0.86	8.0	13.4	0.17	1000	10.60	0.01	2.0	2.9	140
M897065		0.49	0.58	0.15	<0.1	0.013	0.07	0.6	2.1	13.10	211	0.28	<0.01	0.3	6.5	170
M897066		5.93	17.15	0.10	1.1	0.866	3.25	25.4	8.5	0.33	375	1.61	0.02	7.4	3.2	590
M897067		7.89	13.50	0.09	0.9	1.485	2.46	16.6	13.3	0.39	3340	1.57	0.02	6.2	9.1	470
M897068		0.45	0.37	0.19	<0.1	0.006	0.03	0.6	1.0	12.35	201	0.24	<0.01	0.3	4.8	160
M897069		3.93	17.85	0.11	1.2	0.064	2.83	25.1	14.4	0.95	1280	0.83	1.59	9.2	3.2	730
M897070		3.71	16.10	0.12	1.2	0.087	3.19	20.3	20.9	0.91	4180	0.90	0.54	8.1	2.8	630
M897071		5.97	15.80	0.13	1.2	0.507	3.05	23.9	16.8	0.78	9660	3.27	0.03	7.6	3.2	610
M897072		3.33	17.65	0.10	1.3	0.043	2.50	20.0	49.0	0.87	950	1.16	1.88	8.3	3.6	670



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 21-JUL-2012
Account: ROCKHA

Project: Klaza-69

CERTIFICATE OF ANALYSIS WH12147828

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N829446		191.5	158.0	<0.002	1.18	14.75	10.9	1	2.0	149.0	0.68	<0.05	13.0	0.261	2.71	5.9
N829447		31.5	86.1	<0.002	0.08	12.85	6.5	1	1.5	467	0.82	<0.05	10.2	0.289	1.99	6.3
N829448		33.8	93.7	<0.002	0.07	10.40	6.1	1	1.2	252	0.78	<0.05	9.2	0.251	2.00	4.8
N829449		17.9	77.5	<0.002	0.04	9.12	6.2	1	1.6	291	0.82	<0.05	8.6	0.255	1.70	3.5
N829450		22.4	44.8	<0.002	0.07	7.06	6.6	1	1.4	351	0.81	<0.05	9.3	0.260	1.06	4.8
M897051		35.6	44.8	<0.002	0.09	16.35	6.9	2	1.4	685	0.71	<0.05	9.7	0.296	0.67	8.1
M897052		9160	132.5	<0.002	6.90	212	7.2	3	8.4	115.0	0.41	0.53	7.8	0.174	2.11	4.7
M897053		528	167.5	<0.002	2.91	48.7	8.0	1	2.7	117.0	0.40	<0.05	8.4	0.185	2.41	6.9
M897054		372	148.5	<0.002	0.52	14.40	11.3	2	2.1	170.5	0.58	0.06	11.8	0.260	2.23	4.9
M897055		16.5	100.0	<0.002	0.47	6.23	12.0	1	1.9	154.0	0.64	<0.05	10.5	0.294	2.11	3.4
M897056		31.4	126.5	<0.002	0.65	7.50	11.6	1	2.7	160.5	0.60	<0.05	11.1	0.274	2.26	3.6
M897057		81.7	168.0	<0.002	0.38	9.08	11.0	2	1.5	104.5	0.57	0.11	12.9	0.251	2.32	3.1
M897058		26.9	96.7	<0.002	0.20	10.00	8.0	1	2.0	440	0.74	<0.05	8.4	0.298	2.80	4.6
M897059		31.6	135.5	<0.002	0.33	21.9	7.0	1	1.6	501	0.56	<0.05	9.4	0.239	2.22	3.7
M897060		37.3	138.5	<0.002	0.35	23.3	7.3	1	1.6	522	0.59	<0.05	9.7	0.249	2.28	3.8
M897061		53.7	154.5	<0.002	0.37	28.5	7.0	2	1.5	668	0.65	<0.05	8.9	0.274	2.96	4.9
M897062		143.0	123.0	<0.002	0.70	15.85	10.5	1	2.1	263	0.58	<0.05	11.2	0.240	2.26	4.1
M897063		8990	133.0	0.002	6.78	208	7.2	3	8.2	113.5	0.40	0.51	7.4	0.171	2.05	4.6
M897064		654	53.6	0.012	>10.0	129.5	2.6	5	16.5	18.0	0.14	7.05	2.6	0.063	0.76	5.3
M897065		1.8	4.1	<0.002	0.02	0.16	0.4	1	<0.2	41.5	<0.05	<0.05	<0.2	0.007	0.03	0.6
M897066		1525	186.0	<0.002	6.25	36.2	11.2	2	9.3	34.3	0.55	0.22	10.8	0.259	2.94	3.5
M897067		9700	157.0	<0.002	7.59	249	10.2	3	12.6	48.5	0.44	0.30	7.9	0.217	2.40	5.1
M897068		8.0	1.5	<0.002	0.02	0.22	0.2	1	<0.2	42.8	<0.05	<0.05	<0.2	<0.005	<0.02	0.5
M897069		75.8	130.0	<0.002	0.65	4.89	13.1	1	2.8	356	0.65	<0.05	12.4	0.315	1.56	3.7
M897070		58.1	173.0	<0.002	0.83	12.40	12.9	1	2.1	201	0.59	<0.05	11.1	0.284	2.56	4.6
M897071		676	204	<0.002	2.92	48.9	12.9	1	3.0	110.0	0.59	<0.05	10.4	0.265	2.84	4.4
M897072		22.8	82.4	<0.002	0.05	3.84	12.3	1	1.7	391	0.68	<0.05	10.6	0.295	1.14	4.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 21-JUL-2012
 Account: ROCKHA

Project: Klaza-69

CERTIFICATE OF ANALYSIS WH12147828

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001
N829446		76	3.1	13.5	515	32.0		
N829447		56	2.1	13.6	82	104.5		
N829448		50	1.8	13.2	86	86.2		
N829449		52	2.0	11.2	94	81.0		
N829450		51	2.0	12.6	78	82.9		
M897051		60	3.5	15.5	78	121.0		
M897052		52	4.5	9.1	>10000	30.9	125	1.615
M897053		64	4.2	10.9	952	27.0		
M897054		69	3.2	14.9	740	30.9		
M897055		66	3.1	13.3	105	28.0		
M897056		69	3.3	14.8	121	27.8		
M897057		57	6.0	12.4	244	29.6		
M897058		66	2.3	14.0	70	137.0		
M897059		55	3.2	12.6	88	88.8		
M897060		57	3.4	13.2	91	94.0		
M897061		58	4.5	14.1	138	122.0		
M897062		67	5.3	13.2	269	33.1		
M897063		50	4.3	9.5	>10000	30.1	126	1.605
M897064		22	3.7	5.3	1540	7.8		
M897065		5	0.4	0.8	16	<0.5		
M897066		74	7.7	9.2	9830	28.1		
M897067		70	8.3	9.4	>10000	21.5	128	1.840
M897068		3	0.1	0.7	36	<0.5		
M897069		87	1.9	17.9	215	29.5		
M897070		83	4.2	16.9	169	31.2		
M897071		78	5.8	13.9	2610	27.9		
M897072		87	1.4	15.9	79	33.6		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-69

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 21-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12147828

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.