



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 19-JUL-2012
Account: ROCKHA

CERTIFICATE WH12147829

Project: Klaza-71

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 27-JUN-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JUL-2012
 Account: ROCKHA

Project: Klaza-71

CERTIFICATE OF ANALYSIS WH12147829

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N828579		4.67	0.394	1.59	8.02	354	780	1.97	2.11	2.18	1.62	55.9	10.4	7	22.4	45.4
N828580		9.25	0.055	2.03	7.28	81.0	1140	1.58	4.24	1.53	8.57	52.9	6.9	6	14.75	23.2
N828581		13.47	<0.005	0.18	7.86	11.3	2140	1.41	0.16	2.54	0.14	49.6	7.4	10	17.50	6.3
N828582		13.01	0.008	0.22	7.49	12.4	2060	1.37	0.18	2.62	0.87	47.4	6.4	12	12.55	6.3
N828583		11.55	0.006	0.16	7.55	12.4	2160	1.45	0.14	2.39	0.14	53.2	6.4	11	10.15	3.8
N828584		5.73	0.011	0.38	7.24	28.1	2000	1.35	0.38	2.75	2.05	46.9	6.9	10	11.35	6.3
N828585		2.60	0.009	0.29	7.55	24.1	2030	1.35	0.35	2.75	1.71	49.6	6.3	10	10.75	4.7
N828586		11.74	0.039	0.58	7.26	54.9	2010	1.38	0.64	2.58	2.82	47.1	5.3	10	13.30	17.7
N828587		6.57	0.180	8.04	6.76	119.5	1050	1.12	7.81	3.17	3.70	49.2	6.5	9	18.70	74.5
N828588		5.31	<0.005	0.16	7.92	8.5	2550	1.37	0.13	2.44	0.14	50.3	7.1	9	23.1	7.5
N828589		9.03	<0.005	0.14	7.72	7.4	2300	1.25	0.14	2.42	0.08	47.0	6.8	10	22.1	11.6
N828590		<0.02	<0.005	0.13	7.73	7.5	2290	1.24	0.12	2.41	0.07	48.8	7.0	10	23.0	11.1
N828591		4.13	0.009	0.27	8.11	37.4	2020	1.41	0.45	1.68	0.22	56.5	6.9	9	25.0	7.9
N828592		2.93	<0.005	0.22	6.90	10.4	2330	1.06	0.40	2.77	0.08	36.0	6.1	8	14.25	27.0
N828593		5.98	0.074	0.69	7.72	93.7	1370	1.34	0.62	2.32	3.73	60.1	5.3	8	23.8	13.5
N828594		0.32	4.37	>100	5.58	6790	630	1.06	66.8	1.94	226	38.0	8.2	18	12.35	1300
N828595		5.73	3.10	70.7	4.51	3060	40	0.78	117.0	3.38	14.70	34.2	6.2	6	7.89	1255
N828596		4.88	<0.005	0.10	0.09	<5	20	0.07	0.14	21.7	0.08	1.51	1.3	1	0.28	3.5
N828597		7.36	2.02	8.12	4.80	504	120	0.92	10.30	3.57	19.00	37.0	3.5	6	10.90	146.0
N828598		6.99	0.377	2.98	6.11	1650	610	1.25	4.19	1.07	1.34	41.9	4.1	9	19.30	142.0
N828599		9.74	0.034	0.80	7.34	67.0	1110	1.37	1.59	1.74	3.47	51.8	6.4	9	20.8	18.1
N828600		5.24	1.665	10.10	6.89	3680	350	1.23	8.86	2.49	4.04	47.8	5.9	8	16.20	1140
M897001		1.56	<0.005	0.03	0.13	<5	30	<0.05	0.04	20.9	0.04	1.38	1.5	2	0.72	2.3
M897002		10.14	0.007	0.31	7.94	26.0	2230	1.51	0.48	2.50	0.96	41.8	6.8	9	22.1	9.5
M897003		6.36	0.010	0.29	7.78	16.5	2290	1.49	0.36	2.86	0.12	45.6	7.3	10	17.40	19.7
M897004		3.65	0.013	0.55	7.84	106.5	1860	1.63	0.67	3.20	1.03	48.7	7.2	9	13.60	39.2
M897005		4.75	<0.005	0.29	7.89	15.1	2190	1.48	0.32	2.54	0.16	45.2	5.1	9	12.90	5.7
M897006		4.65	0.006	0.27	7.44	13.4	2680	1.37	0.36	2.84	0.09	42.8	5.8	10	10.30	32.7
M897007		2.65	0.006	0.25	7.09	12.4	2410	1.37	0.35	2.86	0.09	42.5	6.1	9	9.82	21.5
M897008		3.94	0.018	0.39	7.83	31.6	2490	1.46	1.55	2.50	0.10	45.7	5.6	10	14.60	12.8
M897009		9.21	0.007	0.27	7.63	21.7	2140	1.34	0.43	2.38	0.19	38.5	4.5	10	16.90	16.4
M897010		0.33	2.26	22.6	6.19	2920	570	1.28	20.5	2.22	80.2	45.9	9.7	19	15.30	445
M897011		8.03	0.044	1.64	7.08	108.5	1770	1.34	2.26	1.77	5.50	54.0	4.2	11	12.25	97.9
M897012		7.95	0.031	0.36	7.53	142.5	1640	1.52	0.51	2.67	0.90	49.0	3.7	10	16.90	13.9
M897013		4.39	0.192	2.07	7.31	165.0	1860	1.46	1.71	2.78	24.3	50.1	4.6	9	17.20	92.8
M897014		4.36	<0.005	0.19	7.32	12.1	2150	1.48	0.19	3.07	0.13	41.9	4.7	11	13.40	1.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 19-JUL-2012
Account: ROCKHA

Project: Klaza-71

CERTIFICATE OF ANALYSIS WH12147829

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N828579		4.94	18.35	0.13	1.2	0.136	2.83	30.8	101.5	1.02	1830	2.36	0.05	8.5	4.0	720
N828580		4.68	17.05	0.12	1.0	0.297	2.86	30.6	28.7	0.80	1360	2.53	0.05	6.8	2.6	570
N828581		3.15	16.25	0.19	1.3	0.050	2.74	26.2	18.5	0.73	620	1.40	1.87	8.3	2.3	640
N828582		3.02	15.60	0.19	1.2	0.093	2.69	25.1	16.1	0.72	705	1.42	1.89	7.3	2.0	600
N828583		2.86	15.70	0.22	1.3	0.055	2.74	28.2	13.7	0.79	592	1.39	2.20	7.7	2.1	580
N828584		2.93	15.05	0.20	1.2	0.104	2.79	24.2	12.3	0.69	720	1.37	1.92	7.3	1.9	570
N828585		2.92	15.60	0.20	1.3	0.095	2.82	25.9	11.3	0.71	718	1.46	1.95	7.3	1.9	590
N828586		3.06	15.10	0.20	1.3	0.138	2.87	25.0	12.5	0.71	851	1.53	1.46	7.0	1.8	560
N828587		4.19	14.50	0.23	1.0	0.339	2.54	27.2	48.9	0.53	1350	3.06	0.06	6.5	1.8	520
N828588		3.28	16.90	0.21	1.3	0.058	2.79	25.4	22.1	0.69	632	1.84	1.40	8.2	1.9	700
N828589		2.95	16.45	0.21	1.2	0.048	2.85	24.2	31.4	0.65	577	1.32	1.30	7.8	1.9	620
N828590		2.97	16.70	0.20	1.3	0.047	2.91	25.1	32.8	0.65	578	1.26	1.29	8.1	2.0	620
N828591		3.73	16.40	0.23	1.3	0.123	3.04	30.9	58.2	0.69	1070	1.43	0.27	7.8	2.0	640
N828592		2.69	15.80	0.19	1.2	0.087	2.99	17.2	25.3	0.40	527	1.32	0.14	7.7	1.6	600
N828593		3.80	16.00	0.23	1.2	0.231	3.13	35.2	30.3	0.80	1460	3.48	0.16	7.3	1.8	580
N828594		8.00	12.55	0.27	1.1	4.69	2.33	19.7	30.6	0.62	3080	15.25	0.08	5.2	12.4	450
N828595		9.22	10.70	0.28	0.6	0.893	2.10	18.5	11.2	1.32	3170	8.16	0.02	4.0	1.3	320
N828596		0.49	0.31	0.19	<0.1	0.007	0.04	0.8	1.0	12.95	222	0.20	0.01	0.3	1.0	190
N828597		6.28	11.05	0.23	0.7	0.438	2.16	21.5	15.2	1.46	5680	9.51	0.02	4.1	1.5	310
N828598		3.58	12.85	0.19	1.0	0.143	2.57	24.6	33.0	0.54	1400	9.41	0.03	5.6	1.9	430
N828599		3.50	15.00	0.20	1.0	0.149	2.44	28.9	128.0	0.76	1290	2.68	0.08	7.0	1.9	600
N828600		5.89	14.80	0.26	1.0	0.896	2.95	27.5	14.6	0.96	1700	2.85	0.03	6.3	1.9	580
M897001		0.47	0.40	0.21	<0.1	0.005	0.07	0.7	1.7	12.35	213	0.26	<0.01	0.4	1.9	160
M897002		3.65	16.05	0.22	1.3	0.093	2.82	21.8	22.3	0.81	585	2.90	1.20	8.1	2.1	690
M897003		3.40	16.50	0.22	1.2	0.063	2.86	22.6	19.5	0.82	698	2.39	1.39	8.2	2.2	670
M897004		3.35	16.05	0.23	1.1	0.118	3.01	26.6	47.5	0.79	761	3.11	0.23	7.1	2.1	630
M897005		3.10	16.90	0.21	1.3	0.065	2.93	23.8	41.3	0.77	540	1.58	0.54	8.2	1.8	660
M897006		2.98	15.95	0.22	1.1	0.052	2.88	22.7	12.0	0.71	600	2.02	1.93	7.3	2.0	610
M897007		2.86	15.45	0.20	1.0	0.050	2.80	22.8	11.5	0.69	575	1.97	1.94	7.0	1.8	600
M897008		3.81	15.95	0.24	1.1	0.084	2.81	25.2	15.5	0.74	850	1.74	1.45	6.3	2.0	630
M897009		3.35	15.85	0.23	1.0	0.110	3.02	20.4	34.4	0.65	800	1.50	0.74	6.6	1.9	620
M897010		6.78	13.65	0.26	0.9	1.730	2.67	25.3	22.1	0.90	1900	13.40	0.04	5.7	14.2	460
M897011		4.88	15.55	0.24	0.8	0.452	3.05	31.7	22.1	0.86	1720	1.42	0.48	5.5	1.9	560
M897012		3.57	15.45	0.22	1.0	0.107	2.96	26.9	54.1	0.80	1170	1.62	0.32	6.7	1.8	590
M897013		3.87	15.70	0.22	1.1	0.545	2.83	27.4	24.5	0.78	1460	1.55	0.91	7.2	2.1	570
M897014		3.13	15.80	0.21	1.2	0.053	2.58	22.4	12.9	0.72	576	1.26	2.16	7.2	2.1	600



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 19-JUL-2012
Account: ROCKHA

Project: Klaza-71

CERTIFICATE OF ANALYSIS WH12147829

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
N828579		107.5	173.0	<0.002	2.08	18.20	14.0	1	3.3	130.0	0.59	0.09	12.8	0.272	2.81	4.6
N828580		257	169.5	<0.002	1.64	11.20	11.1	1	3.0	61.0	0.53	0.47	13.4	0.220	2.31	5.3
N828581		17.8	93.8	<0.002	0.05	5.67	11.3	1	2.1	320	0.73	<0.05	12.1	0.266	1.24	3.2
N828582		39.8	91.7	<0.002	0.13	3.25	10.0	1	2.0	301	0.65	<0.05	11.4	0.248	1.19	3.1
N828583		18.4	100.0	<0.002	0.08	2.23	10.5	1	1.7	347	0.68	<0.05	12.0	0.243	1.09	3.3
N828584		75.1	96.3	<0.002	0.33	2.90	9.7	1	2.0	305	0.67	0.06	10.2	0.236	1.32	3.5
N828585		51.4	104.0	<0.002	0.29	2.47	10.2	1	1.9	307	0.66	0.06	11.8	0.236	1.37	4.0
N828586		71.1	107.5	<0.002	0.51	5.50	9.5	1	2.3	273	0.63	0.08	11.4	0.234	1.57	3.7
N828587		157.0	107.0	<0.002	1.35	35.0	8.9	1	3.1	113.5	0.55	0.27	11.0	0.214	1.80	4.4
N828588		19.1	92.8	<0.002	0.07	8.85	11.4	1	2.1	266	0.72	<0.05	10.1	0.280	1.26	3.5
N828589		17.2	91.5	<0.002	0.04	7.65	10.1	1	2.5	261	0.68	<0.05	10.1	0.256	1.21	2.9
N828590		16.6	94.0	<0.002	0.04	7.84	10.4	1	2.5	261	0.69	<0.05	10.1	0.264	1.21	2.9
N828591		23.9	122.0	<0.002	0.20	20.0	11.4	1	2.4	109.0	0.69	<0.05	13.3	0.263	1.66	4.8
N828592		17.5	83.6	<0.002	0.11	16.60	8.7	1	2.0	124.5	0.69	<0.05	8.7	0.250	1.39	1.6
N828593		86.6	156.0	<0.002	1.38	16.50	10.7	1	3.0	88.4	0.65	0.05	13.1	0.236	2.46	5.2
N828594		9470	126.5	0.002	7.20	227	7.1	2	8.8	125.5	0.45	0.57	10.1	0.182	2.21	6.2
N828595		803	117.5	0.002	9.48	246	5.8	1	10.1	45.7	0.34	1.08	6.6	0.126	2.03	3.5
N828596		2.9	1.7	<0.002	0.02	0.60	0.2	1	<0.2	47.1	<0.05	<0.05	<0.2	<0.005	<0.02	0.7
N828597		354	127.0	<0.002	4.50	80.7	6.3	1	6.7	48.6	0.36	0.16	7.3	0.135	2.15	4.5
N828598		79.1	153.0	<0.002	1.50	115.5	8.4	1	3.0	52.4	0.51	0.10	9.9	0.194	2.43	7.2
N828599		87.9	118.0	<0.002	0.58	22.9	10.3	1	3.1	126.5	0.63	0.07	12.0	0.237	2.04	4.4
N828600		100.0	180.5	<0.002	4.74	47.7	9.5	1	5.6	68.4	0.54	0.55	8.8	0.209	2.75	2.6
M897001		1.6	4.2	<0.002	0.02	0.16	0.3	1	<0.2	46.4	<0.05	<0.05	<0.2	<0.005	0.03	0.5
M897002		29.2	104.5	<0.002	0.35	5.51	10.7	1	2.3	263	0.66	<0.05	9.8	0.281	1.42	3.0
M897003		23.7	95.5	<0.002	0.19	5.75	10.7	1	1.9	298	0.67	0.05	9.5	0.275	1.35	3.0
M897004		71.9	126.5	<0.002	0.57	7.82	10.5	1	2.9	167.5	0.61	0.08	10.5	0.248	1.77	5.7
M897005		25.7	94.1	<0.002	0.20	7.47	10.4	1	1.9	214	0.75	<0.05	11.3	0.276	1.38	3.0
M897006		17.4	97.1	<0.002	0.20	4.12	9.8	1	1.8	346	0.61	<0.05	9.7	0.243	1.24	3.3
M897007		16.9	86.2	<0.002	0.19	3.86	9.6	1	1.9	342	0.62	<0.05	9.7	0.238	1.27	3.6
M897008		22.8	116.5	<0.002	0.61	7.47	10.5	1	2.2	273	0.49	0.08	9.1	0.227	1.69	4.1
M897009		18.2	108.5	<0.002	0.26	9.43	9.8	1	2.1	207	0.51	<0.05	9.0	0.236	1.78	3.3
M897010		2820	148.5	<0.002	4.94	97.9	7.5	1	8.3	93.4	0.50	0.54	10.4	0.178	2.28	5.5
M897011		96.1	144.5	<0.002	1.12	12.45	9.4	1	3.2	111.0	0.47	0.12	11.2	0.194	2.11	4.4
M897012		37.5	118.0	<0.002	0.54	8.96	9.9	1	2.2	143.0	0.60	<0.05	12.3	0.234	2.10	5.2
M897013		147.0	112.0	<0.002	1.16	12.35	10.0	1	4.0	209	0.66	0.07	11.6	0.239	1.75	3.9
M897014		20.8	76.8	<0.002	0.17	3.68	9.1	1	2.0	336	0.69	<0.05	9.4	0.239	1.21	3.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-JUL-2012
 Account: ROCKHA

Project: Klaza-71

CERTIFICATE OF ANALYSIS WH12147829

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001
N828579		80	5.8	17.4	182	30.0		
N828580		64	4.3	13.0	619	28.1		
N828581		77	2.2	15.3	61	33.0		
N828582		72	1.8	13.4	103	30.2		
N828583		68	1.6	15.0	50	31.4		
N828584		67	1.8	13.1	177	29.5		
N828585		69	1.9	13.8	157	30.9		
N828586		67	1.8	12.4	238	30.7		
N828587		61	41.7	10.0	307	27.5		
N828588		85	2.9	15.4	51	32.4		
N828589		74	2.5	13.9	39	30.2		
N828590		76	2.7	14.2	40	32.7		
N828591		78	4.0	15.5	71	30.5		
N828592		74	3.0	11.9	50	31.0		
N828593		71	3.9	13.8	352	29.6		
N828594		54	4.3	8.5	>10000	30.0	124	1.625
N828595		44	4.5	6.5	1040	15.6		
N828596		4	0.1	0.7	23	<0.5		
N828597		45	4.9	6.7	1220	17.5		
N828598		61	5.1	9.2	150	25.0		
N828599		73	5.2	12.2	289	24.1		
N828600		66	7.0	10.7	340	25.4		
M897001		4	0.1	0.8	19	<0.5		
M897002		84	2.4	14.0	118	36.4		
M897003		79	3.0	14.5	53	31.2		
M897004		75	2.5	16.3	127	27.5		
M897005		79	4.1	14.3	68	34.3		
M897006		73	2.0	13.1	59	27.5		
M897007		71	2.0	12.1	61	25.7		
M897008		73	2.7	12.4	64	28.2		
M897009		75	2.2	12.6	69	25.5		
M897010		59	5.2	8.8	5350	22.8		
M897011		72	3.5	10.2	451	19.3		
M897012		73	2.6	12.4	119	24.0		
M897013		70	2.5	13.3	1730	26.0		
M897014		73	1.2	13.2	60	26.5		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-71

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 19-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12147829

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.