



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 23-JUL-2012
Account: ROCKHA

CERTIFICATE WH12151248

Project: Klaza-72

P.O. No.: Batch 2

This report is for 34 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 30-JUN-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-JUL-2012
Account: ROCKHA

Project: Klaza-72

CERTIFICATE OF ANALYSIS WH12151248

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm
		0.02	0.005	0.05	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
N829821		4.12	<0.005		0.11	7.55	8.8	1820	1.40	0.33	1.73	0.09	48.8	9.1	14	16.15
N829822		6.98	<0.005		0.24	7.60	10.3	1240	1.60	0.70	2.04	0.89	54.7	8.2	11	15.35
N829823		7.65	0.021		0.10	7.99	17.9	1270	1.52	0.42	1.56	0.25	53.1	8.2	15	17.85
N829824		4.02	>10.0	10.60	23.2	5.13	>10000	1310	0.98	8.56	1.33	104.0	26.0	16.6	9	7.79
N829825		2.36	<0.005		0.03	0.16	14	30	0.23	0.03	22.3	0.19	1.43	1.0	<1	1.12
N829826		3.64	0.241		1.99	6.84	689	1520	1.45	0.40	2.56	7.87	41.4	9.3	11	19.25
N829827		5.27	0.011		0.25	7.68	86.2	1980	1.67	0.27	3.44	0.36	44.5	8.5	14	15.85
N829828		5.77	<0.005		0.12	7.90	8.1	1930	1.63	0.32	2.53	0.17	43.5	8.3	12	16.00
N829829		0.26	2.49		25.8	6.50	3470	1110	1.36	17.60	2.39	82.2	43.0	10.8	18	14.90
N829830		6.59	<0.005		0.13	7.59	17.4	1840	1.49	0.22	2.81	0.25	40.6	9.1	10	21.6
N829831		4.21	<0.005		0.21	8.30	12.0	2870	1.40	0.20	1.53	0.16	46.1	7.5	12	23.1
N829832		6.19	<0.005		0.12	7.92	6.9	2400	1.61	0.23	3.13	0.13	48.2	8.6	15	10.70
N829833		6.27	<0.005		0.11	8.36	8.8	2330	1.57	0.47	2.81	0.18	51.6	8.4	14	15.35
N829834		<0.02	<0.005		0.13	8.01	18.8	2240	1.53	0.46	2.68	0.21	47.8	8.3	17	15.05
N829835		8.26	<0.005		0.17	7.90	14.9	2080	1.62	0.42	3.68	0.18	45.5	8.8	12	12.25
N829836		4.74	0.011		0.41	7.79	52.9	1040	1.76	0.65	5.42	0.23	46.8	8.8	14	21.5
N829837		3.36	0.183		1.27	9.04	136.0	220	1.90	1.94	3.57	6.00	49.2	8.6	7	16.10
N829838		0.26	4.49		>100	5.75	7990	1250	1.26	56.2	2.04	236	33.1	9.5	18	11.85
N829839		4.01	0.084		0.61	8.45	52.5	1080	1.82	0.92	1.99	0.95	52.8	10.5	8	15.80
N829840		3.65	0.279		1.77	8.45	162.0	780	1.70	1.34	1.87	6.23	46.4	8.7	7	11.05
N829841		4.32	4.48		15.10	5.26	>10000	1140	1.07	17.00	0.66	43.2	27.3	9.7	10	7.15
N829842		5.11	0.010		0.14	7.86	46.8	830	1.80	0.18	2.53	0.21	71.9	8.0	23	30.7
N829843		2.51	0.276		5.63	8.08	938	430	2.10	1.16	2.41	3.85	68.0	6.4	14	33.0
N829844		4.67	2.33		24.2	6.86	>10000	320	1.30	15.00	1.51	28.3	38.3	13.5	7	11.00
N829845		3.62	<0.005		0.06	0.14	19	20	0.07	0.04	21.4	0.12	1.41	1.0	<1	0.39
N829846		2.00	0.229		1.19	8.82	130.0	610	1.73	2.92	0.55	2.70	56.9	26.8	8	14.70
N829847		5.49	0.174		0.93	8.07	105.5	520	1.81	1.31	0.71	1.96	47.4	10.5	8	12.25
N829848		6.72	0.074		1.23	8.41	172.5	720	1.64	0.93	0.44	5.89	59.9	8.3	9	10.45
N829849		6.16	0.053		3.13	8.07	152.5	630	1.54	0.57	0.66	24.0	58.2	10.5	9	14.55
N829850		2.62	0.496		8.11	7.32	788	430	1.45	2.08	0.73	34.3	49.3	15.4	11	17.40
N829851		4.13	<0.005		0.41	7.06	26.1	620	1.47	0.22	2.06	0.59	51.6	7.3	12	18.00
N829852		1.96	0.033		0.50	6.95	118.5	480	1.34	0.23	2.09	0.74	50.9	7.1	12	22.2
N829853		6.74	<0.005		0.16	7.45	11.2	1670	1.50	0.22	2.54	0.21	50.1	7.6	19	15.05
N829854		8.56	<0.005		0.13	7.24	5.8	1790	1.45	0.23	2.42	0.15	49.5	8.0	15	9.67



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-JUL-2012
Account: ROCKHA

Project: Klaza-72

CERTIFICATE OF ANALYSIS WH12151248

Sample Description	Method Analyte Units LOR	ME-MS61 Cu ppm 0.2	ME-MS61 Fe % 0.01	ME-MS61 Ga ppm 0.05	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2
N829821		14.9	3.25	18.05	0.07	1.2	0.060	2.22	24.4	30.9	0.56	827	1.36	0.52	9.0	3.2
N829822		9.4	3.35	16.10	0.19	1.0	0.063	2.54	27.4	75.7	0.80	1600	1.36	0.04	7.6	2.9
N829823		9.5	3.27	16.60	0.20	1.1	0.041	2.50	25.8	48.1	0.66	1430	1.38	0.06	7.9	2.9
N829824		66.1	8.27	11.10	0.16	0.7	0.885	2.39	13.6	14.3	0.57	6130	4.31	0.02	4.5	2.6
N829825		2.3	0.54	0.32	0.07	<0.1	0.005	0.06	0.7	1.5	13.50	246	2.92	0.02	0.3	1.1
N829826		20.1	3.70	14.05	0.13	1.0	0.126	2.99	22.5	27.2	0.86	4220	2.51	0.07	6.9	2.7
N829827		9.9	3.37	15.80	0.15	1.5	0.042	2.84	22.2	23.2	1.07	1250	1.55	1.13	8.6	2.9
N829828		12.6	3.42	15.90	0.16	1.3	0.048	3.07	21.1	20.6	0.70	952	1.01	0.62	8.6	2.9
N829829		466	7.25	13.25	0.18	1.0	1.765	2.84	22.9	23.5	1.00	2000	13.00	0.04	6.0	15.0
N829830		10.6	3.46	15.30	0.14	1.3	0.042	2.72	19.9	50.0	0.90	1050	0.77	0.56	8.3	2.9
N829831		35.8	3.05	16.35	0.15	1.2	0.048	2.83	23.4	48.0	0.57	742	0.95	0.16	8.3	2.5
N829832		13.6	3.50	15.70	0.16	1.2	0.048	2.77	23.8	16.9	0.95	1000	1.35	1.67	8.1	2.9
N829833		9.7	3.41	15.75	0.17	1.2	0.042	2.83	26.6	17.9	0.86	743	1.36	2.10	7.9	2.8
N829834		8.8	3.25	15.60	0.15	1.2	0.043	2.77	24.3	17.1	0.82	715	1.41	2.05	7.8	2.9
N829835		8.6	3.48	15.70	0.17	1.1	0.043	2.80	22.9	15.7	0.95	991	0.99	1.94	7.8	3.2
N829836		10.4	3.11	14.95	0.17	1.2	0.049	3.34	23.5	21.6	0.90	3120	1.15	0.57	8.1	2.6
N829837		13.4	8.46	15.35	0.21	1.4	0.369	4.36	24.6	13.6	1.30	3140	0.39	0.04	8.5	2.7
N829838		1400	8.53	12.05	0.19	1.1	4.87	2.57	17.0	33.0	0.67	3170	14.95	0.08	5.6	14.0
N829839		7.2	9.08	15.20	0.21	1.2	0.297	3.50	28.5	47.1	1.12	2830	0.40	0.03	7.6	2.7
N829840		15.7	6.84	15.80	0.20	1.3	0.248	3.63	22.3	28.7	0.79	6730	3.12	0.02	8.2	2.6
N829841		140.5	9.06	11.70	0.19	0.9	0.728	2.52	13.6	9.6	0.42	1450	8.41	0.02	5.3	2.2
N829842		6.6	3.09	18.45	0.16	3.3	0.031	2.64	32.9	52.6	1.10	1130	1.99	0.05	11.2	8.0
N829843		21.2	2.72	18.75	0.18	3.0	0.097	2.54	34.3	36.2	0.82	1160	5.20	0.06	12.4	3.8
N829844		215	10.55	15.75	0.24	1.0	0.578	3.25	20.4	12.5	0.65	2590	30.1	0.03	6.1	3.4
N829845		3.8	0.49	0.31	0.08	<0.1	<0.005	0.06	0.7	1.1	13.15	224	0.17	<0.01	0.3	1.9
N829846		5.0	13.60	20.2	0.29	1.3	0.388	3.75	27.3	47.1	0.79	3280	6.11	0.03	8.6	3.3
N829847		9.5	11.25	14.90	0.25	1.2	0.372	3.44	24.2	49.0	0.87	3780	3.51	0.03	7.7	2.8
N829848		20.7	7.99	16.50	0.22	1.3	0.408	4.24	32.6	5.8	0.74	3770	0.49	0.03	8.4	2.9
N829849		42.9	8.05	15.35	0.22	1.3	0.543	4.05	32.2	8.2	0.94	6800	4.69	0.03	8.1	3.1
N829850		96.1	6.04	17.50	0.15	1.2	0.358	3.35	27.2	9.7	0.57	5980	7.93	0.01	7.5	3.3
N829851		8.7	3.25	15.50	0.16	1.2	0.076	2.65	26.8	58.8	0.75	1980	2.50	0.07	7.2	2.9
N829852		9.0	2.93	16.00	0.15	1.1	0.061	2.30	27.4	105.0	0.72	2130	4.19	0.05	6.9	3.0
N829853		10.4	2.96	15.65	0.17	1.4	0.041	2.36	26.6	32.0	0.77	797	1.77	1.72	7.5	3.2
N829854		11.0	3.05	16.10	0.18	1.5	0.040	2.34	24.4	14.5	0.76	747	1.36	1.80	7.9	3.0



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-JUL-2012
Account: ROCKHA

Project: Klaza-72

CERTIFICATE OF ANALYSIS WH12151248

Sample Description	Method Analyte Units LOR	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Ti ppm 0.02
N829821		660	16.5	89.0	<0.002	0.20	17.15	12.8	1	2.4	157.5	0.70	<0.05	11.2	0.292	1.06
N829822		660	34.8	124.5	<0.002	0.20	27.8	13.7	1	2.0	89.4	0.62	<0.05	13.3	0.275	1.72
N829823		680	20.0	110.5	<0.002	0.16	25.1	13.4	1	1.9	95.6	0.66	<0.05	14.1	0.284	1.73
N829824		350	2290	140.0	0.002	6.21	183.5	7.0	1	4.4	43.3	0.37	0.22	6.3	0.164	1.97
N829825		170	3.7	4.5	<0.002	0.03	0.28	0.4	1	0.2	45.9	<0.05	<0.05	<0.2	<0.005	0.04
N829826		510	298	183.0	<0.002	1.45	35.9	10.1	1	2.4	101.0	0.55	<0.05	11.0	0.224	2.17
N829827		610	22.7	119.0	<0.002	0.09	6.94	10.8	1	1.9	298	0.81	<0.05	11.1	0.271	1.49
N829828		660	19.4	113.0	<0.002	0.03	10.55	10.8	1	2.1	218	0.84	<0.05	10.6	0.291	1.48
N829829		480	3080	160.0	0.002	5.18	98.4	7.7	1	8.7	94.5	0.50	0.40	9.6	0.189	2.36
N829830		640	24.7	90.7	<0.002	0.10	15.35	10.6	1	1.8	235	0.81	<0.05	9.9	0.280	1.45
N829831		700	17.0	106.5	<0.002	0.07	27.0	11.6	1	1.8	156.0	0.67	<0.05	11.1	0.300	1.27
N829832		700	20.1	90.9	<0.002	0.02	5.10	11.5	1	2.2	385	0.65	<0.05	10.1	0.295	1.13
N829833		670	21.0	98.8	<0.002	0.01	5.22	11.5	1	1.9	435	0.66	<0.05	10.9	0.292	1.11
N829834		660	21.8	96.5	<0.002	0.01	5.16	11.2	1	1.8	420	0.64	<0.05	11.0	0.285	1.08
N829835		660	20.3	99.4	<0.002	0.05	5.61	11.3	1	1.7	384	0.64	<0.05	10.2	0.284	1.18
N829836		690	20.7	137.5	<0.002	0.37	19.95	11.7	1	1.8	193.5	0.67	<0.05	9.9	0.293	1.84
N829837		720	367	203	<0.002	5.77	8.24	11.9	1	7.7	112.0	0.77	<0.05	12.3	0.306	2.76
N829838		480	>10000	129.0	<0.002	7.35	222	7.3	2	9.5	125.5	0.44	0.50	8.2	0.198	2.19
N829839		650	62.1	168.0	<0.002	2.89	7.53	11.7	1	5.3	163.5	0.63	<0.05	12.7	0.275	2.42
N829840		680	404	188.0	<0.002	4.98	11.60	12.1	1	8.1	169.5	0.71	<0.05	12.0	0.290	2.77
N829841		410	1450	132.0	<0.002	6.32	117.0	8.0	1	6.3	42.4	0.48	0.47	7.8	0.186	1.80
N829842		1350	18.0	109.0	<0.002	0.19	23.7	8.1	1	1.5	622	0.81	<0.05	9.9	0.355	3.32
N829843		1000	682	73.5	<0.002	0.46	29.1	6.7	1	2.5	312	0.90	<0.05	9.9	0.295	2.38
N829844		490	1965	154.0	0.012	8.82	119.5	9.0	1	9.4	46.4	0.51	0.43	10.1	0.215	2.33
N829845		230	4.8	2.4	<0.002	0.02	0.36	0.3	1	<0.2	43.8	<0.05	<0.05	<0.2	0.005	0.02
N829846		680	98.3	148.5	0.003	5.83	16.00	10.8	1	8.2	65.4	0.69	0.34	11.2	0.288	2.23
N829847		640	129.0	160.5	<0.002	4.27	12.85	11.2	1	7.0	59.9	0.63	<0.05	11.6	0.267	2.23
N829848		670	265	198.5	<0.002	3.66	9.41	12.6	1	6.9	30.9	0.68	<0.05	13.5	0.290	2.82
N829849		650	864	194.5	<0.002	2.67	25.5	12.2	1	6.6	41.4	0.70	<0.05	14.1	0.288	2.59
N829850		560	1320	204	0.002	3.41	48.8	11.6	1	9.8	55.4	0.61	0.07	12.8	0.247	2.55
N829851		590	40.0	114.0	0.003	0.21	19.40	10.8	1	3.0	203	0.60	<0.05	11.6	0.251	2.19
N829852		580	86.0	112.5	0.004	0.21	30.2	10.9	1	2.3	215	0.58	<0.05	11.9	0.240	2.07
N829853		590	22.1	93.4	0.004	0.04	5.10	11.2	1	1.8	358	0.72	<0.05	13.6	0.254	1.16
N829854		580	21.3	97.2	<0.002	0.06	2.85	11.4	1	1.9	337	0.72	<0.05	13.2	0.250	1.05



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-JUL-2012
Account: ROCKHA

Project: Klaza-72

CERTIFICATE OF ANALYSIS WH12151248

Sample Description	Method Analyte Units LOR	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
N829821		2.6	83	3.4	13.2	61	26.2			
N829822		5.2	88	4.0	15.2	133	28.1			
N829823		5.3	84	5.2	15.2	78	30.5			
N829824		15.4	53	5.5	7.2	9480	17.5			
N829825		0.5	3	0.1	0.9	26	<0.5			
N829826		14.1	69	2.9	12.5	635	26.7			
N829827		4.8	75	2.9	15.6	85	34.6			
N829828		4.2	84	1.8	14.5	84	30.7			
N829829		5.0	59	5.5	9.8	5690	26.7			
N829830		4.3	81	2.8	14.9	79	29.2			
N829831		3.0	83	4.0	14.1	68	28.5			
N829832		3.5	85	1.9	15.2	72	27.2			
N829833		2.8	82	1.5	15.3	67	28.2			
N829834		2.7	80	1.6	14.6	68	27.7			
N829835		3.9	82	1.5	13.3	69	26.1			
N829836		5.3	75	1.8	12.7	83	28.5			
N829837		3.7	66	8.2	13.4	658	30.2			
N829838		5.1	57	4.7	8.9	>10000	32.1	120	0.981	1.630
N829839		4.4	63	23.5	12.2	177	27.3			
N829840		4.3	71	11.4	12.6	717	30.5			
N829841		2.7	50	8.6	7.2	4810	19.6			
N829842		4.8	71	3.8	14.6	89	142.5			
N829843		8.0	58	8.2	12.8	448	98.5			
N829844		22.6	62	20.5	8.2	2630	26.0			
N829845		0.5	3	0.2	0.8	21	0.8			
N829846		11.7	85	45.0	7.4	381	31.2			
N829847		6.4	70	27.5	9.5	290	26.9			
N829848		3.6	66	12.8	7.6	654	32.1			
N829849		6.6	66	8.0	8.8	2580	30.9			
N829850		14.1	65	6.3	11.0	3190	28.7			
N829851		11.3	77	7.7	13.5	104	28.7			
N829852		15.9	76	4.5	14.3	106	27.8			
N829853		5.0	77	1.2	16.9	64	31.4			
N829854		4.9	75	1.5	17.5	58	37.2			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-72

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12151248

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.