



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 26-JUL-2012
Account: ROCKHA

CERTIFICATE WH12151546

Project: Klaza-76

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 2-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26-JUL-2012
Account: ROCKHA

Project: Klaza-76

CERTIFICATE OF ANALYSIS WH12151546

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M899123		12.21	0.012	1.03	6.98	105.5	1010	1.71	1.75	1.16	3.66	55.2	4.9	14	22.8	52.2
M899124		11.34	<0.005	0.08	7.11	81.6	1510	2.19	0.19	1.87	0.59	69.6	6.0	22	15.55	8.2
M899125		11.04	0.009	0.59	6.90	111.5	1210	1.84	0.32	1.15	6.29	58.8	5.5	14	25.4	8.5
M899126		6.36	0.005	0.14	6.81	64.9	740	2.22	0.16	0.72	0.68	69.5	5.9	20	18.90	4.8
M899127		5.62	0.011	0.52	6.64	104.5	1190	1.87	0.52	0.76	2.59	70.6	6.9	20	27.3	48.2
M899128		0.22	4.47	>100	5.23	8060	900	1.09	60.4	1.87	213	33.9	8.2	18	10.80	1250
M899129		8.94	0.273	24.7	4.87	2630	140	1.20	18.60	1.96	67.4	64.3	13.1	11	19.05	1535
M899130		3.15	<0.005	0.11	0.08	9	20	0.07	0.08	21.2	0.17	1.30	0.6	1	0.23	4.0
M899131		12.31	0.006	0.22	7.35	24.6	1850	1.41	0.41	2.27	0.46	51.5	6.0	15	20.5	5.2
M899132		9.85	0.009	0.36	7.32	32.4	1900	1.58	0.29	2.39	0.99	44.2	4.8	15	16.15	5.7
M899133		4.67	0.679	1.57	7.00	139.5	890	1.46	2.11	2.06	3.94	58.0	5.3	15	15.35	16.6
M899134		5.71	<0.005	0.13	7.21	17.6	1730	1.15	0.18	1.43	0.49	47.7	4.6	18	15.80	2.9
M899135		2.68	<0.005	0.11	7.39	16.4	1840	1.05	0.16	1.31	0.23	51.2	4.4	13	17.45	2.4
M899136		4.97	0.030	0.16	6.74	57.6	2100	1.26	0.22	1.76	0.47	44.3	4.9	20	14.85	5.4
M899137		8.39	0.101	0.70	7.01	407	1700	1.49	0.70	2.22	9.34	57.7	6.4	15	18.45	13.4
M899138		5.47	0.067	0.80	7.01	337	1340	1.65	0.43	2.27	13.25	58.2	6.2	13	18.05	8.2
M899139		4.72	1.635	6.97	5.39	599	900	1.23	5.20	1.75	42.4	48.3	7.7	12	11.35	121.0
M899140		3.23	<0.005	0.04	0.07	<5	20	0.06	0.04	20.1	0.09	1.20	0.6	1	0.17	2.2
M899141		4.06	0.229	1.20	6.78	1010	1490	1.35	1.30	2.78	3.20	56.8	6.1	12	16.10	29.6
M899142		4.05	0.047	0.32	7.19	201	1320	1.48	0.24	2.46	0.16	54.4	6.7	12	25.3	6.1
M899143		8.09	0.171	0.36	6.96	870	2520	1.38	0.29	2.49	0.18	50.3	5.5	12	24.6	5.1
M899144		4.46	0.585	4.34	6.52	404	540	1.18	0.50	2.32	50.5	51.8	5.7	10	17.75	95.1
M899145		7.86	0.015	0.39	7.36	48.8	1850	1.48	0.56	2.16	2.56	54.9	5.6	12	18.45	7.6
M899146		4.56	0.028	0.15	6.86	97.2	2400	1.25	0.36	2.14	0.14	50.1	6.7	11	20.7	4.6
M899147		5.83	0.030	0.44	6.84	95.3	1360	1.29	0.34	2.45	1.27	47.7	6.3	13	24.7	5.7
M899148		<0.02	0.027	0.33	7.12	93.2	1360	1.40	0.28	2.46	0.94	51.9	6.5	18	25.7	5.0
M899149		8.71	3.22	6.82	6.69	309	530	1.22	5.76	1.84	6.82	53.4	5.4	12	17.95	130.0
M899150		4.97	0.047	0.69	7.20	112.0	1220	1.60	1.17	1.89	2.59	80.1	4.5	12	18.45	8.4
M899151		0.23	4.26	>100	5.11	7830	1010	0.95	56.8	1.84	209	34.2	9.1	16	11.45	1165
M899152		4.82	2.70	11.25	5.83	1130	440	1.84	13.80	2.38	12.80	49.3	5.6	10	16.55	556
M899153		6.50	0.248	2.83	7.06	138.5	1390	1.58	2.97	2.48	18.10	52.5	5.1	11	19.40	89.3
M899154		8.30	0.035	0.21	7.33	187.5	1540	1.33	0.49	2.34	0.17	52.2	9.1	13	20.1	3.6
M899155		4.58	1.700	15.95	5.79	1160	980	1.18	21.2	1.51	8.54	43.0	5.4	14	16.10	271
M899156		5.82	0.115	0.47	7.20	490	1320	1.30	0.59	2.52	1.77	59.2	5.0	13	19.60	7.5
M899157		7.83	0.102	0.36	6.86	513	1850	1.25	0.29	2.76	1.68	57.2	5.0	11	17.25	5.6
M899158		5.69	0.049	0.96	6.74	182.5	1620	1.36	0.96	3.09	6.26	50.9	6.4	11	17.15	6.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26-JUL-2012
Account: ROCKHA

Project: Klaza-76

CERTIFICATE OF ANALYSIS WH12151546

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M899123		3.67	14.45	0.06	1.8	0.197	2.37	28.0	48.1	0.65	1260	8.28	0.05	7.4	3.5	660
M899124		2.65	18.20	0.11	4.9	0.029	2.13	35.3	90.7	0.71	643	3.74	0.05	10.2	7.7	1180
M899125		4.95	15.10	0.07	1.7	0.207	2.41	30.7	89.2	0.69	1680	6.52	0.05	7.2	4.2	630
M899126		2.15	16.85	0.07	4.0	0.029	1.99	38.6	116.5	0.38	679	3.18	0.04	9.2	8.1	810
M899127		2.72	16.85	0.10	4.2	0.047	1.78	38.1	74.1	0.41	954	6.09	0.04	9.5	8.0	900
M899128		7.97	11.95	0.05	1.0	4.44	2.19	17.5	28.3	0.60	2920	14.05	0.08	5.1	12.6	430
M899129		5.72	11.15	<0.05	0.8	1.175	2.02	38.0	14.9	0.70	2170	3.73	0.03	3.7	3.7	360
M899130		0.48	0.23	0.06	<0.1	0.008	0.03	0.6	1.0	12.95	207	0.22	<0.01	0.1	1.7	140
M899131		3.20	16.20	0.12	1.3	0.067	2.46	26.3	41.6	0.55	671	3.29	0.68	8.1	2.6	630
M899132		3.06	15.70	0.06	1.2	0.066	2.81	22.4	30.4	0.61	583	3.33	1.33	8.0	2.6	580
M899133		4.07	13.90	0.05	1.0	0.147	2.11	33.2	48.5	0.78	1310	6.12	0.04	6.5	2.8	570
M899134		2.79	14.65	<0.05	1.2	0.038	1.92	24.4	97.4	0.53	688	2.18	0.06	7.2	2.2	570
M899135		2.72	15.20	0.06	1.2	0.036	1.94	26.2	83.2	0.50	644	1.80	0.07	7.5	2.1	580
M899136		2.59	13.95	0.06	1.2	0.050	2.18	24.0	69.4	0.65	795	2.40	0.06	6.9	2.3	520
M899137		3.18	14.15	0.06	1.2	0.240	3.03	32.1	24.1	0.80	1100	2.85	0.07	6.5	2.2	500
M899138		3.94	14.80	0.07	1.1	0.457	3.11	31.5	11.6	0.84	2130	2.80	0.04	7.0	2.6	530
M899139		6.07	12.55	0.07	0.8	0.670	2.40	25.6	12.2	0.67	1620	6.19	0.03	5.3	2.3	380
M899140		0.45	0.23	0.06	<0.1	0.007	0.03	0.6	0.9	12.35	212	0.12	<0.01	0.2	1.6	260
M899141		3.52	13.95	0.10	1.1	0.203	2.88	32.5	12.4	1.06	1830	2.70	0.04	6.3	2.2	510
M899142		3.09	15.45	0.09	1.1	0.055	2.87	27.5	14.9	0.89	963	2.41	0.05	7.8	2.6	560
M899143		2.89	14.85	0.09	1.0	0.057	2.86	26.4	18.3	0.87	1200	3.72	0.05	7.0	2.5	550
M899144		4.00	15.95	0.07	1.0	0.168	2.27	26.2	46.6	0.91	1340	2.57	0.03	7.1	2.5	470
M899145		3.03	18.00	0.09	1.1	0.128	2.08	27.2	187.0	0.82	851	2.24	0.05	7.8	2.9	570
M899146		3.10	17.20	0.11	1.0	0.073	2.39	24.0	63.6	0.81	891	2.05	0.06	7.8	2.4	520
M899147		2.77	17.15	0.10	1.0	0.091	2.68	22.8	24.2	0.84	1020	2.77	0.05	7.9	2.6	540
M899148		2.81	17.15	0.09	1.1	0.082	2.74	25.9	24.2	0.87	1020	3.23	0.05	7.9	2.7	530
M899149		4.49	17.30	0.12	1.0	0.274	2.39	27.1	38.6	0.76	1430	6.00	0.03	7.5	2.5	490
M899150		3.54	17.15	0.11	1.0	0.249	3.08	46.4	16.0	0.78	1360	20.7	0.04	7.0	2.3	540
M899151		7.83	13.25	0.14	1.1	4.58	2.13	15.7	29.4	0.60	2860	15.10	0.08	5.9	13.2	420
M899152		7.25	13.85	0.13	0.8	0.480	2.46	25.5	26.9	0.87	2240	12.80	0.04	5.9	2.3	400
M899153		4.38	16.85	0.08	0.9	0.327	3.05	27.5	21.2	0.84	1270	2.11	0.06	6.9	2.3	520
M899154		3.23	18.15	0.10	1.0	0.034	2.54	27.3	30.3	0.85	849	5.17	0.23	7.7	2.6	540
M899155		5.56	15.35	0.12	0.8	0.501	2.50	20.5	15.6	0.51	942	41.7	0.03	6.1	2.8	400
M899156		3.14	18.00	0.10	1.0	0.103	2.74	29.1	26.4	0.93	1940	13.20	0.05	8.0	2.3	570
M899157		2.67	17.05	0.10	1.0	0.057	2.76	29.4	16.0	1.01	2240	3.98	0.06	7.6	2.4	520
M899158		3.30	16.45	0.10	1.0	0.112	2.47	25.0	39.5	0.92	2190	3.83	0.07	7.4	2.3	490



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 26-JUL-2012
Account: ROCKHA

Project: Klaza-76

CERTIFICATE OF ANALYSIS WH12151546

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M899123		95.7	119.0	<0.002	0.48	30.9	8.5	1	3.4	159.0	0.65	0.11	13.4	0.248	1.95	4.5
M899124		17.0	69.8	<0.002	0.06	20.1	5.7	1	1.5	305	0.72	<0.05	11.3	0.322	1.25	5.0
M899125		157.5	130.0	<0.002	0.28	16.50	9.5	1	2.9	87.8	0.61	<0.05	12.9	0.234	2.52	4.6
M899126		19.4	91.0	<0.002	0.02	31.4	5.2	<1	1.4	160.5	0.63	<0.05	12.2	0.272	1.19	5.5
M899127		37.0	79.1	0.003	0.07	41.2	5.7	1	1.3	444	0.61	<0.05	10.3	0.302	1.04	6.9
M899128		9150	130.0	<0.002	6.92	205	6.9	1	7.5	115.0	0.42	0.45	8.9	0.178	2.00	5.1
M899129		952	99.7	0.003	4.02	285	6.5	1	5.8	60.3	0.35	0.34	9.4	0.123	2.09	3.7
M899130		3.8	1.6	<0.002	0.02	0.67	0.2	<1	0.2	40.8	<0.05	<0.05	<0.2	<0.005	<0.02	0.4
M899131		22.9	102.0	<0.002	0.34	13.55	10.6	<1	1.9	184.0	0.70	<0.05	13.4	0.268	1.32	2.8
M899132		48.1	113.0	0.002	0.25	8.09	10.0	1	2.0	230	0.68	<0.05	12.4	0.249	1.31	3.8
M899133		135.0	119.0	0.002	1.36	22.0	9.1	<1	2.4	165.5	0.58	0.11	14.2	0.211	1.85	7.6
M899134		20.7	76.3	<0.002	0.17	23.7	9.5	1	1.5	117.0	0.68	<0.05	13.6	0.244	1.08	2.7
M899135		15.9	86.5	<0.002	0.13	24.7	9.7	<1	1.6	119.0	0.69	<0.05	14.6	0.245	1.10	2.8
M899136		38.9	96.7	<0.002	0.34	22.2	8.5	1	1.4	172.0	0.60	<0.05	13.0	0.225	1.52	3.8
M899137		139.0	149.0	0.002	1.12	9.21	8.7	<1	1.8	110.5	0.59	0.13	15.3	0.216	2.45	4.9
M899138		185.0	167.0	<0.002	1.85	8.30	9.2	1	3.2	72.1	0.57	0.06	15.0	0.225	3.32	6.6
M899139		1160	154.5	<0.002	5.71	28.8	7.5	1	5.2	52.8	0.44	0.23	9.9	0.168	2.58	2.6
M899140		2.3	1.5	<0.002	0.01	0.10	0.2	1	0.2	35.0	<0.05	<0.05	<0.2	<0.005	<0.02	0.4
M899141		188.5	171.0	<0.002	1.37	16.30	8.7	1	2.0	88.1	0.56	0.08	13.9	0.206	2.87	5.2
M899142		12.3	130.0	<0.002	0.43	7.11	10.7	1	1.7	95.0	0.64	<0.05	13.7	0.248	2.32	6.9
M899143		21.4	132.0	<0.002	0.65	10.05	9.6	1	1.5	109.5	0.61	0.07	13.6	0.236	2.73	6.4
M899144		2330	144.5	<0.002	2.10	21.6	9.2	1	2.7	109.5	0.55	0.06	11.3	0.200	2.06	4.7
M899145		115.0	101.0	<0.002	0.54	14.05	10.4	1	2.2	153.0	0.59	0.06	13.2	0.233	1.64	3.7
M899146		17.9	116.0	<0.002	0.59	14.30	10.1	1	1.9	114.5	0.58	0.06	12.2	0.226	1.79	3.1
M899147		39.6	120.0	<0.002	0.55	9.40	9.8	1	2.0	116.5	0.60	0.10	12.2	0.231	2.26	5.2
M899148		38.8	141.0	<0.002	0.55	9.35	10.4	1	2.0	118.0	0.60	0.06	13.2	0.233	2.22	5.4
M899149		257	142.0	<0.002	2.93	38.3	9.5	1	8.2	101.5	0.55	0.08	11.5	0.217	2.41	5.4
M899150		64.6	186.5	0.004	1.59	9.12	10.3	1	3.6	72.1	0.54	0.14	13.1	0.205	2.98	5.4
M899151		8750	133.0	<0.002	6.66	201	6.3	2	8.7	121.0	0.44	0.49	8.2	0.172	2.08	5.1
M899152		525	144.5	0.002	5.77	124.0	10.4	1	6.5	65.6	0.41	0.13	10.7	0.170	2.54	4.7
M899153		372	149.5	<0.002	1.81	8.27	10.0	2	2.6	118.0	0.54	0.05	13.7	0.220	2.40	4.8
M899154		15.6	146.5	<0.002	0.42	8.95	10.8	1	1.5	111.0	0.56	0.05	13.5	0.235	2.23	5.1
M899155		460	154.0	<0.002	5.06	116.0	7.8	1	9.7	58.9	0.46	0.16	9.3	0.180	2.78	4.6
M899156		66.6	143.5	0.003	0.90	11.05	10.7	1	2.3	143.0	0.61	0.07	12.2	0.234	2.51	4.8
M899157		52.9	161.0	<0.002	0.76	12.65	10.7	1	2.6	95.3	0.58	<0.05	12.5	0.221	2.58	5.1
M899158		242	128.5	<0.002	1.13	9.75	9.5	1	2.9	123.0	0.59	0.05	11.9	0.215	2.33	4.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-JUL-2012
 Account: ROCKHA

Project: Klaza-76

CERTIFICATE OF ANALYSIS WH12151546

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Zn-OG62 Zn % 0.001
M899123		54	4.0	12.1	487	55.0		
M899124		56	7.1	12.1	293	175.0		
M899125		62	7.0	11.7	687	48.5		
M899126		47	5.4	11.9	330	144.5		
M899127		56	3.1	14.7	574	162.5		
M899128		51	4.2	8.7	>10000	28.0	115	1.640
M899129		46	3.5	9.1	4590	19.3		
M899130		3	0.1	0.8	27	<0.5		
M899131		75	3.5	16.7	80	29.8		
M899132		67	2.9	15.1	104	30.9		
M899133		58	4.4	14.3	345	25.2		
M899134		64	5.4	14.3	76	27.4		
M899135		62	5.8	14.2	57	27.6		
M899136		60	3.6	13.0	74	26.8		
M899137		58	2.2	13.0	727	27.3		
M899138		60	4.0	13.0	944	28.2		
M899139		48	4.3	9.0	2970	18.5		
M899140		2	0.1	0.8	16	<0.5		
M899141		57	5.3	13.1	264	26.4		
M899142		68	4.8	15.8	51	27.9		
M899143		63	6.3	13.9	51	24.3		
M899144		60	3.4	12.9	2950	28.2		
M899145		65	3.6	13.8	200	29.2		
M899146		63	3.2	14.7	45	28.6		
M899147		63	4.3	13.7	128	29.8		
M899148		63	4.2	14.5	106	29.7		
M899149		60	4.7	12.5	509	28.3		
M899150		60	3.4	13.1	244	28.9		
M899151		51	4.3	9.2	>10000	33.0	116	1.590
M899152		49	4.2	10.7	1020	22.6		
M899153		61	2.9	13.4	1280	22.5		
M899154		65	2.1	13.2	78	26.7		
M899155		52	6.0	10.5	623	22.6		
M899156		68	3.5	15.4	192	29.3		
M899157		64	4.8	15.4	160	28.2		
M899158		60	3.2	14.9	624	28.2		



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-76

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 26-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12151546

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.