



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 22-JUL-2012
Account: ROCKHA

CERTIFICATE WH12151547

Project: Klaza-76

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 2-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-JUL-2012
Account: ROCKHA

Project: Klaza-76

CERTIFICATE OF ANALYSIS WH12151547

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M899159		6.45	0.007	0.16	7.51	18.3	2100	1.73	0.26	2.87	0.17	50.4	5.0	9	12.80	8.5
M899160		10.25	0.061	0.32	6.39	101.5	1370	1.44	0.24	2.81	0.46	37.9	3.1	8	8.31	4.6
M899161		12.14	0.006	0.13	7.08	19.8	1550	1.56	0.23	3.40	0.08	47.6	4.2	7	10.10	7.5
M899162		9.00	0.017	0.44	7.02	60.8	1650	1.52	0.70	3.40	0.85	74.5	4.0	9	6.50	10.7
M899163		5.73	<0.005	0.17	6.53	30.2	1540	1.59	0.26	3.92	0.35	48.9	4.5	7	7.25	5.1
M899164		10.26	<0.005	0.15	7.60	11.0	1570	1.54	0.26	3.12	0.11	53.8	5.2	9	8.35	2.3
M899165		8.85	<0.005	0.13	8.04	9.8	1950	1.46	0.21	3.05	0.11	57.0	4.9	8	9.81	4.5
M899166		0.22	2.12	23.2	5.99	3310	950	1.29	17.50	2.25	81.2	42.4	10.5	19	14.35	432
M899167		4.32	0.010	0.49	7.00	40.3	1430	1.60	0.62	2.97	0.37	59.6	6.6	7	6.36	51.8
M899168		9.61	0.012	0.40	7.18	33.1	1770	1.55	0.53	2.96	0.84	55.6	5.9	8	8.27	9.7
M899169		4.39	0.036	3.45	7.79	114.5	660	1.69	1.86	3.09	41.4	62.1	9.4	8	7.92	21.5
M899170		11.48	0.015	0.23	7.41	23.2	1890	1.48	0.35	3.11	0.39	54.6	5.1	8	7.26	5.6
M899171		10.92	0.009	0.87	8.03	28.1	1770	1.81	0.92	3.20	3.11	60.7	5.1	8	8.89	22.7
M899172		6.31	<0.005	0.14	7.39	14.0	1470	1.67	0.41	3.16	0.13	46.3	7.0	9	8.39	2.7
M899173		4.88	0.007	0.23	8.44	14.9	2140	1.75	0.44	3.69	0.25	57.1	5.3	9	8.77	4.3
M899174		4.09	0.307	31.4	7.02	373	780	1.57	50.1	2.50	4.35	56.8	7.7	6	7.14	477
M899175		11.18	<0.005	0.16	7.52	9.1	2090	1.54	0.22	2.67	0.15	47.7	4.0	10	9.70	4.4
M899176		7.48	0.006	0.27	6.76	10.2	1490	1.54	0.39	3.13	1.01	52.7	5.0	8	7.56	5.3
M899177		4.41	0.005	0.22	6.88	10.2	1670	1.64	0.36	3.37	0.92	49.0	5.5	9	8.17	3.3
M899178		10.46	<0.005	0.22	7.48	22.2	1890	1.57	0.32	2.91	0.49	47.7	3.6	11	9.09	4.0
M899179		4.17	0.633	5.28	6.81	2050	580	1.37	5.02	2.00	15.45	48.9	3.7	7	10.75	252
M899180		1.62	<0.005	0.02	0.10	<5	20	0.07	0.02	22.3	0.10	1.26	1.1	1	0.22	1.8
M899181		6.24	0.055	0.73	7.12	91.4	1380	1.43	0.60	1.72	4.42	60.0	5.1	7	9.23	12.2
M899182		7.73	0.023	0.33	7.05	24.8	1320	1.77	0.59	2.88	1.42	47.5	4.3	9	10.95	9.3
M899183		<0.02	0.054	0.40	7.09	28.1	1290	1.71	0.70	2.77	1.52	49.1	4.0	7	10.60	8.5
M899184		7.28	0.011	0.30	7.07	17.6	1830	1.67	0.72	2.07	1.22	47.2	4.2	7	7.45	10.4
M899185		4.59	0.009	0.49	7.36	15.0	1300	1.56	0.86	3.06	1.08	45.1	13.5	8	8.73	3.9
M899186		5.04	0.022	0.19	7.09	10.3	1120	1.61	0.37	3.20	0.30	53.4	10.8	7	7.90	1.2
M899187		4.50	0.013	0.17	5.77	13.2	1310	1.48	0.25	3.48	0.09	33.6	7.4	7	7.29	0.5
M899188		4.67	0.008	0.11	6.84	7.7	1260	1.50	0.20	3.09	0.83	49.4	3.0	8	8.51	1.6
M899189		0.22	2.18	24.8	5.65	3350	260	1.32	19.90	2.11	76.8	40.7	11.5	17	14.50	430
M899190		4.21	0.031	0.27	6.86	17.3	1010	1.46	0.38	1.52	2.77	53.6	2.5	7	10.10	2.7
M899191		2.62	<0.005	0.02	0.07	<5	210	0.05	0.02	20.3	0.06	1.18	0.7	<1	0.17	1.6
M899192		12.70	0.012	0.73	7.36	18.4	1010	1.72	1.99	2.65	0.64	55.8	4.4	9	8.27	5.3
M899193		10.54	<0.005	0.22	7.18	9.5	1610	1.34	0.49	2.78	0.18	43.6	5.6	8	10.30	4.6
M899194		9.02	<0.005	0.16	8.01	9.4	2350	1.18	0.19	1.34	0.20	52.5	6.9	8	11.00	2.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-JUL-2012
Account: ROCKHA

Project: Klaza-76

CERTIFICATE OF ANALYSIS WH12151547

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
M899159		3.05	17.45	0.18	1.1	0.048	2.65	24.9	17.0	0.71	606	2.08	1.68	7.6	2.8	600
M899160		1.60	15.35	0.18	0.8	0.072	2.32	17.2	49.9	0.94	752	6.37	0.63	4.9	2.1	500
M899161		1.98	16.70	0.19	1.0	0.056	2.32	21.6	20.6	0.80	725	1.12	0.75	6.4	2.2	580
M899162		2.12	16.70	0.21	1.1	0.189	2.56	42.0	18.7	0.89	1000	3.88	0.38	5.6	2.2	540
M899163		2.14	17.30	0.19	1.1	0.097	2.42	21.6	13.9	0.89	1080	0.96	0.71	6.4	2.6	560
M899164		2.66	17.25	0.20	1.2	0.061	2.10	25.5	13.5	0.91	635	1.32	1.96	8.1	2.8	620
M899165		2.80	18.25	0.22	1.3	0.051	2.43	28.1	12.7	0.86	603	1.81	1.97	8.0	2.7	620
M899166		6.66	14.75	0.21	1.0	1.750	2.65	21.3	24.1	0.94	1880	12.80	0.05	5.8	15.6	440
M899167		2.93	17.85	0.18	0.9	0.284	2.27	29.6	19.5	0.75	1240	1.76	0.57	5.8	2.7	550
M899168		2.88	16.70	0.20	1.0	0.155	2.54	26.9	9.9	0.82	1400	1.86	1.23	6.6	2.4	550
M899169		4.75	18.60	0.24	1.1	0.615	3.00	31.5	7.4	0.76	1510	2.62	0.73	6.4	3.4	580
M899170		2.67	16.95	0.21	1.1	0.074	2.47	25.2	9.9	0.78	718	1.38	1.70	7.3	2.7	590
M899171		2.98	18.85	0.24	1.0	0.107	2.30	31.6	9.5	0.91	1040	1.05	2.12	7.7	3.0	630
M899172		2.80	18.05	0.20	1.0	0.102	1.90	20.4	10.5	0.84	834	0.73	2.48	7.1	3.1	640
M899173		2.86	20.3	0.22	1.0	0.080	2.64	25.4	10.4	0.91	955	0.86	2.59	8.3	2.8	700
M899174		5.32	17.10	0.23	0.8	0.378	3.00	27.3	17.8	1.06	1650	2.38	0.21	5.4	3.2	670
M899175		2.66	17.35	0.20	1.0	0.042	2.65	22.2	14.5	0.77	626	0.88	2.26	7.4	2.7	610
M899176		1.87	17.75	0.19	1.0	0.058	2.67	25.7	13.8	0.77	808	0.61	1.14	6.0	2.9	590
M899177		1.84	19.10	0.19	1.0	0.054	2.71	23.3	14.0	0.73	788	0.79	1.39	6.5	2.8	600
M899178		2.62	18.40	0.21	1.1	0.056	2.78	22.2	11.7	0.80	783	0.90	1.85	7.7	2.7	640
M899179		3.85	16.75	0.21	0.8	0.398	3.21	25.2	12.4	0.91	1780	10.45	0.05	5.2	2.6	500
M899180		0.49	0.33	0.24	<0.1	0.005	0.03	0.6	1.4	13.75	217	0.15	0.01	0.4	2.5	180
M899181		2.55	17.40	0.13	1.2	0.321	3.20	33.6	18.7	0.71	894	1.45	0.08	6.3	3.1	570
M899182		2.30	17.60	0.16	1.1	0.150	2.10	22.2	19.4	0.65	705	1.66	0.67	6.9	2.3	560
M899183		2.33	16.80	0.16	1.1	0.154	2.06	23.6	18.1	0.67	689	1.47	0.70	7.1	1.7	610
M899184		2.34	16.95	0.17	1.0	0.221	2.45	20.8	15.3	0.75	953	0.34	0.13	5.2	1.2	530
M899185		2.57	18.40	0.20	1.2	0.157	2.11	18.6	11.7	0.60	890	0.34	1.22	6.8	2.8	590
M899186		2.12	15.90	0.18	1.2	0.078	1.87	27.3	8.4	0.65	721	0.93	1.77	6.1	2.6	550
M899187		1.82	15.75	0.18	1.1	0.064	2.18	15.3	8.8	0.56	776	0.33	1.20	5.7	2.0	500
M899188		2.22	15.50	0.20	1.2	0.050	1.99	25.4	10.5	0.60	744	0.59	1.56	6.8	1.8	530
M899189		6.42	14.20	0.16	1.0	1.610	2.48	21.9	22.7	0.85	1780	13.30	0.04	5.5	15.5	420
M899190		2.52	16.25	0.17	1.1	0.076	1.84	27.6	28.0	0.56	827	0.87	0.63	6.9	1.7	550
M899191		0.47	0.20	0.17	<0.1	<0.005	0.02	0.6	1.0	12.00	201	0.10	<0.01	0.2	1.4	160
M899192		3.02	17.70	0.27	1.1	0.135	1.92	27.4	13.9	0.76	775	0.78	1.41	7.2	1.8	570
M899193		2.47	16.30	0.22	1.0	0.055	2.21	21.1	12.2	0.60	675	0.65	1.81	6.7	2.1	580
M899194		2.95	17.85	0.19	1.1	0.041	2.89	27.6	28.5	0.47	627	1.07	0.80	8.1	2.3	650



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 22-JUL-2012
Account: ROCKHA

Project: Klaza-76

CERTIFICATE OF ANALYSIS WH12151547

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
M899159		17.4	106.0	<0.002	0.19	7.69	10.5	1	2.5	302	0.58	<0.05	12.3	0.255	4.5
M899160		26.1	111.0	0.005	0.32	12.15	8.2	1	2.9	120.5	0.40	0.07	9.6	0.165	3.8
M899161		9.0	88.1	<0.002	0.32	9.74	10.0	1	3.1	151.0	0.50	<0.05	12.1	0.215	5.0
M899162		43.9	123.5	<0.002	0.63	6.82	9.5	1	3.4	116.5	0.47	0.11	12.2	0.193	5.1
M899163		22.8	84.8	<0.002	0.46	7.75	9.9	1	2.8	154.5	0.51	0.05	10.1	0.210	5.2
M899164		15.3	77.5	<0.002	0.23	4.44	11.2	1	2.5	337	0.64	0.06	12.7	0.267	4.3
M899165		15.7	99.1	<0.002	0.15	6.11	10.7	1	2.2	336	0.65	<0.05	14.4	0.262	5.7
M899166		2780	156.0	0.002	4.86	95.9	7.8	2	8.6	87.1	0.46	0.39	9.8	0.181	5.0
M899167		25.7	107.0	<0.002	0.76	6.99	10.8	1	2.9	133.5	0.48	0.08	12.5	0.192	4.5
M899168		90.1	120.0	<0.002	0.60	7.89	10.1	1	3.6	242	0.53	0.06	12.7	0.222	5.0
M899169		1110	143.0	0.007	2.54	11.20	10.6	2	9.7	129.5	0.53	0.08	13.2	0.213	5.7
M899170		22.6	106.0	<0.002	0.25	5.71	10.5	1	2.8	284	0.59	0.05	12.0	0.237	4.4
M899171		186.0	99.6	<0.002	0.52	6.32	11.7	1	3.9	328	0.59	0.05	12.9	0.263	5.3
M899172		8.9	71.0	<0.002	0.77	5.59	10.9	1	3.2	282	0.53	0.08	10.3	0.246	4.1
M899173		18.2	98.1	<0.002	0.30	5.73	12.0	1	3.0	396	0.63	0.06	12.6	0.289	4.5
M899174		500	171.0	0.002	3.31	40.8	9.9	1	5.5	82.4	0.42	0.26	10.5	0.199	5.9
M899175		14.1	89.4	<0.002	0.10	3.56	10.3	1	1.8	382	0.60	<0.05	11.1	0.258	4.1
M899176		36.6	100.0	<0.002	0.21	5.66	9.9	1	2.0	179.0	0.51	<0.05	11.1	0.202	4.3
M899177		30.1	95.7	<0.002	0.22	4.57	10.9	1	2.0	225	0.51	<0.05	11.5	0.217	4.5
M899178		31.4	109.0	<0.002	0.24	4.78	11.5	1	2.0	315	0.59	<0.05	12.3	0.265	4.6
M899179		319	187.5	<0.002	3.17	57.7	9.1	1	6.2	43.9	0.41	0.12	10.8	0.179	4.6
M899180		1.7	1.7	<0.002	0.02	0.43	0.2	1	<0.2	48.2	<0.05	<0.05	<0.2	<0.005	0.6
M899181		149.5	191.5	<0.002	1.35	9.71	9.8	<1	3.8	67.9	0.60	<0.05	15.4	0.204	4.9
M899182		33.7	91.3	<0.002	0.37	7.73	10.5	1	3.1	148.5	0.59	<0.05	13.4	0.222	4.5
M899183		44.6	96.1	0.003	0.38	7.79	11.0	<1	2.9	151.5	0.62	<0.05	14.1	0.236	4.9
M899184		25.2	128.0	<0.002	0.47	12.30	9.9	<1	2.6	69.9	0.49	0.06	16.2	0.172	3.1
M899185		49.4	87.8	<0.002	0.92	5.78	10.9	<1	2.4	171.0	0.61	0.17	14.3	0.205	4.3
M899186		18.9	91.2	<0.002	0.58	3.05	9.5	1	2.3	215	0.55	0.09	15.7	0.190	5.6
M899187		13.4	86.7	<0.002	0.36	3.72	8.5	1	2.4	159.5	0.50	0.08	10.3	0.174	4.2
M899188		20.4	95.7	<0.002	0.14	4.05	9.5	1	1.5	244	0.67	0.06	14.8	0.209	5.0
M899189		2750	163.5	0.002	4.61	86.1	8.0	1	7.7	88.2	0.44	0.38	11.1	0.169	5.3
M899190		55.0	98.5	0.002	0.21	12.15	9.9	1	1.9	114.0	0.59	0.05	15.4	0.207	4.0
M899191		1.3	1.2	<0.002	0.02	0.22	0.2	<1	0.2	43.6	<0.05	0.05	<0.2	<0.005	0.4
M899192		44.0	96.7	<0.002	0.50	3.66	11.0	1	2.2	242	0.57	0.14	15.5	0.223	4.8
M899193		19.0	79.8	<0.002	0.26	5.45	9.7	1	2.3	272	0.55	0.05	11.4	0.236	3.3
M899194		23.1	112.0	<0.002	0.09	11.85	11.1	1	1.8	174.5	0.66	<0.05	14.1	0.281	3.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 22-JUL-2012
 Account: ROCKHA

Project: Klaza-76

CERTIFICATE OF ANALYSIS WH12151547

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M899159		70	1.8	15.5	57	30.1
M899160		59	1.4	10.6	73	21.6
M899161		65	1.2	12.2	53	27.8
M899162		65	1.8	11.6	106	26.7
M899163		67	1.4	12.9	69	28.9
M899164		75	1.7	14.6	51	31.6
M899165		73	2.1	15.1	49	34.7
M899166		55	5.0	9.0	5340	26.5
M899167		72	1.9	12.2	87	23.4
M899168		68	1.9	13.5	156	26.7
M899169		69	2.2	11.9	3580	29.8
M899170		67	1.3	14.6	67	29.7
M899171		74	1.4	16.2	320	26.8
M899172		76	1.7	14.3	58	26.7
M899173		86	1.0	17.4	75	28.6
M899174		69	2.9	11.9	447	22.5
M899175		70	1.2	14.5	50	26.4
M899176		65	1.4	11.2	114	26.9
M899177		68	1.3	12.8	107	27.7
M899178		77	1.3	14.2	89	30.2
M899179		63	2.5	10.6	1100	22.2
M899180		3	0.1	0.8	20	<0.5
M899181		65	1.9	9.8	352	26.2
M899182		73	1.2	15.0	177	28.8
M899183		72	1.3	15.5	184	28.2
M899184		64	1.2	13.8	139	22.7
M899185		71	1.2	16.4	137	27.7
M899186		64	0.9	14.3	70	28.2
M899187		64	1.0	9.4	48	27.3
M899188		62	1.0	13.6	104	30.2
M899189		53	4.9	9.6	5190	25.4
M899190		62	2.2	14.5	230	28.9
M899191		2	0.1	0.8	18	<0.5
M899192		63	1.8	16.3	99	29.2
M899193		69	1.5	12.9	60	23.8
M899194		72	6.0	18.0	51	27.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-76

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 22-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12151547

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.