



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 23-JUL-2012
Account: ROCKHA

CERTIFICATE WH12155846

Project: Klaza TR-12-2

P.O. No.: Batch 1

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 4-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: ROCKHAVEN RESOURCES LTD.
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155846

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M895034		2.58	0.013	0.27	6.42	11.5	2230	1.12	0.62	0.46	0.55	44.9	10.0	16	5.24	35.8
M895035		2.65	0.037	0.49	7.88	35.7	3270	1.39	1.27	0.37	0.59	55.4	16.6	14	12.55	50.6
M895036		2.16	0.023	0.59	7.90	32.6	3270	1.69	1.46	0.27	0.80	65.0	13.1	12	14.15	64.3
M895037		3.59	0.075	2.10	6.86	111.5	4620	1.49	4.36	0.26	0.89	45.8	12.4	11	11.75	61.6
M895038		3.09	0.022	1.07	7.60	48.7	3180	1.63	0.78	0.37	1.24	56.1	14.7	12	15.90	32.1
M895039		2.35	0.011	0.30	7.25	15.5	2810	1.42	0.58	0.41	0.45	51.4	13.1	12	8.53	14.0
M895040		2.19	0.010	0.40	8.41	26.7	3570	1.40	1.20	0.33	0.95	61.1	7.2	11	11.25	32.0
M895041		2.96	0.017	0.35	7.74	29.1	2230	1.62	1.21	0.49	0.75	59.2	8.8	12	12.15	32.3
M895042		2.59	0.013	0.36	7.57	30.6	2270	1.40	0.80	0.44	0.66	52.6	8.7	12	11.85	26.6
M895043		2.54	0.011	0.38	8.29	18.1	2240	1.38	0.70	0.34	0.35	52.4	7.5	11	12.95	31.3
M895044		3.39	<0.005	0.05	0.12	<5	20	0.06	0.03	20.5	0.07	1.32	1.8	2	0.33	4.5
M895045		2.26	0.008	0.32	7.69	19.1	2460	1.21	0.48	0.31	0.55	37.1	10.9	12	10.40	17.1
M895046		2.83	0.014	0.32	7.97	29.5	2300	1.53	0.70	0.58	0.41	55.3	19.3	12	9.41	16.9
M895047		3.14	0.008	0.32	8.27	10.8	2140	1.41	0.30	0.38	0.28	49.5	5.4	12	11.75	15.8
M895048		2.24	0.022	0.27	8.67	16.7	2090	1.49	0.43	0.28	0.61	48.5	8.7	15	10.45	19.0
M895049		2.34	0.020	0.33	8.00	29.2	2080	1.67	0.48	1.07	0.68	52.7	8.1	12	11.30	20.3
M895050		3.12	0.014	0.38	8.05	42.0	2550	1.73	0.49	0.45	0.80	51.1	8.5	11	20.9	20.9
M895051		2.74	0.014	0.41	8.25	32.1	2530	1.80	0.54	0.31	0.75	54.9	7.9	12	20.6	23.4
M895052		3.89	1.200	44.4	7.38	2030	1650	1.59	10.35	0.75	14.15	53.1	6.4	13	14.80	991
M895053		2.62	0.213	7.51	5.02	733	1180	1.04	7.31	0.10	5.80	35.6	5.2	11	8.10	76.4
M895054		2.79	0.064	1.94	4.71	267	2000	1.20	2.45	0.16	5.17	33.6	6.9	12	9.94	71.5
M895055		2.79	0.065	2.77	7.64	207	1890	1.61	1.35	0.48	2.94	58.9	10.1	16	10.45	77.6
M895056		2.48	0.042	1.95	7.37	153.0	7290	1.60	1.24	0.36	6.06	55.2	10.9	11	17.30	40.6
M895057		2.52	0.043	1.77	7.87	155.5	2780	1.57	1.30	0.46	4.36	63.9	9.3	15	11.80	54.7
M895058		2.62	0.028	3.70	7.66	148.5	2030	1.68	0.74	0.45	6.42	61.7	7.3	13	10.95	47.0
M895059		2.82	0.033	1.81	7.90	113.5	1990	1.71	0.67	0.33	5.74	57.9	6.4	12	22.0	33.7
M895060		1.80	0.019	0.80	7.67	58.9	2360	1.46	0.90	0.76	3.21	58.8	8.1	13	7.52	26.7
M895061		0.26	2.37	23.8	5.82	3440	1000	1.30	17.75	2.13	76.9	44.4	10.7	19	15.05	432
M895062		2.22	0.012	0.53	7.41	35.1	2300	1.51	0.91	0.77	1.78	55.7	7.7	11	9.56	23.9
M895063		2.02	0.035	0.76	7.93	52.7	1530	1.65	0.69	0.53	2.34	62.9	6.8	14	16.95	31.7
M895064		3.26	0.019	0.49	7.64	20.1	2330	1.66	1.08	0.84	1.14	57.3	5.7	13	8.32	27.0
M895065		2.85	0.029	1.79	8.05	27.7	2480	1.75	1.88	0.34	1.16	55.4	13.0	10	20.5	75.1
M895066		2.47	0.044	1.79	7.57	32.2	3110	1.66	1.99	0.27	1.47	57.8	11.1	10	14.40	48.0
M895067		2.57	0.048	2.03	7.87	38.6	3130	1.64	2.08	0.22	1.37	58.6	8.8	10	13.60	61.7
M895068		3.02	0.094	1.09	8.06	96.2	1660	1.48	3.00	0.32	1.28	71.2	14.7	11	15.65	108.0
M895069		3.18	0.067	0.83	8.91	40.3	2070	1.44	3.38	0.34	0.73	73.6	9.0	11	13.60	55.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155846

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M895034		2.17	13.55	0.13	0.8	0.145	1.95	25.4	16.0	0.43	541	2.58	1.54	5.9	3.9	480
M895035		3.56	16.75	0.17	1.0	0.306	2.51	35.5	24.2	0.32	651	4.50	0.45	7.2	5.6	640
M895036		3.29	16.35	0.18	1.0	0.516	2.96	37.4	16.1	0.27	1040	4.12	0.57	7.0	5.5	620
M895037		4.14	14.30	0.17	0.8	0.576	2.79	32.9	15.6	0.24	1260	5.67	0.39	6.3	4.5	520
M895038		2.70	15.95	0.18	1.0	0.160	3.10	31.4	24.1	0.35	620	2.97	0.58	8.1	4.3	660
M895039		2.91	15.50	0.18	0.9	0.195	2.46	24.9	23.5	0.76	646	0.98	1.85	7.2	3.9	600
M895040		2.79	18.10	0.15	0.9	0.175	2.82	31.8	22.6	0.22	475	2.60	0.92	8.8	4.1	690
M895041		3.23	16.25	0.19	0.9	0.187	2.54	36.4	15.4	0.23	763	2.92	1.29	7.9	3.9	640
M895042		3.18	18.30	0.16	1.0	0.119	2.21	30.3	33.3	0.15	809	3.10	0.21	8.2	4.4	620
M895043		2.60	20.0	0.17	1.1	0.089	2.86	23.0	19.6	0.19	407	1.64	0.87	8.6	3.4	650
M895044		0.48	0.38	0.06	<0.1	0.006	0.04	0.7	1.1	12.10	211	0.11	0.01	0.4	3.4	180
M895045		2.85	20.2	0.14	1.1	0.085	2.88	15.3	25.8	0.15	519	3.70	0.18	8.7	3.7	640
M895046		3.75	19.40	0.18	1.2	0.086	2.93	28.3	18.6	0.46	538	3.06	1.43	8.8	4.5	640
M895047		2.66	20.4	0.14	1.5	0.068	2.80	21.1	20.9	0.23	376	1.95	0.93	9.4	3.9	610
M895048		3.38	21.1	0.16	1.6	0.103	2.77	19.5	26.1	0.16	571	2.80	0.27	11.0	4.3	670
M895049		3.15	19.20	0.18	1.2	0.070	2.59	26.2	16.0	0.41	578	2.04	1.56	8.7	5.1	640
M895050		3.19	18.80	0.19	1.2	0.057	2.90	28.6	39.2	0.21	857	2.83	0.55	8.3	4.0	620
M895051		3.24	19.80	0.19	1.4	0.065	3.01	29.9	26.7	0.19	659	3.38	0.52	8.7	4.3	630
M895052		3.85	19.15	0.20	1.2	0.369	3.16	32.8	17.6	0.33	829	3.55	0.30	7.9	2.8	560
M895053		4.21	12.20	0.19	0.7	0.163	2.14	24.4	14.1	0.19	501	2.60	0.04	4.7	2.4	340
M895054		4.51	11.90	0.19	0.7	0.241	1.85	21.9	16.9	0.15	574	3.65	0.12	4.2	3.5	330
M895055		3.52	18.00	0.20	1.2	0.162	2.76	33.2	18.3	0.32	666	2.11	0.84	8.0	4.8	610
M895056		3.89	16.90	0.22	1.0	0.161	2.76	35.0	13.6	0.24	1140	2.45	0.15	7.1	3.7	590
M895057		3.60	18.35	0.22	1.2	0.219	2.51	38.5	22.5	0.26	633	2.58	1.47	8.2	4.9	680
M895058		3.17	18.90	0.21	1.1	0.151	2.54	34.7	15.6	0.23	779	1.81	1.64	7.9	4.1	610
M895059		3.28	18.70	0.22	1.1	0.087	2.70	33.9	21.2	0.21	968	2.01	0.28	8.3	4.5	630
M895060		3.37	17.95	0.22	1.1	0.143	2.79	30.9	17.3	0.68	678	1.54	1.86	7.8	4.2	610
M895061		6.35	15.30	0.25	0.9	1.715	2.49	23.7	23.5	0.87	1830	14.20	0.04	6.2	15.1	420
M895062		3.17	18.20	0.20	1.0	0.190	2.60	28.1	15.9	0.74	499	0.94	1.93	7.5	3.6	610
M895063		2.93	20.0	0.20	1.2	0.123	2.67	33.4	25.9	0.37	559	1.41	1.48	8.3	4.4	620
M895064		3.07	18.85	0.18	1.1	0.181	2.73	30.4	15.7	0.78	510	1.41	1.70	8.2	3.9	650
M895065		3.65	19.70	0.20	1.1	0.166	2.83	29.2	21.1	0.50	436	2.68	0.69	8.3	3.4	670
M895066		4.04	19.40	0.21	1.0	0.107	2.82	33.1	14.1	0.34	887	4.08	0.63	7.5	4.0	600
M895067		3.27	18.80	0.21	1.1	0.158	3.15	33.4	8.9	0.30	718	3.62	0.57	7.6	4.3	640
M895068		5.21	19.40	0.25	1.1	0.557	2.34	43.1	18.0	0.45	996	3.76	1.84	7.2	6.0	750
M895069		6.55	22.0	0.30	1.1	0.801	2.26	42.1	17.2	0.56	1160	3.82	2.85	7.9	4.9	780



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 23-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155846

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M895034		14.8	90.4	<0.002	0.13	4.73	9.5	1	1.2	113.0	0.49	0.06	12.9	0.189	1.18	2.4
M895035		29.6	111.0	<0.002	0.10	6.36	12.6	1	2.0	94.9	0.58	0.26	17.0	0.233	1.43	3.0
M895036		52.1	144.0	<0.002	0.12	9.18	12.4	1	2.3	68.9	0.58	0.19	16.8	0.224	2.05	2.9
M895037		118.0	145.0	<0.002	0.15	14.15	10.7	1	2.4	93.4	0.50	0.80	14.1	0.201	1.97	3.5
M895038		81.4	144.0	<0.002	0.12	7.02	12.9	1	1.8	98.1	0.64	0.08	16.6	0.256	1.96	3.5
M895039		16.2	122.0	<0.002	0.07	2.99	11.3	1	1.6	167.5	0.60	0.05	14.2	0.226	1.66	2.8
M895040		25.1	128.0	<0.002	0.08	6.48	12.3	1	1.8	117.5	0.74	0.31	16.6	0.272	1.59	3.3
M895041		22.5	134.5	<0.002	0.13	5.43	12.2	1	1.8	126.0	0.65	0.08	15.4	0.252	1.78	4.0
M895042		21.9	115.5	<0.002	0.07	33.8	12.0	1	1.7	82.0	0.63	0.09	14.5	0.263	1.32	3.3
M895043		23.5	138.5	<0.002	0.01	7.69	12.5	1	1.8	130.5	0.68	0.07	16.0	0.272	1.48	2.7
M895044		1.4	1.8	<0.002	0.01	1.40	0.4	<1	<0.2	46.0	<0.05	<0.05	<0.2	0.006	<0.02	0.6
M895045		24.7	132.5	<0.002	0.05	16.95	12.2	1	2.0	75.2	0.75	0.07	12.5	0.271	1.46	2.7
M895046		22.4	142.0	<0.002	0.05	7.28	12.3	1	1.8	194.5	0.75	0.19	16.4	0.258	1.40	3.6
M895047		27.1	131.0	<0.002	0.01	8.12	11.1	1	1.7	140.5	0.89	<0.05	16.9	0.258	1.28	2.8
M895048		24.8	139.5	<0.002	0.02	15.10	14.0	1	2.2	86.8	1.03	0.06	16.3	0.297	1.40	3.5
M895049		29.0	121.5	<0.002	0.04	6.56	11.3	1	1.7	251	0.73	0.08	14.9	0.268	1.25	2.7
M895050		21.6	151.5	<0.002	0.06	12.45	12.0	1	1.8	118.0	0.73	0.07	16.7	0.256	2.04	3.5
M895051		23.0	158.5	<0.002	0.05	12.35	11.8	2	1.9	109.0	0.76	0.08	17.0	0.260	2.06	3.5
M895052		270	209	0.002	0.92	667	11.3	2	8.3	72.6	0.67	0.44	16.1	0.240	2.47	4.0
M895053		629	148.0	<0.002	0.16	56.2	7.6	3	3.6	26.0	0.36	2.61	10.1	0.155	1.94	3.2
M895054		50.7	122.0	<0.002	0.06	19.85	7.1	2	1.4	28.4	0.36	0.78	10.0	0.139	1.62	3.4
M895055		81.6	154.0	<0.002	0.08	23.6	11.3	2	2.3	141.5	0.66	0.27	16.5	0.254	1.98	3.9
M895056		189.5	155.0	<0.002	0.31	24.3	11.3	2	2.5	83.1	0.57	0.16	15.8	0.235	2.32	4.4
M895057		97.3	136.5	<0.002	0.18	21.5	12.1	2	2.7	157.0	0.65	0.19	17.4	0.258	1.87	3.9
M895058		168.5	133.0	<0.002	0.11	20.4	11.6	1	2.4	162.5	0.62	0.10	15.7	0.248	1.60	4.0
M895059		72.7	143.5	<0.002	0.04	19.20	11.4	1	1.9	62.4	0.66	0.10	16.6	0.256	1.85	3.8
M895060		51.5	138.5	<0.002	0.16	6.89	11.1	1	1.9	230	0.63	0.15	15.1	0.251	1.49	3.1
M895061		2650	161.0	0.002	4.71	89.9	7.8	2	8.0	94.0	0.47	0.47	11.0	0.175	2.35	5.5
M895062		27.0	118.0	<0.002	0.12	4.26	11.6	1	1.8	255	0.59	0.14	14.4	0.235	1.29	3.2
M895063		30.6	122.5	<0.002	0.02	6.80	12.5	1	1.8	196.0	0.64	0.08	15.8	0.260	1.44	3.3
M895064		22.5	133.0	<0.002	0.24	4.39	11.8	1	2.2	223	0.63	0.13	15.1	0.255	1.55	3.2
M895065		31.5	153.5	<0.002	0.18	7.80	12.6	2	2.8	104.5	0.67	0.29	15.8	0.261	1.90	3.5
M895066		176.5	164.5	<0.002	0.21	7.80	11.5	2	3.7	101.0	0.59	0.37	15.3	0.236	2.18	4.3
M895067		107.5	196.5	<0.002	0.12	12.80	12.1	2	4.4	104.5	0.60	0.31	15.5	0.247	2.64	3.6
M895068		44.7	135.5	<0.002	0.16	9.02	13.6	2	2.4	96.6	0.57	0.66	17.7	0.237	1.87	5.2
M895069		39.9	129.5	<0.002	0.32	4.92	13.9	3	4.3	175.0	0.61	0.84	17.0	0.255	1.76	5.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 23-JUL-2012
 Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155846

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M895034		62	2.9	12.1	81	21.5
M895035		72	4.1	23.4	86	27.6
M895036		70	3.6	18.8	115	27.3
M895037		65	4.8	19.8	113	22.7
M895038		80	4.2	18.0	174	26.9
M895039		74	3.0	12.0	88	21.8
M895040		83	6.1	16.9	96	23.1
M895041		76	3.9	19.9	85	22.9
M895042		75	4.6	21.5	79	25.9
M895043		74	3.7	16.2	52	26.8
M895044		3	0.1	0.9	15	0.7
M895045		79	7.2	13.8	61	27.6
M895046		76	4.4	21.3	65	30.6
M895047		72	5.2	14.9	48	34.4
M895048		80	7.1	17.2	64	36.6
M895049		76	3.4	17.0	78	29.5
M895050		75	2.8	18.7	84	28.2
M895051		75	3.3	18.3	74	32.0
M895052		70	5.9	19.5	780	27.7
M895053		58	4.8	12.7	391	18.1
M895054		54	3.0	13.9	468	16.5
M895055		74	3.8	17.4	303	29.8
M895056		73	4.5	21.1	440	24.8
M895057		80	4.2	21.3	231	30.8
M895058		74	3.4	20.7	314	28.1
M895059		73	3.5	20.9	248	28.7
M895060		75	3.4	16.3	188	27.1
M895061		55	5.2	10.2	5050	27.2
M895062		76	3.1	16.2	159	25.1
M895063		77	3.7	19.7	199	29.2
M895064		77	3.0	17.0	96	28.3
M895065		79	4.7	19.4	102	27.8
M895066		75	3.7	19.5	188	25.0
M895067		73	3.6	19.1	126	26.7
M895068		68	3.7	26.6	114	27.3
M895069		73	3.4	25.0	93	26.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 23-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12155846

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.