



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 25-JUL-2012
Account: ROCKHA

CERTIFICATE WH12155847

Project: Klaza TR-12-2

P.O. No.: Batch 2

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 4-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155847

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M895070		2.20	0.068	0.97	9.45	28.5	1430	1.38	5.73	0.28	0.62	68.9	4.6	13	15.45	49.9
M895071		3.24	0.026	0.37	8.48	15.9	2380	1.41	1.07	0.23	0.43	49.3	5.4	12	9.08	59.6
M895072		3.05	0.030	0.51	8.46	19.8	2370	1.33	1.75	0.28	0.55	72.2	9.4	15	10.70	43.8
M895073		2.62	0.014	0.30	7.69	13.5	2060	1.55	0.85	0.96	0.30	64.1	8.7	13	6.97	23.1
M895074		3.10	0.058	0.90	10.10	60.6	1560	1.44	1.88	0.36	1.93	73.3	3.5	11	16.20	22.7
M895075		2.65	0.040	0.69	8.52	41.3	1860	1.49	1.28	0.33	1.42	66.5	6.9	13	19.90	62.8
M895076		2.66	0.023	0.28	7.88	11.7	2140	1.66	0.51	1.01	0.40	62.8	4.5	12	9.31	27.4
M895077		2.74	0.047	0.62	7.97	58.6	1570	1.51	0.27	1.13	0.66	60.0	4.8	12	26.0	9.3
M895078		2.52	0.070	1.14	8.14	36.7	1720	1.59	0.17	0.72	0.86	58.0	5.7	15	33.6	9.8
M895079		2.01	0.127	3.49	7.10	121.0	1000	1.71	0.38	0.25	9.78	58.5	7.5	13	22.4	22.0
M895080		2.39	0.028	0.35	8.24	24.7	1580	1.44	1.42	0.25	3.32	46.6	13.1	14	14.25	28.0
M895081		2.65	0.035	0.47	8.08	26.6	2240	1.73	1.05	0.43	1.92	55.3	8.4	14	15.55	49.0
M895082		2.69	0.017	0.66	7.72	23.3	2740	1.59	1.11	0.86	1.22	52.5	8.3	14	11.75	24.6
M895083		2.18	0.022	0.40	8.07	12.8	2780	1.35	1.07	0.53	0.30	59.4	19.3	13	8.51	42.3
M895084		2.46	0.011	0.34	8.37	12.8	2910	1.63	0.97	0.27	0.44	44.8	13.6	14	16.15	9.5
M895085		2.17	0.018	0.75	7.72	13.8	2300	1.62	1.60	0.30	0.62	64.0	5.9	16	10.40	14.8
M895086		3.14	0.032	0.80	7.96	34.1	2860	1.65	2.12	0.29	0.61	55.7	29.5	19	9.40	17.5
M895087		3.13	0.020	0.47	7.36	25.1	2370	1.53	1.55	0.72	0.56	50.7	10.4	14	6.53	25.3
M895088		0.25	2.19	25.5	5.79	3320	600	1.26	18.85	2.14	77.3	40.2	10.9	18	13.90	423
M895089		2.03	0.029	0.72	8.24	35.8	2340	1.55	0.76	0.39	0.85	55.1	12.1	13	12.30	20.0
M895090		2.29	<0.005	0.17	7.62	9.4	2370	1.66	0.34	1.84	0.29	47.8	7.7	14	6.99	9.0
M895091		3.36	0.007	0.30	7.77	9.3	2330	1.61	0.36	0.97	0.35	53.2	8.6	11	11.75	11.7
M895092		2.73	0.023	0.70	7.36	24.5	2330	1.64	1.37	0.76	0.41	52.0	15.0	12	8.12	27.7
M895093		2.45	0.572	1.13	7.68	66.4	2110	1.78	5.35	0.26	0.48	61.3	23.7	18	12.00	170.0
M895094		3.28	0.068	1.98	8.21	53.4	2440	1.74	3.88	0.26	2.23	62.0	18.6	12	16.75	199.0
M895095		2.51	0.064	1.14	7.72	61.5	1740	1.71	2.92	0.27	0.91	56.9	15.5	12	22.5	127.0
M895096		3.39	0.272	1.01	7.96	24.7	2140	1.48	1.37	0.42	1.32	56.0	7.9	11	16.30	39.6
M895097		2.87	0.019	0.42	7.90	14.9	2290	1.52	1.06	0.36	0.73	61.3	6.2	11	12.00	34.1
M895098		4.03	<0.005	0.03	0.10	<5	40	0.10	0.05	19.85	0.06	1.30	0.7	2	0.35	2.0
M895099		2.75	0.038	0.55	7.94	25.0	2140	1.86	1.49	0.45	0.91	60.5	10.5	12	14.90	26.4
M895100		2.69	0.189	2.31	6.83	107.0	2150	1.82	2.71	0.26	1.27	50.5	10.5	9	29.4	50.4
M895101		2.31	0.206	1.83	6.52	177.0	1880	1.50	1.29	2.40	3.47	47.3	8.6	13	13.70	35.4
M895102		3.52	0.033	0.62	7.95	25.9	2670	1.73	1.43	0.58	0.81	51.9	8.8	11	12.70	31.7
M895103		2.87	0.058	1.07	7.47	83.4	2930	1.64	0.93	0.31	1.69	53.5	7.3	12	21.6	21.4
M895104		2.57	0.032	0.47	8.12	12.6	2700	1.56	0.82	0.41	1.03	53.1	6.5	11	16.40	37.9
M895105		2.96	0.207	31.7	7.12	184.5	4620	1.58	7.01	0.15	3.64	52.5	7.5	12	15.90	159.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155847

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M895070		4.89	24.0	0.15	1.1	0.428	3.04	37.9	19.0	0.69	467	2.70	1.22	9.3	4.4	560
M895071		3.73	20.8	0.10	1.1	0.203	2.54	23.5	27.3	0.21	452	2.85	0.61	8.9	4.5	670
M895072		4.44	19.90	0.13	1.1	0.162	2.38	31.7	23.1	0.19	684	3.07	0.31	8.4	5.9	710
M895073		3.11	19.00	0.12	1.1	0.222	2.22	33.8	22.0	0.75	646	2.37	2.19	8.5	5.1	700
M895074		7.13	22.7	0.23	1.0	0.897	2.52	42.8	28.9	0.22	1600	3.91	0.26	8.0	4.7	770
M895075		4.58	19.60	0.15	1.2	0.400	2.50	37.4	26.7	0.21	1060	2.07	0.65	8.4	4.3	670
M895076		3.21	19.15	0.13	1.2	0.129	2.59	32.0	23.0	0.64	518	1.17	2.03	9.0	3.4	680
M895077		3.43	19.30	0.15	1.1	0.301	2.91	33.3	21.3	0.37	1240	1.51	0.24	8.3	3.2	620
M895078		3.17	18.90	0.11	1.1	0.060	3.05	30.3	17.0	0.19	1270	1.42	0.06	8.4	3.4	640
M895079		3.72	17.60	0.14	1.0	0.708	2.66	32.6	22.7	0.20	2070	2.20	0.05	7.5	3.0	540
M895080		3.56	20.8	0.09	1.1	0.206	2.09	24.2	31.5	0.19	612	1.56	0.12	8.3	3.7	690
M895081		3.21	19.10	0.11	1.1	0.095	2.78	30.8	31.2	0.24	508	1.46	1.14	8.4	3.8	680
M895082		3.41	17.35	0.14	1.1	0.112	2.48	27.0	22.1	0.42	510	1.32	1.69	7.9	3.8	650
M895083		2.97	18.80	0.12	1.2	0.127	2.68	29.0	24.3	0.57	339	0.91	0.95	8.7	3.4	670
M895084		2.08	19.40	0.13	1.2	0.126	3.19	21.0	19.7	0.27	311	1.50	0.22	8.5	3.2	720
M895085		2.65	17.95	0.13	1.0	0.193	2.51	34.8	10.8	0.36	357	1.59	1.53	7.1	3.0	660
M895086		3.58	17.65	0.12	1.1	0.230	2.76	30.9	12.7	0.36	514	1.75	1.53	6.9	4.0	670
M895087		3.44	16.30	0.11	1.1	0.155	2.53	28.9	12.6	0.63	572	1.41	1.79	7.3	4.1	610
M895088		6.50	14.40	0.13	0.9	1.680	2.55	22.5	23.3	0.88	1850	13.05	0.04	5.6	15.3	440
M895089		3.55	19.40	0.12	1.2	0.125	2.91	24.5	18.9	0.26	621	1.58	1.01	7.9	4.5	650
M895090		3.20	17.85	0.11	1.1	0.064	2.60	22.6	11.1	0.65	552	1.49	2.25	8.1	3.4	620
M895091		3.12	17.60	0.10	1.2	0.065	2.67	26.4	14.6	0.31	581	1.25	1.66	7.9	3.5	640
M895092		3.30	17.50	0.14	1.1	0.252	2.71	30.7	12.9	0.53	535	1.26	1.73	7.7	3.7	610
M895093		4.92	18.35	0.13	1.1	0.312	3.34	41.1	11.4	0.29	547	2.48	0.33	6.8	3.6	610
M895094		4.37	19.70	0.13	1.2	0.312	3.24	35.7	14.0	0.28	1440	2.20	0.29	8.0	4.3	700
M895095		3.87	17.90	0.11	0.9	0.313	2.81	33.0	14.7	0.20	832	1.40	0.26	6.8	3.7	680
M895096		3.50	18.05	0.11	1.0	0.188	2.79	31.5	32.9	0.17	688	1.36	1.16	7.4	3.7	650
M895097		2.89	17.55	0.13	0.9	0.206	2.61	29.0	20.3	0.27	571	1.27	1.44	7.3	3.1	630
M895098		0.46	0.28	0.10	<0.1	0.007	0.04	0.6	1.3	11.80	205	0.09	0.01	0.1	1.5	200
M895099		3.65	18.45	0.14	1.1	0.286	2.53	32.8	18.7	0.28	731	1.42	1.75	8.2	3.5	670
M895100		3.53	16.70	0.12	1.2	0.215	2.75	28.0	19.4	0.25	2250	1.73	0.04	7.2	3.1	540
M895101		5.15	16.10	0.12	0.9	0.176	2.92	28.2	13.4	0.74	17400	3.09	0.10	6.1	3.3	510
M895102		3.56	18.05	0.14	1.2	0.163	3.02	29.0	21.0	0.30	898	1.44	1.31	8.0	3.3	650
M895103		3.27	17.25	0.15	1.1	0.075	3.08	32.5	30.4	0.25	1120	1.32	0.27	7.7	3.0	590
M895104		2.97	19.30	0.11	1.2	0.130	2.92	26.8	28.8	0.36	776	0.93	0.94	8.7	3.2	670
M895105		5.72	17.60	0.13	1.0	0.613	3.18	34.1	12.1	0.25	3290	2.26	0.12	6.8	3.0	520



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155847

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M895070		16.0	154.0	<0.002	0.13	3.30	17.0	3	8.5	127.0	0.70	0.67	11.0	0.309	2.16	3.9
M895071		17.7	116.0	<0.002	0.04	11.15	13.3	2	2.3	102.0	0.68	0.13	14.1	0.280	1.32	4.1
M895072		25.1	113.5	<0.002	0.07	10.20	14.7	2	2.5	87.3	0.64	0.21	14.4	0.279	1.40	4.9
M895073		20.1	107.5	<0.002	0.19	5.51	13.8	2	2.1	295	0.61	0.10	13.2	0.273	1.31	3.0
M895074		47.5	160.0	<0.002	0.24	21.7	16.1	2	4.0	38.4	0.60	0.25	17.5	0.252	2.29	6.5
M895075		25.8	142.5	<0.002	0.12	18.55	13.9	2	2.3	87.8	0.68	0.21	15.6	0.265	2.09	4.7
M895076		19.1	119.5	<0.002	0.05	3.87	13.3	1	1.8	287	0.73	<0.05	14.6	0.269	1.35	2.8
M895077		33.4	143.0	<0.002	0.19	8.36	13.0	1	2.6	61.0	0.64	<0.05	14.1	0.255	2.18	3.4
M895078		161.5	158.0	<0.002	0.04	7.79	13.0	1	1.7	31.0	0.65	<0.05	14.6	0.264	2.50	3.6
M895079		1280	152.5	<0.002	0.30	21.4	12.0	1	3.2	25.9	0.55	0.05	12.7	0.233	2.55	3.7
M895080		20.4	117.0	<0.002	0.18	13.25	15.2	2	2.3	45.6	0.66	0.25	14.9	0.255	1.53	3.6
M895081		24.4	128.5	<0.002	0.09	10.65	12.9	1	2.2	174.0	0.67	0.14	13.8	0.268	1.64	3.6
M895082		30.4	115.5	<0.002	0.17	5.43	12.0	1	2.2	243	0.68	0.10	14.4	0.260	1.42	3.3
M895083		21.8	108.5	<0.002	0.11	4.17	11.9	<1	2.0	159.5	0.75	0.08	16.2	0.263	1.28	2.9
M895084		13.7	154.0	<0.002	0.08	8.69	12.9	1	1.7	52.6	0.71	0.17	15.4	0.267	2.20	2.9
M895085		28.4	136.5	0.002	0.12	10.25	12.1	1	3.0	170.5	0.52	0.29	14.3	0.231	1.80	2.2
M895086		24.3	149.0	0.002	0.26	5.83	12.5	1	2.5	163.5	0.55	0.43	13.9	0.239	1.96	2.7
M895087		22.0	114.5	<0.002	0.15	4.36	11.1	1	2.0	216	0.60	0.24	13.9	0.237	1.41	2.6
M895088		2680	152.0	0.002	4.62	90.1	7.8	1	7.9	88.2	0.46	0.31	9.2	0.171	2.27	4.7
M895089		26.1	132.5	0.002	0.04	8.80	12.4	1	2.0	146.0	0.65	0.09	15.1	0.259	1.54	3.6
M895090		20.7	99.2	<0.002	0.06	2.55	10.5	1	1.8	388	0.69	<0.05	12.1	0.251	1.17	2.5
M895091		21.0	112.5	<0.002	0.01	6.73	11.4	1	1.7	249	0.65	<0.05	14.4	0.253	1.17	2.9
M895092		26.5	127.0	<0.002	0.18	5.38	11.1	1	2.3	238	0.66	0.24	14.5	0.233	1.59	2.9
M895093		32.8	176.5	<0.002	0.21	6.14	12.2	1	4.3	46.5	0.57	0.99	14.7	0.220	2.82	3.7
M895094		71.4	172.0	0.002	0.15	7.84	12.7	1	3.5	66.7	0.68	0.41	17.1	0.249	2.55	4.3
M895095		70.9	133.5	<0.002	0.19	19.50	11.9	1	2.2	37.5	0.58	0.23	14.3	0.232	2.15	4.4
M895096		108.0	133.0	<0.002	0.06	6.86	11.7	1	2.0	161.5	0.60	0.11	13.8	0.250	1.73	3.7
M895097		23.9	121.5	0.002	0.06	5.69	10.9	1	1.9	143.5	0.64	0.09	15.0	0.238	1.57	3.0
M895098		1.4	2.2	<0.002	0.01	0.10	0.2	<1	0.3	40.7	<0.05	<0.05	<0.2	<0.005	0.03	0.4
M895099		58.2	124.0	<0.002	0.06	5.75	12.6	1	2.1	174.5	0.75	0.12	16.1	0.247	1.78	4.2
M895100		125.0	159.0	0.002	0.30	19.80	9.9	1	2.2	44.0	0.66	0.13	13.7	0.213	2.72	3.9
M895101		145.0	173.5	0.002	0.49	14.40	9.6	1	1.9	69.9	0.54	0.12	12.6	0.192	2.86	4.0
M895102		42.5	138.0	0.002	0.08	8.31	11.8	1	2.1	195.5	0.71	0.12	15.4	0.251	1.99	3.7
M895103		64.8	168.5	<0.002	0.25	15.40	11.1	1	1.9	80.1	0.70	0.06	14.9	0.238	2.46	3.4
M895104		21.6	130.0	<0.002	0.04	6.15	12.6	1	2.1	151.5	0.77	0.08	16.8	0.257	1.66	2.6
M895105		303	175.0	<0.002	0.38	43.6	11.0	1	4.6	61.6	0.64	0.50	13.4	0.214	2.65	4.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2012
 Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155847

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M895070		96	7.1	15.1	48	25.5
M895071		79	4.7	18.7	52	25.3
M895072		81	4.9	22.5	73	26.5
M895073		79	2.6	15.7	65	26.6
M895074		103	4.7	27.7	221	24.0
M895075		83	3.3	22.2	140	26.3
M895076		75	5.0	14.3	64	25.9
M895077		71	4.2	19.4	103	25.8
M895078		74	8.5	18.8	157	25.4
M895079		67	3.9	14.1	1240	24.2
M895080		72	4.3	18.9	198	24.6
M895081		79	2.6	17.2	106	27.1
M895082		76	3.2	17.9	93	24.2
M895083		73	4.3	17.6	46	26.6
M895084		80	5.1	17.0	44	28.8
M895085		72	3.3	15.5	66	23.6
M895086		79	3.1	17.3	57	24.8
M895087		72	2.3	16.4	61	24.5
M895088		54	4.8	9.8	5190	25.5
M895089		74	5.4	22.5	80	28.3
M895090		70	1.6	16.1	44	26.0
M895091		73	3.3	17.2	47	28.1
M895092		74	2.0	17.8	58	25.5
M895093		73	3.5	25.5	66	25.2
M895094		74	3.7	22.0	190	26.8
M895095		76	2.6	19.5	125	22.2
M895096		74	1.7	19.3	186	24.8
M895097		67	2.8	16.4	66	23.3
M895098		2	0.2	0.8	12	<0.5
M895099		77	2.9	21.7	100	24.1
M895100		64	3.7	17.1	161	26.6
M895101		58	4.0	26.6	170	20.5
M895102		73	2.5	18.5	94	26.5
M895103		71	3.5	19.9	215	28.2
M895104		74	2.6	17.0	69	31.3
M895105		68	3.7	21.2	370	24.4



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12155847

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.