



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 25-JUL-2012
Account: ROCKHA

CERTIFICATE WH12155848

Project: Klaza TR-12-2

P.O. No.: Batch 3

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 4-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155848

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M895106		3.84	0.031	1.11	7.72	24.8	2590	1.63	1.06	0.51	1.38	55.4	6.9	10	16.80	45.4
M895107		2.82	0.216	3.07	7.46	76.6	1980	1.84	5.65	0.29	1.52	62.4	9.4	9	23.1	197.0
M895108		2.28	0.016	0.47	8.05	11.3	2090	1.56	0.76	0.38	0.86	53.6	5.8	13	13.10	29.4
M895109		2.59	0.018	0.41	7.80	17.6	2930	1.44	0.88	0.24	1.20	55.1	9.6	10	14.70	49.3
M895110		2.06	0.013	0.35	8.15	11.4	2180	1.47	0.73	0.27	0.61	51.4	7.6	11	12.35	42.1
M895111		2.85	0.046	0.49	7.93	14.9	2040	1.50	1.27	0.32	1.31	55.1	7.4	12	13.25	76.5
M895112		2.62	0.026	0.49	8.27	17.1	2250	1.89	1.23	1.05	0.92	62.1	9.7	15	12.70	68.1
M895113		2.05	0.026	0.54	7.96	18.2	2290	1.47	1.00	0.33	0.82	56.1	12.3	11	11.85	62.8
M895114		2.26	0.011	0.25	8.18	14.3	2520	1.49	0.58	0.25	1.13	64.4	9.0	13	12.75	38.3
M895115		1.89	0.015	0.47	8.83	11.3	2300	1.31	0.66	0.38	0.50	51.7	5.3	12	13.70	35.4
M895116		2.38	0.020	0.23	8.17	10.9	2450	1.66	0.80	1.21	0.43	61.5	7.7	13	6.68	27.3
M895117		2.52	0.039	0.57	8.18	15.8	2960	1.69	3.13	0.59	0.34	58.7	12.8	12	9.43	49.1
M895118		2.22	0.018	0.30	8.36	10.9	2550	1.96	0.96	1.39	0.27	59.7	9.0	14	8.68	21.6
M895119		0.24	2.24	28.8	6.12	3540	960	1.36	18.25	2.26	81.6	47.1	11.0	18	16.15	441
M895120		2.43	0.107	0.69	8.28	30.0	2030	1.75	2.48	0.48	0.68	58.5	7.5	13	14.55	67.7
M895121		3.23	0.096	1.14	7.95	92.8	2540	2.39	1.50	0.26	5.10	67.7	10.4	12	28.6	55.4
M895122		2.50	0.143	2.07	8.54	147.0	1630	1.43	4.78	0.12	0.65	45.8	4.9	14	15.30	33.2
M895123		2.56	0.226	4.24	8.82	318	1290	1.57	9.67	0.11	0.86	66.9	3.9	12	13.50	50.9
M895124		4.02	0.109	3.41	7.38	181.0	1000	1.33	7.07	0.11	0.76	53.7	5.0	13	12.85	36.5
M895125		2.60	0.041	0.72	8.35	23.3	1880	1.54	3.17	0.19	0.70	54.7	21.8	10	12.65	66.4
M895126		4.86	<0.005	0.05	0.08	<5	20	0.08	0.08	20.8	0.07	1.31	0.6	2	0.22	1.3
M895127		2.67	0.037	0.48	8.96	22.9	2930	1.78	3.46	0.26	0.34	69.2	18.4	11	10.65	19.9
M895128		2.57	0.036	0.47	8.00	23.0	1750	1.49	1.63	0.28	0.23	50.1	7.1	11	19.25	32.2
M895129		3.85	0.045	0.67	8.11	42.3	3770	1.51	2.85	0.23	0.33	56.9	9.7	10	14.70	31.5
M895130		2.28	0.098	1.40	7.98	112.5	2750	1.85	2.20	0.20	0.55	56.4	11.9	12	21.7	24.7
M895131		2.79	0.030	0.46	8.09	19.1	2010	1.39	1.94	0.31	0.25	48.7	6.3	11	9.77	35.7
M895132		2.57	0.013	0.33	8.50	15.2	2890	1.73	1.79	0.34	0.31	62.0	5.0	15	11.80	18.0
M895133		2.72	0.023	0.39	8.55	15.5	2710	1.48	2.56	0.28	0.24	57.6	8.4	11	11.00	40.1
M895134		2.78	0.017	0.30	8.43	16.1	2090	1.38	1.94	0.28	0.90	54.0	8.2	13	11.50	32.5
M895135		2.43	0.201	4.13	7.59	603	1090	1.54	2.49	0.22	2.87	53.1	6.6	12	16.60	305
M895136		2.52	0.090	2.01	8.65	310	2890	1.44	4.26	0.27	2.43	56.8	9.2	13	14.50	39.3
M895137		1.88	0.025	0.60	8.08	96.8	2410	1.46	2.30	0.94	1.15	57.4	12.5	16	9.23	23.8
M895138		2.89	0.021	0.53	8.27	104.0	2170	1.53	1.19	0.62	1.67	54.3	8.6	13	11.95	18.7
M895139		2.99	0.015	0.36	7.94	19.3	2390	1.50	0.85	0.76	1.01	53.6	6.7	10	15.15	20.5
M895140		2.68	0.014	0.30	7.87	10.4	2170	1.40	0.76	0.59	0.27	53.5	8.6	14	13.30	19.5
M895141		2.96	0.014	0.35	7.99	11.6	2410	1.34	0.99	0.62	0.29	56.6	8.7	11	12.25	24.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155848

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M895106		3.29	18.40	0.20	1.2	0.161	2.69	29.0	21.3	0.54	865	0.92	0.99	8.7	3.5	640
M895107		4.02	18.85	0.25	1.4	0.358	2.81	35.5	19.1	0.24	974	2.55	0.37	8.1	3.6	680
M895108		2.87	19.25	0.20	1.3	0.097	2.70	22.9	23.6	0.28	443	1.12	0.71	8.9	3.1	650
M895109		3.37	18.50	0.21	1.2	0.099	2.53	27.7	29.0	0.13	788	1.72	0.25	9.0	3.7	680
M895110		2.78	19.40	0.21	1.3	0.098	2.71	23.7	21.6	0.15	747	1.28	0.43	9.1	3.1	660
M895111		3.14	18.90	0.21	1.2	0.150	2.51	26.4	25.6	0.16	855	1.24	0.33	9.2	3.7	660
M895112		3.48	19.15	0.26	1.3	0.138	2.67	32.2	16.2	0.52	679	1.26	1.92	9.1	4.8	670
M895113		2.83	19.50	0.21	1.2	0.094	2.77	25.0	18.3	0.25	423	1.12	0.65	8.8	3.8	630
M895114		3.66	18.40	0.14	1.1	0.073	2.70	36.8	34.9	0.14	780	1.78	0.13	8.1	4.2	630
M895115		2.79	19.60	0.13	1.1	0.085	2.86	24.4	25.8	0.28	372	0.83	0.72	8.4	4.0	680
M895116		3.22	17.85	0.11	1.1	0.092	2.69	28.7	16.0	0.71	509	9.67	1.92	8.1	3.9	630
M895117		3.52	17.90	0.12	1.1	0.146	2.90	25.8	19.5	0.88	567	1.10	1.58	7.8	3.8	630
M895118		3.33	18.05	0.13	1.2	0.108	2.78	31.4	15.9	0.77	597	1.47	1.98	8.2	4.7	650
M895119		6.93	15.15	0.13	0.9	1.945	2.64	24.7	26.7	0.94	1890	14.60	0.05	5.7	15.6	460
M895120		3.45	18.95	0.10	1.2	0.242	2.60	32.3	25.8	0.52	613	1.33	1.50	8.3	3.5	620
M895121		4.14	19.30	0.15	1.3	0.372	3.46	40.7	12.2	0.34	5550	3.97	0.05	8.6	4.6	630
M895122		5.23	17.75	0.11	1.1	0.612	3.90	28.5	8.6	0.31	656	3.87	0.05	7.6	2.0	480
M895123		7.85	19.25	0.17	1.1	0.658	4.07	47.4	14.8	0.32	724	2.35	0.08	6.4	2.8	640
M895124		7.50	16.50	0.14	1.3	0.474	3.22	34.5	19.0	0.25	928	2.15	0.08	6.2	3.1	620
M895125		4.20	18.55	0.11	1.0	0.336	2.66	25.6	25.8	0.25	1370	1.25	0.59	6.9	3.3	550
M895126		0.47	0.24	0.06	<0.1	0.009	0.03	0.7	1.1	12.95	207	0.15	0.01	0.2	1.6	180
M895127		4.86	19.50	0.16	1.1	0.308	2.80	39.8	25.7	0.21	752	1.18	0.72	6.5	3.6	730
M895128		3.38	16.55	0.13	1.0	0.249	2.40	27.1	29.9	0.17	703	1.06	0.10	6.5	3.3	680
M895129		4.41	16.60	0.13	1.1	0.310	2.44	35.7	28.3	0.18	893	1.18	0.13	6.1	3.1	710
M895130		4.08	16.75	0.12	0.9	0.508	3.26	34.7	14.8	0.25	2160	1.59	0.06	6.0	3.6	590
M895131		3.53	17.15	0.11	1.0	0.192	2.69	21.3	18.6	0.28	596	0.88	0.93	7.2	3.1	690
M895132		3.64	18.25	0.11	1.1	0.404	2.47	29.2	21.2	0.44	702	1.22	1.39	8.0	3.8	830
M895133		3.58	18.15	0.11	1.0	0.250	2.62	29.2	19.9	0.34	530	0.91	1.04	7.6	2.8	690
M895134		3.64	20.0	0.15	1.3	0.239	2.76	28.2	27.5	0.18	821	1.42	0.20	9.3	4.5	690
M895135		3.87	18.95	0.19	1.0	0.396	3.11	41.9	25.1	0.30	606	1.19	0.05	7.1	3.3	590
M895136		4.27	21.0	0.19	1.1	0.186	3.14	33.1	22.8	0.21	887	1.23	0.16	9.3	4.3	700
M895137		3.74	19.50	0.18	1.1	0.164	2.74	32.0	17.9	0.62	681	0.82	1.62	9.3	5.6	710
M895138		3.76	20.9	0.20	1.1	0.166	2.72	28.0	15.0	0.45	736	0.91	1.35	9.0	4.5	680
M895139		3.64	19.20	0.17	1.0	0.158	2.68	25.5	17.0	0.86	625	0.62	1.24	8.8	4.2	670
M895140		3.55	18.25	0.18	1.0	0.118	2.69	29.0	16.6	0.98	597	1.17	1.39	8.4	3.4	650
M895141		3.69	19.50	0.18	1.1	0.132	2.66	33.8	18.5	0.76	630	1.17	1.27	8.4	4.1	650



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155848

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
M895106		48.3	128.0	<0.002	0.05	9.90	11.4	1	1.8	154.0	0.75	0.10	16.9	0.260	3.1
M895107		101.5	151.5	<0.002	0.14	29.3	10.1	1	2.8	61.8	0.66	0.33	14.5	0.247	5.1
M895108		35.7	122.5	<0.002	0.01	5.93	11.6	1	1.7	114.0	0.74	0.05	16.6	0.272	2.5
M895109		23.0	124.0	<0.002	0.06	22.9	11.8	1	1.7	75.4	0.75	0.08	15.9	0.266	3.7
M895110		21.7	123.0	<0.002	0.01	7.51	11.7	1	1.8	83.6	0.76	0.07	16.7	0.279	3.0
M895111		34.5	114.5	<0.002	0.03	15.85	11.7	1	1.8	87.9	0.76	0.11	16.7	0.281	3.2
M895112		39.8	121.0	<0.002	0.06	5.51	11.8	1	1.8	287	0.76	0.12	17.3	0.283	3.3
M895113		23.1	132.5	<0.002	0.03	7.20	11.9	1	2.0	111.0	0.71	0.14	16.4	0.264	3.2
M895114		19.4	122.0	<0.002	0.08	19.85	12.2	4	1.9	69.8	0.75	0.06	16.6	0.275	4.0
M895115		23.1	118.5	0.004	0.02	4.16	11.1	<1	2.0	112.5	0.71	0.07	17.0	0.285	3.3
M895116		22.6	118.0	0.002	0.11	3.27	11.4	2	2.1	298	0.70	0.12	15.0	0.272	2.7
M895117		25.3	127.0	0.003	0.08	2.35	12.6	3	2.2	198.0	0.69	0.18	15.4	0.267	2.9
M895118		25.8	133.0	<0.002	0.05	2.66	12.1	2	1.9	307	0.79	0.11	16.0	0.271	3.2
M895119		2820	168.0	0.003	4.92	92.4	8.5	2	8.5	95.5	0.46	0.38	11.1	0.178	5.5
M895120		27.7	135.0	0.005	0.10	5.42	12.2	2	2.5	138.0	0.78	0.55	18.0	0.255	3.6
M895121		86.4	242	0.004	0.15	9.68	12.4	2	3.0	36.8	0.92	0.29	18.2	0.245	4.7
M895122		45.6	244	0.003	0.27	9.20	12.2	1	4.0	20.2	0.71	0.77	14.8	0.267	4.5
M895123		178.0	254	<0.002	0.09	16.75	11.7	2	9.2	20.6	0.66	1.50	15.1	0.227	5.1
M895124		136.0	204	0.002	0.10	18.45	10.7	2	8.2	23.7	0.58	1.55	13.5	0.210	4.8
M895125		25.0	133.5	0.004	0.03	8.45	13.3	2	2.5	86.5	0.60	0.57	18.1	0.231	4.0
M895126		1.6	1.7	0.004	0.01	<0.05	0.3	<1	0.4	41.8	<0.05	0.06	<0.2	<0.005	0.6
M895127		18.6	137.0	0.005	0.02	11.15	13.1	1	2.5	131.5	0.56	1.81	17.9	0.219	4.3
M895128		18.4	108.5	<0.002	0.04	14.40	11.8	1	2.1	58.1	0.60	0.20	15.6	0.235	3.6
M895129		25.1	111.5	0.002	0.09	16.15	11.2	1	2.1	57.4	0.57	0.84	17.1	0.223	4.0
M895130		62.7	178.0	<0.002	0.08	13.15	11.2	1	2.6	40.8	0.54	0.62	15.1	0.223	3.5
M895131		21.5	110.5	0.005	0.02	7.99	11.2	1	2.0	102.0	0.65	0.18	15.0	0.260	3.5
M895132		19.1	131.0	<0.002	0.10	6.94	12.2	1	2.4	133.5	0.69	0.24	15.9	0.271	3.7
M895133		18.0	119.0	0.003	0.07	6.08	11.4	<1	2.0	106.5	0.69	0.45	17.1	0.274	3.5
M895134		17.9	150.5	<0.002	0.04	19.05	13.1	1	1.9	69.2	0.81	0.30	19.1	0.281	4.6
M895135		132.5	244	<0.002	0.12	77.8	12.5	1	2.6	20.1	0.60	0.53	15.9	0.230	3.8
M895136		43.7	179.0	<0.002	0.05	11.50	13.9	1	2.2	69.3	0.78	0.27	17.4	0.293	4.3
M895137		41.2	141.0	<0.002	0.12	8.57	13.9	1	2.1	244	0.76	0.43	15.8	0.305	3.7
M895138		29.2	141.5	<0.002	0.04	5.42	14.8	1	2.1	187.5	0.74	0.18	16.0	0.279	3.2
M895139		22.7	128.5	<0.002	0.05	3.43	14.0	1	2.0	196.5	0.74	0.17	15.0	0.274	2.6
M895140		29.8	123.5	<0.002	0.04	2.74	13.4	1	1.8	168.0	0.69	0.10	15.7	0.282	2.8
M895141		21.7	120.5	<0.002	0.04	3.89	13.7	1	2.0	175.0	0.73	0.14	16.3	0.271	2.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2012
 Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155848

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M895106		72	4.1	18.2	109	30.9
M895107		66	2.6	22.2	191	38.5
M895108		76	2.4	15.6	121	32.9
M895109		75	3.0	19.5	88	30.1
M895110		72	3.7	16.3	62	32.7
M895111		77	5.7	17.4	127	32.6
M895112		78	1.7	17.4	139	33.2
M895113		72	2.6	17.7	66	31.6
M895114		75	3.3	21.7	83	26.8
M895115		76	2.7	14.5	49	28.6
M895116		74	2.0	15.1	51	27.7
M895117		76	2.2	15.5	56	28.0
M895118		76	2.4	15.9	49	30.5
M895119		58	5.4	10.5	5430	25.2
M895120		71	2.8	25.1	71	31.4
M895121		69	5.6	34.4	307	30.5
M895122		72	5.8	16.8	120	29.7
M895123		67	7.6	21.2	167	27.4
M895124		61	8.0	16.0	137	24.4
M895125		73	4.6	17.1	86	26.5
M895126		2	0.1	0.8	14	<0.5
M895127		77	2.7	22.5	75	28.0
M895128		72	3.7	17.6	81	23.8
M895129		70	3.1	20.3	82	22.8
M895130		69	3.2	18.3	89	24.5
M895131		77	2.1	15.7	66	24.7
M895132		83	2.7	17.6	69	28.5
M895133		77	2.8	17.3	60	24.2
M895134		77	3.5	18.6	162	30.7
M895135		72	3.1	20.0	368	23.2
M895136		78	3.2	20.2	295	27.2
M895137		81	2.6	17.1	172	28.9
M895138		79	2.9	18.7	161	26.8
M895139		77	3.7	15.8	98	25.2
M895140		77	3.1	16.9	62	24.4
M895141		78	4.7	21.2	53	27.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12155848

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.