



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 24-JUL-2012
Account: ROCKHA

CERTIFICATE WH12155849

Project: Klaza TR-12-2

P.O. No.: Batch 4

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 4-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155849

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M895142		2.45	0.007	0.90	7.64	14.5	2050	1.50	0.65	1.56	0.48	49.7	9.4	18	6.57	17.4
M895143		2.53	0.086	2.80	7.64	85.4	1690	1.49	4.58	0.23	1.70	56.7	7.2	15	9.56	36.0
M895144		3.26	0.011	0.51	8.18	11.1	2180	1.51	0.55	0.36	0.58	50.9	6.1	13	11.10	17.5
M895145		2.87	0.028	1.38	8.02	34.8	1970	1.42	1.29	0.33	4.49	58.7	12.4	14	16.85	87.5
M895146		2.27	0.017	0.46	7.93	20.7	2280	1.49	0.60	0.33	2.04	49.5	8.1	12	25.5	17.3
M895147		3.42	0.008	0.31	7.92	8.3	2300	1.56	0.51	1.24	0.69	54.9	5.8	12	9.29	9.8
M895148		2.68	0.034	0.73	8.08	21.6	2320	1.54	1.34	0.36	1.01	54.0	6.2	14	15.75	37.2
M895149		3.41	0.015	0.37	8.40	13.2	2240	1.45	0.55	0.32	0.86	50.1	4.0	13	12.35	21.9
M895150		3.24	0.008	0.19	7.73	8.1	2250	1.56	0.51	1.66	0.28	50.7	7.2	21	6.32	13.2
M895151		3.28	0.078	9.72	7.57	172.0	2170	1.43	2.22	0.37	2.16	54.4	8.0	11	17.30	88.0
M895152		3.75	0.092	1.36	7.72	60.5	1750	1.75	0.74	0.43	3.97	58.5	6.8	13	22.3	34.4
M895153		2.56	0.021	0.64	8.24	26.0	1710	1.49	0.82	0.26	1.94	64.1	7.5	12	25.7	23.1
M895154		2.63	0.064	0.51	8.21	44.7	1410	1.53	1.43	0.23	1.78	58.5	8.0	14	18.15	33.1
M895155		2.57	0.442	1.01	7.27	130.0	2880	1.25	15.90	0.31	0.92	64.7	28.5	13	7.89	105.5
M895156		2.88	0.067	0.63	8.02	44.6	2170	1.63	1.39	0.28	0.68	64.6	6.8	15	10.10	42.9
M895157		2.05	0.051	0.79	7.47	52.1	1690	1.62	1.62	0.25	0.45	71.8	23.3	13	17.65	82.2
M895158		2.73	0.025	0.42	7.56	22.8	1730	1.51	0.98	1.21	0.58	67.2	10.5	26	7.96	28.9
M895159		4.10	0.054	0.34	7.59	14.6	2290	1.62	1.52	0.58	0.22	67.6	16.1	13	11.05	49.4
M895160		3.80	0.037	1.21	8.03	28.2	2340	1.77	1.80	0.49	0.53	69.2	20.1	16	10.40	75.3
M895161		3.44	0.033	0.36	7.30	15.9	2180	1.63	1.20	1.73	0.35	64.1	15.9	13	8.54	67.6
M895162		0.25	2.07	27.0	5.78	3290	1170	1.28	21.8	2.11	76.6	47.5	10.5	16	14.80	409
M895163		2.17	0.049	0.71	7.71	17.9	2090	1.62	1.97	1.16	0.43	65.6	10.7	9	10.30	77.0
M895164		4.61	0.041	0.75	7.68	30.7	1830	1.66	1.92	1.24	0.71	74.2	13.6	20	13.25	65.0
M895165		4.97	0.034	0.85	7.64	38.3	2050	1.67	1.25	0.79	0.68	64.3	9.2	8	16.90	70.2
M895166		4.97	0.254	9.48	6.69	148.0	2800	2.27	2.03	0.38	12.95	59.4	8.6	9	30.6	39.7
M895167		5.38	0.013	0.54	7.88	26.4	2080	1.61	0.51	0.42	4.71	70.7	7.0	7	21.1	14.6
M895168		5.06	0.014	0.38	7.79	10.4	2170	1.62	0.45	0.64	1.63	63.5	6.2	8	17.15	10.0
M895169		5.26	<0.005	0.03	0.13	<5	30	0.08	0.03	22.7	0.10	1.75	1.5	<1	0.46	3.3
M895170		4.76	0.056	1.12	7.18	68.8	2500	1.67	1.17	0.34	2.24	53.3	8.8	7	22.8	26.6
M895171		3.88	0.110	0.63	7.85	28.3	2210	1.75	1.57	0.62	0.62	69.7	7.1	7	12.25	72.2
M895172		3.89	0.318	1.98	7.34	99.7	1560	1.38	6.64	0.33	0.46	78.5	6.4	13	13.30	20.4
M895173		2.61	0.092	0.89	7.85	57.1	1720	1.58	2.36	0.50	0.58	56.5	9.4	12	17.20	98.8
M895174		4.80	0.117	0.92	7.76	43.5	2270	1.64	3.15	0.34	0.91	62.4	13.3	9	16.80	111.0
M895175		4.76	0.035	0.77	7.94	29.8	2270	1.38	1.86	0.26	0.89	51.8	11.0	8	16.10	79.2
M895176		3.94	0.187	1.37	7.26	96.1	1080	2.03	1.63	0.24	1.79	58.5	8.3	8	27.5	51.7
M897551		4.06	0.012	0.59	8.31	19.9	1500	1.94	1.22	0.36	0.62	83.0	6.6	12	23.7	16.1



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155849

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M895142		3.57	17.20	0.12	1.0	0.105	2.28	24.8	15.9	0.79	686	2.07	1.86	7.9	6.7	660
M895143		4.17	18.20	0.14	1.0	0.258	3.00	32.6	16.7	0.25	692	11.55	0.16	7.4	3.7	550
M895144		3.07	19.20	0.13	1.1	0.088	2.71	23.3	18.1	0.21	596	4.73	0.86	8.3	4.2	670
M895145		4.98	17.95	0.15	1.0	0.223	2.74	34.6	20.4	0.21	1280	7.84	0.38	7.5	4.4	740
M895146		3.29	17.65	0.12	1.0	0.151	2.84	27.0	20.7	0.25	1010	9.59	0.37	7.6	3.8	650
M895147		3.32	17.15	0.13	1.0	0.109	2.61	28.1	14.3	0.67	513	2.46	2.01	7.7	4.0	650
M895148		3.29	18.80	0.13	1.0	0.222	2.96	29.6	16.4	0.29	561	10.45	0.90	8.5	3.7	680
M895149		2.86	20.8	0.13	1.0	0.124	2.78	21.3	21.4	0.18	442	7.91	0.42	9.8	3.1	710
M895150		3.30	17.00	0.13	1.2	0.092	2.54	25.4	13.3	0.78	571	2.17	2.12	8.2	6.1	650
M895151		3.65	17.85	0.14	1.0	0.169	3.14	31.0	21.8	0.36	1270	5.54	0.63	7.6	3.8	610
M895152		3.59	17.40	0.13	1.0	0.181	2.78	35.8	17.6	0.32	2330	7.57	0.44	7.9	4.8	640
M895153		3.50	16.85	0.17	1.1	0.125	2.66	31.9	27.7	0.17	863	5.17	0.20	8.1	3.6	640
M895154		3.64	16.70	0.16	1.1	0.119	2.41	28.2	30.7	0.17	958	5.10	0.12	8.1	3.5	610
M895155		5.41	13.50	0.19	0.9	0.440	3.22	40.1	12.1	0.29	435	20.6	1.32	6.1	4.6	510
M895156		3.89	17.05	0.18	1.2	0.176	2.94	31.7	20.5	0.22	546	4.18	0.50	8.8	3.6	640
M895157		3.44	16.35	0.18	1.2	0.187	2.81	41.9	19.3	0.20	668	3.05	0.36	7.8	3.9	580
M895158		3.43	15.60	0.17	1.2	0.140	2.38	33.9	18.5	0.66	683	1.79	1.56	8.6	9.4	670
M895159		3.33	15.85	0.18	1.2	0.247	2.60	33.6	14.8	0.75	488	1.76	2.05	8.0	4.1	610
M895160		3.97	17.25	0.19	1.2	0.261	2.92	29.1	16.9	0.96	496	3.04	1.74	9.1	4.4	660
M895161		3.33	16.25	0.18	1.1	0.139	2.74	30.6	14.8	0.72	493	1.36	2.05	8.1	4.3	590
M895162		6.32	13.25	0.18	0.9	1.725	2.48	22.8	24.5	0.87	1780	12.40	0.04	5.8	15.1	430
M895163		3.26	16.45	0.15	1.1	0.135	2.78	29.2	17.7	0.53	399	1.07	1.87	8.3	4.2	650
M895164		3.89	16.25	0.20	1.3	0.135	2.55	35.4	21.5	0.54	717	1.62	1.84	8.4	7.5	710
M895165		3.23	16.55	0.18	1.0	0.139	2.85	32.6	43.4	0.22	499	8.08	1.79	8.4	3.9	630
M895166		4.60	15.00	0.20	1.1	0.219	2.29	37.0	49.6	0.24	5570	5.03	0.27	7.9	5.3	570
M895167		3.35	16.95	0.17	1.2	0.094	2.82	34.2	35.6	0.23	835	1.64	0.75	8.4	3.4	640
M895168		3.07	16.95	0.16	1.2	0.090	2.68	27.6	18.9	0.26	484	1.46	1.15	8.5	3.0	630
M895169		0.53	0.36	0.06	<0.1	0.005	0.05	0.8	1.7	14.00	230	0.19	0.01	0.4	2.6	210
M895170		3.69	15.65	0.16	1.1	0.127	2.53	31.0	31.7	0.24	1250	2.90	0.47	7.3	3.2	570
M895171		3.35	17.55	0.18	1.3	0.253	2.96	32.7	17.6	0.28	494	2.54	1.40	8.6	2.9	660
M895172		3.59	17.90	0.20	1.1	0.259	3.31	45.1	12.8	0.36	363	3.33	0.30	6.9	3.4	450
M895173		4.14	16.90	0.20	1.2	0.300	3.01	30.1	24.0	0.39	431	2.98	1.15	8.3	3.8	750
M895174		3.95	16.35	0.19	1.2	0.207	2.86	32.5	20.4	0.21	544	2.63	0.95	8.0	3.5	690
M895175		3.63	16.55	0.16	1.3	0.169	2.72	26.0	28.6	0.16	386	2.05	0.79	8.3	3.3	600
M895176		3.85	15.65	0.18	1.1	0.181	2.48	30.1	46.6	0.24	2190	7.07	0.08	7.2	3.8	620
M897551		2.80	19.00	0.17	3.0	0.090	2.81	38.8	57.6	0.20	618	2.21	0.39	11.0	5.2	1010



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155849

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M895142		27.7	95.9	<0.002	0.04	5.63	11.5	1	1.9	310	0.66	0.05	11.5	0.278	1.17	2.4
M895143		446	164.0	<0.002	0.04	12.75	11.6	1	4.5	52.3	0.62	0.76	12.9	0.249	2.37	2.8
M895144		27.0	117.5	0.002	0.01	7.23	11.9	1	2.1	118.0	0.70	<0.05	13.1	0.270	1.41	2.4
M895145		467	125.0	<0.002	0.04	12.05	12.2	1	2.1	76.5	0.61	0.20	15.0	0.264	1.89	4.0
M895146		25.3	131.5	0.002	0.03	8.02	11.5	1	1.9	75.9	0.62	<0.05	13.0	0.254	1.77	2.9
M895147		24.4	111.5	<0.002	0.01	2.85	11.4	<1	1.9	323	0.62	0.13	13.9	0.260	1.45	2.4
M895148		38.6	133.0	0.002	0.04	7.37	12.1	1	2.2	123.0	0.74	0.30	14.5	0.272	1.74	3.2
M895149		25.5	130.0	<0.002	0.01	9.19	12.5	1	2.3	89.1	0.77	0.06	14.8	0.291	1.51	2.5
M895150		23.8	101.0	<0.002	0.07	4.02	11.1	1	1.9	347	0.77	0.06	13.6	0.277	1.26	2.7
M895151		249	159.0	0.002	0.04	17.70	12.1	1	3.2	110.5	0.60	0.21	14.3	0.241	2.06	3.0
M895152		173.0	130.0	<0.002	0.04	10.35	11.2	1	2.1	87.9	0.67	0.07	15.9	0.260	2.34	2.9
M895153		29.5	127.5	<0.002	0.02	9.31	13.5	1	2.1	48.4	0.70	0.09	18.6	0.262	1.57	3.5
M895154		24.8	121.5	<0.002	0.02	15.90	13.8	1	2.1	43.5	0.67	0.49	18.7	0.274	1.54	3.4
M895155		25.1	166.0	<0.002	0.07	7.15	10.4	2	4.2	121.5	0.45	7.93	14.9	0.200	1.86	3.8
M895156		21.4	152.5	<0.002	0.03	9.23	14.6	2	2.8	89.3	0.71	0.23	18.1	0.272	1.73	3.4
M895157		22.2	148.0	<0.002	0.06	21.4	12.5	2	2.5	55.4	0.78	0.49	19.0	0.240	1.89	4.2
M895158		29.8	107.0	<0.002	0.02	5.27	13.6	1	2.3	260	0.70	0.26	14.2	0.317	1.16	2.9
M895159		17.8	136.5	<0.002	0.14	2.67	13.1	1	2.5	194.0	0.73	0.59	19.6	0.248	1.58	3.7
M895160		38.4	166.5	<0.002	0.10	4.60	14.6	2	3.3	167.5	0.82	0.48	19.7	0.270	1.79	4.2
M895161		23.9	110.0	<0.002	0.16	1.96	13.1	2	2.1	339	0.75	0.38	16.2	0.258	1.16	3.2
M895162		2600	156.5	0.002	4.55	93.7	8.6	2	8.6	87.3	0.48	0.83	12.3	0.171	2.40	6.1
M895163		34.0	123.5	<0.002	0.06	4.17	13.1	2	2.4	274	0.75	0.32	18.7	0.269	1.34	3.2
M895164		51.1	113.0	<0.002	0.04	3.81	14.0	2	2.3	282	0.77	0.30	17.6	0.305	1.26	3.7
M895165		43.0	135.0	0.002	0.04	5.20	12.6	2	2.7	245	0.72	0.32	16.9	0.267	1.52	3.5
M895166		2930	117.5	<0.002	0.21	19.60	12.8	2	3.4	110.5	0.62	0.20	15.1	0.244	2.28	4.6
M895167		45.3	135.5	<0.002	0.01	7.69	13.1	1	2.0	133.0	0.72	0.08	19.8	0.262	1.59	3.2
M895168		39.2	109.0	<0.002	0.01	4.64	12.9	1	2.0	168.5	0.74	0.10	17.6	0.267	1.39	2.7
M895169		1.9	2.8	<0.002	0.01	0.24	0.5	1	<0.2	47.9	<0.05	<0.05	0.2	0.005	0.02	1.0
M895170		111.5	138.5	<0.002	0.13	17.05	11.3	1	2.5	97.0	0.65	0.19	16.0	0.238	1.90	3.2
M895171		27.7	163.5	<0.002	0.07	8.98	13.1	1	2.9	190.0	0.76	0.32	21.2	0.264	1.86	3.4
M895172		55.6	203	<0.002	0.06	6.99	12.6	2	8.4	70.6	0.62	2.13	13.0	0.244	2.58	2.8
M895173		27.2	164.0	<0.002	0.09	10.20	12.8	2	2.9	175.5	0.73	0.52	19.2	0.270	2.02	4.6
M895174		40.8	149.5	<0.002	0.12	14.30	13.0	1	2.7	135.5	0.75	0.45	20.5	0.254	1.93	4.2
M895175		32.6	108.5	<0.002	0.05	11.30	12.7	1	2.3	135.0	0.79	0.20	18.7	0.268	1.49	3.8
M895176		81.4	147.5	<0.002	0.10	21.5	11.9	1	2.7	54.4	0.64	0.23	16.8	0.236	2.28	4.4
M897551		33.4	123.0	<0.002	0.02	7.26	9.1	1	2.2	84.9	0.86	0.10	16.7	0.305	1.59	6.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-JUL-2012
 Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155849

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M895142		85	3.1	15.9	65	27.8
M895143		74	5.7	16.7	334	23.9
M895144		76	6.0	16.5	73	26.5
M895145		77	1.9	23.4	461	23.4
M895146		72	3.8	18.5	124	22.3
M895147		76	1.7	13.4	62	22.8
M895148		77	2.6	21.1	87	22.5
M895149		78	8.3	16.6	73	24.2
M895150		80	1.4	14.8	47	27.7
M895151		71	3.0	25.5	244	23.3
M895152		75	2.4	22.0	350	24.8
M895153		73	3.2	20.4	214	25.4
M895154		79	8.9	18.4	202	24.8
M895155		60	5.7	17.4	158	23.2
M895156		79	4.4	23.4	76	26.1
M895157		69	2.3	24.4	81	23.7
M895158		84	2.4	20.0	93	31.2
M895159		72	2.1	18.0	54	26.3
M895160		82	2.5	21.8	99	27.0
M895161		73	1.3	20.4	49	22.7
M895162		54	5.2	9.9	5140	24.6
M895163		75	1.3	18.5	65	23.0
M895164		85	1.7	22.0	96	28.8
M895165		73	1.5	21.0	79	23.0
M895166		68	5.0	30.3	1020	31.0
M895167		75	1.8	19.8	290	26.6
M895168		75	1.6	17.5	127	27.1
M895169		3	0.1	1.0	17	<0.5
M895170		69	2.4	22.6	141	23.5
M895171		75	1.8	19.9	71	28.7
M895172		75	7.5	14.3	50	24.5
M895173		75	2.1	21.3	60	26.5
M895174		72	3.7	21.4	77	25.4
M895175		72	1.6	18.2	82	26.7
M895176		69	4.2	18.3	134	26.5
M897551		62	1.5	16.8	98	95.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-2

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 24-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12155849

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.