



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 29-JUL-2012
Account: ROCKHA

CERTIFICATE WH12155870

Project: Klaza TR-12-2

P.O. No.: Batch 5

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 4-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 29-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155870

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M897552		4.39	0.006	0.37	8.28	20.7	2470	1.89	0.36	0.45	1.20	91.0	5.1	15	21.6	15.1
M897553		4.30	0.006	0.28	8.36	12.2	2070	2.24	0.26	0.41	1.09	88.4	5.0	14	28.0	10.0
M897554		6.85	0.006	0.30	8.54	12.3	1790	2.03	0.22	0.44	3.57	87.2	4.6	12	30.0	7.5
M897555		4.90	<0.005	0.12	8.09	9.4	1430	2.02	0.13	0.56	1.02	92.3	4.7	11	24.1	4.3
M897556		5.38	<0.005	0.15	8.65	10.4	1620	2.29	0.13	0.45	0.48	87.8	4.5	12	29.0	6.2
M897557		6.57	<0.005	0.16	8.30	11.7	1990	2.16	0.13	0.81	0.30	92.3	5.1	13	44.8	6.5
M897558		3.45	0.073	1.15	8.62	51.7	2150	2.00	1.05	0.47	1.67	63.3	6.7	14	40.3	21.6
M897559		4.31	0.312	1.08	8.37	45.4	1970	2.02	1.09	0.45	1.95	67.6	5.6	12	31.9	18.2
M897560		3.46	0.511	1.64	7.91	78.9	4280	1.78	2.07	0.36	4.39	55.9	8.3	12	38.2	21.0
M897561		4.09	0.012	0.32	8.41	15.6	2200	1.62	1.37	0.58	0.85	64.3	5.2	13	23.2	8.9
M897562		3.04	0.025	0.64	7.60	23.5	4570	1.43	1.40	1.02	1.48	52.7	5.7	10	38.0	30.2
M897563		7.11	0.042	0.93	7.94	30.8	3900	1.69	0.88	0.49	2.40	65.0	5.5	11	21.1	38.7
M897564		3.56	0.025	1.67	7.97	38.0	3070	1.62	1.04	0.64	4.51	59.9	6.7	12	22.5	25.7
M897565		5.10	0.178	4.63	7.76	83.9	2550	1.49	1.78	0.23	4.06	64.4	4.3	14	24.1	19.5
M897566		4.11	<0.005	0.15	6.69	12.1	1150	1.66	0.16	2.90	1.70	50.2	4.5	13	22.3	3.8
M897567		5.63	0.021	0.41	8.55	20.9	1720	2.05	0.24	0.77	7.09	85.8	4.6	15	30.7	9.4
M897568		3.53	0.106	1.56	8.30	66.5	1970	1.86	0.63	0.38	9.46	85.3	5.4	17	25.4	37.9
M897569		0.26	2.31	25.1	5.86	3210	1510	1.20	20.8	2.18	76.3	47.0	9.7	19	13.75	425
M897570		3.12	1.005	19.30	6.84	433	2820	1.26	6.30	0.27	8.74	55.1	2.0	16	15.10	31.6
M897571		5.00	0.112	4.33	7.76	164.0	1880	1.50	2.13	0.37	7.18	65.0	1.9	12	17.75	86.7
M897572		3.21	0.123	8.14	6.97	154.5	1610	1.38	2.44	0.65	6.85	61.8	5.2	23	9.96	47.2
M897573		3.84	<0.005	0.05	0.10	5	30	0.09	0.04	20.2	0.09	1.34	0.6	1	0.25	2.8
M897574		5.07	0.220	16.80	7.37	133.0	2160	1.75	3.01	0.67	15.80	72.3	10.8	19	13.50	74.4
M897575		6.00	0.343	11.85	7.47	153.0	1820	1.43	3.51	0.66	14.50	71.7	9.3	19	12.65	64.1
M897576		6.51	0.066	2.91	7.68	72.6	2210	1.57	2.62	0.88	5.39	60.3	8.8	17	9.16	50.9
M897577		6.48	0.548	12.35	6.42	306	2430	1.84	3.23	0.60	18.50	55.8	7.1	20	15.00	114.5
M897578		6.43	0.044	1.30	7.42	52.7	1620	1.44	1.24	0.87	8.42	60.2	11.0	24	6.99	53.7
M897579		4.50	0.243	5.91	7.10	162.5	1980	1.63	2.57	0.75	8.07	67.2	8.6	22	8.70	65.4
M897580		4.40	0.053	1.29	7.52	45.1	1880	1.40	2.39	0.77	3.88	54.8	8.0	22	9.24	71.0
M897581		5.80	0.043	1.16	7.35	48.1	1490	1.39	0.86	1.38	2.83	54.4	11.4	37	9.12	33.2
M897582		5.46	0.062	0.98	7.66	68.0	1810	1.57	1.42	1.32	3.76	61.9	22.7	29	13.65	41.2
M897583		4.41	0.093	1.01	7.77	58.3	2080	1.61	1.88	0.86	6.10	63.9	22.4	21	14.35	51.1
M897584		5.81	0.110	1.97	8.03	113.0	1910	1.64	2.30	0.74	9.54	66.9	18.4	20	18.80	88.2
M897585		4.29	0.050	2.19	8.20	122.0	2410	1.82	1.85	0.42	9.65	65.0	19.7	16	21.8	77.7
M897586		4.78	0.127	2.40	7.70	127.0	1740	1.45	1.78	1.06	4.85	61.0	15.5	25	12.65	72.0
M897587		3.77	0.046	0.82	7.98	39.6	2000	1.70	2.58	0.48	3.44	61.9	23.9	18	17.50	81.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 29-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155870

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M897552		2.77	20.4	0.17	3.2	0.050	2.54	48.5	42.4	0.25	566	1.97	0.82	11.3	6.6	1070
M897553		2.84	21.1	0.17	2.8	0.039	2.60	46.5	29.1	0.25	550	1.46	1.38	11.0	6.0	1110
M897554		2.85	21.1	0.19	2.2	0.042	2.61	47.3	36.2	0.25	572	1.09	1.32	10.2	5.1	1120
M897555		2.72	20.0	0.16	2.2	0.035	2.49	46.5	23.0	0.23	564	0.91	1.51	10.2	4.7	1080
M897556		2.81	21.1	0.17	2.2	0.039	2.50	45.5	27.9	0.23	559	0.90	1.69	10.4	4.6	1130
M897557		2.76	21.4	0.19	2.8	0.036	2.61	45.5	29.6	0.23	553	1.55	1.85	11.5	5.7	1090
M897558		3.25	19.25	0.15	1.8	0.110	3.50	31.7	85.0	0.27	1320	5.31	1.04	8.7	5.0	730
M897559		3.06	19.35	0.13	1.6	0.096	3.32	35.0	83.8	0.25	1330	2.68	1.28	9.0	4.9	710
M897560		3.85	16.85	0.14	1.1	0.155	3.55	30.3	35.6	0.28	1250	2.68	0.38	7.2	4.2	620
M897561		3.62	18.35	0.14	1.2	0.133	2.76	33.9	42.0	0.18	578	1.76	1.58	8.5	3.8	730
M897562		3.37	16.75	0.13	1.1	0.141	2.75	27.5	78.5	0.21	1020	2.42	0.24	7.1	3.7	560
M897563		3.17	17.40	0.18	1.4	0.100	3.33	32.9	72.0	0.23	1080	1.66	0.95	7.9	3.6	620
M897564		3.94	17.70	0.15	1.2	0.125	2.99	33.4	60.5	0.25	1140	2.11	1.14	7.8	4.1	660
M897565		3.10	17.25	0.12	1.4	0.208	2.99	35.8	34.8	0.29	596	3.61	0.31	8.3	3.9	460
M897566		2.63	18.50	0.14	2.7	0.032	2.35	23.1	21.7	0.21	591	1.11	1.42	10.5	5.0	980
M897567		2.87	20.9	0.18	2.9	0.065	2.63	44.4	26.7	0.27	615	1.20	1.33	11.2	6.3	1130
M897568		4.23	19.80	0.17	3.5	0.606	2.76	44.3	39.8	0.25	465	4.51	0.24	11.1	6.3	1180
M897569		6.70	13.75	0.13	1.0	1.595	2.53	24.6	23.1	0.91	1830	12.50	0.04	5.5	14.9	430
M897570		5.86	15.90	0.14	1.2	0.815	2.98	37.4	17.8	0.36	223	7.93	0.24	6.0	3.4	590
M897571		4.64	17.60	0.16	1.2	0.555	3.33	39.9	20.4	0.30	188	2.74	0.71	7.5	3.1	630
M897572		3.93	15.90	0.10	1.3	0.389	2.80	36.1	16.5	0.45	448	3.63	0.72	7.4	5.8	520
M897573		0.48	0.24	<0.05	<0.1	0.008	0.04	0.7	1.4	12.00	213	0.10	0.01	0.2	1.9	170
M897574		4.79	17.55	0.09	2.3	0.533	2.54	40.5	30.1	0.38	1130	3.71	0.62	8.8	7.7	880
M897575		4.68	18.55	0.12	1.8	0.518	2.70	41.2	25.7	0.41	1040	4.64	0.70	8.3	7.7	760
M897576		4.50	17.75	0.12	1.0	0.223	3.21	36.0	26.9	0.50	491	5.06	1.25	7.6	5.5	620
M897577		5.84	14.75	0.10	1.3	3.27	2.20	30.5	29.0	0.38	1540	5.41	0.63	6.6	7.6	580
M897578		3.47	16.15	0.09	1.2	0.207	2.37	31.2	26.7	0.46	1410	1.84	0.96	7.7	8.6	610
M897579		4.53	15.75	0.13	1.2	0.816	2.41	36.8	25.1	0.43	707	4.83	0.88	7.7	7.8	540
M897580		4.05	18.80	0.13	1.3	0.177	2.79	33.8	13.4	0.40	395	3.51	1.20	9.2	7.7	620
M897581		3.32	17.65	0.12	1.5	0.129	2.06	32.2	14.0	0.66	694	1.70	1.63	9.2	13.7	640
M897582		3.80	18.80	0.13	1.4	0.212	2.34	36.6	14.8	0.67	802	2.31	1.72	9.7	11.8	650
M897583		4.07	19.40	0.14	1.5	0.200	2.66	35.2	14.7	0.61	999	2.52	1.55	9.1	8.8	740
M897584		4.72	20.2	0.15	1.5	0.427	2.86	39.5	15.4	0.47	1130	3.94	1.26	9.6	8.2	770
M897585		4.43	22.0	0.16	1.2	0.368	3.13	41.0	15.9	0.32	1400	4.60	0.73	9.4	6.9	710
M897586		3.94	18.95	0.13	1.2	0.365	2.76	37.3	10.4	0.57	936	4.72	1.28	8.6	8.8	600
M897587		3.78	22.3	0.15	1.2	0.282	2.82	37.4	15.2	0.44	790	6.98	1.16	9.5	7.0	670



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 29-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155870

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
M897552		37.2	127.0	<0.002	0.04	5.35	6.7	1	2.0	122.5	0.80	<0.05	14.4	0.303	5.1
M897553		21.9	131.0	<0.002	0.03	3.37	7.0	1	1.6	158.5	0.79	<0.05	14.6	0.289	4.4
M897554		30.3	127.5	<0.002	0.02	2.71	6.8	2	1.8	156.0	0.74	<0.05	14.7	0.265	3.6
M897555		19.2	122.0	<0.002	0.01	1.97	6.1	1	1.8	174.0	0.72	<0.05	13.9	0.263	3.6
M897556		22.3	121.5	<0.002	0.01	1.99	6.8	2	1.5	219	0.76	<0.05	14.2	0.267	3.5
M897557		25.1	130.5	<0.002	0.02	1.97	7.1	1	1.5	258	0.77	<0.05	13.9	0.287	3.9
M897558		73.5	171.5	0.002	0.05	4.87	11.7	1	2.4	157.0	0.70	0.06	17.1	0.284	4.3
M897559		60.9	177.5	<0.002	0.07	4.89	11.8	1	2.3	192.0	0.76	0.08	18.7	0.273	3.6
M897560		111.5	189.5	<0.002	0.14	5.80	11.2	<1	2.7	113.5	0.64	0.24	16.1	0.258	3.2
M897561		20.9	133.0	<0.002	0.03	2.39	12.2	1	2.2	217	0.75	<0.05	17.5	0.292	3.3
M897562		42.9	151.5	<0.002	0.10	3.51	10.6	2	2.5	153.0	0.58	0.11	14.5	0.237	3.1
M897563		49.3	179.0	0.002	0.10	4.03	10.5	1	2.7	171.5	0.77	0.06	18.4	0.250	3.3
M897564		82.9	158.5	<0.002	0.08	4.16	11.1	1	4.1	193.5	0.70	0.08	18.5	0.253	3.2
M897565		636	191.5	<0.002	0.10	9.77	10.7	<1	3.8	77.4	0.65	0.15	13.2	0.254	2.7
M897566		23.8	88.6	<0.002	0.01	2.72	4.6	1	1.4	256	0.74	<0.05	8.1	0.278	2.7
M897567		38.6	123.0	<0.002	0.02	3.55	7.0	1	2.0	191.0	0.80	<0.05	13.9	0.298	4.5
M897568		239	125.5	<0.002	0.10	5.21	7.0	1	2.3	86.3	0.75	0.05	14.4	0.313	6.3
M897569		2740	166.5	0.003	4.73	90.9	7.6	1	7.8	87.2	0.45	0.39	11.8	0.178	5.7
M897570		1605	187.5	<0.002	0.48	21.3	9.3	2	6.0	103.5	0.54	1.84	11.9	0.220	4.0
M897571		435	210	<0.002	0.32	14.10	11.8	1	4.0	145.5	0.67	0.56	20.2	0.252	5.3
M897572		830	164.5	0.003	0.15	12.60	10.4	1	4.9	142.5	0.70	0.69	12.0	0.273	3.7
M897573		3.4	1.9	<0.002	<0.01	0.13	0.3	<1	<0.2	42.1	<0.05	<0.05	<0.2	<0.005	0.5
M897574		2100	131.5	0.002	0.39	13.80	8.9	1	3.4	167.0	0.68	0.75	13.8	0.285	5.4
M897575		1060	151.5	0.003	0.26	14.50	10.1	2	3.9	158.5	0.64	1.10	13.5	0.284	4.9
M897576		110.5	173.0	0.002	0.51	6.34	11.7	1	2.9	256	0.63	0.78	14.8	0.272	3.6
M897577		1540	137.0	<0.002	0.15	17.05	9.8	1	4.5	156.0	0.56	0.55	11.3	0.240	4.8
M897578		238	113.0	0.002	0.04	7.84	10.8	1	2.3	186.0	0.66	0.20	13.5	0.301	3.4
M897579		658	134.0	<0.002	0.08	9.87	11.1	1	3.6	173.0	0.61	0.38	13.3	0.279	4.4
M897580		75.8	134.0	0.002	0.08	6.20	10.4	1	2.7	204	0.69	0.40	16.3	0.280	4.0
M897581		99.6	89.9	0.002	0.01	4.13	10.9	1	2.3	283	0.64	0.11	12.2	0.318	2.7
M897582		94.4	107.0	0.002	0.03	4.10	12.0	1	2.4	292	0.67	0.27	14.4	0.310	3.3
M897583		83.4	127.5	0.002	0.04	5.11	11.8	1	2.5	252	0.68	0.28	16.7	0.286	3.6
M897584		322	138.5	0.002	0.03	6.94	12.2	1	3.3	218	0.67	0.30	17.9	0.294	4.8
M897585		316	166.5	0.002	0.05	8.64	12.4	1	3.3	139.0	0.69	0.22	18.5	0.273	4.9
M897586		237	139.5	0.003	0.04	8.43	10.8	1	3.2	230	0.63	0.25	16.9	0.279	4.1
M897587		50.8	142.0	0.002	0.03	5.59	12.8	1	2.9	159.5	0.68	0.48	18.4	0.262	4.2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 29-JUL-2012
 Account: ROCKHA

Project: Klaza TR-12-2

CERTIFICATE OF ANALYSIS WH12155870

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M897552		54	1.5	16.8	142	100.5
M897553		53	1.0	15.8	142	91.3
M897554		49	1.0	15.6	279	57.6
M897555		46	1.3	15.4	144	63.4
M897556		50	1.1	16.8	120	60.2
M897557		51	1.2	16.5	101	89.7
M897558		76	4.8	19.3	200	48.5
M897559		74	4.6	18.9	154	41.5
M897560		75	3.2	19.4	311	24.8
M897561		80	2.0	19.5	103	25.9
M897562		68	2.5	19.5	128	25.7
M897563		69	4.4	16.3	134	29.9
M897564		74	1.9	17.1	228	28.2
M897565		69	3.8	11.7	465	36.3
M897566		48	1.1	10.3	167	83.0
M897567		56	1.4	15.7	849	95.8
M897568		58	1.9	15.7	1800	126.5
M897569		55	5.2	10.0	5130	25.4
M897570		73	5.4	12.7	658	32.1
M897571		75	2.9	16.2	1030	27.6
M897572		84	4.0	15.0	655	27.7
M897573		1	0.1	0.8	17	<0.5
M897574		74	2.7	17.4	1220	66.9
M897575		78	3.3	16.3	1000	52.8
M897576		81	2.3	16.4	416	23.1
M897577		69	3.4	14.5	1860	31.4
M897578		80	2.8	15.3	662	26.7
M897579		77	3.2	16.2	939	27.6
M897580		76	2.2	18.5	485	33.5
M897581		88	2.1	19.8	201	40.9
M897582		86	2.7	24.0	259	36.5
M897583		86	3.1	21.6	500	40.3
M897584		87	2.7	24.4	980	37.5
M897585		82	2.8	25.2	1060	27.2
M897586		80	3.3	22.3	457	32.6
M897587		78	3.9	26.2	369	29.0



ALS Canada Ltd.

2103 Dollarton Hwy

North Vancouver BC V7H 0A7

Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.

C/O ARCHER, CATHRO & ASSOCIATES (1981)

LIMITED

1016 - 510 W HASTINGS STREET

VANCOUVER BC V6B 1L8

Project: Klaza TR-12-2

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 29-JUL-2012

Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12155870

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.