



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 25-JUL-2012
Account: ROCKHA

CERTIFICATE WH12155874

Project: Klaza TR-12-3

P.O. No.: Batch 1

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 4-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-3

CERTIFICATE OF ANALYSIS WH12155874

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M897684		3.09	0.054	0.66	6.82	41.9	2260	1.27	1.42	1.32	0.77	41.1	7.2	28	7.18	28.0
M897685		4.32	0.130	0.68	7.13	72.7	1990	1.14	1.30	1.01	1.01	51.8	5.9	18	7.53	49.0
M897686		4.62	0.073	0.70	7.66	49.2	2020	1.07	1.36	0.22	0.73	28.5	2.6	11	11.35	139.0
M897687		4.41	0.139	1.30	7.04	89.1	1830	1.31	2.40	0.35	1.46	59.8	6.1	13	10.30	217
M897688		4.13	2.36	6.63	7.32	264	1010	1.20	12.65	0.08	0.95	80.3	1.2	12	11.90	128.0
M897689		3.83	0.811	4.21	7.50	231	2400	1.25	7.18	0.26	1.46	56.1	4.6	10	10.20	157.5
M897690		3.49	0.159	2.30	7.47	127.5	2030	1.37	3.02	0.75	1.76	54.7	7.5	18	12.75	127.0
M897691		4.47	0.188	1.79	7.18	145.5	1910	1.73	3.04	0.59	1.54	61.7	5.5	16	13.30	108.5
M897692		4.17	0.200	2.14	7.50	334	1860	1.37	3.17	0.82	1.91	63.7	6.4	17	12.95	116.5
M897693		4.48	0.190	1.68	8.01	136.5	1610	1.49	2.70	0.38	2.79	53.6	5.3	12	13.95	149.0
M897694		4.86	0.229	1.37	7.85	210	2960	1.38	3.02	0.20	2.28	67.7	3.0	12	20.3	133.0
M897695		2.57	1.395	2.07	7.26	334	1670	1.45	4.25	0.21	2.36	84.3	2.2	11	19.45	130.5
M897696		5.00	0.933	6.51	7.03	1320	1410	1.23	11.05	0.11	3.24	76.4	2.3	11	21.9	144.5
M897697		3.59	0.219	3.28	7.65	442	1890	1.46	4.73	0.31	2.66	77.7	3.4	10	19.40	271
M897698		4.00	0.771	4.13	7.70	2040	1920	1.29	5.87	0.17	2.56	56.8	2.2	10	15.75	171.5
M897699		4.32	0.323	2.93	7.75	886	2160	1.30	4.18	0.28	2.91	56.1	9.0	10	13.00	155.5
M897700		4.22	0.125	1.77	7.05	206	2080	1.29	2.08	0.99	1.08	52.1	5.7	16	8.20	65.2
M897701		4.72	0.044	0.66	7.43	70.3	2160	1.41	1.29	1.29	0.76	55.0	5.9	17	6.26	34.6
M897702		4.01	0.032	0.89	7.27	65.5	1940	1.39	1.19	1.29	0.69	51.6	5.5	17	5.70	35.8
M897703		3.29	0.065	0.72	7.40	106.0	2000	1.49	2.13	1.14	1.21	54.7	6.6	18	7.17	48.8
M897704		0.25	2.38	24.4	5.84	3190	660	1.27	21.2	2.15	78.7	44.1	10.4	19	15.15	423
M897705		3.35	0.256	0.91	7.68	169.5	1950	1.62	3.06	0.74	2.84	48.7	8.8	17	13.50	88.6
M897706		3.45	0.062	0.82	7.57	99.0	2090	1.49	2.32	1.19	1.28	53.1	6.9	17	9.99	41.8
M897707		3.58	0.144	2.34	7.91	135.5	1210	1.63	5.13	0.38	3.60	64.7	8.6	17	18.85	80.9
M897708		4.39	0.127	2.99	7.54	144.5	1050	1.48	5.72	0.22	3.15	84.1	4.1	14	16.00	50.5
M897709		3.38	0.085	2.55	7.94	94.3	1100	1.80	3.28	0.19	9.57	83.1	12.3	15	21.5	102.0
M897710		3.41	0.070	31.3	6.82	127.0	1580	1.49	3.62	0.22	9.41	72.3	11.2	14	17.45	109.0
M897711		3.16	0.038	3.14	7.46	48.3	2000	1.69	1.88	0.36	18.45	72.3	11.7	12	21.4	81.1
M897712		6.04	0.498	53.5	6.93	396	1390	1.25	227	0.11	2.93	64.9	1.0	11	17.45	69.0
M897713		4.89	0.049	5.95	7.85	94.7	2170	1.73	10.20	0.46	13.05	74.2	11.6	12	18.95	161.0
M897714		3.90	0.100	2.36	7.37	86.6	2070	1.58	6.05	0.85	5.83	63.2	8.9	12	14.90	80.7
M897715		5.01	0.062	5.74	7.56	151.5	1470	1.71	9.66	0.21	7.14	67.3	5.5	12	30.5	168.0
M897716		3.98	0.295	8.81	5.54	183.5	910	1.07	10.00	0.15	4.71	57.1	2.2	13	13.30	73.7
M897717		3.22	0.251	4.84	5.07	333	540	1.26	8.01	0.12	6.67	53.2	3.2	18	28.3	175.5
M897718		4.40	0.097	2.15	6.63	168.0	1080	2.05	3.66	0.16	3.50	70.4	4.6	8	72.9	262
M897719		3.53	<0.005	0.03	0.11	5	20	0.06	0.04	20.1	0.08	1.51	1.2	2	0.43	2.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-3

CERTIFICATE OF ANALYSIS WH12155874

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M897684		3.17	18.10	0.17	1.4	0.133	2.69	21.8	13.2	0.75	523	2.87	1.67	7.9	8.2	540
M897685		3.11	16.10	0.15	1.2	0.177	2.49	26.2	10.8	0.62	433	1.55	1.53	7.6	4.9	550
M897686		3.34	17.75	0.14	1.3	0.226	2.87	18.2	13.4	0.23	132	1.34	0.40	8.0	2.4	560
M897687		4.45	17.45	0.17	1.3	0.376	2.87	32.4	8.5	0.40	327	1.57	0.85	7.2	2.9	590
M897688		3.19	20.3	0.16	1.3	0.505	3.39	46.9	7.8	0.30	136	1.53	0.05	8.3	1.5	350
M897689		3.87	18.15	0.16	1.4	0.331	3.32	31.2	10.1	0.40	262	1.36	0.58	7.9	2.2	560
M897690		3.72	18.65	0.16	1.4	0.208	2.81	28.3	11.4	0.52	350	3.24	1.12	7.3	4.5	560
M897691		3.50	18.50	0.13	1.4	0.263	2.84	34.4	17.9	0.46	300	2.25	0.76	7.0	4.9	550
M897692		3.70	17.75	0.16	1.4	0.256	2.71	35.8	12.7	0.55	399	2.39	1.15	7.2	4.9	620
M897693		4.42	18.00	0.16	1.4	0.201	2.84	30.3	12.0	0.68	473	2.44	1.14	7.7	3.0	710
M897694		4.76	18.80	0.17	1.5	0.226	3.70	39.6	11.6	0.35	260	2.40	0.28	7.1	2.3	610
M897695		4.24	19.15	0.21	1.3	0.295	3.76	50.0	9.8	0.33	202	1.94	0.29	7.3	2.3	560
M897696		4.69	17.75	0.21	1.4	0.454	3.30	44.9	13.0	0.25	209	2.85	0.04	7.1	1.3	760
M897697		5.20	18.25	0.22	1.2	0.547	3.21	44.3	15.8	0.37	248	2.17	0.50	7.5	1.9	710
M897698		3.91	18.65	0.20	1.4	0.422	3.64	32.5	13.5	0.30	196	1.76	0.24	8.0	1.4	410
M897699		3.96	16.65	0.19	1.4	0.221	3.05	27.6	14.2	0.25	501	1.70	0.82	7.5	1.9	560
M897700		3.46	16.95	0.18	1.2	0.246	2.42	27.0	12.6	0.66	431	3.19	1.59	7.8	3.0	550
M897701		3.09	16.70	0.18	1.2	0.149	2.42	26.6	12.2	0.70	447	1.80	1.89	7.5	3.4	560
M897702		2.95	16.75	0.18	1.2	0.167	2.33	25.5	12.7	0.76	455	1.73	2.06	7.6	3.7	580
M897703		3.40	16.60	0.19	1.4	0.186	2.38	28.4	12.4	0.75	460	2.11	1.90	8.4	4.6	620
M897704		6.53	15.20	0.21	0.9	1.670	2.55	22.7	24.6	0.88	1850	14.05	0.04	6.0	15.3	430
M897705		5.60	17.15	0.21	1.5	0.259	2.58	30.1	20.0	0.63	390	3.43	1.43	9.1	4.6	700
M897706		3.48	17.40	0.20	1.4	0.236	2.57	28.6	13.6	0.69	432	1.82	2.00	8.4	4.3	620
M897707		5.12	19.25	0.24	1.5	0.741	2.81	38.3	17.3	0.51	448	2.61	0.54	7.7	3.5	650
M897708		3.77	18.30	0.22	1.4	0.679	3.36	51.5	9.1	0.39	311	2.68	0.21	7.1	2.1	450
M897709		5.16	19.20	0.23	1.5	0.376	3.09	43.4	21.9	0.30	1100	2.55	0.34	7.2	3.8	760
M897710		4.90	15.65	0.24	1.1	0.487	2.56	40.5	9.6	0.22	1050	3.34	1.05	6.5	2.9	680
M897711		4.51	17.05	0.23	1.5	0.341	3.15	39.1	13.8	0.32	2580	2.39	0.65	8.1	3.4	590
M897712		4.34	18.10	0.22	1.4	1.565	3.11	39.3	9.8	0.22	284	1.91	0.04	8.1	0.6	490
M897713		4.50	17.55	0.22	1.6	0.771	3.26	37.4	22.9	0.34	1920	2.06	1.02	8.4	3.2	660
M897714		3.80	17.25	0.21	1.5	0.365	2.70	33.3	15.8	0.63	833	1.84	1.62	8.3	3.7	640
M897715		4.89	17.65	0.24	1.5	0.995	3.11	40.2	18.0	0.26	542	2.62	0.26	8.0	2.6	590
M897716		3.16	15.90	0.20	1.1	3.15	2.55	35.3	14.1	0.25	433	12.65	0.14	4.8	1.6	480
M897717		4.72	14.70	0.21	1.1	4.15	2.00	31.9	38.4	0.17	876	19.80	0.04	5.8	2.7	560
M897718		4.56	14.85	0.25	1.1	4.16	2.15	39.6	35.7	0.17	772	12.75	0.03	6.3	2.9	920
M897719		0.47	0.30	0.07	<0.1	0.015	0.04	0.7	1.3	11.80	208	0.18	0.01	0.3	2.3	170



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 25-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-3

CERTIFICATE OF ANALYSIS WH12155874

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M897684		73.1	118.0	<0.002	0.15	5.08	11.7	1	4.4	276	0.72	0.22	12.8	0.243	1.91	3.2
M897685		67.1	137.0	<0.002	0.09	6.73	9.7	1	3.9	239	0.56	0.27	11.9	0.247	1.58	3.2
M897686		60.3	151.5	<0.002	0.14	9.69	10.4	1	4.5	89.4	0.62	0.35	13.4	0.248	1.85	3.5
M897687		112.5	169.0	<0.002	0.17	8.83	10.0	1	5.8	124.0	0.55	0.67	14.2	0.223	2.42	4.1
M897688		203	278	<0.002	0.28	14.90	11.0	1	11.2	34.4	0.63	0.55	11.6	0.260	3.12	2.9
M897689		162.0	201	<0.002	0.17	19.35	10.6	1	6.4	112.0	0.63	0.40	14.5	0.245	2.54	4.0
M897690		138.0	173.5	<0.002	0.16	20.0	10.8	1	6.2	201	0.57	0.47	14.1	0.236	2.10	4.0
M897691		141.0	191.0	<0.002	0.23	15.00	11.4	1	6.4	164.0	0.56	0.43	12.7	0.237	2.27	3.5
M897692		143.5	169.5	<0.002	0.19	17.00	10.9	1	5.0	215	0.60	0.34	13.8	0.248	2.04	4.0
M897693		163.0	188.0	0.002	0.15	10.95	11.7	1	3.9	158.0	0.60	0.46	14.9	0.251	2.31	4.1
M897694		78.1	242	<0.002	0.71	11.20	10.8	1	5.9	93.6	0.57	0.39	16.4	0.232	2.91	3.5
M897695		215	263	<0.002	0.69	12.35	12.2	2	5.9	141.5	0.58	0.38	17.7	0.217	3.24	4.3
M897696		485	240	<0.002	0.73	106.0	12.2	2	5.9	103.5	0.60	0.41	17.4	0.213	3.09	3.9
M897697		185.0	186.0	<0.002	0.40	44.0	13.1	2	4.1	164.0	0.61	0.25	20.0	0.230	2.45	6.1
M897698		132.0	243	<0.002	0.43	22.1	12.0	2	4.5	75.2	0.64	0.21	16.3	0.224	2.59	3.8
M897699		118.0	165.0	<0.002	0.16	21.5	10.9	2	3.8	117.0	0.72	0.33	17.3	0.230	2.14	4.7
M897700		62.8	133.5	<0.002	0.14	9.62	10.6	2	3.7	243	0.58	0.42	13.5	0.231	1.46	3.6
M897701		61.4	117.0	<0.002	0.06	5.62	10.7	2	3.6	305	0.64	0.22	13.6	0.236	1.43	3.6
M897702		51.2	107.5	<0.002	0.05	4.35	10.8	2	3.2	309	0.63	0.21	13.4	0.251	1.32	3.6
M897703		67.5	120.5	<0.002	0.07	5.74	11.3	2	3.7	280	0.65	0.37	14.0	0.269	1.35	3.9
M897704		2720	165.5	<0.002	4.62	89.6	8.3	2	8.3	90.3	0.47	0.39	11.0	0.170	2.31	5.8
M897705		94.3	124.0	<0.002	0.10	11.70	12.6	2	3.1	208	0.74	0.67	16.6	0.280	1.50	7.2
M897706		65.9	122.5	<0.002	0.08	6.44	11.6	2	3.5	293	0.70	0.46	14.8	0.269	1.50	4.8
M897707		189.0	168.0	<0.002	0.08	10.20	12.7	2	6.1	84.6	0.63	1.34	17.2	0.239	2.35	7.3
M897708		251	240	<0.002	0.12	9.25	11.3	2	10.8	84.6	0.60	0.96	14.0	0.224	3.11	5.5
M897709		251	195.5	<0.002	0.09	7.18	14.0	2	4.1	52.0	0.63	0.52	19.0	0.257	3.11	10.9
M897710		217	161.5	<0.002	0.08	5.53	9.7	2	3.8	95.1	0.52	0.70	15.0	0.192	2.46	7.9
M897711		236	168.5	<0.002	0.07	5.04	11.1	2	3.3	98.5	0.67	0.28	16.4	0.228	2.81	6.2
M897712		2420	169.5	<0.002	0.44	19.00	9.8	2	15.6	60.7	0.67	0.88	13.4	0.252	3.73	5.3
M897713		655	169.5	<0.002	0.07	5.88	11.9	2	3.3	156.0	0.70	0.27	18.3	0.235	2.67	7.9
M897714		198.0	136.0	<0.002	0.06	5.96	11.5	2	2.7	231	0.66	0.27	17.0	0.240	1.89	5.1
M897715		176.5	178.5	<0.002	0.16	20.6	11.2	2	6.0	99.2	0.68	0.69	17.4	0.231	3.05	9.2
M897716		1400	159.5	<0.002	0.25	62.3	7.1	1	15.1	146.0	0.42	0.97	12.0	0.156	2.39	4.1
M897717		319	129.0	<0.002	0.18	100.0	8.0	1	5.4	133.0	0.48	0.74	13.5	0.167	2.61	7.4
M897718		204	132.0	<0.002	0.21	56.4	16.0	1	3.0	235	0.50	0.21	19.2	0.186	2.46	23.0
M897719		2.3	2.1	<0.002	0.01	0.20	0.4	1	<0.2	44.8	<0.05	<0.05	<0.2	<0.005	0.02	0.4



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 25-JUL-2012
 Account: ROCKHA

Project: Klaza TR-12-3

CERTIFICATE OF ANALYSIS WH12155874

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M897684		71	3.2	13.5	130	38.7
M897685		67	2.3	12.6	149	32.7
M897686		69	4.7	7.8	127	37.0
M897687		71	2.4	12.2	302	36.8
M897688		70	12.4	9.8	214	36.0
M897689		71	4.8	11.8	344	36.6
M897690		72	2.9	13.6	260	41.1
M897691		72	3.6	13.2	233	38.7
M897692		73	2.8	14.6	240	39.6
M897693		77	2.3	15.1	313	40.2
M897694		73	2.8	12.6	270	42.7
M897695		66	3.5	12.4	223	40.2
M897696		63	5.5	11.4	288	41.2
M897697		66	2.8	13.9	282	37.6
M897698		65	4.4	12.4	190	43.4
M897699		67	3.6	16.1	265	38.5
M897700		67	1.8	14.7	126	37.3
M897701		68	1.7	14.5	117	35.8
M897702		70	1.7	14.4	112	35.8
M897703		75	2.3	16.3	145	42.9
M897704		54	5.1	10.7	5170	27.3
M897705		75	3.8	21.5	363	47.8
M897706		73	2.1	16.5	170	42.0
M897707		78	2.5	20.6	703	46.7
M897708		73	7.0	15.3	495	42.5
M897709		83	1.9	27.5	866	42.2
M897710		64	1.4	21.6	610	36.0
M897711		67	2.8	23.8	1400	45.0
M897712		63	12.7	10.4	422	40.5
M897713		69	2.1	23.5	1020	47.4
M897714		67	2.1	20.4	444	46.5
M897715		67	4.3	18.0	847	43.2
M897716		53	5.5	9.4	320	32.8
M897717		52	5.1	12.3	571	33.8
M897718		64	3.9	15.6	754	34.5
M897719		2	0.1	0.9	15	0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-3

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 25-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12155874

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.