



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 30-JUL-2012
Account: ROCKHA

CERTIFICATE WH12155877

Project: Klaza-75

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 4-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-JUL-2012
Account: ROCKHA

Project: Klaza-75

CERTIFICATE OF ANALYSIS WH12155877

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N829891		3.59	0.035	24.5	7.24	26.7	2040	1.41	0.48	2.21	0.68	49.8	6.5	9	9.15	55.4
N829892		3.93	<0.005	0.08	7.08	10.2	1980	1.62	0.19	2.36	0.12	47.6	7.6	12	9.30	12.0
N829893		1.79	<0.005	0.11	6.66	9.1	2080	1.39	0.25	3.18	0.09	36.4	7.9	10	8.80	3.6
N829894		2.79	<0.005	0.06	7.82	11.6	1640	1.35	2.01	2.17	0.08	47.9	13.4	11	7.92	2.9
N829895		2.61	<0.005	<0.01	0.06	<5	20	0.05	0.02	21.3	0.06	1.21	1.3	1	0.16	4.5
N829896		3.61	<0.005	0.07	7.21	7.1	1980	1.58	0.37	2.44	0.11	56.8	6.3	10	8.59	7.7
N829897		3.60	<0.005	0.06	7.09	7.8	1930	1.43	0.24	2.51	0.13	44.6	6.9	7	7.56	5.0
N829898		2.72	<0.005	0.08	7.16	6.1	1930	1.59	0.20	2.39	0.13	42.9	5.3	9	8.89	9.5
N829899		2.91	0.034	0.42	7.04	87.7	1840	1.38	0.30	2.21	0.36	44.5	3.6	7	8.86	7.3
N829900		2.29	0.038	0.69	6.98	12.6	2560	1.26	0.91	1.56	0.08	45.5	2.1	7	7.95	107.5
N828801		5.45	<0.005	0.27	7.31	10.3	3110	1.17	0.53	1.61	0.11	46.7	3.0	5	7.43	14.2
N828802		2.99	<0.005	0.14	7.47	13.4	2240	1.44	0.31	1.39	0.10	51.7	1.4	7	12.90	6.9
N828803		1.29	<0.005	0.38	0.10	<5	30	0.06	0.03	19.45	0.06	1.42	0.5	<1	0.20	2.5
N828804		4.48	<0.005	0.31	6.84	17.3	1860	1.43	0.36	2.62	0.13	39.7	2.5	5	10.05	10.9
N828805		3.79	<0.005	0.17	7.25	10.1	1990	1.64	0.27	2.52	0.10	46.2	6.3	7	11.70	6.1
N828806		2.40	<0.005	0.81	7.11	11.3	2210	1.35	0.22	2.20	0.10	42.1	6.4	7	13.30	9.6
N828807		3.48	0.065	0.65	6.80	21.4	2340	1.42	0.42	2.60	0.24	39.5	6.1	5	14.80	207
N828808		1.67	0.032	0.37	6.76	199.5	1880	1.48	0.20	2.12	1.49	39.0	6.2	6	17.55	7.5
N828809		0.83	0.099	0.84	6.69	520	2760	1.48	0.21	2.53	3.43	43.3	6.6	4	17.50	8.5
N828810		2.76	<0.005	0.09	7.22	10.1	1990	1.69	0.21	2.25	0.12	45.9	6.5	7	14.50	6.9
N828811		4.18	0.006	0.11	6.82	17.7	2110	1.51	0.23	2.53	0.14	38.4	5.9	6	18.40	4.9
N828812		4.10	<0.005	0.32	6.56	20.1	1390	1.49	0.34	2.59	0.32	46.3	4.8	4	16.60	3.6
N828813		3.03	0.005	0.16	6.63	9.4	1660	1.57	0.29	2.33	0.08	42.6	3.8	7	13.85	3.2
N828814		0.23	0.796	10.30	6.44	1730	1570	1.35	5.61	1.84	40.9	41.8	15.0	18	15.70	105.0
N828815		4.00	<0.005	0.27	7.71	7.9	2110	1.93	0.24	2.50	0.16	46.7	6.1	9	10.85	5.7
N828816		3.53	<0.005	0.10	7.04	9.9	2300	1.44	0.20	2.39	0.10	42.4	5.3	6	8.87	3.7
N828817		4.83	<0.005	0.11	7.23	8.2	2020	1.61	0.27	2.58	0.14	47.0	7.4	9	9.48	12.9
N828818		5.51	<0.005	0.14	6.91	6.6	1980	1.56	0.42	2.45	0.16	42.1	6.5	7	10.85	9.2
N828819		<0.02	<0.005	0.11	6.97	6.9	1960	1.53	0.38	2.44	0.16	50.6	6.5	7	11.05	9.3
N828820		5.25	<0.005	0.09	7.35	7.8	2210	1.69	0.29	2.48	0.15	46.7	7.1	8	10.10	9.2
N828821		4.51	<0.005	0.07	7.05	8.0	2170	1.61	0.36	2.59	0.16	45.2	7.2	8	11.00	19.2
N828822		3.68	<0.005	0.09	7.02	10.5	1790	1.29	0.63	2.28	0.21	38.4	6.5	6	19.40	11.0
N828823		0.23	2.27	27.4	5.81	3220	1400	1.50	16.95	2.10	79.2	42.8	10.1	17	14.55	412
N828824		2.64	0.005	0.14	7.02	17.7	2000	1.69	0.59	2.74	0.20	40.5	8.2	11	15.05	26.2
N828825		4.79	<0.005	0.09	6.73	10.6	2120	1.74	0.93	2.64	0.20	39.2	7.6	11	13.10	10.1
N828826		5.44	<0.005	0.11	6.78	10.4	2020	1.54	0.53	2.56	0.10	37.8	6.7	12	14.25	12.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-JUL-2012
Account: ROCKHA

Project: Klaza-75

CERTIFICATE OF ANALYSIS WH12155877

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N829891		2.79	18.95	0.13	1.3	0.083	2.88	27.9	11.5	0.69	623	1.37	2.04	8.7	2.8	530
N829892		2.72	18.05	0.14	1.5	0.047	2.79	24.5	12.3	0.67	581	1.48	2.09	9.1	2.4	550
N829893		2.69	16.00	0.07	1.3	0.045	2.99	18.3	12.6	0.65	554	1.08	2.12	7.9	2.4	540
N829894		3.25	17.65	0.10	1.4	0.123	2.62	24.7	18.3	0.84	574	0.99	2.96	8.7	2.8	580
N829895		0.45	0.31	<0.05	<0.1	<0.005	0.03	0.6	0.9	13.45	223	0.24	0.01	0.3	2.9	170
N829896		2.67	16.55	0.12	1.5	0.042	2.75	29.4	14.1	0.74	583	1.24	2.27	7.9	2.2	560
N829897		2.84	16.25	0.10	1.1	0.074	2.71	22.4	13.8	0.79	673	0.94	2.32	7.5	2.2	540
N829898		2.80	15.60	0.11	1.3	0.045	2.77	20.6	10.9	0.73	669	1.00	2.10	7.2	2.3	550
N829899		3.11	16.25	0.12	1.3	0.115	3.05	21.1	11.7	0.69	1140	0.74	1.94	7.4	2.4	550
N829900		2.61	14.60	0.11	1.5	0.189	3.65	24.0	13.4	0.53	911	0.82	1.47	7.0	1.7	420
N828801		3.06	15.95	0.13	1.2	0.186	3.13	25.4	18.7	0.74	1140	0.71	0.77	7.3	2.0	530
N828802		3.41	17.00	0.11	1.5	0.187	2.29	28.2	25.1	0.61	1120	0.27	1.93	7.8	2.2	570
N828803		0.46	0.33	0.06	<0.1	0.005	0.04	0.7	1.3	12.35	195	0.15	0.01	0.2	1.8	160
N828804		3.07	16.05	0.08	1.3	0.180	2.60	17.8	17.6	0.86	1170	0.56	1.82	6.8	2.2	520
N828805		2.72	16.75	0.12	1.3	0.052	2.75	21.2	10.6	0.70	604	1.18	2.04	7.7	2.3	550
N828806		2.79	15.95	0.13	1.3	0.062	2.82	19.6	16.9	0.65	703	3.27	1.51	7.6	2.3	580
N828807		2.90	15.40	0.11	1.3	0.104	2.70	19.8	60.0	0.79	1160	2.64	0.48	7.1	2.3	540
N828808		2.61	15.30	0.11	1.3	0.038	3.03	19.0	173.0	0.73	1300	2.01	0.16	7.1	2.1	540
N828809		2.82	14.90	0.11	1.1	0.040	2.78	21.7	159.5	0.87	1700	1.87	0.15	6.6	2.0	520
N828810		2.76	16.65	0.13	1.3	0.048	2.85	22.2	15.4	0.66	582	0.99	1.92	7.8	2.3	550
N828811		2.69	15.60	0.11	1.4	0.051	2.79	17.7	74.5	0.69	843	1.19	1.14	7.4	2.2	540
N828812		2.39	15.55	0.11	1.3	0.055	2.39	22.8	166.0	0.88	1080	1.94	0.09	7.2	2.2	510
N828813		2.65	15.60	0.11	1.3	0.057	2.75	20.1	40.6	0.53	620	0.89	1.60	7.3	2.1	530
N828814		5.04	14.80	0.10	1.3	0.880	2.74	20.3	23.9	0.68	1900	11.40	0.26	6.6	14.7	480
N828815		2.98	17.20	0.13	1.4	0.042	2.86	21.8	17.7	0.76	639	3.16	2.22	8.2	2.7	570
N828816		2.79	15.95	0.12	1.1	0.068	2.79	22.2	14.3	0.69	644	1.67	2.04	7.3	2.1	530
N828817		2.86	17.15	0.13	1.2	0.044	2.55	24.1	18.0	0.78	615	2.36	2.23	7.8	2.5	590
N828818		2.65	16.25	0.11	1.3	0.039	2.59	20.1	19.9	0.69	605	1.38	2.09	7.6	2.3	520
N828819		2.65	17.05	0.14	1.3	0.045	2.60	24.1	20.6	0.69	607	1.40	2.11	8.0	2.4	530
N828820		2.80	16.85	0.12	1.4	0.037	2.69	22.2	18.1	0.71	601	1.39	2.24	8.0	2.4	540
N828821		2.82	17.10	0.11	1.3	0.044	2.52	21.6	17.9	0.74	653	1.11	2.17	7.9	2.4	570
N828822		2.68	16.00	0.11	1.2	0.041	2.47	17.0	133.0	0.69	693	0.92	0.65	7.4	2.2	550
N828823		6.32	14.80	0.12	0.9	1.670	2.48	24.7	24.1	0.87	1780	12.55	0.04	5.6	15.6	410
N828824		2.95	17.15	0.10	1.1	0.041	2.46	21.0	21.1	0.69	617	1.34	2.07	8.3	3.3	580
N828825		2.95	16.90	0.13	1.2	0.037	2.53	20.0	22.4	0.72	652	1.44	2.07	8.5	3.0	550
N828826		2.82	16.45	0.12	1.1	0.036	2.61	19.6	16.3	0.69	642	1.46	2.10	8.1	2.6	530



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 30-JUL-2012
Account: ROCKHA

Project: Klaza-75

CERTIFICATE OF ANALYSIS WH12155877

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
N829891		171.0	114.5	0.002	0.12	70.2	9.9	1	1.9	393	0.64	<0.05	14.8	0.232	3.8
N829892		18.8	114.5	0.004	0.04	7.50	11.2	1	1.7	352	0.71	<0.05	14.9	0.234	4.2
N829893		14.2	108.0	<0.002	0.09	7.04	9.2	1	1.5	399	0.64	0.05	10.4	0.238	3.6
N829894		11.8	108.5	<0.002	0.35	11.20	11.0	1	1.9	249	0.73	0.86	14.1	0.251	4.8
N829895		1.3	1.5	<0.002	0.01	0.07	0.3	1	<0.2	45.1	<0.05	<0.05	<0.2	<0.005	1.0
N829896		17.9	111.0	0.002	0.05	3.39	9.8	1	1.9	366	0.72	0.08	14.4	0.239	4.3
N829897		15.9	105.0	0.002	0.04	3.60	9.6	<1	1.9	337	0.61	<0.05	11.3	0.238	4.0
N829898		19.9	100.0	0.002	0.03	6.28	9.1	<1	1.8	356	0.62	<0.05	11.8	0.242	3.6
N829899		164.5	119.5	<0.002	0.25	33.3	9.7	1	2.0	250	0.61	<0.05	12.0	0.246	4.0
N829900		13.9	138.5	<0.002	0.15	10.95	7.3	1	2.1	176.0	0.77	<0.05	17.9	0.186	5.5
N828801		10.7	117.0	0.003	0.16	13.15	9.6	1	2.4	115.0	0.61	<0.05	13.9	0.243	2.4
N828802		12.3	88.2	0.002	0.10	15.20	10.6	1	2.0	155.0	0.81	<0.05	14.2	0.249	4.2
N828803		1.9	1.6	<0.002	0.02	0.11	0.2	<1	0.3	38.9	<0.05	<0.05	0.2	<0.005	0.4
N828804		15.1	91.1	0.002	0.20	7.05	8.7	1	2.3	226	0.64	<0.05	11.2	0.229	4.7
N828805		16.2	102.0	0.002	0.04	4.41	9.7	1	1.9	355	0.65	<0.05	11.0	0.249	3.6
N828806		16.3	99.7	0.002	0.12	6.74	9.5	1	1.9	280	0.63	<0.05	11.8	0.251	3.3
N828807		21.9	96.1	0.003	0.24	20.4	9.1	1	1.8	192.0	0.63	<0.05	11.3	0.236	4.6
N828808		66.1	100.5	0.003	0.32	21.0	9.3	1	1.9	182.0	0.62	<0.05	11.4	0.244	5.0
N828809		154.0	109.5	0.002	0.58	25.1	8.9	1	1.9	191.5	0.55	<0.05	11.6	0.210	5.8
N828810		18.6	114.5	0.002	0.04	4.23	10.0	1	2.0	334	0.68	<0.05	13.0	0.245	4.2
N828811		18.7	96.2	0.003	0.12	8.73	9.1	1	1.9	265	0.68	<0.05	11.5	0.239	3.7
N828812		15.5	89.2	0.002	0.14	15.45	8.9	1	1.8	203	0.65	<0.05	11.8	0.217	4.7
N828813		14.1	103.5	0.002	0.01	7.50	9.5	<1	1.9	270	0.68	<0.05	11.8	0.236	3.2
N828814		1295	143.5	0.005	3.08	33.0	8.2	1	5.8	147.0	0.59	0.44	11.0	0.202	4.9
N828815		21.6	105.0	0.003	0.01	3.54	9.8	1	2.3	388	0.70	<0.05	11.7	0.258	3.3
N828816		15.9	103.5	0.004	0.03	3.74	9.5	<1	2.1	306	0.62	<0.05	11.9	0.246	2.9
N828817		20.9	101.0	0.003	0.03	2.80	10.6	1	2.1	392	0.64	<0.05	12.2	0.259	3.5
N828818		24.0	95.2	0.002	0.02	2.59	9.5	1	2.0	351	0.68	<0.05	12.3	0.237	3.7
N828819		23.5	104.0	0.004	0.02	2.57	9.7	1	2.2	353	0.69	<0.05	13.5	0.239	3.8
N828820		22.8	105.0	0.002	0.01	2.24	9.8	1	2.5	391	0.75	<0.05	12.5	0.251	3.8
N828821		21.8	94.4	0.004	0.02	2.31	10.4	<1	2.2	393	0.67	<0.05	11.4	0.247	4.0
N828822		23.3	77.4	0.002	0.07	15.25	9.3	<1	2.5	215	0.62	<0.05	9.7	0.247	3.2
N828823		2650	153.0	0.002	4.71	95.5	7.8	1	8.4	90.7	0.45	0.43	9.8	0.173	5.0
N828824		27.5	92.8	<0.002	0.08	3.16	10.9	1	4.5	380	0.65	<0.05	10.8	0.258	3.8
N828825		31.2	86.9	<0.002	0.06	2.05	10.2	1	2.0	368	0.70	<0.05	11.1	0.253	4.0
N828826		21.8	88.5	<0.002	0.03	2.53	9.8	1	1.7	372	0.65	<0.05	11.4	0.242	4.3



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 30-JUL-2012
 Account: ROCKHA

Project: Klaza-75

CERTIFICATE OF ANALYSIS WH12155877

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N829891		64	1.9	18.1	101	35.5
N829892		63	1.9	18.1	45	38.9
N829893		62	1.8	13.1	45	35.2
N829894		68	2.4	16.7	47	36.5
N829895		2	0.1	0.9	14	<0.5
N829896		65	1.2	17.8	46	39.3
N829897		64	1.3	16.2	48	31.9
N829898		66	1.3	15.2	50	31.3
N829899		65	2.1	14.6	87	32.1
N829900		48	5.1	12.9	48	35.6
N828801		64	4.2	13.7	63	30.6
N828802		73	4.7	16.7	66	37.1
N828803		3	0.1	0.8	13	1.4
N828804		64	4.0	14.0	59	30.9
N828805		67	1.8	14.9	48	32.9
N828806		69	5.6	14.8	53	32.0
N828807		65	3.5	15.3	68	31.3
N828808		66	2.8	14.3	153	32.7
N828809		58	2.7	15.2	255	31.1
N828810		66	1.7	15.9	52	34.4
N828811		64	1.8	13.9	48	32.9
N828812		59	2.2	15.1	66	32.5
N828813		64	2.0	14.5	51	31.6
N828814		56	5.1	10.8	2910	34.4
N828815		70	1.3	16.9	56	35.3
N828816		66	1.6	15.6	51	28.1
N828817		70	2.4	17.3	53	32.2
N828818		64	1.4	15.5	54	32.5
N828819		64	1.3	17.2	53	33.9
N828820		67	1.4	16.7	54	34.2
N828821		68	1.7	17.2	53	33.4
N828822		67	2.4	14.2	57	30.2
N828823		54	5.0	10.7	5130	25.0
N828824		70	1.5	15.5	58	31.9
N828825		69	1.5	15.2	62	32.8
N828826		66	1.2	14.4	48	31.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-75

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 30-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12155877

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.