



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

Page: 1  
Finalized Date: 3-AUG-2012  
Account: ROCKHA

**CERTIFICATE WH12158890**

Project: Klaza-74 A/B

P.O. No.: Batch 2

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**  
**ATTN: JOAN MARIACHER**  
**C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED**  
**1016 - 510 W HASTINGS STREET**  
**VANCOUVER BC V6B 1L8**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - A  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 3-AUG-2012  
Account: ROCKHA

Project: Klaza-74 A/B

**CERTIFICATE OF ANALYSIS WH12158890**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M895237		3.70	<0.005	0.41	6.49	24.3	640	1.73	1.18	2.03	0.18	51.1	10.5	28	11.45	3.7
M895238		4.96	0.013	2.40	7.32	44.4	920	1.77	1.91	0.90	21.2	39.3	11.5	13	12.85	20.7
M895239		2.81	0.021	0.98	7.49	59.7	1060	1.65	1.86	0.81	1.41	72.8	8.5	16	9.74	14.8
M895240		1.52	<0.005	0.03	0.07	7	20	0.07	0.05	20.6	0.08	1.34	1.4	3	0.15	13.3
M895241		5.72	0.193	4.10	6.56	422	730	1.32	5.86	0.69	6.59	61.4	13.9	12	9.53	24.8
M895242		3.50	0.053	1.25	6.10	221	460	1.31	1.18	0.59	2.71	30.4	6.9	8	30.6	12.6
M895243		4.02	0.027	0.87	6.95	140.0	700	1.38	0.62	1.02	2.33	40.1	6.7	11	33.3	11.6
M895244		4.23	<0.005	0.30	8.01	34.0	1620	1.95	0.29	0.23	1.05	44.0	8.2	11	21.4	20.6
M895245		2.58	0.012	1.43	7.41	166.0	1470	1.84	0.40	0.22	2.75	41.6	10.7	9	20.9	8.9
M895246		1.91	<0.005	0.01	0.09	<5	20	0.08	0.02	20.3	0.08	1.40	1.5	2	0.87	1.8
M895247		5.71	0.014	0.39	7.17	59.9	1270	1.53	0.35	0.20	1.21	49.8	6.2	8	19.05	11.0
M895248		4.33	0.022	0.69	8.07	82.6	2130	1.81	0.99	0.30	1.66	51.2	9.5	10	25.3	39.0
M895249		9.68	<0.005	0.29	8.37	24.3	2400	1.79	0.16	1.59	0.89	57.7	9.6	13	15.55	13.5
M895250		5.62	<0.005	0.16	8.10	6.3	2280	1.53	0.13	2.05	0.35	57.4	9.4	10	11.25	13.6
M895251		7.67	<0.005	0.27	8.15	19.9	2100	1.42	0.49	0.60	0.78	53.5	8.1	13	17.70	8.6
M895252		6.00	<0.005	0.38	7.89	33.8	2060	1.47	0.22	0.57	0.91	49.9	7.1	9	17.85	9.1
M895253		5.89	<0.005	1.25	8.08	14.3	2380	1.33	0.22	0.50	0.46	55.1	6.8	9	11.10	13.2
M895254		5.63	<0.005	0.28	8.02	13.3	1980	1.43	0.19	1.26	0.38	43.6	6.4	8	11.75	14.7
M895255		7.09	<0.005	0.23	7.94	18.7	1820	1.65	0.39	1.15	0.54	54.3	7.0	8	15.80	11.2
M895256		7.16	0.017	0.37	7.48	49.4	1620	1.50	0.99	1.78	0.53	49.3	7.0	8	17.85	15.3
M895257		5.20	0.287	3.69	6.05	382	580	1.25	3.80	0.36	30.5	30.0	11.5	7	17.20	14.8
M895258		4.00	<0.005	0.12	7.95	9.8	1980	1.19	0.16	1.25	0.20	41.4	5.8	10	12.45	17.5
M895259		1.67	<0.005	0.10	8.27	12.3	1920	1.25	0.18	1.37	0.22	39.3	6.1	10	12.55	11.8
M895260		5.38	<0.005	0.18	7.24	24.0	1950	1.34	0.53	2.35	0.16	40.4	7.3	11	13.45	9.7
M895261		10.70	<0.005	0.14	7.55	13.0	2080	1.51	0.17	2.70	0.17	43.0	7.9	13	9.31	13.8
M895262		0.29	2.21	25.0	5.95	3260	1470	1.45	18.90	2.19	74.5	43.0	11.3	17	14.40	441
M895263		5.33	0.009	1.13	7.11	99.3	1810	1.68	1.20	1.72	0.26	37.0	11.3	9	21.1	120.0
M895264		12.50	<0.005	0.12	7.73	4.2	2100	1.59	0.18	2.85	0.09	47.1	7.9	14	8.93	23.4
M895265		<0.02	<0.005	0.11	7.89	3.5	2120	1.42	0.16	2.83	0.09	49.6	7.6	13	8.83	21.0
M895266		4.47	<0.005	0.64	7.71	6.2	1930	1.46	0.22	2.76	0.16	44.3	7.9	12	12.90	183.5
M895267		5.09	0.048	0.81	6.92	198.0	970	1.38	0.96	1.66	0.91	58.6	10.7	11	18.45	15.4
M895268		4.98	<0.005	0.14	7.25	4.7	2120	1.54	0.17	2.63	0.10	41.3	7.3	8	10.95	28.4
M895269		8.40	<0.005	0.32	7.07	13.5	1830	1.32	0.52	2.88	0.12	40.6	7.5	9	16.45	15.3
M895270		12.34	<0.005	0.13	6.97	5.7	1990	1.45	0.20	2.77	0.15	38.0	8.0	12	11.50	19.4
M895271		0.29	2.23	24.2	5.98	3410	1010	1.39	18.50	2.21	73.9	41.7	10.8	17	14.25	432
M895272		5.39	<0.005	0.06	7.43	3.4	2210	1.42	0.10	2.80	0.06	50.5	6.7	10	10.95	10.2



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - B  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 3-AUG-2012  
Account: ROCKHA

Project: Klaza-74 A/B

**CERTIFICATE OF ANALYSIS WH12158890**

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M895237		3.30	15.55	0.18	1.1	0.044	2.91	25.7	32.9	0.67	1360	1.02	0.04	8.9	4.2	580
M895238		4.10	16.50	0.18	1.2	0.231	3.24	20.3	21.9	0.62	2360	0.82	0.06	8.5	3.6	580
M895239		4.94	17.75	0.23	1.2	0.155	3.30	37.5	7.9	0.62	2120	0.29	0.24	7.8	3.1	580
M895240		0.48	0.32	0.10	<0.1	<0.005	0.03	0.7	1.0	12.85	210	0.11	<0.01	0.2	1.1	180
M895241		4.74	18.40	0.20	1.1	0.359	2.98	31.3	7.0	0.38	1940	1.03	0.09	7.0	3.6	520
M895242		6.23	15.95	0.17	0.9	0.183	2.44	15.7	17.9	0.65	3650	1.10	0.04	6.1	3.0	440
M895243		4.98	17.55	0.19	1.0	0.199	3.00	21.3	13.2	0.64	4460	0.49	0.05	7.4	2.9	520
M895244		3.21	18.70	0.19	1.3	0.052	3.38	24.7	27.5	0.22	1440	6.61	0.06	9.5	2.9	700
M895245		3.45	17.45	0.21	1.1	0.078	3.23	25.5	16.0	0.27	4790	8.31	0.03	8.3	3.4	600
M895246		0.49	0.42	0.10	<0.1	<0.005	0.05	0.7	1.6	12.65	214	0.14	0.01	0.4	1.6	180
M895247		2.77	16.70	0.16	1.8	0.064	2.66	29.9	53.8	0.17	1260	5.80	0.05	9.1	2.2	530
M895248		4.24	19.20	0.20	1.4	0.144	2.81	32.0	35.1	0.19	2180	10.40	0.05	9.5	2.9	750
M895249		3.59	18.80	0.19	1.4	0.059	2.96	28.7	18.6	0.57	1300	3.13	1.78	9.4	4.4	740
M895250		3.38	17.60	0.16	1.2	0.040	2.67	28.9	21.7	0.74	775	1.45	2.19	8.6	3.1	750
M895251		3.41	17.85	0.18	1.1	0.061	2.81	30.9	38.0	0.31	1020	5.99	0.48	8.5	2.2	690
M895252		3.28	16.95	0.18	1.1	0.048	3.10	30.0	26.2	0.27	1280	5.60	0.73	8.3	2.0	620
M895253		2.89	18.55	<0.05	1.2	0.036	2.93	21.6	26.5	0.33	694	2.85	0.87	8.3	2.7	660
M895254		2.82	17.80	0.07	1.1	0.040	3.00	19.8	11.8	0.39	752	2.35	1.73	7.9	2.7	600
M895255		2.85	18.75	0.11	1.1	0.046	3.06	27.7	21.4	0.38	1320	2.64	1.30	8.0	2.9	610
M895256		3.13	17.15	0.12	1.1	0.086	3.28	23.4	19.8	0.42	2020	2.06	0.53	7.9	3.2	620
M895257		6.11	13.85	0.10	0.8	0.280	2.75	13.9	17.0	0.21	3180	4.86	0.04	5.8	3.2	470
M895258		2.68	20.0	0.09	1.1	0.042	2.78	19.4	32.7	0.33	752	1.19	0.12	8.6	2.4	690
M895259		2.80	20.8	0.10	1.1	0.039	2.70	18.2	37.8	0.35	768	1.25	0.12	8.8	2.6	720
M895260		3.29	17.80	0.12	1.1	0.054	3.21	18.3	19.2	0.49	864	1.85	0.97	8.2	2.8	620
M895261		2.99	18.10	0.12	1.2	0.034	2.71	20.0	10.9	0.76	674	1.34	2.25	8.3	3.1	600
M895262		6.70	14.30	0.18	0.9	1.805	2.59	23.2	30.0	0.92	1890	13.30	0.05	6.1	16.8	440
M895263		3.35	16.85	0.12	1.2	0.051	2.95	17.1	25.9	0.58	945	1.92	0.78	7.8	3.2	590
M895264		3.05	19.15	0.13	1.3	0.034	2.71	21.9	13.5	0.81	660	1.88	2.32	8.6	2.9	620
M895265		3.01	18.60	0.13	1.2	0.033	2.71	23.6	12.9	0.83	649	1.73	2.30	8.6	2.8	630
M895266		2.98	18.80	0.15	1.0	0.051	2.72	21.2	13.1	0.77	629	0.61	2.21	8.0	2.9	600
M895267		4.33	16.65	0.14	0.9	0.105	2.88	27.9	19.9	0.56	2900	1.63	0.23	7.1	3.0	560
M895268		3.28	17.70	0.12	1.1	0.043	2.87	18.2	10.4	0.69	806	1.66	1.73	8.2	2.7	600
M895269		3.07	18.10	0.13	1.2	0.052	3.16	18.2	18.2	0.53	977	1.51	0.34	8.5	2.7	640
M895270		3.02	17.35	0.13	1.1	0.036	2.62	17.0	9.0	0.74	753	1.51	2.01	8.1	3.3	590
M895271		6.88	14.25	0.19	0.9	1.760	2.58	22.1	30.1	0.93	1900	12.95	0.05	6.2	16.5	440
M895272		3.06	15.40	0.12	1.1	0.032	2.73	22.7	9.4	0.78	698	1.13	2.11	7.3	2.7	590



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Page: 2 - C  
Total # Pages: 2 (A - D)  
Plus Appendix Pages  
Finalized Date: 3-AUG-2012  
Account: ROCKHA

Project: Klaza-74 A/B

**CERTIFICATE OF ANALYSIS WH12158890**

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M895237		15.3	126.0	<0.002	0.22	5.39	12.5	1	1.9	67.3	0.73	<0.05	14.8	0.261	1.73	4.4
M895238		764	180.5	<0.002	0.69	9.00	13.7	1	2.7	51.0	0.73	<0.05	17.9	0.258	2.22	7.4
M895239		150.5	190.5	<0.002	0.81	7.23	13.7	1	4.3	61.2	0.61	<0.05	15.9	0.241	2.18	5.8
M895240		2.4	1.4	<0.002	0.02	0.07	0.4	1	<0.2	41.8	<0.05	<0.05	<0.2	<0.005	<0.02	0.8
M895241		560	173.0	<0.002	3.57	15.85	10.7	1	5.9	55.1	0.56	0.14	13.2	0.226	2.21	7.5
M895242		117.0	146.0	<0.002	1.80	15.40	9.9	1	3.9	98.0	0.46	<0.05	12.0	0.205	1.83	9.8
M895243		82.5	189.5	<0.002	1.23	10.95	11.4	1	3.3	97.1	0.58	<0.05	14.4	0.240	2.15	10.1
M895244		27.9	194.5	<0.002	0.01	17.00	15.1	1	2.0	51.9	0.76	<0.05	14.5	0.297	2.55	4.6
M895245		63.4	207	<0.002	0.01	18.20	13.9	1	1.6	45.3	0.65	<0.05	13.6	0.267	2.53	5.7
M895246		1.3	3.9	<0.002	0.01	<0.05	0.4	1	<0.2	41.4	<0.05	<0.05	0.2	<0.005	0.02	0.6
M895247		34.6	154.5	<0.002	0.01	23.7	10.4	1	1.8	63.8	1.01	<0.05	24.4	0.221	2.16	6.5
M895248		36.3	166.5	<0.002	0.02	32.6	14.3	1	2.5	47.1	0.81	<0.05	17.1	0.298	2.38	7.1
M895249		31.2	149.5	<0.002	0.01	6.19	15.5	1	2.0	304	0.73	<0.05	16.5	0.297	1.66	3.5
M895250		15.6	114.0	<0.002	<0.01	2.11	13.8	1	1.7	388	0.65	<0.05	16.0	0.267	1.12	2.4
M895251		15.8	161.5	<0.002	0.01	11.20	12.7	1	1.7	121.0	0.63	<0.05	16.7	0.256	1.81	4.1
M895252		26.9	165.5	<0.002	0.01	13.55	11.7	1	1.6	137.0	0.65	<0.05	17.4	0.242	1.85	4.2
M895253		22.8	137.5	<0.002	0.01	8.77	11.4	1	1.8	151.5	0.73	<0.05	13.9	0.278	1.29	2.7
M895254		19.3	141.0	<0.002	<0.01	4.61	10.5	1	1.9	278	0.76	<0.05	15.4	0.243	1.42	2.8
M895255		19.8	155.5	<0.002	0.04	6.08	12.2	1	1.9	232	0.71	<0.05	15.8	0.255	1.82	3.4
M895256		25.8	164.0	<0.002	0.19	11.05	11.9	1	2.8	129.5	0.70	<0.05	13.4	0.263	2.35	3.6
M895257		554	162.0	<0.002	3.93	32.2	9.1	1	2.3	59.6	0.47	<0.05	9.8	0.201	2.38	6.0
M895258		16.3	122.5	<0.002	0.03	12.75	13.4	1	3.2	97.1	0.66	<0.05	11.7	0.297	1.20	2.9
M895259		17.9	110.5	<0.002	0.03	13.35	14.5	1	1.9	99.6	0.68	<0.05	12.1	0.313	1.26	3.9
M895260		16.4	136.5	<0.002	0.06	6.23	11.9	1	1.8	174.5	0.68	<0.05	10.0	0.274	1.68	5.8
M895261		18.5	112.5	<0.002	0.03	1.52	12.1	1	1.7	377	0.73	<0.05	11.9	0.260	1.06	3.9
M895262		2820	172.0	0.002	4.92	93.7	8.9	2	8.3	96.4	0.48	0.56	12.4	0.181	2.33	5.4
M895263		24.0	144.0	<0.002	0.23	23.1	11.6	1	1.8	100.5	0.72	0.08	11.5	0.251	2.09	8.6
M895264		16.6	108.5	<0.002	0.01	1.16	12.7	1	1.8	416	0.78	<0.05	12.5	0.269	1.10	3.7
M895265		16.4	116.5	<0.002	0.01	1.10	12.7	1	1.8	415	0.76	<0.05	12.3	0.268	1.06	3.7
M895266		15.2	115.5	<0.002	0.03	2.12	12.7	1	2.1	401	0.67	<0.05	11.7	0.259	1.07	2.8
M895267		77.3	157.5	<0.002	1.57	17.20	11.3	1	2.5	107.0	0.59	<0.05	11.9	0.238	2.01	9.8
M895268		15.5	116.0	0.002	0.04	4.01	11.8	1	1.9	319	0.72	<0.05	11.1	0.263	1.30	4.2
M895269		16.4	137.0	<0.002	0.08	11.65	11.5	1	2.2	147.5	0.74	0.05	10.4	0.276	1.88	5.7
M895270		14.2	101.5	<0.002	0.02	2.94	11.5	1	1.8	354	0.70	<0.05	9.6	0.262	1.23	3.6
M895271		2850	173.5	0.002	4.90	91.7	8.8	2	8.1	94.3	0.47	0.42	11.9	0.182	2.32	5.3
M895272		17.3	96.1	<0.002	0.02	1.87	9.8	1	1.6	380	0.66	<0.05	13.4	0.258	1.19	2.7



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
 C/O ARCHER, CATHRO & ASSOCIATES (1981)  
 LIMITED  
 1016 - 510 W HASTINGS STREET  
 VANCOUVER BC V6B 1L8

Page: 2 - D  
 Total # Pages: 2 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 3-AUG-2012  
 Account: ROCKHA

Project: Klaza-74 A/B

**CERTIFICATE OF ANALYSIS WH12158890**

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M895237		73	1.7	12.4	77	26.6
M895238		73	3.2	11.7	2180	27.4
M895239		74	3.5	9.4	249	30.7
M895240		1	0.1	0.8	17	<0.5
M895241		75	4.9	6.7	673	26.0
M895242		65	5.1	6.1	382	22.0
M895243		75	9.7	9.6	339	23.2
M895244		91	3.4	14.9	82	29.0
M895245		79	3.2	16.0	237	26.3
M895246		1	0.1	0.9	13	<0.5
M895247		69	4.0	15.6	114	40.3
M895248		93	7.3	19.5	146	32.2
M895249		91	2.5	19.6	116	33.0
M895250		88	2.0	20.1	70	31.7
M895251		83	4.2	18.6	89	29.7
M895252		77	2.8	17.7	106	28.0
M895253		76	9.2	13.4	88	28.8
M895254		68	2.2	14.6	71	27.7
M895255		72	3.0	17.2	87	26.6
M895256		75	3.1	14.5	116	26.4
M895257		60	3.8	10.6	1970	19.7
M895258		80	6.1	14.1	64	28.7
M895259		86	6.5	14.0	70	28.4
M895260		78	4.0	15.3	58	26.6
M895261		74	1.3	16.6	56	29.9
M895262		56	4.8	10.8	5330	26.9
M895263		73	2.2	14.1	75	28.7
M895264		76	1.2	17.0	51	30.0
M895265		76	1.2	18.4	50	28.2
M895266		75	1.3	16.5	57	25.2
M895267		71	4.1	13.5	124	22.2
M895268		75	1.8	15.4	54	26.7
M895269		80	3.2	15.1	60	28.5
M895270		75	1.2	14.0	52	27.5
M895271		56	4.7	10.6	5360	25.7
M895272		73	1.0	13.9	50	24.4



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.  
C/O ARCHER, CATHRO & ASSOCIATES (1981)  
LIMITED  
1016 - 510 W HASTINGS STREET  
VANCOUVER BC V6B 1L8

Project: Klaza-74 A/B

Page: Appendix 1  
Total # Appendix Pages: 1  
Finalized Date: 3-AUG-2012  
Account: ROCKHA

**CERTIFICATE OF ANALYSIS WH12158890**

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.