



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 28-JUL-2012
Account: ROCKHA

CERTIFICATE WH12158891

Project: Klaza-74B

P.O. No.: Batch 3

This report is for 35 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-JUL-2012
Account: ROCKHA

Project: Klaza-74B

CERTIFICATE OF ANALYSIS WH12158891

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M895273		5.47	<0.005	0.11	7.20	4.1	2010	1.36	0.12	2.68	0.07	40.3	7.3	11	15.10	11.9
M895274		13.19	0.005	0.22	7.62	5.6	2140	1.52	0.13	3.15	0.08	56.0	10.3	15	11.75	13.9
M895275		0.26	2.28	26.0	6.04	3520	1230	1.32	19.35	2.22	78.9	47.4	9.8	19	14.55	431
M895276		9.23	0.005	0.39	6.77	135.5	1890	1.25	0.19	2.74	0.12	40.1	6.9	10	14.80	11.3
M895277		8.51	<0.005	0.11	6.69	22.9	1670	1.33	0.09	2.53	0.11	43.5	6.5	9	16.15	13.4
M895278		4.17	<0.005	0.07	6.96	5.2	1440	1.05	0.12	2.36	0.08	42.4	5.6	9	12.35	7.1
M895279		3.47	<0.005	0.05	7.21	7.0	1810	1.14	0.10	2.39	0.16	46.2	6.2	11	13.20	8.1
M895280		4.87	0.029	0.54	6.72	125.5	1420	1.34	0.45	1.72	0.85	49.4	7.0	11	26.1	11.8
M895281		1.87	<0.005	0.01	0.15	<5	30	0.08	0.02	20.7	0.07	1.31	0.8	3	0.59	2.4
M895282		3.86	<0.005	0.26	7.29	30.6	1100	1.31	0.14	2.03	0.26	48.5	6.2	10	18.65	40.7
M895283		5.68	<0.005	0.15	7.36	5.8	1960	1.46	0.14	2.97	0.11	46.2	7.7	11	19.50	19.9
M895284		4.03	<0.005	0.15	7.18	4.2	1980	1.41	0.17	2.80	0.09	39.7	7.7	11	18.60	22.1
M895285		3.49	<0.005	0.14	6.68	6.6	1680	1.43	0.13	3.35	0.09	40.6	7.2	15	18.50	18.0
M895286		7.30	<0.005	0.54	7.45	21.2	940	1.29	0.69	1.96	1.21	47.2	6.4	9	20.2	6.7
M895287		4.28	0.022	0.77	6.52	83.9	650	1.44	0.80	1.57	7.57	48.3	7.4	7	30.5	19.7
M895288		1.15	<0.005	0.01	0.08	<5	20	0.06	0.03	21.1	0.07	1.04	0.6	1	0.23	4.7
M895289		6.37	0.015	0.18	6.79	102.0	770	1.09	0.65	0.85	0.23	60.5	8.2	9	12.55	12.3
M895290		5.86	0.010	0.16	6.90	79.0	820	1.07	0.62	1.13	0.15	44.4	6.9	9	11.80	6.8
M895291		5.15	<0.005	0.11	7.54	14.1	680	1.41	0.29	1.90	0.15	51.3	5.0	8	12.60	1.6
M895292		7.54	<0.005	0.22	7.76	29.7	1100	1.57	1.19	3.48	0.18	51.9	7.7	8	12.10	4.7
M895293		4.53	<0.005	0.09	7.54	12.8	920	1.29	0.25	2.27	0.17	48.9	5.5	9	14.10	4.6
M895294		3.86	<0.005	0.10	7.47	8.1	630	1.34	0.21	1.72	0.16	49.8	4.8	8	14.10	4.1
M895295		6.38	<0.005	0.18	7.70	12.8	620	1.42	0.34	1.53	0.12	53.7	5.7	8	12.15	9.6
M895296		9.03	<0.005	0.29	7.26	13.8	750	1.39	1.54	2.46	0.13	50.2	7.0	9	12.35	7.3
M895297		4.89	<0.005	0.29	7.08	10.0	1250	1.41	2.79	2.76	0.11	47.5	6.7	8	12.60	4.5
M895298		5.67	<0.005	0.60	7.29	4.4	1780	1.39	2.98	3.36	0.11	50.1	7.4	8	11.30	3.5
M895299		7.62	<0.005	0.10	6.92	4.2	2510	1.21	0.82	3.14	0.10	41.7	6.6	8	9.54	1.8
M895300		6.63	<0.005	0.07	6.97	4.0	1350	1.38	1.07	3.04	0.08	41.6	7.2	9	11.60	3.1
M895301		6.51	0.006	0.34	6.83	21.3	1470	1.32	1.24	3.94	0.11	41.2	8.2	7	10.65	2.5
M895302		0.26	2.31	26.7	6.12	3620	1050	1.29	19.15	2.24	80.7	49.2	9.8	19	14.90	440
M895303		5.42	<0.005	0.13	6.80	7.4	1350	1.57	2.31	3.28	0.17	37.9	7.1	8	13.35	6.8
M895304		6.74	<0.005	0.08	6.91	4.9	1430	1.43	1.16	2.88	0.08	38.4	7.2	11	10.45	7.8
M895305		<0.02	<0.005	0.07	6.81	4.6	1280	1.41	1.09	2.80	0.09	37.6	7.4	9	10.50	7.7
M895306		3.96	<0.005	0.14	6.85	4.0	1950	1.30	2.11	3.03	0.09	36.7	8.5	9	9.52	6.7
M895307		6.82	<0.005	0.20	6.83	22.3	1450	1.33	1.19	3.06	0.09	43.8	7.4	8	12.65	1.7



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-JUL-2012
Account: ROCKHA

Project: Klaza-74B

CERTIFICATE OF ANALYSIS WH12158891

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M895273		3.21	15.40	0.12	1.1	0.033	2.70	18.3	14.2	0.81	738	1.22	1.48	7.4	3.1	630
M895274		4.36	16.90	0.15	1.3	0.045	2.76	24.9	9.6	1.21	1140	1.46	1.91	9.5	3.9	850
M895275		6.78	13.95	0.14	1.0	1.710	2.59	25.6	23.1	0.90	1880	13.00	0.03	5.6	14.9	450
M895276		3.04	14.75	0.12	1.1	0.041	2.72	19.1	21.8	0.75	848	0.98	0.80	7.2	2.5	620
M895277		2.84	14.70	0.13	1.1	0.039	2.80	20.9	23.5	0.65	1130	0.85	1.03	7.1	2.4	570
M895278		2.68	14.35	0.13	1.2	0.033	2.55	19.7	63.8	0.66	777	0.59	0.18	7.1	2.1	580
M895279		2.94	14.25	0.15	1.3	0.032	2.50	22.2	49.5	0.66	900	0.60	0.30	7.2	2.3	590
M895280		3.83	13.25	0.14	1.1	0.111	2.90	26.8	12.5	0.65	3040	3.45	0.34	6.2	2.3	480
M895281		0.49	0.37	0.08	<0.1	0.005	0.07	0.6	2.1	12.45	220	0.19	0.01	0.2	2.2	180
M895282		3.44	15.80	0.14	0.9	0.124	2.91	22.8	36.0	0.62	1820	1.92	0.21	7.1	2.6	630
M895283		3.28	16.70	0.15	1.0	0.033	2.79	21.7	14.5	0.76	821	1.45	1.54	7.4	3.1	650
M895284		3.22	15.95	0.14	1.1	0.037	2.70	17.6	12.8	0.64	746	1.07	1.67	7.2	3.0	640
M895285		3.15	15.70	0.12	1.0	0.042	2.61	17.3	17.6	0.68	1120	1.13	1.43	7.3	3.8	620
M895286		3.32	15.75	0.13	1.1	0.069	3.21	24.7	19.5	0.65	2360	0.85	0.06	7.1	2.1	630
M895287		4.87	14.80	0.15	0.9	0.200	2.41	25.2	25.6	0.68	3030	1.04	0.05	6.0	2.7	500
M895288		0.51	0.23	0.08	<0.1	0.005	0.03	0.5	1.1	12.80	222	0.09	0.01	0.1	1.6	160
M895289		6.87	16.10	0.16	0.9	0.154	3.03	30.7	7.7	0.79	2920	0.43	0.06	6.3	2.5	540
M895290		6.54	15.50	0.14	0.8	0.165	3.17	23.7	5.9	0.77	3110	0.39	0.04	6.1	2.5	560
M895291		3.75	15.40	0.15	1.0	0.085	3.43	27.0	21.5	0.79	2340	0.19	0.03	7.0	2.6	620
M895292		4.49	18.35	0.15	1.1	0.104	3.25	25.1	41.8	1.31	2830	0.18	0.03	7.9	2.8	680
M895293		3.81	15.15	0.15	1.1	0.087	3.37	25.1	12.8	0.94	2090	0.25	0.03	6.9	2.4	620
M895294		3.17	16.35	0.14	1.1	0.067	2.85	25.4	25.2	0.72	1540	0.28	0.03	7.9	2.4	640
M895295		3.78	15.70	0.15	1.0	0.091	2.98	29.1	26.5	0.79	1800	0.23	0.03	7.1	2.5	640
M895296		3.46	15.90	0.14	1.0	0.067	2.77	26.1	26.0	0.90	1730	0.26	0.04	7.0	2.4	610
M895297		3.23	16.40	0.15	1.0	0.065	2.82	23.1	30.0	0.92	1720	0.15	0.03	7.1	2.3	620
M895298		3.25	15.20	0.14	1.1	0.040	2.80	25.4	23.0	1.10	1520	0.15	0.03	7.4	2.5	650
M895299		3.14	14.50	0.14	1.0	0.037	2.42	20.4	23.3	0.96	1260	0.17	0.37	6.9	2.6	610
M895300		3.11	14.30	0.12	1.1	0.042	2.22	20.6	14.8	0.70	987	0.21	1.44	7.0	2.6	620
M895301		3.37	15.30	0.15	1.0	0.067	2.32	19.8	25.5	1.15	1820	0.22	0.68	6.6	2.7	600
M895302		6.85	14.25	0.16	1.0	1.780	2.65	25.7	23.9	0.91	1920	13.45	0.03	5.8	15.3	460
M895303		3.30	17.35	0.12	1.0	0.053	2.01	15.4	25.6	0.64	1180	0.24	1.54	7.6	2.8	640
M895304		3.20	14.80	0.13	1.1	0.049	1.79	16.2	15.2	0.57	1060	0.21	2.25	7.2	2.6	620
M895305		3.20	14.95	0.12	1.1	0.049	1.80	15.3	15.6	0.57	1040	0.20	2.20	7.5	2.6	630
M895306		3.12	14.85	0.11	0.9	0.063	1.77	15.5	16.4	0.64	1280	0.17	2.07	7.2	2.7	620
M895307		3.12	14.60	0.13	1.0	0.048	1.89	19.2	25.1	0.81	1620	0.17	1.04	7.1	2.5	620



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-JUL-2012
Account: ROCKHA

Project: Klaza-74B

CERTIFICATE OF ANALYSIS WH12158891

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M895273		15.6	88.8	<0.002	0.02	3.95	10.3	1	1.7	299	0.64	<0.05	11.7	0.276	1.22	3.1
M895274		16.8	96.0	0.002	0.02	2.29	16.2	1	2.4	348	0.71	0.08	14.5	0.376	1.27	3.2
M895275		2760	162.0	0.003	4.97	90.8	8.0	1	8.1	91.4	0.47	0.37	10.4	0.179	2.50	4.9
M895276		16.8	91.8	<0.002	0.10	6.09	9.9	1	1.8	201	0.63	0.05	10.8	0.267	1.61	3.6
M895277		15.8	96.7	<0.002	0.04	5.97	9.2	<1	2.0	228	0.63	<0.05	11.3	0.255	1.44	3.4
M895278		14.8	75.4	<0.002	0.01	9.13	9.0	1	1.7	138.0	0.68	<0.05	12.7	0.254	1.15	2.1
M895279		14.0	86.1	<0.002	0.05	10.10	9.5	<1	1.7	151.0	0.73	<0.05	13.9	0.251	1.23	3.3
M895280		83.7	173.0	<0.002	1.36	10.95	8.7	<1	4.6	85.8	0.60	<0.05	14.4	0.213	2.65	10.8
M895281		1.0	3.6	<0.002	0.02	0.11	0.4	<1	0.2	43.4	<0.05	<0.05	0.2	0.006	0.03	0.6
M895282		17.6	136.5	<0.002	0.16	15.00	11.0	<1	2.9	122.5	0.58	<0.05	11.0	0.272	2.46	4.3
M895283		17.0	112.0	<0.002	0.05	5.10	11.5	1	2.2	340	0.59	<0.05	10.7	0.280	1.59	3.1
M895284		17.2	94.1	0.002	0.05	4.74	10.5	1	1.9	358	0.61	<0.05	9.7	0.280	1.39	2.8
M895285		16.9	98.3	<0.002	0.05	6.24	11.6	1	2.1	312	0.59	<0.05	8.7	0.281	1.45	3.2
M895286		99.6	158.5	<0.002	0.39	9.36	10.8	1	2.4	78.3	0.59	<0.05	12.5	0.269	2.34	3.2
M895287		149.0	154.0	<0.002	1.15	11.10	10.0	<1	5.8	142.0	0.48	<0.05	11.0	0.225	1.96	5.3
M895288		1.0	1.3	<0.002	0.03	0.10	0.2	<1	0.3	40.6	<0.05	<0.05	<0.2	<0.005	<0.02	0.5
M895289		9.8	175.0	<0.002	1.63	7.01	10.0	<1	5.5	41.5	0.54	<0.05	12.5	0.241	2.31	3.0
M895290		8.2	185.5	<0.002	1.65	6.04	10.4	<1	4.2	42.9	0.50	<0.05	11.1	0.237	2.60	2.3
M895291		9.1	196.5	<0.002	0.10	6.84	11.1	<1	1.9	70.5	0.58	<0.05	12.8	0.265	3.06	3.3
M895292		16.2	134.5	<0.002	0.29	7.15	12.1	1	3.0	101.5	0.66	<0.05	12.3	0.288	3.08	3.7
M895293		9.4	207	<0.002	0.10	6.76	11.7	1	2.6	70.1	0.58	<0.05	14.1	0.265	2.92	3.8
M895294		7.9	150.0	<0.002	0.09	8.33	11.6	1	2.4	77.0	0.65	<0.05	13.2	0.273	2.35	3.0
M895295		11.6	174.0	<0.002	0.19	8.01	11.4	<1	2.6	109.0	0.60	<0.05	14.5	0.266	2.67	4.4
M895296		10.4	146.5	0.002	0.14	7.88	11.1	1	3.0	98.1	0.58	<0.05	12.7	0.255	2.44	2.5
M895297		12.4	119.0	<0.002	0.07	6.26	10.2	<1	2.8	119.0	0.59	<0.05	10.5	0.262	2.18	1.4
M895298		15.6	129.5	0.002	0.07	4.70	11.3	<1	2.4	114.0	0.61	<0.05	12.0	0.278	2.16	1.7
M895299		15.2	84.0	<0.002	0.07	4.59	10.0	<1	1.8	149.0	0.59	<0.05	10.5	0.271	1.65	2.1
M895300		16.1	91.7	<0.002	0.03	3.94	10.1	<1	1.9	222	0.64	<0.05	10.9	0.264	1.69	2.5
M895301		15.3	94.4	<0.002	0.29	5.21	9.4	<1	2.0	138.0	0.57	0.05	9.6	0.262	2.59	3.6
M895302		2760	165.5	0.003	5.01	94.0	8.4	<1	8.5	94.4	0.46	0.52	10.6	0.183	2.67	5.1
M895303		20.3	73.2	<0.002	0.03	8.49	9.8	<1	2.0	244	0.65	<0.05	8.7	0.279	1.55	1.9
M895304		17.2	66.1	<0.002	0.03	4.93	10.3	1	1.9	268	0.61	<0.05	9.0	0.278	1.13	1.7
M895305		17.3	63.3	<0.002	0.02	4.90	10.2	<1	1.9	258	0.63	<0.05	8.9	0.285	1.16	1.8
M895306		18.2	62.3	<0.002	0.04	4.56	10.1	<1	2.0	277	0.59	<0.05	9.1	0.275	1.13	1.6
M895307		17.7	75.6	<0.002	0.11	5.62	10.4	<1	2.0	217	0.55	<0.05	9.8	0.272	1.52	2.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-JUL-2012
 Account: ROCKHA

Project: Klaza-74B

CERTIFICATE OF ANALYSIS WH12158891

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M895273		76	1.5	13.5	55	24.4
M895274		112	1.3	21.4	75	28.2
M895275		56	5.3	9.8	5430	25.1
M895276		77	3.8	12.2	60	22.3
M895277		72	1.7	12.4	55	23.8
M895278		69	2.7	12.8	54	24.1
M895279		70	3.6	14.7	67	23.8
M895280		59	4.5	11.1	117	21.8
M895281		3	0.1	0.9	15	<0.5
M895282		77	4.5	13.2	71	21.2
M895283		80	1.2	14.0	60	21.6
M895284		80	1.6	12.7	57	21.7
M895285		83	1.0	13.8	61	21.1
M895286		81	2.7	12.2	198	23.1
M895287		66	6.7	9.6	845	21.3
M895288		2	0.1	0.7	17	<0.5
M895289		69	6.9	7.6	161	19.7
M895290		75	5.6	8.7	131	20.2
M895291		75	3.8	14.1	112	24.3
M895292		86	4.6	18.1	156	25.3
M895293		76	4.0	14.3	81	23.3
M895294		76	2.7	12.8	81	23.9
M895295		75	3.6	12.5	86	22.6
M895296		73	3.2	13.8	112	23.1
M895297		79	2.3	12.3	173	22.6
M895298		78	1.9	13.2	128	24.6
M895299		75	1.6	10.9	113	23.1
M895300		75	1.4	10.6	97	24.4
M895301		82	2.7	11.3	138	21.5
M895302		57	5.4	10.2	5540	25.6
M895303		88	2.0	10.2	138	23.3
M895304		78	1.9	10.0	142	23.5
M895305		79	1.9	10.0	137	24.1
M895306		74	2.0	10.7	210	22.7
M895307		74	2.3	11.6	180	24.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-74B

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12158891

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.