



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 24-JUL-2012
Account: ROCKHA

CERTIFICATE WH12158892

Project: Klaza-75

P.O. No.: Batch 3

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2012
Account: ROCKHA

Project: Klaza-75

CERTIFICATE OF ANALYSIS WH12158892

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
N828827		1.82	<0.005	0.16	6.29	7.1	3880	1.83	0.09	1.77	0.06	32.2	2.4	10	23.8	4.8
N828828		4.07	<0.005	0.09	6.72	9.2	2440	1.36	0.66	2.43	0.10	38.5	5.3	11	29.2	7.0
N828829		6.15	<0.005	0.06	6.70	6.4	980	1.91	0.12	1.48	0.08	40.3	2.3	9	20.3	4.0
N828830		3.88	<0.005	0.12	5.82	10.6	5390	2.07	0.65	2.10	0.09	36.5	2.0	6	23.3	8.2
N828831		4.94	<0.005	0.18	6.79	10.4	530	1.93	0.21	2.97	0.09	46.0	5.0	14	28.6	9.4
N828832		6.03	<0.005	0.05	6.59	8.1	1450	1.95	0.08	3.04	0.06	43.2	5.4	20	23.0	4.9
N828833		5.20	<0.005	0.05	7.15	5.7	1610	1.68	0.05	2.27	0.10	49.4	5.4	20	25.1	6.9
N828834		<0.02	<0.005	0.14	7.00	6.9	1620	1.90	0.06	2.24	0.11	51.0	5.4	19	25.8	7.1
N828835		5.16	<0.005	0.14	6.56	8.1	870	1.69	0.05	2.86	0.07	39.6	5.3	22	26.9	6.1
N828836		4.62	<0.005	0.05	6.81	6.8	1650	1.97	0.06	2.99	0.07	40.3	5.2	18	25.9	4.8
N828837		5.78	<0.005	0.03	7.14	6.6	1090	1.69	0.11	3.12	0.05	47.7	5.6	19	27.1	5.3
N828838		0.28	0.845	9.43	6.60	1820	770	1.37	6.48	1.92	43.0	42.8	16.6	21	16.75	106.5
N828839		4.41	<0.005	0.29	7.20	11.8	350	2.07	0.29	1.99	0.14	51.6	3.5	12	32.3	4.0
N828840		5.50	<0.005	0.06	6.78	11.1	350	2.19	0.09	2.22	0.11	43.6	4.1	10	31.1	2.2
N828841		3.40	<0.005	0.03	7.06	4.9	310	1.92	0.08	2.20	0.10	43.5	3.6	15	28.7	1.5
N828842		1.56	<0.005	0.03	6.95	4.1	260	1.88	0.07	2.12	0.09	44.8	3.6	10	26.9	1.5
N828843		2.15	<0.005	0.07	6.83	7.7	220	1.70	0.06	1.61	0.20	46.9	3.5	14	24.6	2.7
N828844		3.47	<0.005	0.04	6.53	6.1	300	1.82	0.07	2.06	0.24	39.8	3.2	11	22.9	3.9
N828845		2.37	<0.005	0.03	6.65	7.7	340	1.92	0.05	1.72	0.20	47.7	3.0	14	23.6	1.9
N828846		2.32	<0.005	0.19	7.08	20.0	1060	1.28	2.60	1.23	0.26	45.6	7.7	9	23.7	12.1
N828847		1.48	<0.005	0.02	0.09	<5	20	<0.05	0.03	20.6	0.05	1.05	0.5	<1	0.32	2.2
N828848		1.83	<0.005	0.15	7.41	20.4	2310	1.56	0.89	1.75	0.18	45.3	7.3	17	26.5	16.6
N828849		4.09	<0.005	0.21	7.06	8.6	2230	1.66	0.96	2.72	0.15	37.8	6.7	13	28.4	6.1
N828850		3.76	<0.005	0.13	7.18	7.4	2090	1.63	0.96	2.75	0.12	45.0	7.3	14	23.2	5.2
N828951		1.79	0.009	0.21	7.62	18.4	2290	1.68	0.63	3.08	0.15	42.9	7.6	12	26.7	10.9
N828952		5.63	<0.005	0.23	7.23	7.1	2220	1.54	0.80	2.85	0.12	40.0	7.2	16	24.2	9.6
N828953		2.06	0.185	3.07	6.82	108.5	1510	1.75	0.96	2.01	12.35	45.7	8.3	14	29.5	43.5
N828954		2.96	<0.005	0.09	0.07	<5	20	<0.05	0.04	20.4	0.06	1.01	0.5	1	0.24	1.2
N828955		2.21	<0.005	0.07	7.20	53.8	730	1.42	0.12	2.63	0.29	59.7	10.0	43	34.2	20.4
N828956		3.42	<0.005	0.11	6.79	16.9	1500	1.92	0.12	2.36	0.21	42.1	3.7	12	31.8	3.2
N828957		4.72	<0.005	0.04	6.69	7.8	1090	1.99	0.06	2.47	0.13	48.4	3.6	12	27.4	1.4
N828958		3.10	<0.005	0.06	6.49	5.7	570	1.84	0.05	2.43	0.12	38.8	3.0	11	20.0	1.8
N828959		0.27	2.50	24.5	5.79	3360	310	1.15	20.1	2.19	76.5	41.2	10.2	18	14.00	423
N828960		3.06	<0.005	0.24	6.36	9.4	2180	1.88	0.07	1.65	0.15	44.6	2.4	10	17.90	2.8
N828961		3.59	<0.005	0.09	6.30	6.4	2070	1.77	0.12	1.71	0.12	44.1	1.8	7	17.40	3.8
N828962		3.39	<0.005	0.20	6.18	14.8	1220	1.54	0.56	1.46	0.16	39.9	3.2	8	21.4	10.8



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2012
Account: ROCKHA

Project: Klaza-75

CERTIFICATE OF ANALYSIS WH12158892

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
N828827		1.43	14.70	0.14	2.1	0.029	2.55	15.9	43.6	0.50	480	0.82	0.06	9.2	2.4	280
N828828		2.85	14.40	0.14	1.3	0.094	2.52	17.7	38.3	0.69	799	0.86	2.02	7.1	2.5	530
N828829		1.50	15.35	0.17	2.2	0.017	2.65	20.3	49.0	0.51	497	0.63	0.07	9.6	1.7	260
N828830		1.26	14.45	0.14	2.2	0.017	2.46	17.3	43.4	0.44	414	3.76	0.08	9.0	1.2	230
N828831		2.20	16.65	0.17	2.3	0.025	2.63	22.3	96.4	0.71	517	1.40	0.27	9.1	4.4	710
N828832		2.25	17.35	0.16	1.9	0.029	2.78	21.5	103.5	0.72	496	1.22	1.41	8.9	6.2	710
N828833		2.22	17.90	0.14	1.7	0.023	2.31	26.7	88.4	0.74	513	0.91	0.09	9.0	5.8	690
N828834		2.20	18.30	0.17	1.8	0.029	2.29	26.2	93.0	0.72	511	0.91	0.09	9.6	6.7	670
N828835		2.07	17.25	0.16	1.7	0.024	2.49	19.0	86.0	0.66	475	1.02	0.07	8.7	5.6	680
N828836		2.22	17.90	0.15	1.8	0.022	2.84	20.7	75.4	0.70	485	0.77	1.34	9.1	5.8	700
N828837		2.51	17.25	0.14	2.5	0.028	2.61	24.3	74.2	0.86	535	1.19	0.48	8.8	6.0	880
N828838		5.36	15.35	0.15	1.3	0.884	2.84	22.7	24.0	0.70	1950	11.80	0.26	7.0	15.1	470
N828839		1.87	16.85	0.17	1.8	0.025	2.48	26.7	64.5	0.67	487	2.39	0.05	8.9	2.4	480
N828840		2.05	17.15	0.13	1.7	0.026	2.57	22.0	49.0	0.70	558	1.03	0.04	9.1	2.3	510
N828841		2.18	16.75	0.13	1.6	0.022	2.68	21.9	39.3	0.71	586	1.01	0.04	8.6	2.3	560
N828842		2.09	16.25	0.15	1.7	0.022	2.64	21.8	39.7	0.69	579	0.75	0.04	8.5	2.3	530
N828843		1.84	15.55	0.14	1.6	0.020	2.57	25.0	41.1	0.62	654	0.98	0.03	7.8	2.2	480
N828844		1.94	16.35	0.14	1.6	0.022	2.36	19.2	71.6	0.64	788	0.81	0.03	8.7	2.3	490
N828845		1.88	15.45	0.16	1.8	0.024	2.60	24.0	66.6	0.59	766	1.12	0.03	8.6	2.0	400
N828846		2.39	14.95	0.16	1.2	0.044	1.86	25.9	80.8	0.56	876	2.14	0.05	7.2	2.7	470
N828847		0.48	0.23	0.13	<0.1	<0.005	0.04	0.5	1.2	12.70	224	0.09	<0.01	0.1	1.6	150
N828848		2.73	15.95	0.18	1.2	0.040	2.85	22.7	102.5	0.62	912	1.77	0.20	7.4	2.5	550
N828849		2.99	15.95	0.14	1.1	0.039	2.67	17.3	23.5	0.57	684	1.26	1.93	7.3	2.5	580
N828850		3.01	16.85	0.15	1.4	0.038	2.60	22.2	16.4	0.69	667	1.68	2.15	8.1	2.8	560
N828951		3.18	16.40	0.15	1.3	0.042	2.87	20.9	19.9	0.77	843	1.42	1.88	8.2	2.7	600
N828952		2.99	15.80	0.14	1.2	0.040	2.81	18.6	22.8	0.72	862	1.38	1.89	7.2	2.5	560
N828953		2.99	15.30	0.15	2.0	0.089	2.73	25.0	53.5	0.73	3450	5.99	0.21	8.3	4.2	490
N828954		0.46	0.19	0.12	<0.1	0.005	0.03	0.5	1.0	12.55	213	0.09	0.01	0.2	1.5	170
N828955		3.40	16.70	0.15	4.0	0.036	1.84	32.0	244	1.24	813	1.09	0.03	9.2	15.7	1530
N828956		1.82	15.65	0.17	1.8	0.026	2.60	20.5	46.4	0.78	617	1.30	0.05	8.4	2.6	480
N828957		1.98	16.50	0.18	1.5	0.025	2.52	24.3	102.5	0.75	558	1.06	0.04	8.8	2.4	510
N828958		1.96	15.25	0.16	1.6	0.020	2.10	18.7	144.0	0.70	604	0.94	0.03	8.1	1.7	460
N828959		6.69	13.25	0.14	0.8	1.555	2.55	22.0	21.8	0.89	1820	12.15	0.04	5.3	14.7	420
N828960		1.53	15.05	0.15	1.8	0.017	2.16	22.5	111.5	0.54	524	1.30	0.04	8.4	1.6	350
N828961		1.31	14.40	0.15	2.1	0.014	2.42	21.1	52.9	0.57	513	1.85	0.04	9.0	1.2	230
N828962		1.46	14.10	0.15	2.1	0.023	1.97	20.4	110.0	0.53	566	1.59	0.05	8.4	1.9	250



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 24-JUL-2012
Account: ROCKHA

Project: Klaza-75

CERTIFICATE OF ANALYSIS WH12158892

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
N828827		17.5	96.5	0.002	0.11	4.10	3.7	<1	2.0	304	1.01	<0.05	11.4	0.123	5.5
N828828		18.0	98.0	<0.002	0.04	4.68	8.8	1	2.2	251	0.69	<0.05	11.6	0.248	2.3
N828829		25.2	113.5	0.002	0.04	3.51	3.6	<1	2.2	305	1.10	<0.05	13.0	0.117	6.8
N828830		33.6	88.1	<0.002	0.16	4.78	2.7	<1	3.1	288	1.04	<0.05	11.3	0.104	11.2
N828831		20.3	87.3	0.002	0.01	5.36	5.5	<1	2.6	532	0.80	<0.05	9.5	0.235	5.2
N828832		19.1	84.6	<0.002	<0.01	2.86	5.3	<1	1.5	616	0.78	<0.05	9.0	0.240	4.7
N828833		15.3	84.1	<0.002	0.04	13.45	5.8	<1	1.4	333	0.75	<0.05	10.6	0.231	3.1
N828834		16.0	81.8	<0.002	0.04	13.85	6.0	<1	1.6	330	0.81	<0.05	10.4	0.232	3.1
N828835		21.4	80.0	0.002	0.02	9.81	5.0	1	1.4	409	0.75	<0.05	8.7	0.226	4.9
N828836		20.2	88.8	0.002	0.01	5.11	5.3	1	1.5	606	0.79	<0.05	8.9	0.236	4.1
N828837		15.7	83.5	0.002	0.01	7.95	6.2	<1	1.4	546	0.75	<0.05	9.8	0.272	3.8
N828838		1300	158.0	0.003	3.15	34.5	8.8	1	6.1	155.5	0.62	0.26	12.2	0.211	5.2
N828839		28.3	94.9	0.002	0.04	8.82	4.7	<1	1.4	273	0.85	<0.05	11.7	0.186	6.5
N828840		21.1	90.0	<0.002	0.03	7.89	5.1	<1	1.4	301	0.83	<0.05	9.4	0.201	5.7
N828841		13.7	88.8	<0.002	0.01	8.32	5.0	<1	1.4	308	0.78	<0.05	8.9	0.214	3.6
N828842		15.2	95.3	0.002	0.01	8.77	5.0	1	1.4	294	0.81	<0.05	9.4	0.212	4.1
N828843		11.9	99.2	<0.002	0.03	19.80	4.9	<1	1.3	193.0	0.76	<0.05	10.4	0.196	5.0
N828844		13.1	81.1	0.002	0.02	14.20	4.8	<1	1.6	227	0.76	<0.05	8.5	0.202	4.1
N828845		18.3	94.2	0.002	0.02	7.60	4.2	<1	1.8	186.0	0.84	<0.05	10.9	0.172	6.7
N828846		15.6	90.5	0.002	0.15	29.1	8.6	1	2.9	167.0	0.66	<0.05	13.7	0.224	4.8
N828847		1.2	1.9	0.002	<0.01	0.11	0.3	<1	0.2	40.1	<0.05	<0.05	0.3	<0.005	0.5
N828848		17.9	122.5	0.002	0.18	21.2	9.9	1	2.4	225	0.62	<0.05	13.4	0.250	3.8
N828849		21.4	97.1	<0.002	0.05	3.81	9.5	1	2.2	385	0.60	<0.05	9.5	0.254	3.1
N828850		19.3	105.0	0.002	0.03	2.82	10.8	1	2.3	394	0.72	<0.05	11.6	0.263	3.4
N828951		19.8	112.5	0.002	0.16	4.12	10.6	<1	2.4	403	0.73	<0.05	12.2	0.267	4.2
N828952		19.8	102.0	0.002	0.03	2.87	9.7	<1	2.0	390	0.60	<0.05	10.9	0.253	3.1
N828953		692	122.0	0.003	0.78	19.10	6.9	1	2.6	442	0.81	<0.05	12.9	0.203	8.1
N828954		1.9	1.4	<0.002	0.01	0.09	0.2	<1	0.2	37.5	<0.05	<0.05	<0.2	<0.005	0.5
N828955		23.3	70.7	0.002	0.03	22.4	8.0	1	1.3	1200	0.63	<0.05	7.3	0.423	2.6
N828956		20.6	90.6	<0.002	0.06	6.36	4.5	1	1.8	259	0.80	<0.05	9.3	0.191	5.0
N828957		15.1	101.5	<0.002	0.03	5.23	5.1	<1	1.6	322	0.78	<0.05	9.6	0.202	4.3
N828958		15.0	67.7	0.002	0.02	8.40	4.3	<1	1.4	294	0.78	<0.05	8.5	0.190	3.2
N828959		2690	148.5	0.004	4.81	90.7	7.8	1	7.7	92.9	0.46	0.37	10.4	0.177	4.9
N828960		24.0	77.9	0.002	0.08	6.09	3.7	<1	1.6	258	0.83	<0.05	10.8	0.149	6.6
N828961		33.3	81.4	<0.002	0.08	4.62	2.8	<1	1.9	294	0.96	<0.05	11.9	0.112	7.2
N828962		21.1	83.2	0.003	0.08	15.50	3.6	<1	3.4	220	0.97	<0.05	13.1	0.108	12.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 24-JUL-2012
 Account: ROCKHA

Project: Klaza-75

CERTIFICATE OF ANALYSIS WH12158892

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
N828827		25	2.7	11.2	39	48.8
N828828		63	2.6	13.6	49	28.7
N828829		23	2.2	11.9	44	51.5
N828830		18	1.8	9.9	37	53.4
N828831		50	2.3	10.7	59	71.5
N828832		53	1.1	9.4	56	56.4
N828833		51	1.6	11.1	58	51.0
N828834		51	1.7	11.5	59	51.9
N828835		48	1.4	9.1	56	48.7
N828836		51	1.2	9.8	55	52.7
N828837		61	1.3	10.6	62	82.6
N828838		59	4.9	11.2	3050	35.3
N828839		36	1.2	11.5	61	48.4
N828840		40	1.3	10.9	65	44.3
N828841		43	1.4	11.1	63	43.0
N828842		42	1.3	11.1	62	38.8
N828843		41	1.2	10.0	66	36.1
N828844		40	1.5	10.3	70	38.4
N828845		33	1.5	11.5	72	45.3
N828846		58	2.7	13.6	68	28.7
N828847		4	0.1	0.7	13	<0.5
N828848		67	1.5	14.9	58	29.2
N828849		70	0.9	13.5	56	27.5
N828850		73	1.1	16.1	54	30.2
N828951		74	1.3	15.8	52	29.2
N828952		72	1.3	14.5	56	27.4
N828953		51	6.8	13.9	1410	54.6
N828954		3	0.1	0.7	14	<0.5
N828955		90	2.0	11.8	100	148.5
N828956		37	1.2	10.0	69	42.8
N828957		39	1.3	10.9	67	39.4
N828958		38	1.6	9.6	63	39.0
N828959		56	4.6	9.1	5320	21.7
N828960		28	1.9	10.1	49	44.9
N828961		19	1.9	9.9	50	52.3
N828962		25	1.8	12.4	52	51.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-75

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 24-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12158892

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.