



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 28-JUL-2012
Account: ROCKHA

CERTIFICATE WH12158896

Project: Klaza-78

P.O. No.: Batch 1

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 7-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Aq-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-JUL-2012
Account: ROCKHA

Project: Klaza-78

CERTIFICATE OF ANALYSIS WH12158896

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M899231		11.32	<0.005	0.06	7.59	3.8	1870	1.38	0.13	2.56	0.24	38.2	4.8	14	11.25	6.1
M899232		3.32	<0.005	0.09	8.35	33.9	2390	1.08	0.33	1.03	3.57	45.8	7.1	12	13.50	23.9
M899233		3.83	0.026	0.42	7.60	77.8	1130	1.52	0.49	0.87	8.30	54.0	10.2	11	19.00	37.4
M899234		13.11	0.005	0.50	8.11	10.3	2460	1.36	0.42	2.41	0.38	53.2	8.2	14	13.45	111.0
M899235		6.64	<0.005	0.15	8.04	13.0	2390	1.64	0.38	2.39	0.18	53.3	10.6	13	15.25	28.3
M899236		3.94	0.058	1.58	7.82	308	2130	1.50	1.30	1.08	36.1	52.2	10.0	13	20.9	23.7
M899237		12.48	<0.005	0.24	7.90	21.2	2290	1.53	0.42	2.33	1.29	47.6	11.3	14	14.90	36.3
M899238		10.88	0.005	0.21	8.02	14.1	2490	1.55	0.46	2.43	0.53	49.6	9.3	17	12.70	69.3
M899239		4.16	0.012	0.30	7.72	33.4	2390	1.57	0.46	2.83	0.29	49.0	9.0	14	21.8	38.2
M899240		5.18	<0.005	0.23	8.10	14.8	2570	1.62	0.50	2.64	0.44	51.0	9.0	16	18.25	24.5
M899241		2.54	<0.005	0.19	8.09	13.1	2540	1.47	0.39	2.61	0.19	57.1	8.2	14	18.30	17.0
M899242		4.15	0.034	0.41	7.84	73.3	2340	1.47	0.49	2.44	1.01	52.4	9.5	17	20.5	55.7
M899243		4.34	0.042	2.66	7.53	72.0	2010	1.47	3.92	2.30	3.67	48.3	10.4	13	17.20	77.4
M899244		6.19	0.032	1.25	8.17	131.0	1880	1.48	1.27	0.93	22.9	57.4	12.0	13	21.5	63.6
M899245		0.27	4.61	>100	5.65	8500	970	1.01	46.0	1.96	233	32.7	9.6	16	11.70	1300
M899246		5.37	1.865	93.0	5.69	1075	580	1.15	69.7	0.06	217	40.9	7.3	14	7.73	2090
M899247		5.15	0.153	5.73	7.87	261	590	1.79	3.91	0.26	34.0	60.3	5.7	12	15.65	187.0
M899248		12.14	0.232	4.06	6.89	244	700	0.96	4.19	0.53	13.35	41.5	6.7	15	9.10	198.0
M899249		9.19	2.58	60.4	3.33	719	460	0.94	30.9	0.38	346	23.1	12.0	15	8.22	1070
M899250		2.01	<0.005	0.09	0.08	<5	20	0.07	0.20	21.9	0.30	1.19	1.1	1	0.14	11.0
M899251		6.67	1.210	55.6	3.94	996	920	0.81	54.3	0.94	36.4	22.4	16.6	26	4.87	3220
M899252		6.27	0.221	11.25	7.21	339	600	1.42	11.15	0.25	30.0	45.1	9.2	14	9.20	552
M899253		9.06	0.043	4.09	7.77	143.5	1220	1.46	3.36	1.00	25.8	51.9	13.2	16	16.20	273
M899254		7.59	0.049	2.25	7.43	91.6	900	1.36	1.98	1.38	24.1	40.1	29.1	13	13.20	171.5
M899255		0.28	2.35	24.0	6.06	3540	1750	1.20	17.80	2.20	77.8	45.4	9.9	19	15.30	446
M899256		3.91	0.085	2.51	6.90	101.0	900	1.33	2.15	1.29	44.8	43.7	22.7	10	14.60	77.2
M899257		4.49	0.342	17.00	6.70	102.0	1170	1.30	13.35	1.28	32.3	28.6	64.2	18	12.35	153.5
M899258		2.66	<0.005	0.05	0.11	<5	20	0.07	0.04	21.2	0.20	1.32	1.1	1	0.30	1.7
M899259		4.83	0.024	0.82	7.36	68.5	1730	1.36	8.29	2.01	6.03	43.0	9.2	16	17.00	35.3
M899260		10.96	0.006	0.31	7.83	18.8	2130	1.29	0.64	1.27	3.07	42.3	11.0	14	19.30	11.2
M899261		11.39	<0.005	0.14	7.50	11.4	2410	1.50	0.48	2.44	0.23	46.4	7.0	19	11.15	14.4
M899262		<0.02	<0.005	0.15	7.86	11.2	2510	1.53	0.46	2.57	0.21	50.2	7.4	18	11.70	14.6
M899263		8.07	0.011	0.18	7.56	13.6	2500	1.46	0.67	2.59	0.21	46.6	11.1	16	9.31	17.7
M899264		8.85	0.008	0.33	7.88	33.8	2380	1.58	0.56	2.52	2.24	52.0	8.2	18	12.15	9.4
M899265		3.57	0.343	17.50	6.90	357	480	1.35	55.3	0.94	7.01	39.5	15.4	15	13.70	59.3
M899266		6.59	0.031	0.52	8.16	51.9	2210	1.36	1.52	1.16	4.28	53.9	10.7	14	15.75	22.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-JUL-2012
Account: ROCKHA

Project: Klaza-78

CERTIFICATE OF ANALYSIS WH12158896

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M899231		2.90	14.25	0.10	1.0	0.043	2.49	19.0	13.6	0.78	545	2.30	1.69	6.4	2.2	610
M899232		3.52	15.65	0.11	1.1	0.050	3.09	26.3	16.1	0.45	923	1.91	0.79	7.0	2.6	640
M899233		4.39	18.10	0.14	1.2	0.244	3.24	30.5	18.3	0.56	1510	3.83	0.06	7.4	3.2	590
M899234		3.23	17.40	0.14	1.3	0.075	2.93	30.3	8.4	0.76	608	2.78	2.15	7.8	2.6	640
M899235		3.17	19.60	0.17	1.3	0.062	2.99	31.0	10.8	0.84	536	2.06	2.48	8.3	2.7	620
M899236		4.19	18.90	0.15	1.3	2.10	3.05	30.6	14.4	0.48	1660	2.85	1.02	7.8	3.1	580
M899237		3.19	19.10	0.15	1.3	0.083	2.95	25.8	10.8	0.74	684	2.68	2.17	8.4	2.9	620
M899238		3.14	17.75	0.14	1.2	0.069	2.95	28.3	10.1	0.82	529	1.97	2.39	7.9	2.6	620
M899239		3.03	19.00	0.15	1.4	0.065	3.00	26.9	13.9	0.76	689	2.73	1.73	8.4	2.5	610
M899240		3.37	19.50	0.16	1.4	0.065	2.93	28.6	10.4	0.82	666	2.16	2.20	8.7	2.9	610
M899241		3.28	19.40	0.17	1.4	0.058	2.95	32.0	9.8	0.81	640	2.11	2.17	8.2	2.7	600
M899242		3.23	18.80	0.16	1.4	0.074	3.15	29.5	15.1	0.84	860	2.66	1.68	8.0	3.1	600
M899243		3.76	18.00	0.15	1.4	0.137	2.96	27.0	9.1	0.79	1040	2.64	1.25	7.5	2.7	580
M899244		4.16	19.95	0.16	1.6	0.183	3.20	32.3	19.2	0.51	1470	2.89	0.07	8.7	3.4	600
M899245		8.25	13.95	0.15	1.1	4.74	2.31	15.8	22.1	0.63	3050	14.70	0.08	5.2	14.0	470
M899246		8.41	19.10	0.16	1.0	2.39	2.61	21.2	9.2	0.22	1540	7.10	0.03	5.6	2.3	160
M899247		4.95	20.4	0.13	1.4	1.640	3.48	34.5	6.8	0.35	1120	4.35	0.03	8.0	2.2	640
M899248		5.18	13.85	0.11	0.9	0.394	3.10	24.1	9.2	0.37	1340	5.74	0.03	5.0	1.8	330
M899249		9.01	19.20	0.16	0.6	3.81	1.45	12.2	31.1	0.25	10550	46.1	0.02	3.1	2.9	240
M899250		0.51	0.23	0.06	<0.1	0.007	0.03	0.6	0.7	13.40	239	0.17	0.01	0.2	<0.2	230
M899251		14.00	10.50	0.17	0.6	1.665	1.80	13.1	11.6	0.26	787	28.5	0.03	2.6	2.4	230
M899252		7.33	17.90	0.15	1.2	1.950	3.29	23.4	7.0	0.33	694	4.61	0.03	6.9	2.9	540
M899253		4.68	18.65	0.14	1.2	0.530	3.06	28.8	34.0	0.54	1560	3.36	0.06	7.8	3.5	670
M899254		4.97	14.70	0.12	1.0	0.488	2.96	21.8	21.8	0.76	1480	20.3	0.04	6.6	3.3	620
M899255		6.72	13.30	0.14	0.9	1.730	2.58	26.2	22.7	0.91	1880	13.00	0.03	6.2	14.8	440
M899256		4.79	14.70	0.13	0.9	0.996	3.07	25.4	17.1	0.79	1640	9.05	0.03	6.1	2.8	520
M899257		5.57	13.50	0.12	0.9	0.917	2.91	14.2	18.5	0.67	1310	40.8	0.04	5.4	3.5	510
M899258		0.49	0.29	0.05	<0.1	0.008	0.04	0.6	1.1	12.65	222	0.22	0.01	0.3	1.1	180
M899259		3.33	15.45	0.09	1.2	0.211	2.86	22.3	44.2	0.74	978	9.90	0.04	7.4	2.7	600
M899260		3.10	17.05	0.14	1.3	0.060	2.76	21.7	35.7	0.45	830	1.96	0.08	8.9	2.7	630
M899261		3.02	15.70	0.14	1.2	0.048	2.72	23.7	16.1	0.76	514	2.60	2.26	8.4	2.7	590
M899262		3.17	16.25	0.13	1.2	0.049	2.81	25.6	16.4	0.79	539	2.78	2.38	8.7	2.8	620
M899263		3.09	15.75	0.12	1.1	0.077	2.91	23.8	15.2	0.83	539	1.86	2.25	8.4	2.8	590
M899264		3.17	16.45	0.14	1.2	0.116	3.02	27.3	16.7	0.71	659	2.63	1.48	8.9	3.5	630
M899265		9.83	14.20	0.18	1.0	0.575	3.05	21.1	7.5	0.54	962	2.20	0.05	6.9	2.9	480
M899266		3.86	17.10	0.15	1.3	0.177	3.21	29.1	31.0	0.51	1080	2.76	0.09	9.2	3.4	650



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-JUL-2012
Account: ROCKHA

Project: Klaza-78

CERTIFICATE OF ANALYSIS WH12158896

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M899231		16.8	77.2	<0.002	0.04	2.23	8.3	1	1.5	445	0.58	<0.05	11.4	0.253	0.79	3.6
M899232		22.0	111.0	<0.002	0.11	12.00	9.3	1	2.4	171.5	0.64	<0.05	13.2	0.272	1.29	3.4
M899233		118.0	178.0	<0.002	1.42	20.7	10.5	1	4.5	72.2	0.66	0.13	14.8	0.239	2.44	5.7
M899234		21.5	115.0	<0.002	0.21	3.36	10.3	1	1.9	359	0.69	0.08	14.3	0.270	1.28	3.9
M899235		22.4	129.5	<0.002	0.19	2.11	11.5	1	2.0	415	0.73	<0.05	16.1	0.264	1.31	4.7
M899236		366	146.0	<0.002	1.04	17.25	10.2	1	4.6	177.0	0.71	0.08	15.6	0.247	1.95	4.4
M899237		38.4	125.0	<0.002	0.32	4.85	11.1	1	2.2	347	0.76	0.08	15.3	0.262	1.44	4.7
M899238		21.9	116.5	<0.002	0.29	2.37	10.3	1	2.1	387	0.70	0.16	15.0	0.263	1.22	4.1
M899239		29.5	133.0	<0.002	0.45	3.32	11.1	1	2.2	313	0.75	0.11	14.6	0.264	1.69	4.6
M899240		32.3	124.5	<0.002	0.21	2.62	11.7	1	2.3	389	0.76	0.05	15.3	0.271	1.42	4.4
M899241		26.6	125.5	<0.002	0.20	2.39	11.1	1	2.2	387	0.75	<0.05	15.9	0.264	1.44	4.4
M899242		35.8	142.5	<0.002	0.46	4.78	10.9	1	2.4	301	0.73	0.07	15.4	0.255	1.91	4.1
M899243		87.4	131.5	<0.002	0.83	11.30	9.9	1	2.9	238	0.70	0.18	14.0	0.243	1.84	3.5
M899244		117.5	157.0	<0.002	1.15	20.8	11.4	1	4.2	89.7	0.79	0.13	16.3	0.271	2.37	4.1
M899245		9470	131.5	<0.002	7.29	219	7.0	2	8.3	125.5	0.45	0.49	8.5	0.185	2.00	4.9
M899246		>10000	167.0	<0.002	9.11	446	7.9	2	26.2	22.5	0.53	2.33	9.2	0.175	2.49	2.6
M899247		854	207	<0.002	2.63	76.1	10.4	1	14.2	29.4	0.73	0.10	15.6	0.257	3.56	5.9
M899248		625	165.5	<0.002	4.37	64.4	6.3	1	8.3	30.4	0.47	0.37	9.6	0.218	2.31	3.9
M899249		>10000	103.5	<0.002	8.72	554	5.5	3	45.5	51.3	0.27	0.74	5.4	0.095	1.69	6.3
M899250		14.0	1.3	<0.002	0.03	0.81	<0.1	1	<0.2	46.0	<0.05	<0.05	<0.2	<0.005	<0.02	0.6
M899251		1895	99.9	<0.002	>10.0	298	4.3	2	15.6	36.6	0.25	1.29	5.3	0.090	1.28	3.5
M899252		358	200	<0.002	6.79	57.6	9.3	1	13.6	20.8	0.65	0.54	12.1	0.236	2.80	3.5
M899253		434	158.5	<0.002	1.60	52.7	10.2	1	6.1	111.0	0.69	0.19	14.3	0.253	2.31	5.0
M899254		473	171.0	0.002	2.49	22.2	9.9	1	7.7	71.6	0.52	0.54	12.8	0.211	2.45	5.1
M899255		2820	156.5	<0.002	4.98	90.6	7.6	2	8.1	93.7	0.47	0.38	11.3	0.183	2.35	5.6
M899256		933	170.5	<0.002	2.31	27.7	8.9	1	9.3	47.4	0.48	0.30	11.6	0.202	2.73	4.3
M899257		610	162.5	0.002	3.60	28.2	8.6	2	4.4	33.3	0.43	6.83	10.8	0.171	2.40	4.2
M899258		4.3	2.1	<0.002	0.03	0.17	0.3	1	<0.2	40.8	<0.05	<0.05	<0.2	<0.005	0.02	0.5
M899259		50.2	126.5	<0.002	1.37	23.1	9.5	1	2.8	84.8	0.58	4.05	12.5	0.233	2.09	6.6
M899260		42.0	111.5	<0.002	0.42	14.55	10.5	1	2.5	75.0	0.71	0.14	12.3	0.273	1.45	3.5
M899261		17.2	103.5	<0.002	0.27	2.36	10.1	1	2.1	393	0.66	0.08	12.3	0.263	1.13	3.6
M899262		17.1	104.5	<0.002	0.28	2.44	10.3	1	2.2	413	0.67	0.08	12.7	0.273	1.17	3.9
M899263		18.3	108.0	<0.002	0.64	2.30	9.8	1	2.4	367	0.65	0.15	12.3	0.260	1.26	4.0
M899264		51.5	117.0	<0.002	0.48	4.75	10.1	1	2.9	278	0.69	0.05	13.2	0.270	1.61	3.4
M899265		270	163.0	<0.002	9.23	8.28	8.6	2	6.7	40.2	0.54	3.19	10.9	0.215	2.75	4.6
M899266		36.0	152.0	<0.002	0.67	13.10	11.6	1	3.1	89.3	0.70	0.11	15.0	0.273	1.91	4.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - D
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 28-JUL-2012
Account: ROCKHA

Project: Klaza-78

CERTIFICATE OF ANALYSIS WH12158896

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
M899231		71	2.1	13.1	49	27.3			
M899232		72	7.7	16.9	317	32.1			
M899233		70	4.4	15.2	528	36.7			
M899234		73	2.7	17.6	69	36.0			
M899235		71	3.4	19.5	46	40.0			
M899236		66	6.0	16.2	2190	37.7			
M899237		71	2.2	17.8	120	38.1			
M899238		71	1.7	17.9	73	37.3			
M899239		71	2.5	17.2	63	40.0			
M899240		75	2.6	19.2	68	41.8			
M899241		72	2.4	19.0	52	40.1			
M899242		69	2.9	18.2	112	40.0			
M899243		67	2.3	16.5	244	40.1			
M899244		75	5.2	18.4	1500	44.5			
M899245		54	4.3	9.7	>10000	34.4	124		1.695
M899246		51	8.0	12.0	>10000	29.6		1.430	1.325
M899247		74	8.3	14.7	1080	40.8			
M899248		62	4.8	9.0	719	25.0			
M899249		35	5.5	9.3	>10000	17.2		1.640	2.07
M899250		3	0.1	0.8	31	<0.5			
M899251		37	3.9	7.4	1460	16.6			
M899252		67	7.5	12.3	1720	34.9			
M899253		70	3.7	16.1	1680	35.9			
M899254		66	3.5	13.4	1540	25.8			
M899255		57	5.0	9.7	5340	25.0			
M899256		65	3.3	10.6	2950	25.2			
M899257		64	2.3	11.5	2050	24.1			
M899258		2	0.3	0.8	26	<0.5			
M899259		62	2.5	13.6	297	31.7			
M899260		71	5.9	14.2	311	35.7			
M899261		71	1.4	16.0	57	32.3			
M899262		72	1.6	16.5	58	33.0			
M899263		70	1.1	15.6	55	31.2			
M899264		72	2.3	16.5	254	33.8			
M899265		62	8.5	11.5	662	27.4			
M899266		73	4.0	17.3	566	35.5			



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza-78

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 28-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12158896

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.