



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 27-JUL-2012
Account: ROCKHA

CERTIFICATE WH12158980

Project: Klaza TR-12-34

P.O. No.: Batch 2

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 7-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-34

CERTIFICATE OF ANALYSIS WH12158980

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M897720		3.43	0.066	1.74	7.83	102.5	1300	1.57	2.52	0.15	4.07	63.5	14.6	10	22.6	247
M897721		3.01	0.132	1.55	7.02	149.5	1200	1.54	1.82	0.18	9.00	54.3	9.7	10	21.4	159.5
M897722		2.20	0.042	1.41	8.02	89.0	1720	1.46	2.51	0.19	13.20	59.7	14.6	9	22.4	113.0
M897723		2.62	0.214	3.70	6.39	122.5	780	1.11	5.29	0.09	2.32	48.4	2.1	12	11.30	31.6
M897724		3.67	0.111	4.91	7.61	146.0	1230	1.42	10.40	0.15	5.46	56.8	6.5	11	18.70	134.5
M897725		2.87	0.809	30.9	7.42	110.0	1090	1.30	57.7	0.07	2.74	59.4	0.8	12	10.40	63.3
M897726		3.32	0.105	4.55	7.97	189.0	1830	1.44	8.22	0.19	7.48	60.8	6.9	10	18.40	218
M897727		2.24	0.228	1.82	7.56	147.0	1840	1.40	3.59	0.24	7.00	49.3	10.5	10	22.3	89.4
M897728		2.71	0.041	1.03	7.84	58.4	1880	1.50	2.68	0.68	3.27	63.3	13.1	12	14.40	63.2
M897729		2.98	0.050	0.95	7.61	70.9	2200	1.45	2.37	0.27	4.58	62.4	8.4	11	22.5	53.9
M897730		3.08	0.056	0.79	8.12	75.1	2030	1.32	1.83	0.34	2.18	55.6	7.6	9	18.30	31.5
M897731		2.75	0.077	0.86	8.01	68.7	1980	1.41	2.15	0.36	3.12	63.3	10.9	11	21.9	25.9
M897732		2.69	0.190	2.01	7.51	122.0	1550	1.37	4.77	0.21	2.71	55.7	6.8	10	20.2	37.9
M897733		3.07	0.112	1.55	7.63	111.0	1670	1.43	3.15	0.22	4.94	64.8	15.9	13	22.6	54.0
M897734		3.42	0.069	0.98	7.45	57.8	2430	1.34	2.21	0.34	2.88	63.4	11.2	15	26.8	33.6
M897735		2.79	0.128	4.83	7.73	157.5	1030	1.60	8.45	0.19	5.73	72.9	10.6	22	33.6	92.6
M897736		2.84	0.172	8.37	7.02	187.5	1530	1.37	20.9	0.16	3.77	66.8	4.1	13	18.55	121.0
M897737		3.87	0.043	1.17	7.54	54.3	1960	1.30	3.29	0.30	3.07	46.1	7.9	12	16.75	34.8
M897738		2.23	0.024	0.66	8.00	43.9	1570	1.32	1.70	0.26	3.34	54.8	11.3	20	12.55	27.4
M897739		3.53	0.026	0.68	8.26	31.2	2020	1.35	1.12	0.32	2.76	57.8	11.9	11	24.5	25.0
M897740		3.28	0.043	1.09	7.18	79.5	1910	1.28	1.76	0.33	5.16	44.5	12.6	11	19.00	45.3
M897741		3.32	0.033	0.93	8.33	50.1	2080	1.34	1.17	0.31	9.42	54.4	12.7	10	28.4	41.1
M897742		3.39	0.123	2.83	6.74	262	1840	1.42	2.72	0.15	16.10	55.1	11.3	9	20.7	66.2
M897743		2.99	0.140	3.36	5.47	110.5	850	1.01	4.58	0.11	3.85	42.2	5.6	10	13.25	56.7
M897744		3.28	0.474	69.2	5.83	609	1250	0.87	101.5	0.20	7.08	54.7	1.1	8	34.3	309
M897745		2.92	<0.005	0.10	0.09	<5	20	0.07	0.63	19.75	0.08	1.43	1.1	2	0.40	2.3
M897746		3.48	0.047	18.60	7.78	88.2	2290	1.22	7.11	0.40	6.40	39.5	5.5	9	24.8	798
M897747		3.93	0.033	2.13	8.04	84.7	2060	1.33	3.19	0.37	3.36	54.4	8.8	8	22.8	360
M897748		2.52	0.017	1.10	6.93	59.4	1030	1.50	1.49	0.14	3.89	45.6	3.9	9	20.5	346
M897749		2.24	0.144	2.76	7.50	257	1950	1.30	3.33	0.19	5.56	56.8	2.6	11	22.6	85.0
M897750		3.95	0.742	8.56	6.87	357	930	1.23	5.68	0.14	5.48	59.2	2.6	11	10.95	61.1
M897751		3.21	0.060	7.13	8.03	276	1740	1.63	2.28	0.15	4.89	58.4	8.2	9	14.45	269
M897752		3.14	0.062	1.45	7.93	339	1410	1.63	1.01	0.13	7.21	75.3	5.9	8	22.2	341
M897753		3.44	0.536	2.15	7.48	240	1230	1.33	1.57	0.16	5.57	68.9	4.7	10	17.20	282
M897754		3.21	0.189	2.24	7.57	238	1740	1.46	2.73	0.44	5.64	65.4	6.8	12	14.00	218
M897755		0.26	2.42	25.9	5.90	2730	1530	1.21	19.60	2.12	78.2	43.0	11.5	19	15.25	435



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-34

CERTIFICATE OF ANALYSIS WH12158980

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M897720		3.95	18.55	0.14	1.2	0.781	3.14	40.6	16.2	0.22	548	10.55	0.05	8.2	4.0	580
M897721		3.54	16.10	0.13	1.2	0.547	2.75	31.5	27.9	0.21	1350	10.35	0.07	7.1	5.8	610
M897722		3.60	19.75	0.16	1.2	0.310	2.64	34.0	37.6	0.16	2030	5.96	0.03	8.4	6.0	660
M897723		2.36	17.60	0.14	1.0	0.331	2.93	29.6	18.6	0.26	217	8.62	0.08	6.2	2.0	220
M897724		4.51	18.95	0.17	1.3	0.500	3.16	34.7	14.0	0.24	628	6.61	0.08	7.5	4.0	590
M897725		1.67	21.6	0.14	1.4	0.420	3.57	34.1	10.0	0.33	835	2.06	0.06	8.2	2.0	170
M897726		4.30	19.90	0.16	1.3	0.409	2.91	32.7	29.2	0.20	1800	4.42	0.09	8.4	4.9	670
M897727		3.91	19.90	0.16	1.4	0.234	3.03	23.6	23.5	0.29	1580	2.55	0.24	8.5	5.0	660
M897728		3.70	20.2	0.17	1.3	0.258	2.33	33.3	13.5	0.66	981	1.89	1.84	8.6	4.6	640
M897729		3.54	19.65	0.16	1.3	0.245	2.71	36.5	18.6	0.28	1140	1.85	0.70	8.8	4.5	610
M897730		3.85	19.90	0.17	1.3	0.187	3.03	31.8	18.3	0.45	671	2.25	0.50	8.4	3.9	600
M897731		3.93	20.6	0.18	1.5	0.200	3.15	37.4	22.1	0.30	1100	4.48	0.53	9.3	5.0	600
M897732		4.15	19.10	0.17	1.3	0.291	3.10	33.7	19.0	0.32	960	2.71	0.20	7.9	3.8	600
M897733		4.91	19.30	0.16	1.3	0.302	3.21	38.6	16.3	0.24	2490	6.30	0.12	8.0	5.0	640
M897734		2.97	20.6	0.17	1.7	0.149	2.53	36.5	35.1	0.21	1370	3.04	0.16	9.0	8.2	700
M897735		3.42	24.4	0.16	2.7	0.392	2.81	41.6	34.4	0.21	1370	10.25	0.05	9.5	12.5	510
M897736		3.83	19.05	0.17	1.6	0.761	2.77	43.2	18.7	0.24	564	7.21	0.10	9.0	5.2	480
M897737		3.44	20.4	0.17	1.5	0.392	2.77	25.4	21.5	0.22	713	2.50	0.57	9.2	4.9	670
M897738		3.28	20.8	0.16	1.3	0.413	2.46	28.6	23.3	0.19	836	2.00	0.27	8.4	5.3	650
M897739		3.05	22.1	0.17	1.3	0.171	2.81	30.2	29.5	0.26	792	1.88	0.60	8.9	5.5	660
M897740		3.46	20.3	0.15	1.4	0.233	2.80	19.5	29.5	0.25	877	2.57	0.37	8.9	6.0	610
M897741		3.67	19.80	0.17	1.4	0.205	3.16	32.5	23.7	0.27	1290	1.81	0.42	8.4	4.8	630
M897742		4.24	17.80	0.18	1.1	0.528	2.72	42.1	14.2	0.19	1560	10.25	0.04	7.4	3.9	470
M897743		2.18	13.55	0.12	1.0	0.378	2.44	30.6	10.4	0.23	235	14.25	0.09	4.9	2.0	230
M897744		5.42	16.35	0.18	0.9	2.33	2.23	34.8	18.5	0.21	221	6.84	0.04	6.1	1.2	460
M897745		0.45	0.35	0.15	<0.1	0.006	0.03	0.7	1.0	11.80	203	0.15	<0.01	0.2	2.9	190
M897746		4.86	16.20	0.18	1.0	0.283	2.63	23.7	26.1	0.38	513	1.68	0.55	7.6	2.8	610
M897747		3.61	17.05	0.15	1.1	0.125	2.81	22.5	26.1	0.58	832	1.29	0.62	8.1	3.5	580
M897748		4.45	15.40	0.17	1.1	0.181	2.46	29.5	39.0	0.18	469	7.75	0.11	7.6	3.2	530
M897749		2.68	16.65	0.17	1.2	0.292	2.85	38.1	19.4	0.26	327	4.19	0.10	8.1	2.3	430
M897750		2.08	15.85	0.16	1.3	0.386	2.91	35.4	11.6	0.23	519	2.09	0.12	8.2	2.2	300
M897751		3.83	17.80	0.19	1.3	0.291	3.26	35.2	18.9	0.28	664	2.68	0.28	8.1	3.6	560
M897752		3.43	16.60	0.16	1.2	0.283	3.06	42.4	20.4	0.18	672	2.46	0.06	8.3	2.9	540
M897753		3.13	16.80	0.18	1.2	0.200	3.09	39.3	16.2	0.23	688	2.41	0.10	8.3	2.6	510
M897754		3.44	17.40	0.20	1.2	0.243	3.11	38.7	13.8	0.30	819	2.38	0.57	9.0	3.7	540
M897755		6.43	14.35	0.18	0.9	1.775	2.58	22.6	21.1	0.87	1870	13.15	0.03	5.9	16.4	440



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-34

CERTIFICATE OF ANALYSIS WH12158980

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M897720		136.0	167.5	0.002	0.06	22.4	10.3	1	3.3	49.6	0.74	0.26	15.6	0.242	3.13	9.8
M897721		286	149.5	0.002	0.06	36.7	9.5	1	3.3	45.4	0.65	0.14	14.5	0.225	3.04	7.9
M897722		78.7	131.5	0.002	0.04	20.4	10.5	1	2.8	77.6	0.77	0.12	16.0	0.249	2.80	7.6
M897723		134.5	191.0	0.002	0.16	37.2	7.7	1	10.2	52.2	0.55	0.46	8.7	0.207	2.60	3.5
M897724		139.0	175.5	0.003	0.07	37.5	9.6	1	4.9	48.9	0.68	0.54	15.5	0.232	3.34	8.2
M897725		204	236	0.002	0.18	52.1	9.5	1	13.6	57.5	0.75	1.41	7.4	0.248	3.19	2.5
M897726		124.5	155.0	0.002	0.06	41.5	10.4	1	4.1	71.9	0.75	0.30	16.0	0.254	2.84	6.9
M897727		118.0	142.5	0.002	0.04	17.00	10.6	1	2.9	61.3	0.77	0.13	16.2	0.253	2.67	5.8
M897728		55.6	122.5	0.002	0.09	10.60	10.5	1	3.4	252	0.76	0.13	18.0	0.244	2.03	4.6
M897729		53.7	140.0	0.003	0.08	17.70	10.5	1	2.9	122.5	0.77	0.12	16.0	0.239	2.36	5.5
M897730		52.0	146.5	0.002	0.05	8.96	10.7	1	2.3	95.0	0.75	0.11	17.3	0.248	2.27	4.9
M897731		55.2	149.0	0.003	0.03	9.73	10.9	1	2.8	101.0	0.80	0.21	17.5	0.261	2.17	5.9
M897732		209	166.5	0.002	0.09	11.05	9.8	1	4.2	93.3	0.71	0.31	16.2	0.235	2.56	5.3
M897733		271	165.5	0.002	0.06	18.20	10.4	1	3.1	56.3	0.70	0.28	16.2	0.237	2.91	7.5
M897734		74.7	124.0	0.002	0.05	15.00	7.4	1	2.6	73.9	0.77	0.12	13.8	0.263	2.06	5.4
M897735		368	146.0	0.002	0.11	40.8	7.8	1	5.2	116.5	0.82	0.72	13.5	0.257	2.82	7.1
M897736		258	162.0	0.002	0.12	103.5	9.1	1	7.1	97.3	0.81	0.80	13.6	0.257	2.86	4.7
M897737		87.5	137.0	0.002	0.04	16.50	10.5	1	3.8	94.9	0.83	0.30	14.9	0.273	2.05	4.0
M897738		48.6	130.5	0.002	0.03	17.50	10.9	1	3.3	64.4	0.75	0.19	15.5	0.247	1.76	3.6
M897739		51.2	135.0	0.002	0.03	12.70	10.2	1	2.7	101.5	0.75	0.11	16.4	0.265	1.82	3.4
M897740		101.0	128.0	0.002	0.02	18.20	10.2	1	3.0	92.0	0.76	0.13	13.4	0.262	1.73	4.2
M897741		70.7	152.0	0.003	0.02	11.35	10.2	1	2.7	81.2	0.77	0.07	16.8	0.256	2.04	4.2
M897742		443	142.0	0.002	0.09	21.4	10.1	1	4.7	40.4	0.66	0.08	14.6	0.214	2.83	6.3
M897743		317	145.5	0.003	0.15	21.7	6.9	1	4.6	40.2	0.42	0.49	8.6	0.152	2.55	2.9
M897744		4690	133.5	0.002	0.81	130.5	7.1	2	17.6	70.9	0.47	0.75	9.6	0.184	2.72	2.2
M897745		6.5	1.8	0.002	0.01	0.29	0.2	1	<0.2	43.0	<0.05	<0.05	0.2	<0.005	<0.02	0.6
M897746		415	123.5	0.002	0.05	12.70	10.0	1	2.4	109.0	0.54	0.24	13.5	0.243	1.83	2.6
M897747		138.0	124.5	0.003	0.02	8.24	10.5	1	1.9	98.7	0.61	0.12	14.9	0.243	1.35	2.4
M897748		101.0	127.0	0.003	0.06	31.1	9.5	1	1.9	76.8	0.64	0.06	15.2	0.217	1.96	4.2
M897749		517	156.5	0.003	0.12	15.85	9.0	1	4.5	92.4	0.69	0.35	14.0	0.245	3.29	3.0
M897750		670	156.0	0.003	0.10	20.1	9.0	1	6.5	60.6	0.71	0.16	12.1	0.250	3.14	2.7
M897751		321	161.0	0.003	0.07	11.15	10.3	1	2.5	86.1	0.69	0.49	16.6	0.233	2.65	5.5
M897752		312	149.0	0.002	0.32	13.05	9.7	1	2.3	114.5	0.76	0.08	18.5	0.238	2.71	7.5
M897753		316	167.0	0.002	0.41	12.15	9.6	1	2.2	100.0	0.72	0.16	15.6	0.254	3.26	5.8
M897754		369	159.5	0.003	0.20	15.40	10.1	1	2.6	152.0	0.73	0.10	15.9	0.260	2.45	4.9
M897755		2820	155.0	0.003	4.77	87.3	7.8	1	7.7	86.9	0.46	0.41	10.4	0.178	2.24	5.0



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-JUL-2012
 Account: ROCKHA

Project: Klaza TR-12-34

CERTIFICATE OF ANALYSIS WH12158980

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M897720		72	3.7	18.7	772	35.9
M897721		64	3.5	19.3	671	33.3
M897722		72	4.4	22.1	694	36.0
M897723		63	6.3	8.3	173	30.5
M897724		68	4.2	18.1	605	38.5
M897725		67	10.0	8.1	105	38.7
M897726		73	3.6	19.0	620	38.9
M897727		73	3.4	16.9	562	40.2
M897728		68	2.1	16.6	299	41.6
M897729		68	2.0	18.5	321	38.8
M897730		69	2.6	17.7	243	40.0
M897731		73	3.5	20.5	264	45.9
M897732		67	5.8	15.9	309	38.7
M897733		72	3.7	20.9	540	39.2
M897734		62	2.3	15.8	244	50.3
M897735		74	6.3	16.0	635	96.6
M897736		63	6.9	13.5	497	54.2
M897737		77	3.3	16.3	295	43.2
M897738		74	2.6	19.8	384	40.0
M897739		73	3.0	17.6	304	40.8
M897740		72	3.8	16.1	655	41.2
M897741		74	2.4	20.2	840	40.7
M897742		62	4.7	23.9	1300	33.5
M897743		58	3.6	9.9	284	29.8
M897744		52	7.1	7.7	424	25.5
M897745		1	0.2	0.9	17	0.6
M897746		64	2.8	15.3	839	28.1
M897747		67	2.8	12.9	651	33.4
M897748		60	2.4	16.0	1120	29.1
M897749		63	3.3	15.2	374	32.9
M897750		58	8.2	11.2	277	35.1
M897751		64	2.8	15.7	655	33.2
M897752		63	2.9	14.3	485	33.7
M897753		65	4.4	11.6	298	33.5
M897754		67	3.6	14.6	399	35.0
M897755		55	4.8	10.0	5300	27.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-34

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12158980

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.