



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 27-JUL-2012
Account: ROCKHA

CERTIFICATE WH12158982

Project: Klaza TR-12-35

P.O. No.: Batch 1

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 7-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-35

CERTIFICATE OF ANALYSIS WH12158982

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
M897765		4.12	<0.005	0.34	7.73	16.0	2120	1.46	0.29	0.91	0.45	55.9	8.2	10	11.55	10.9
M897766		3.51	<0.005	0.36	7.72	13.4	2150	1.57	0.12	0.68	0.23	65.9	8.7	9	15.95	12.3
M897767		2.98	0.005	0.31	7.77	12.8	2110	1.49	0.08	0.82	0.18	59.5	8.2	10	13.25	11.8
M897768		3.64	<0.005	0.23	7.67	10.7	2170	1.45	0.10	0.88	0.16	54.5	8.1	9	13.05	9.7
M897769		2.90	<0.005	0.29	7.91	10.9	2270	1.50	0.09	1.35	0.18	54.3	8.9	10	11.20	11.1
M897770		3.08	0.006	0.23	7.90	15.1	2060	1.64	0.09	1.36	0.19	57.1	9.4	10	10.90	12.3
M897771		3.26	0.010	0.39	7.95	25.6	2160	1.38	0.07	0.47	0.22	56.5	7.9	9	18.90	10.7
M897772		3.32	0.006	0.25	7.93	40.1	2300	1.54	0.08	1.40	0.19	53.1	9.2	11	13.15	11.7
M897773		3.66	0.007	0.38	7.87	28.0	2120	1.50	0.11	1.07	0.13	49.6	9.7	9	14.15	14.9
M897774		4.47	0.023	0.40	7.68	138.5	3810	1.51	0.13	1.25	0.29	61.1	8.6	10	12.65	12.3
M897775		2.39	<0.005	0.18	7.64	10.3	2040	1.25	0.09	0.35	0.08	53.9	7.2	8	12.75	10.3
M897776		2.95	<0.005	0.20	6.58	15.6	860	2.26	0.57	0.34	0.08	45.3	2.8	5	31.4	5.4
M897777		2.94	<0.005	0.27	7.99	9.7	2130	1.71	0.09	0.75	0.13	58.2	8.5	10	13.10	9.1
M897778		4.48	0.007	0.44	7.88	12.8	2050	1.67	0.08	0.93	0.22	57.9	7.9	10	13.40	10.9
M897779		3.09	0.010	0.51	8.05	15.9	2010	1.76	0.14	0.95	0.29	57.1	7.5	9	16.25	15.3
M897780		2.38	0.006	0.23	8.08	13.3	2160	1.39	0.13	0.51	0.18	52.3	7.4	8	12.95	11.6
M897781		3.25	0.006	0.26	7.83	12.3	2140	1.61	0.08	1.05	0.24	53.3	6.9	7	11.80	11.5
M897782		3.26	<0.005	0.17	8.03	13.9	2120	1.56	0.10	0.55	0.16	51.4	7.4	7	14.45	11.5
M897783		3.36	0.006	0.33	8.13	14.9	2220	1.62	0.09	1.22	0.41	51.9	7.4	9	13.90	11.0
M897784		3.63	0.505	63.2	7.55	609	2530	1.80	0.15	0.33	7.06	52.0	8.8	8	19.35	19.8
M897785		3.35	0.006	0.30	7.61	15.1	2190	1.70	0.13	1.47	0.34	51.5	7.5	7	20.6	13.0
M897786		2.92	0.011	0.58	8.00	26.6	2420	1.50	0.13	0.87	0.62	56.9	7.3	8	17.90	14.2
M897787		3.46	0.006	0.37	7.85	21.0	2170	1.77	0.16	0.91	0.52	55.4	8.8	9	19.30	15.6
M897788		2.75	0.006	0.31	8.46	15.9	2290	1.89	0.18	1.47	0.24	53.7	8.4	9	22.6	16.1
M897789		0.52	2.28	25.4	6.43	3590	1690	1.43	19.15	2.30	79.0	45.1	10.6	19	15.00	449
M897790		1.52	<0.005	0.46	8.21	19.1	2380	1.53	0.20	0.33	0.24	44.0	6.8	8	28.6	20.1
M897791		2.83	0.010	0.63	8.02	19.7	2270	1.74	0.48	1.15	0.28	56.4	8.4	8	17.65	19.7
M897792		2.48	0.013	0.91	8.40	25.8	2310	1.67	0.41	0.55	0.32	50.4	9.0	9	30.2	25.1
M897793		2.78	0.021	1.37	8.34	45.4	1900	1.90	0.25	0.45	0.59	56.2	9.1	10	26.5	27.0
M897794		2.80	0.009	0.49	8.29	16.7	2240	1.68	0.19	0.33	0.24	51.1	7.7	8	35.5	20.0
M897795		3.51	0.054	1.33	8.11	45.3	2230	1.72	0.24	0.33	0.68	53.1	8.4	9	30.7	42.0
M897796		3.54	<0.005	0.01	0.07	<5	20	0.05	0.02	20.0	0.06	1.18	1.2	<1	0.23	1.9
M897797		2.93	0.014	0.71	8.68	19.3	2350	1.65	0.09	0.52	0.28	53.9	8.1	8	28.1	13.9
M897798		2.81	0.013	0.63	8.05	20.6	2240	1.85	0.08	1.64	0.40	53.6	8.1	8	28.3	12.7
M897799		3.06	0.016	0.79	8.44	43.3	2670	2.11	0.09	0.31	0.58	50.0	7.2	8	23.1	14.6
M897800		4.59	0.018	1.28	7.46	69.3	1540	1.66	0.10	0.50	1.95	42.6	7.6	8	15.85	14.6



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-35

CERTIFICATE OF ANALYSIS WH12158982

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M897765		3.04	16.75	0.18	1.4	0.042	2.62	24.9	20.2	0.32	786	0.96	1.84	8.7	4.3	630
M897766		3.00	19.35	0.17	1.4	0.050	2.58	33.3	25.2	0.37	804	0.99	1.55	9.0	4.0	620
M897767		3.12	19.00	0.18	1.4	0.040	2.67	33.9	25.6	0.54	833	0.88	1.91	8.5	3.9	600
M897768		2.95	17.95	0.19	1.3	0.037	2.61	30.6	21.3	0.67	828	0.82	1.90	8.4	3.3	580
M897769		3.23	18.65	0.17	1.4	0.040	2.49	28.1	25.7	0.68	792	1.31	2.15	9.2	4.5	680
M897770		3.26	18.50	0.19	1.5	0.044	2.46	27.1	21.3	0.54	892	1.24	1.98	9.5	4.7	680
M897771		2.90	19.20	0.17	1.4	0.044	2.67	30.9	28.7	0.31	995	1.33	0.68	9.0	4.2	630
M897772		3.18	18.70	0.16	1.5	0.044	2.66	27.6	20.7	0.58	985	1.08	2.03	8.8	4.5	690
M897773		3.33	18.85	0.19	1.4	0.046	2.62	31.3	23.6	0.62	841	1.27	1.77	8.5	3.9	700
M897774		3.25	17.90	0.20	1.7	0.044	2.85	34.8	23.9	0.40	1880	1.30	1.68	8.8	4.4	610
M897775		2.67	18.70	0.16	1.8	0.042	2.79	32.7	24.4	0.19	597	1.03	0.78	9.1	3.4	610
M897776		1.15	18.05	0.12	2.5	0.028	1.78	25.7	39.6	0.33	404	1.10	0.20	10.9	2.4	220
M897777		3.25	19.60	0.19	1.7	0.041	3.12	38.2	36.7	0.18	874	1.03	1.74	9.1	3.7	600
M897778		2.99	18.40	0.19	1.6	0.039	2.90	36.9	33.5	0.17	838	1.01	1.85	8.3	4.0	600
M897779		2.98	17.10	0.09	1.7	0.043	2.74	29.1	35.5	0.25	859	1.07	1.80	9.5	4.7	590
M897780		3.21	16.85	0.11	1.6	0.044	2.82	29.7	31.1	0.27	903	0.96	1.09	9.1	3.3	630
M897781		3.05	16.30	0.10	1.7	0.039	2.73	30.4	28.7	0.24	831	1.00	1.91	9.1	3.6	590
M897782		3.12	17.30	0.10	1.5	0.041	2.81	27.2	31.2	0.23	663	0.96	0.98	9.3	2.9	610
M897783		3.13	17.55	0.09	1.4	0.044	2.78	23.5	32.0	0.37	880	1.17	1.50	9.6	4.0	620
M897784		3.15	16.40	0.12	1.5	0.046	2.81	38.0	194.0	0.16	6170	2.43	0.15	8.7	4.2	560
M897785		3.01	17.05	0.10	1.4	0.042	2.69	27.2	25.9	0.32	932	1.31	1.84	8.6	4.0	610
M897786		3.05	17.60	0.10	1.4	0.046	2.75	27.9	37.8	0.28	1220	1.43	1.02	9.4	4.4	640
M897787		3.08	17.65	0.10	1.5	0.047	2.79	27.6	82.0	0.30	1420	1.46	1.18	9.7	5.0	640
M897788		3.24	17.90	0.11	1.4	0.050	2.78	26.6	43.9	0.37	905	1.43	2.07	9.4	4.3	670
M897789		7.04	14.45	0.15	1.0	1.840	2.74	23.9	24.6	0.95	1980	13.85	0.04	6.6	16.1	470
M897790		3.22	18.35	0.09	1.4	0.048	2.90	17.8	60.8	0.32	655	1.34	0.38	9.4	4.1	650
M897791		3.21	17.25	0.10	1.6	0.049	2.77	27.4	31.4	0.51	823	1.08	1.87	9.5	4.0	620
M897792		3.22	19.85	0.11	1.6	0.050	2.89	24.3	76.7	0.40	657	1.40	1.02	10.0	4.4	650
M897793		3.44	19.25	0.13	1.6	0.052	2.75	34.5	143.0	0.24	995	1.57	0.65	10.0	4.9	650
M897794		3.09	18.90	0.11	1.5	0.048	3.02	26.1	50.8	0.23	729	2.38	0.57	9.4	3.4	620
M897795		3.20	19.80	0.13	1.5	0.054	2.95	28.6	97.2	0.23	1140	2.31	0.54	9.5	4.3	620
M897796		0.45	0.27	0.12	<0.1	0.006	0.03	0.6	1.3	12.20	206	0.08	0.01	0.3	1.3	160
M897797		3.39	19.15	0.13	1.6	0.046	2.97	26.6	58.1	0.39	647	1.47	0.54	10.2	3.5	680
M897798		3.21	18.30	0.12	1.6	0.040	2.72	27.3	32.8	0.34	820	1.44	2.01	9.4	3.7	610
M897799		2.77	19.10	0.11	1.6	0.039	2.27	28.7	434	0.11	1180	1.74	0.08	9.1	3.5	650
M897800		3.16	17.40	0.11	1.5	0.036	1.96	26.6	230	0.12	1900	1.91	0.09	8.6	3.9	580



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-35

CERTIFICATE OF ANALYSIS WH12158982

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M897765		20.9	120.0	0.002	0.01	6.79	9.9	1	1.6	215	0.73	<0.05	15.8	0.263	1.14	3.3
M897766		25.7	124.5	0.002	<0.01	5.94	12.5	1	1.8	170.0	0.72	<0.05	18.2	0.258	1.12	3.3
M897767		22.5	121.0	0.002	<0.01	4.07	10.9	1	1.6	205	0.73	<0.05	16.9	0.252	1.08	2.9
M897768		21.7	119.0	0.002	<0.01	3.64	10.5	1	1.5	220	0.71	<0.05	15.5	0.251	1.04	2.5
M897769		21.0	116.0	0.002	<0.01	2.69	10.2	1	1.7	284	0.75	<0.05	14.9	0.276	1.01	2.5
M897770		21.6	112.5	0.003	<0.01	3.75	11.2	1	1.7	275	0.78	<0.05	15.0	0.286	1.02	3.4
M897771		23.6	127.0	0.003	0.01	14.60	12.6	1	1.6	95.9	0.72	<0.05	16.5	0.267	1.22	2.9
M897772		21.2	116.5	0.002	<0.01	3.98	10.4	1	1.6	304	0.69	<0.05	14.5	0.284	1.08	2.4
M897773		20.6	118.0	0.003	<0.01	3.98	12.5	1	1.7	227	0.70	<0.05	15.1	0.291	1.17	2.6
M897774		22.7	127.5	0.003	0.04	9.80	11.5	1	1.7	240	0.75	<0.05	16.2	0.263	1.26	3.1
M897775		19.1	131.0	0.002	<0.01	10.10	10.8	1	1.7	86.1	0.80	<0.05	17.5	0.253	1.20	3.1
M897776		35.6	112.0	0.002	<0.01	8.61	5.0	<1	1.8	57.2	1.21	<0.05	16.4	0.104	1.01	6.1
M897777		22.8	136.5	0.002	<0.01	7.05	11.1	1	1.6	173.5	0.78	<0.05	17.6	0.257	1.29	3.4
M897778		23.6	129.0	0.003	<0.01	5.93	10.9	1	1.6	201	0.71	<0.05	16.9	0.251	1.20	3.1
M897779		19.7	123.0	<0.002	<0.01	5.90	12.7	2	1.6	203	0.71	<0.05	16.3	0.246	1.08	4.0
M897780		18.7	129.0	<0.002	<0.01	8.29	12.0	2	1.6	118.5	0.72	<0.05	16.5	0.264	1.20	3.7
M897781		17.2	125.5	<0.002	0.01	5.20	11.1	2	1.5	220	0.74	<0.05	16.0	0.243	1.10	4.1
M897782		18.0	131.5	<0.002	<0.01	9.08	12.6	2	1.5	119.0	0.69	<0.05	16.2	0.259	1.15	3.5
M897783		21.2	129.0	<0.002	<0.01	12.15	11.4	1	1.6	235	0.68	<0.05	15.3	0.262	1.14	3.0
M897784		1145	136.5	<0.002	0.04	313	11.7	2	2.7	103.0	0.63	<0.05	14.5	0.241	1.70	4.8
M897785		19.6	124.5	<0.002	<0.01	7.67	11.7	2	1.6	268	0.65	<0.05	14.6	0.249	1.23	2.9
M897786		24.5	132.0	<0.002	0.01	16.05	11.9	1	1.7	173.0	0.67	<0.05	15.6	0.264	1.21	3.5
M897787		21.9	139.0	<0.002	<0.01	11.00	12.4	2	1.7	198.0	0.71	<0.05	15.6	0.266	1.32	3.8
M897788		19.9	132.0	<0.002	<0.01	6.62	13.3	2	1.7	305	0.67	<0.05	14.6	0.273	1.18	3.3
M897789		2840	168.0	0.002	4.97	92.8	8.3	2	8.5	99.4	0.49	0.46	10.6	0.181	2.32	5.5
M897790		21.9	141.5	<0.002	0.01	13.20	13.5	1	1.8	74.1	0.69	<0.05	14.3	0.267	1.37	2.7
M897791		24.7	140.0	<0.002	<0.01	5.99	13.1	2	1.7	247	0.73	<0.05	15.7	0.259	1.17	3.1
M897792		25.6	146.5	<0.002	<0.01	12.25	14.7	2	1.9	148.5	0.74	<0.05	15.5	0.272	1.29	3.7
M897793		28.6	146.5	<0.002	<0.01	20.8	14.5	2	1.8	142.0	0.74	<0.05	17.1	0.274	1.32	4.6
M897794		24.5	154.5	<0.002	<0.01	11.65	14.5	2	1.8	84.8	0.72	<0.05	15.4	0.263	1.43	4.0
M897795		29.4	151.5	<0.002	<0.01	21.2	15.0	2	1.9	101.0	0.72	<0.05	16.6	0.266	1.58	3.8
M897796		1.3	1.3	<0.002	0.01	0.09	0.3	1	<0.2	45.8	<0.05	<0.05	0.2	<0.005	<0.02	4.0
M897797		22.2	141.5	<0.002	<0.01	10.50	14.5	2	1.8	98.4	0.73	<0.05	18.1	0.287	1.35	3.4
M897798		21.5	132.0	<0.002	<0.01	5.93	12.6	2	1.6	319	0.70	<0.05	15.0	0.259	1.19	2.8
M897799		34.0	116.5	<0.002	0.04	31.9	13.8	2	1.6	145.0	0.67	<0.05	15.9	0.266	1.23	4.2
M897800		71.9	100.5	<0.002	0.04	35.2	12.2	2	1.6	106.5	0.69	<0.05	13.8	0.242	1.21	3.9



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-JUL-2012
 Account: ROCKHA

Project: Klaza TR-12-35

CERTIFICATE OF ANALYSIS WH12158982

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M897765		69	1.2	13.5	62	37.6
M897766		72	1.5	19.4	60	39.8
M897767		71	1.2	21.3	57	38.9
M897768		67	1.4	18.6	57	37.2
M897769		78	1.6	13.9	63	39.3
M897770		83	1.3	15.2	63	42.7
M897771		75	1.5	20.0	65	40.3
M897772		79	1.4	14.8	63	46.4
M897773		86	1.7	18.8	65	44.2
M897774		76	2.2	21.9	69	46.1
M897775		69	2.3	22.4	47	49.2
M897776		23	2.2	16.7	39	66.2
M897777		70	0.9	28.1	61	47.0
M897778		69	1.0	23.1	64	44.6
M897779		69	1.4	20.6	64	47.4
M897780		74	2.2	22.6	59	47.1
M897781		67	1.3	20.8	57	49.7
M897782		71	2.0	21.7	60	47.6
M897783		73	2.5	14.5	82	43.1
M897784		69	3.6	25.6	851	47.2
M897785		71	2.2	17.1	70	42.8
M897786		72	3.7	17.8	89	44.4
M897787		73	2.8	17.4	86	47.3
M897788		77	2.8	17.5	65	44.1
M897789		58	5.2	10.6	5290	27.8
M897790		75	2.7	14.8	69	42.5
M897791		73	1.3	18.4	72	49.6
M897792		75	1.8	17.6	82	48.6
M897793		74	2.2	23.3	104	49.5
M897794		74	2.1	19.1	71	43.3
M897795		74	3.1	20.1	108	43.6
M897796		2	<0.1	0.8	13	<0.5
M897797		80	2.7	20.8	78	47.9
M897798		71	2.2	19.6	80	48.6
M897799		70	6.4	19.1	114	46.8
M897800		68	5.5	24.8	251	45.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-35

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12158982

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.