



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 27-JUL-2012
Account: ROCKHA

CERTIFICATE WH12158983

Project: Klaza TR-12-35

P.O. No.: Batch 2

This report is for 36 Rock samples submitted to our lab in Whitehorse, YT, Canada on 7-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-QC	Pulverizing QC Test
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-35

CERTIFICATE OF ANALYSIS WH12158983

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
M897801		2.67	0.015	0.67	8.41	32.1	1600	1.73	0.11	0.32	0.34	50.5	7.5	13	25.7	10.0
M897802		3.04	0.022	0.59	8.17	39.6	2360	1.82	0.19	1.46	0.34	59.1	8.1	12	23.3	13.4
M897803		3.68	0.026	1.02	8.05	80.9	2320	1.73	0.11	1.50	0.93	59.3	7.8	11	15.20	6.6
M897804		2.69	0.051	2.82	8.16	218	2330	1.55	0.13	0.49	2.02	52.4	8.0	11	20.1	8.4
M897805		2.84	0.413	27.1	8.10	757	2140	1.80	0.25	0.32	11.45	57.9	7.5	16	16.05	18.1
M897806		3.04	0.578	17.05	6.81	2120	5190	1.77	0.25	0.21	42.7	48.6	6.8	9	14.80	25.2
M897807		3.40	8.29	>100	6.66	7590	2220	1.59	0.15	0.20	70.6	51.4	4.0	12	16.05	70.2
M897808		3.30	3.32	66.1	7.18	2420	2460	1.48	0.38	0.17	27.0	51.6	1.9	9	25.4	31.3
M897809		3.12	0.095	5.08	7.97	335	1880	1.73	0.34	0.48	5.61	58.6	7.5	16	13.85	19.0
M897810		3.13	0.072	2.89	8.07	259	1680	1.90	0.96	0.49	3.45	60.0	8.2	22	23.2	13.3
M897811		2.95	0.040	1.56	8.10	202	1710	1.99	2.30	0.34	1.46	58.1	7.5	10	19.95	12.4
M897812		3.00	0.043	1.37	8.03	188.5	1460	1.66	0.82	0.45	0.78	56.0	7.4	10	22.6	18.6
M897813		3.20	0.030	0.56	8.07	56.3	2150	1.77	0.23	1.32	0.69	56.5	7.3	11	15.85	10.3
M897814		2.96	0.015	0.65	7.66	75.3	3750	1.76	0.17	0.73	0.82	55.2	7.2	11	20.3	12.3
M897815		2.48	0.014	0.70	8.30	41.6	2280	1.44	0.26	0.35	0.67	54.6	7.2	10	29.1	11.8
M897816		3.80	0.014	0.44	8.34	22.2	2560	1.73	0.29	0.82	0.65	59.9	8.1	13	24.6	18.4
M897817		4.39	0.229	0.60	7.61	173.5	2880	1.73	0.13	0.94	1.18	54.3	6.9	10	21.4	9.0
M897818		3.09	0.031	0.38	7.87	69.8	2010	1.79	0.52	0.40	0.46	58.0	8.3	11	21.7	9.7
M897819		2.94	<0.005	0.15	7.94	14.9	2380	1.68	0.21	1.21	0.24	59.8	6.8	12	14.95	13.8
M897820		2.33	<0.005	0.12	8.03	12.9	2210	1.71	0.26	1.27	0.20	59.6	7.8	13	12.20	13.6
M897821		3.46	<0.005	0.19	8.50	10.3	2380	1.60	0.22	0.49	0.12	61.9	6.7	12	15.70	20.8
M897822		3.59	<0.005	0.11	8.20	8.7	2220	1.43	0.19	0.48	0.24	55.7	7.6	12	10.30	10.8
M897823		3.01	<0.005	0.15	8.21	11.6	2410	1.61	0.24	0.50	0.17	55.8	8.7	13	14.90	9.5
M897824		3.72	<0.005	0.08	7.69	8.0	2580	1.52	0.36	0.87	0.19	47.7	7.5	11	9.28	6.2
M897825		3.71	<0.005	0.19	7.87	23.5	2100	1.65	0.50	0.71	0.30	63.8	6.9	11	12.05	20.6
M897826		0.23	2.42	23.7	5.96	3480	1660	1.35	18.80	2.17	77.3	45.8	10.4	18	15.60	439
M897827		3.29	<0.005	0.13	7.93	9.4	2140	1.64	0.98	1.51	0.16	54.4	7.7	13	9.28	13.4
M897828		3.39	0.007	0.17	7.70	24.7	1810	1.66	0.41	0.89	0.27	59.6	8.2	15	12.85	14.4
M897829		3.18	0.006	0.18	7.99	20.8	1850	1.52	0.38	0.62	0.25	62.0	7.7	14	13.80	15.6
M897830		4.06	0.025	0.19	7.70	38.2	2160	1.45	0.72	0.82	0.36	54.9	7.5	12	11.35	15.9
M897831		2.81	0.011	0.11	8.52	16.0	2240	1.47	0.43	0.87	0.13	55.5	7.8	12	17.45	19.1
M897832		1.97	<0.005	<0.01	0.16	<5	40	0.11	0.02	21.2	0.06	1.27	1.8	3	1.12	3.4
M897833		3.31	0.204	0.57	6.47	216	1070	1.42	0.38	1.00	0.47	37.7	8.2	9	23.2	15.6
M897834		4.27	<0.005	0.11	8.35	19.0	1970	1.53	0.40	0.47	0.18	54.9	7.8	10	21.6	12.3
M897835		2.81	0.005	0.14	8.24	27.6	2100	1.69	0.77	0.92	0.22	60.9	9.1	13	20.2	22.2
M897836		2.76	<0.005	0.08	7.93	11.4	2060	1.68	1.47	1.41	0.17	46.7	7.9	9	8.89	12.2



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-35

CERTIFICATE OF ANALYSIS WH12158983

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M897801		2.99	18.80	0.15	1.6	0.044	2.53	28.7	227	0.13	1160	1.77	0.20	9.2	3.5	690
M897802		3.37	17.25	0.15	1.7	0.045	2.79	30.9	27.7	0.41	927	1.73	1.96	9.0	3.9	680
M897803		3.18	16.80	0.14	1.5	0.040	2.76	29.4	21.2	0.58	901	1.48	2.19	8.5	3.7	640
M897804		3.30	17.45	0.14	1.5	0.045	2.92	25.2	25.6	0.27	1060	1.58	1.04	8.7	3.8	630
M897805		3.33	17.85	0.15	1.6	0.051	2.97	30.3	43.0	0.21	1770	2.66	0.55	9.1	4.2	740
M897806		3.23	15.50	0.15	1.3	0.050	2.08	28.4	71.3	0.16	4400	10.45	<0.01	7.2	3.7	510
M897807		3.80	16.10	0.14	1.3	0.051	2.19	33.8	51.9	0.16	4020	4.84	0.02	7.2	2.4	430
M897808		3.24	16.35	0.13	1.4	0.049	2.78	30.3	36.7	0.22	598	8.74	0.02	7.6	2.1	320
M897809		3.38	17.60	0.15	1.9	0.091	2.89	31.7	51.3	0.21	2140	2.56	0.35	9.1	5.9	790
M897810		3.28	18.55	0.17	2.4	0.051	2.23	33.5	113.0	0.16	1660	2.47	0.19	9.7	7.9	1070
M897811		3.02	17.70	0.17	1.7	0.050	2.90	34.4	145.0	0.17	2310	2.31	0.26	8.8	4.1	650
M897812		2.96	17.85	0.16	1.6	0.061	2.58	36.1	94.2	0.19	2080	2.11	0.37	8.5	4.1	620
M897813		3.05	17.30	0.17	1.6	0.046	2.83	30.2	42.5	0.36	1520	1.76	1.67	8.6	4.3	620
M897814		3.23	16.65	0.18	1.4	0.044	2.85	37.2	40.6	0.19	2670	2.27	1.00	7.8	4.2	560
M897815		3.18	18.35	0.18	1.5	0.046	2.91	28.8	32.6	0.23	2000	1.65	0.53	8.6	3.4	620
M897816		3.50	18.10	0.17	1.6	0.044	3.02	30.3	34.3	0.33	1010	1.49	0.58	8.9	4.0	640
M897817		3.57	17.05	0.17	1.3	0.041	2.83	33.3	50.3	0.26	5210	2.17	0.60	7.9	3.7	550
M897818		3.15	17.45	0.18	1.3	0.044	3.20	35.9	36.4	0.21	2280	2.13	0.42	8.3	4.3	580
M897819		3.08	16.80	0.17	1.4	0.044	2.89	27.7	18.6	0.41	874	1.37	1.69	8.8	4.4	650
M897820		3.27	16.90	0.18	1.3	0.047	2.70	26.7	17.8	0.55	1020	1.20	1.76	8.9	5.8	630
M897821		3.28	18.70	0.19	1.6	0.057	2.90	29.1	28.0	0.34	753	1.92	0.90	9.4	4.3	660
M897822		3.30	17.85	0.15	1.5	0.046	2.75	24.5	28.7	0.23	858	1.54	0.58	9.4	4.9	650
M897823		3.26	17.70	0.17	1.6	0.049	2.88	22.4	30.3	0.36	1020	1.24	0.69	9.3	4.5	650
M897824		3.12	16.85	0.17	1.4	0.046	2.65	24.4	24.6	0.38	819	1.35	1.21	8.5	4.2	610
M897825		3.32	17.80	0.19	1.4	0.059	2.82	32.0	23.8	0.41	1580	1.71	1.04	8.7	5.1	630
M897826		6.66	13.70	0.17	0.9	1.720	2.53	26.6	25.4	0.89	1860	13.50	0.03	6.0	15.6	440
M897827		3.05	16.80	0.15	1.5	0.043	2.56	27.8	28.1	0.62	788	1.30	1.72	8.9	5.1	640
M897828		3.10	16.75	0.17	1.5	0.044	2.59	32.3	28.1	0.36	966	1.67	1.14	8.8	6.2	610
M897829		2.87	18.80	0.07	1.8	0.044	2.57	31.9	30.6	0.31	927	1.68	0.94	9.8	5.2	610
M897830		2.84	16.95	0.06	1.5	0.047	2.53	29.4	28.7	0.33	1560	1.52	1.06	8.9	4.7	590
M897831		3.23	18.50	0.08	1.5	0.047	2.92	25.9	32.2	0.46	873	1.66	1.05	9.1	3.8	640
M897832		0.48	0.48	0.16	<0.1	<0.005	0.07	0.6	2.0	13.25	224	0.17	0.01	0.4	<0.2	180
M897833		2.80	14.80	<0.05	1.3	0.042	2.39	20.9	87.4	0.15	5080	1.83	0.07	6.9	3.4	450
M897834		2.88	17.80	0.09	1.6	0.045	2.41	31.4	156.0	0.17	1120	1.30	0.22	9.4	4.1	620
M897835		3.09	17.55	0.09	1.6	0.051	3.00	30.7	37.0	0.36	910	1.57	1.41	9.2	5.5	620
M897836		3.02	16.70	0.09	1.5	0.047	2.78	23.6	14.0	0.61	694	1.44	2.21	8.9	3.7	580



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 27-JUL-2012
Account: ROCKHA

Project: Klaza TR-12-35

CERTIFICATE OF ANALYSIS WH12158983

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M897801		19.9	113.5	<0.002	0.02	21.7	13.3	1	1.8	105.0	0.73	<0.05	15.6	0.297	1.43	3.4
M897802		21.7	115.0	<0.002	0.02	9.41	12.2	1	1.8	310	0.76	<0.05	16.2	0.287	1.34	3.0
M897803		25.8	109.5	<0.002	0.01	6.37	11.0	1	1.6	336	0.70	<0.05	14.9	0.279	1.24	2.3
M897804		30.3	129.0	<0.002	0.01	16.30	12.1	1	1.7	141.5	0.71	<0.05	14.8	0.274	1.48	3.1
M897805		384	143.0	<0.002	0.02	72.1	13.3	1	2.5	110.5	0.73	<0.05	15.7	0.297	1.90	4.0
M897806		665	104.5	<0.002	0.18	90.2	10.6	1	4.2	194.5	0.60	<0.05	14.1	0.229	1.88	5.4
M897807		3120	107.5	<0.002	0.29	536	10.8	1	12.3	255	0.61	<0.05	13.8	0.227	2.10	6.2
M897808		338	144.0	<0.002	0.29	134.0	10.7	1	5.3	178.5	0.65	<0.05	14.0	0.233	2.46	3.9
M897809		66.7	135.5	<0.002	0.04	30.6	11.7	1	1.9	192.0	0.74	<0.05	15.0	0.306	1.96	3.7
M897810		44.5	105.5	<0.002	0.03	33.4	11.7	2	1.8	391	0.69	0.05	13.4	0.349	1.49	4.4
M897811		40.9	135.0	<0.002	0.02	22.4	12.3	1	2.0	123.0	0.78	0.06	16.4	0.274	1.85	4.7
M897812		40.4	121.0	<0.002	0.03	21.9	12.3	1	2.2	151.5	0.71	0.05	15.7	0.267	1.69	4.3
M897813		34.8	120.0	<0.002	0.01	10.55	10.9	1	2.0	274	0.70	<0.05	15.0	0.272	1.54	2.5
M897814		34.9	128.0	<0.002	0.06	26.5	12.0	1	1.8	188.5	0.60	<0.05	15.5	0.248	1.89	3.5
M897815		25.0	130.0	<0.002	0.01	18.90	13.1	1	1.9	92.7	0.67	<0.05	16.5	0.278	1.74	3.4
M897816		22.2	133.0	<0.002	0.02	17.15	12.8	2	1.9	126.5	0.74	<0.05	17.1	0.280	1.63	3.4
M897817		37.9	130.5	<0.002	0.13	23.9	11.7	1	1.8	151.0	0.64	<0.05	14.8	0.251	1.90	4.0
M897818		26.4	151.0	<0.002	0.02	24.7	12.7	1	1.8	116.5	0.67	<0.05	15.0	0.269	2.23	4.2
M897819		18.8	122.5	<0.002	0.01	8.72	11.3	1	1.8	265	0.72	<0.05	14.7	0.279	1.46	2.8
M897820		19.4	111.0	<0.002	<0.01	6.36	11.5	1	2.0	269	0.68	<0.05	14.3	0.295	1.30	2.7
M897821		19.4	130.0	<0.002	<0.01	11.60	12.8	1	2.0	123.0	0.77	<0.05	16.6	0.292	1.41	3.0
M897822		17.0	121.0	<0.002	0.01	22.2	12.6	1	2.0	117.0	0.74	<0.05	14.7	0.297	1.27	2.7
M897823		20.2	126.5	<0.002	0.01	10.75	12.0	1	1.9	111.5	0.76	<0.05	14.4	0.293	1.45	2.7
M897824		16.9	109.0	<0.002	0.01	14.25	11.2	1	2.2	205	0.72	<0.05	13.3	0.269	1.24	2.5
M897825		21.0	127.0	<0.002	0.01	15.85	12.3	2	2.0	165.5	0.70	<0.05	15.0	0.280	1.49	3.6
M897826		2780	147.5	0.002	4.89	88.8	8.4	2	7.8	92.1	0.47	0.37	11.0	0.178	2.28	5.2
M897827		17.5	104.5	<0.002	0.01	10.30	10.9	1	2.3	320	0.71	<0.05	12.9	0.288	1.21	2.4
M897828		23.8	115.5	<0.002	0.01	15.20	11.3	2	1.8	194.5	0.72	<0.05	14.5	0.277	1.34	3.0
M897829		26.6	145.0	<0.002	0.01	14.45	12.5	2	2.0	142.0	0.85	<0.05	17.2	0.275	1.43	3.4
M897830		21.6	142.0	<0.002	0.01	19.30	11.5	1	2.3	180.0	0.76	<0.05	15.3	0.262	1.47	3.2
M897831		21.5	147.5	<0.002	<0.01	11.50	12.3	1	2.1	168.0	0.79	<0.05	16.2	0.295	1.53	2.8
M897832		1.4	5.7	<0.002	0.01	0.08	0.6	1	<0.2	45.2	<0.05	<0.05	0.2	0.006	0.04	0.9
M897833		22.5	136.0	<0.002	0.11	44.7	9.5	1	1.9	123.0	0.65	<0.05	11.8	0.207	2.18	3.5
M897834		17.9	133.5	<0.002	0.04	23.1	12.2	2	2.1	150.5	0.84	<0.05	16.5	0.284	2.02	3.7
M897835		20.5	163.0	<0.002	0.01	12.95	12.0	2	2.2	224	0.84	<0.05	16.2	0.281	1.73	3.3
M897836		18.1	140.0	<0.002	0.01	3.30	10.8	1	2.6	300	0.80	<0.05	14.5	0.264	1.47	2.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 27-JUL-2012
 Account: ROCKHA

Project: Klaza TR-12-35

CERTIFICATE OF ANALYSIS WH12158983

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1
M897801		78	3.4	20.9	93	43.5	
M897802		80	2.2	18.7	94	45.5	
M897803		74	2.0	15.6	188	38.9	
M897804		72	3.6	16.7	415	40.4	
M897805		79	4.2	15.0	674	42.5	
M897806		62	4.8	17.6	1970	33.7	
M897807		62	4.9	19.2	1720	34.2	452
M897808		63	3.5	9.6	910	36.7	
M897809		78	4.6	15.4	400	55.7	
M897810		81	3.5	18.1	340	86.6	
M897811		72	3.0	18.1	212	42.7	
M897812		71	3.4	19.7	147	42.1	
M897813		71	2.5	15.2	111	40.0	
M897814		70	2.1	19.9	107	35.6	
M897815		75	2.0	18.5	88	39.8	
M897816		75	1.7	19.2	100	41.1	
M897817		70	1.8	19.4	153	33.9	
M897818		73	2.0	18.1	76	34.8	
M897819		72	1.3	13.9	66	35.4	
M897820		76	1.5	13.6	61	32.4	
M897821		76	2.6	15.9	58	40.4	
M897822		78	2.9	14.0	60	37.2	
M897823		78	2.6	13.8	58	40.2	
M897824		71	2.4	12.8	63	35.3	
M897825		75	2.8	15.8	76	37.2	
M897826		55	5.0	9.9	5260	25.0	
M897827		71	3.2	14.5	60	38.0	
M897828		73	2.5	16.5	69	41.9	
M897829		70	2.6	20.3	63	49.9	
M897830		67	2.7	18.5	66	40.7	
M897831		79	2.0	17.9	59	41.8	
M897832		3	0.1	0.9	15	0.6	
M897833		59	3.3	16.6	77	35.8	
M897834		73	3.1	21.4	57	46.5	
M897835		73	2.6	18.0	54	44.6	
M897836		69	2.0	14.7	54	40.1	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza TR-12-35

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 27-JUL-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12158983

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.