



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 1-AUG-2012
Account: ROCKHA

CERTIFICATE WH12159038

Project: Klaza - 74B

P.O. No.: Batch 4

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 9-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1-AUG-2012
Account: ROCKHA

Project: Klaza - 74B

CERTIFICATE OF ANALYSIS WH12159038

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M895309		10.61	<0.005	0.11	6.43	5.7	1220	1.43	2.99	3.29	0.11	37.7	8.4	11	10.90	2.6
M895310		5.45	<0.005	2.04	6.95	6.7	1780	1.28	16.80	3.00	0.49	47.2	8.1	11	10.85	3.6
M895311		4.34	<0.005	0.19	8.11	5.0	1930	1.42	1.13	1.34	0.29	48.7	7.0	9	11.85	4.1
M895312		4.50	<0.005	0.37	6.72	6.0	1900	1.21	1.94	2.72	0.37	37.9	7.6	8	10.85	2.7
M895313		6.60	<0.005	1.87	6.51	10.0	2340	1.45	4.88	2.96	1.77	40.5	7.7	9	11.70	3.9
M895314		0.23	2.35	23.8	5.84	3250	1270	1.42	19.00	2.21	75.4	41.5	9.9	19	13.45	438
M895315		10.32	0.005	2.14	6.70	8.6	1500	1.42	7.04	2.61	0.19	35.6	7.8	9	10.35	2.0
M895316		9.21	0.005	0.76	6.53	12.5	1470	1.49	1.86	3.09	2.24	38.6	7.7	8	11.15	6.9
M895317		6.05	<0.005	0.86	6.73	10.4	590	1.19	3.96	3.32	1.01	40.2	6.4	7	9.15	2.9
M895318		3.21	<0.005	0.06	0.16	<5	30	0.09	0.05	20.7	0.06	1.16	0.8	3	0.70	2.5
M895319		7.83	<0.005	0.16	6.38	5.2	2860	1.20	0.74	2.79	0.13	38.3	6.3	9	7.94	2.1
M895320		8.46	<0.005	0.22	7.39	13.4	840	1.44	0.86	4.01	0.12	47.7	7.8	9	13.15	2.5
M895321		9.40	<0.005	0.16	7.00	4.6	2060	1.13	1.07	3.52	0.09	42.5	7.4	11	8.69	2.2
M895322		9.98	<0.005	0.12	6.81	6.0	1440	1.33	0.92	3.06	0.10	44.2	7.7	9	10.30	1.4
M895323		11.42	<0.005	0.39	6.46	9.8	1530	1.31	1.69	3.51	0.13	38.6	7.9	11	8.12	1.1
M895324		6.05	0.006	0.25	7.27	10.3	1260	1.43	0.59	4.29	0.16	37.0	8.3	9	14.35	4.4
M895325		2.13	<0.005	0.06	0.11	6	20	0.08	0.04	21.2	0.05	1.15	0.9	2	0.31	3.0
M895326		10.27	<0.005	0.16	6.67	9.7	1650	1.47	0.27	3.13	0.09	31.8	7.3	11	9.36	5.7
M895327		5.63	<0.005	0.21	6.93	13.5	1430	1.25	0.86	4.00	0.16	39.8	8.0	9	13.05	1.8
M895328		11.34	<0.005	0.65	6.52	5.8	1420	1.47	1.87	3.04	1.30	37.7	7.4	12	9.61	2.6
M895329		10.95	<0.005	0.18	7.38	4.4	1950	1.63	0.28	2.42	0.85	42.7	8.3	11	12.95	4.8
M895330		0.23	2.33	25.9	6.05	3430	1240	1.36	18.40	2.29	79.1	43.4	10.1	20	13.80	459
M895331		11.06	<0.005	0.14	7.60	5.3	2380	1.74	0.21	3.06	0.16	44.4	8.5	11	11.60	5.2
M895332		9.16	<0.005	0.33	6.98	9.1	1400	1.36	0.59	3.36	0.20	42.5	7.3	11	10.70	4.8
M895333		2.90	<0.005	0.18	7.01	6.7	1300	1.57	0.40	3.35	0.10	45.3	8.0	10	11.05	5.5
M895334		8.27	<0.005	0.16	6.61	5.8	1560	1.44	0.60	3.78	0.08	39.5	7.6	12	9.09	3.3
M895335		6.13	<0.005	0.06	6.82	7.3	910	1.62	3.96	4.22	0.28	39.6	7.9	9	16.90	0.8
M895336		6.16	<0.005	0.08	6.54	6.0	1160	1.54	2.95	3.38	0.18	41.3	7.7	11	14.35	0.8
M895337		6.79	<0.005	0.02	7.02	4.8	2670	1.68	1.81	3.41	0.16	42.6	7.9	9	11.00	0.8
M895338		<0.02	<0.005	0.06	7.09	4.9	3150	1.58	1.98	3.58	0.17	46.9	8.4	10	11.70	0.7
M895339		9.91	<0.005	0.06	6.96	6.4	1490	1.43	1.29	3.78	0.14	39.4	7.7	9	9.43	1.0
M895340		5.65	<0.005	0.11	7.12	17.0	1470	1.50	1.39	3.05	0.12	39.5	8.8	11	11.70	0.8
M895341		6.46	<0.005	0.09	7.06	3.0	1790	1.44	0.73	3.38	0.11	38.7	7.8	12	8.69	0.7
M895342		9.85	<0.005	0.07	6.49	6.2	950	1.54	1.77	3.62	0.16	36.0	7.1	14	14.15	0.9
M895343		11.97	<0.005	0.13	6.67	7.6	1170	1.65	1.51	2.93	0.20	34.9	7.4	10	10.10	1.6
M895344		7.63	<0.005	0.14	6.76	6.5	1140	1.56	1.33	2.89	0.20	36.1	7.5	11	9.81	2.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1-AUG-2012
Account: ROCKHA

Project: Klaza - 74B

CERTIFICATE OF ANALYSIS WH12159038

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M895309		3.08	15.20	0.14	1.1	0.048	1.98	17.1	17.0	0.80	1570	0.20	1.55	8.3	2.9	620
M895310		2.81	13.30	0.16	1.0	0.035	1.91	23.4	21.9	0.97	1360	0.19	1.37	7.8	2.8	620
M895311		2.82	16.05	0.16	1.2	0.039	2.21	23.6	30.7	0.53	931	0.25	0.06	8.5	2.5	670
M895312		3.13	15.00	0.13	1.0	0.040	1.94	18.0	28.0	0.78	1440	0.08	0.51	6.7	2.4	600
M895313		3.05	15.10	0.12	1.0	0.056	2.33	19.2	19.5	0.94	1660	0.13	0.84	6.7	2.4	580
M895314		6.80	13.45	0.14	0.9	1.395	2.64	21.6	22.7	0.91	1840	11.80	0.05	5.1	14.6	430
M895315		3.08	14.80	0.11	1.0	0.043	1.85	17.3	38.8	0.79	1440	0.11	0.99	7.0	2.5	610
M895316		3.05	14.85	0.13	1.0	0.082	2.23	17.1	28.7	0.85	1720	0.10	0.90	6.5	2.4	540
M895317		2.61	13.80	0.14	0.8	0.049	1.85	21.5	39.9	0.92	1540	0.05	0.09	4.9	1.9	450
M895318		0.51	0.36	0.13	<0.1	0.010	0.07	0.6	1.9	12.95	221	<0.05	0.01	0.2	2.2	150
M895319		2.65	13.45	0.16	0.9	0.036	1.92	18.4	16.3	0.74	1480	0.09	1.74	6.0	2.1	540
M895320		3.79	14.25	0.14	0.9	0.078	2.72	26.0	23.4	1.21	2370	0.18	0.24	6.8	2.9	620
M895321		3.32	12.65	0.14	0.8	0.048	2.03	22.2	20.8	1.14	1860	0.19	1.15	6.4	2.9	610
M895322		3.26	13.90	0.14	0.8	0.069	1.88	22.8	21.4	0.77	1730	0.17	1.29	6.8	2.8	590
M895323		3.09	14.50	0.15	0.9	0.049	2.02	19.3	25.0	1.08	2000	0.08	1.45	6.7	2.4	590
M895324		3.47	17.20	0.14	1.0	0.066	2.80	16.1	24.7	1.06	2000	0.12	0.78	6.9	2.5	670
M895325		0.50	0.27	0.13	<0.1	0.007	0.04	0.5	1.2	13.25	227	0.12	0.02	0.1	2.2	190
M895326		3.14	14.85	0.16	0.9	0.039	2.09	14.2	14.5	0.74	1160	0.17	1.74	6.7	2.5	610
M895327		3.30	14.15	0.15	0.8	0.079	1.96	20.7	29.5	1.17	2400	0.09	0.84	6.7	2.6	640
M895328		3.05	15.20	0.15	0.9	0.093	1.88	16.6	16.9	0.78	2070	0.11	1.68	6.5	2.4	580
M895329		3.34	16.75	0.14	1.1	0.041	2.47	20.6	15.9	0.86	1060	0.27	2.20	7.4	2.9	650
M895330		7.06	13.70	0.12	0.9	1.410	2.75	22.8	23.7	0.94	1910	12.75	0.05	5.3	15.0	440
M895331		3.31	16.80	0.14	1.2	0.036	2.44	21.2	13.5	0.93	865	0.43	2.40	7.7	2.6	640
M895332		3.06	15.20	0.13	1.1	0.041	2.30	20.6	18.4	0.82	1340	0.19	1.45	7.2	2.5	590
M895333		3.12	15.80	0.14	1.2	0.039	2.28	20.6	18.2	0.81	1260	0.22	1.59	7.5	2.8	620
M895334		3.04	15.20	0.14	1.0	0.038	1.79	20.5	21.4	0.91	1320	0.16	1.71	7.0	2.5	590
M895335		3.21	19.55	0.14	1.0	0.056	1.59	18.0	33.0	0.89	1860	<0.05	1.54	7.2	2.6	600
M895336		2.81	14.95	0.13	1.0	0.064	1.36	19.1	30.0	0.97	1880	0.11	1.88	6.7	2.8	600
M895337		2.95	15.00	0.13	1.1	0.043	1.45	19.1	16.8	0.96	1780	0.10	2.22	7.0	2.6	600
M895338		3.01	15.45	0.14	1.1	0.045	1.49	21.9	18.2	0.98	1830	0.12	2.24	7.3	2.8	610
M895339		3.12	14.95	0.14	1.0	0.036	1.66	17.7	17.5	0.88	1680	0.08	2.21	6.9	2.5	640
M895340		3.03	16.15	0.14	0.9	0.034	1.74	17.7	25.7	0.92	1500	0.13	2.11	7.0	3.7	630
M895341		3.15	14.85	0.13	1.2	0.029	1.86	18.9	13.0	0.93	1360	0.08	2.33	7.1	2.5	640
M895342		2.83	15.95	0.14	1.1	0.039	1.70	15.8	22.7	0.60	1250	0.13	1.60	6.8	4.6	590
M895343		3.00	15.80	0.14	1.0	0.033	2.10	14.9	19.4	0.84	1270	0.06	1.37	7.0	2.5	620
M895344		2.91	15.80	0.13	1.0	0.034	2.06	15.9	18.3	0.84	1240	0.08	1.45	6.9	3.4	590



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 1-AUG-2012
Account: ROCKHA

Project: Klaza - 74B

CERTIFICATE OF ANALYSIS WH12159038

Sample Description	Method Analyte Units LOR	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1
M895309		20.5	72.7	<0.002	0.03	6.47	9.6	1	1.7	244	0.66	<0.05	9.7	0.279	1.37	2.7
M895310		40.5	85.0	<0.002	0.08	3.88	10.0	1	1.5	228	0.63	0.38	11.8	0.269	1.28	2.8
M895311		28.3	81.7	<0.002	0.04	9.54	10.7	1	1.7	135.0	0.71	<0.05	15.1	0.288	1.24	1.8
M895312		49.8	57.9	<0.002	0.11	6.41	9.9	1	1.5	176.0	0.60	<0.05	9.6	0.271	1.26	1.7
M895313		123.5	83.6	<0.002	0.28	5.13	10.1	1	1.8	182.0	0.57	0.09	9.5	0.261	1.56	2.7
M895314		2820	152.0	0.002	4.83	88.5	7.7	1	7.6	87.9	0.43	0.29	9.9	0.179	2.34	4.8
M895315		23.3	63.5	<0.002	0.14	5.31	10.3	1	1.8	197.5	0.61	0.20	8.8	0.274	1.19	1.6
M895316		107.0	75.5	<0.002	0.25	4.84	9.3	1	1.8	207	0.54	0.07	8.7	0.250	1.37	2.6
M895317		65.8	62.7	<0.002	0.23	4.76	7.5	<1	1.8	161.0	0.46	<0.05	9.2	0.200	1.11	1.6
M895318		1.7	3.6	<0.002	0.01	0.05	0.4	<1	0.2	42.3	<0.05	<0.05	<0.2	0.005	0.03	0.4
M895319		16.7	70.0	<0.002	0.09	3.08	8.9	1	1.4	228	0.53	<0.05	8.9	0.236	1.15	1.9
M895320		17.4	147.0	0.002	0.47	5.01	10.8	1	2.1	163.0	0.53	<0.05	12.0	0.271	1.85	3.3
M895321		16.1	95.8	0.002	0.07	3.70	10.1	<1	1.2	192.5	0.54	<0.05	11.4	0.270	1.26	3.1
M895322		20.9	96.4	0.002	0.27	3.28	10.4	<1	1.5	223	0.53	<0.05	11.2	0.254	1.21	4.8
M895323		12.7	77.6	<0.002	0.17	3.26	10.0	1	1.6	163.5	0.55	<0.05	8.8	0.270	1.28	3.5
M895324		17.1	84.0	<0.002	0.31	4.85	10.2	<1	1.8	207	0.56	<0.05	8.1	0.294	1.80	2.6
M895325		1.4	1.8	<0.002	0.01	0.06	0.3	<1	0.2	39.5	<0.05	<0.05	<0.2	<0.005	0.02	0.5
M895326		14.7	72.8	<0.002	0.08	3.54	9.8	<1	1.7	272	0.56	<0.05	8.1	0.279	1.27	2.3
M895327		15.5	76.7	<0.002	0.21	5.88	10.5	<1	1.7	201	0.54	<0.05	9.0	0.280	1.38	3.1
M895328		62.1	74.2	<0.002	0.08	3.65	9.9	1	1.6	263	0.52	0.09	8.6	0.265	1.17	2.2
M895329		53.0	75.6	<0.002	0.04	2.61	11.3	1	1.7	440	0.62	<0.05	10.4	0.289	1.12	3.0
M895330		2940	152.0	0.003	5.00	88.1	7.9	1	7.7	90.5	0.45	0.33	9.6	0.185	2.34	5.0
M895331		20.5	85.0	<0.002	0.04	2.54	11.5	1	1.6	425	0.66	<0.05	11.2	0.294	1.07	3.9
M895332		19.4	94.3	<0.002	0.14	3.97	10.4	1	1.5	242	0.63	0.05	10.6	0.272	1.52	4.0
M895333		15.6	92.9	0.002	0.09	4.00	10.9	1	1.7	248	0.65	<0.05	10.6	0.274	1.53	3.8
M895334		18.6	63.2	<0.002	0.06	4.65	10.0	<1	1.4	261	0.60	<0.05	9.7	0.274	1.15	3.4
M895335		33.2	53.0	<0.002	0.02	9.68	10.6	<1	1.7	412	0.61	<0.05	9.6	0.283	1.03	3.4
M895336		22.9	50.8	<0.002	0.02	8.83	10.3	1	1.5	330	0.60	<0.05	9.9	0.270	0.89	2.9
M895337		22.2	50.3	<0.002	0.06	6.03	10.4	1	1.5	406	0.64	<0.05	11.1	0.271	0.85	2.9
M895338		23.2	55.9	<0.002	0.07	6.36	11.3	2	1.6	422	0.62	<0.05	10.9	0.278	0.81	2.8
M895339		20.2	55.2	<0.002	0.04	4.25	10.3	1	1.5	338	0.59	<0.05	9.4	0.281	0.95	2.8
M895340		21.7	64.5	<0.002	0.05	6.63	10.8	1	1.5	321	0.59	<0.05	9.2	0.289	1.20	3.3
M895341		20.9	62.1	<0.002	0.03	3.01	10.7	1	1.5	303	0.66	<0.05	9.9	0.284	0.95	3.2
M895342		24.9	54.7	<0.002	0.01	6.68	9.8	1	1.6	301	0.57	<0.05	9.1	0.265	0.93	3.3
M895343		22.0	60.5	0.002	0.01	4.76	9.8	1	1.5	203	0.57	<0.05	8.4	0.281	1.05	2.7
M895344		21.4	67.7	<0.002	0.01	4.44	10.3	1	1.4	203	0.57	<0.05	9.3	0.275	1.03	2.8



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 1-AUG-2012
 Account: ROCKHA

Project: Klaza - 74B

CERTIFICATE OF ANALYSIS WH12159038

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M895309		81	1.9	11.5	198	24.7
M895310		69	1.5	11.6	191	23.5
M895311		79	2.7	13.6	129	27.2
M895312		75	1.6	10.4	190	20.7
M895313		72	1.4	10.6	294	20.5
M895314		56	5.1	8.6	5400	20.8
M895315		76	1.5	9.4	196	20.6
M895316		71	1.2	9.6	398	21.2
M895317		66	1.3	9.3	247	16.3
M895318		3	0.1	0.7	15	<0.5
M895319		66	1.2	8.8	199	18.9
M895320		77	2.0	13.5	181	22.2
M895321		73	1.8	11.5	198	19.8
M895322		73	2.1	12.6	161	20.4
M895323		69	2.8	10.3	187	19.9
M895324		94	2.0	10.7	151	20.9
M895325		2	0.1	0.7	13	<0.5
M895326		78	1.2	9.4	109	19.4
M895327		74	2.1	10.9	280	18.1
M895328		74	1.7	9.5	393	19.5
M895329		83	1.0	13.0	224	22.5
M895330		58	4.9	8.7	5620	22.8
M895331		84	0.7	13.8	86	24.6
M895332		77	1.0	11.5	106	22.9
M895333		76	0.9	11.8	97	26.5
M895334		74	1.2	10.8	142	21.8
M895335		101	2.4	12.7	301	20.4
M895336		73	1.9	11.7	305	21.4
M895337		71	1.9	12.7	305	21.8
M895338		72	1.9	14.1	308	23.9
M895339		81	2.0	11.3	271	20.1
M895340		77	2.0	11.9	266	18.8
M895341		76	1.8	11.9	223	23.5
M895342		82	2.7	11.2	200	22.9
M895343		78	2.2	9.7	254	21.4
M895344		75	2.3	10.1	246	22.3



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 74B

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 1-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12159038

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.