



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **ROCKHAVEN RESOURCES LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 1
Finalized Date: 3-AUG-2012
Account: ROCKHA

CERTIFICATE WH12159050

Project: Klaza - 74B

P.O. No.: Batch 6

This report is for 36 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 9-JUL-2012.

The following have access to data associated with this certificate:

JOAN MARIACHER

HEATHER SMITH

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22d	Sample login - Rcd w/o BarCode dup
LOG-22	Sample login - Rcd w/o BarCode
SPL-21d	Split sample - duplicate
PUL-31d	Pulverize Split - duplicate
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
CRU-31	Fine crushing - 70% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-MS61	48 element four acid ICP-MS	

To: **ROCKHAVEN RESOURCES LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - A
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 3-AUG-2012
Account: ROCKHA

Project: Klaza - 74B

CERTIFICATE OF ANALYSIS WH12159050

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm
		0.02	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M895381		3.32	<0.005	0.11	6.65	5.9	1110	1.33	0.11	3.58	0.13	40.7	8.3	12	18.00	5.9
M895382		4.59	<0.005	0.19	6.69	6.2	1180	1.39	0.26	2.96	0.38	37.1	8.1	12	10.75	4.1
M895383		7.89	<0.005	0.06	6.59	3.0	1910	1.37	0.09	3.20	0.07	36.8	9.6	17	10.05	4.7
M895384		6.84	0.018	0.44	7.16	39.5	1210	1.57	0.21	2.87	1.72	40.1	8.1	13	11.20	8.8
M895385		6.72	<0.005	0.07	6.95	2.3	1510	1.49	0.16	3.19	0.08	40.9	8.4	17	7.65	7.5
M895386		8.74	<0.005	0.05	6.90	3.3	1130	1.38	0.56	3.11	0.11	37.4	8.3	14	7.38	2.4
M895387		0.24	0.792	9.67	6.84	1800	740	1.47	6.03	1.93	41.4	42.5	18.4	20	15.50	107.0
M895388		9.09	<0.005	0.10	6.99	5.5	2860	1.48	0.12	3.36	0.12	37.0	8.1	15	7.87	7.0
M895389		8.05	<0.005	0.09	6.95	6.7	1290	1.48	0.14	3.14	0.12	38.4	9.1	12	7.94	11.0
M895390		4.92	<0.005	0.08	7.08	3.2	1660	1.50	0.11	3.15	0.14	38.7	9.3	18	7.62	10.6
M895391		6.27	<0.005	0.10	7.33	4.5	1270	1.51	0.16	3.03	1.37	39.0	9.7	12	7.97	14.4
M895392		9.49	<0.005	0.08	6.97	3.4	1340	1.35	0.53	3.12	0.12	39.4	8.2	14	8.47	11.1
M895393		6.22	<0.005	0.06	6.37	4.5	4450	1.28	1.02	3.08	0.18	33.9	8.1	14	10.20	11.0
M895394		2.67	<0.005	0.01	0.07	<5	20	0.07	0.03	21.5	0.05	0.97	0.7	1	0.12	1.8
M895395		8.60	<0.005	0.08	6.94	3.3	1790	1.20	0.54	3.08	0.16	43.8	8.2	11	8.74	5.8
M895396		6.38	<0.005	0.10	7.34	3.4	2110	1.46	0.33	3.39	0.11	40.4	8.3	11	9.42	5.9
M895397		5.19	<0.005	0.12	7.39	2.6	2970	1.18	0.20	3.16	0.08	45.3	8.9	11	9.18	13.5
M895398		6.06	<0.005	0.09	7.43	2.8	2040	1.33	0.15	3.54	0.07	47.7	9.4	12	10.55	12.6
M895399		6.38	<0.005	0.07	7.42	1.9	2240	1.27	0.15	3.66	0.08	45.4	9.5	16	10.45	11.4
M895400		6.89	<0.005	0.06	7.40	1.8	2680	1.29	0.12	3.82	0.08	48.0	9.5	16	7.38	12.3
M895401		<0.02	<0.005	0.08	6.77	1.6	2400	1.18	0.12	3.59	0.08	39.7	8.6	14	6.47	10.7
M895402		6.40	<0.005	0.07	7.19	1.9	4190	1.19	0.16	3.71	0.11	48.5	9.0	12	7.81	10.3
M895403		4.65	<0.005	0.05	7.33	3.3	1680	1.27	0.59	3.40	0.14	46.4	9.2	17	6.80	7.7
M895404		5.23	<0.005	0.04	7.72	6.6	1970	1.86	4.59	6.01	0.37	40.4	7.2	10	15.65	5.3
M895405		1.64	<0.005	0.02	0.06	<5	30	0.07	0.04	21.4	0.05	1.00	0.7	<1	0.09	2.2
M895406		8.30	3.75	0.05	7.37	3.6	1920	1.33	1.24	4.11	0.16	46.2	8.3	13	8.31	3.7
M895407		5.15	<0.005	0.22	7.48	2.9	1150	1.32	0.36	3.26	0.10	43.3	9.8	18	6.68	27.2
M895408		4.85	<0.005	0.12	7.42	4.3	1480	1.60	2.51	3.67	0.22	50.1	9.3	15	9.85	15.4
M895409		5.93	<0.005	0.10	7.43	3.5	1650	1.29	1.52	3.24	0.17	40.7	9.7	18	6.60	3.1
M895410		3.46	<0.005	0.30	6.75	4.6	2920	1.27	1.47	3.77	0.25	37.3	8.5	11	12.15	37.5
M895411		6.35	<0.005	0.16	6.91	4.4	1880	1.39	0.84	3.45	0.12	41.0	9.2	14	7.36	36.5
M895412		8.24	<0.005	0.10	7.50	3.1	1570	1.29	0.81	2.70	0.10	43.4	9.3	14	6.84	1.8
M895413		4.89	<0.005	0.05	3.18	2.9	1940	0.65	1.45	0.97	0.05	19.00	3.3	32	5.32	0.8
M895414		3.72	<0.005	0.07	3.55	3.7	1430	0.76	1.85	1.03	0.11	16.25	3.0	22	5.20	1.0
M895415		0.24	0.755	9.50	6.90	1795	760	1.63	5.97	1.94	42.4	44.7	18.7	20	15.80	110.0
M895416		3.87	<0.005	0.13	4.03	4.2	1560	0.88	1.35	1.39	0.26	21.7	4.0	21	10.95	0.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - B
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 3-AUG-2012
Account: ROCKHA

Project: Klaza - 74B

CERTIFICATE OF ANALYSIS WH12159050

Sample Description	Method Analyte Units LOR	ME-MS61 Fe %	ME-MS61 Ga ppm	ME-MS61 Ge ppm	ME-MS61 Hf ppm	ME-MS61 In ppm	ME-MS61 K %	ME-MS61 La ppm	ME-MS61 Li ppm	ME-MS61 Mg %	ME-MS61 Mn ppm	ME-MS61 Mo ppm	ME-MS61 Na %	ME-MS61 Nb ppm	ME-MS61 Ni ppm	ME-MS61 P ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M895381		3.09	15.20	0.13	1.1	0.038	2.16	20.2	19.6	0.82	887	0.45	1.67	6.6	2.8	590
M895382		3.19	14.95	0.13	1.0	0.043	2.18	17.7	20.5	0.92	959	0.44	1.70	6.7	2.7	600
M895383		3.30	15.55	0.14	1.1	0.030	2.11	16.0	21.1	0.91	841	0.51	2.14	7.2	4.8	630
M895384		3.39	15.20	0.19	1.0	0.064	2.18	20.0	26.1	0.86	905	0.72	1.71	7.9	2.2	600
M895385		3.02	15.30	0.18	1.0	0.036	2.11	20.1	14.7	0.86	764	1.85	1.91	7.9	2.4	590
M895386		2.92	14.85	0.08	1.1	0.033	2.21	17.3	13.4	0.81	982	0.59	1.87	7.1	2.7	590
M895387		5.42	14.55	0.10	1.4	0.871	2.88	21.0	25.2	0.71	2000	11.95	0.27	7.6	15.7	520
M895388		2.96	15.10	0.09	1.1	0.044	2.14	17.2	11.2	0.85	758	0.87	2.00	7.7	2.7	600
M895389		3.17	14.90	0.09	1.1	0.035	2.01	16.3	15.1	0.81	845	1.30	1.98	8.0	2.9	640
M895390		3.17	14.90	0.09	1.0	0.040	2.02	17.4	14.9	0.80	827	1.37	2.10	8.0	2.9	640
M895391		3.20	15.30	0.09	1.3	0.112	2.11	17.4	21.1	0.87	972	0.71	1.79	8.2	3.0	650
M895392		2.95	15.25	0.09	1.1	0.048	2.33	17.6	17.0	0.67	1000	0.78	1.56	7.8	2.8	630
M895393		2.77	14.10	0.09	0.9	0.051	2.28	16.2	18.5	1.00	1200	0.72	1.10	6.7	2.6	590
M895394		0.49	0.17	0.09	<0.1	<0.005	0.02	0.5	1.0	13.40	224	0.16	0.01	0.1	1.8	180
M895395		2.85	15.00	0.13	1.1	0.046	2.37	20.5	13.4	0.80	1130	0.47	1.38	7.2	2.7	570
M895396		2.93	15.45	0.12	1.2	0.039	2.48	18.3	16.0	0.83	1050	0.44	1.66	7.9	2.8	630
M895397		3.17	14.50	0.11	1.2	0.039	2.21	22.0	15.5	0.89	919	0.43	1.70	8.1	2.9	670
M895398		3.19	15.35	0.09	1.1	0.035	2.36	23.4	12.8	0.88	835	0.59	1.62	7.8	2.9	640
M895399		3.24	15.00	0.08	1.1	0.033	2.30	21.7	15.2	0.85	828	1.59	1.46	7.8	3.0	660
M895400		3.19	14.40	0.10	1.1	0.030	2.09	23.2	12.3	0.88	843	0.97	1.85	7.8	3.0	630
M895401		3.04	13.10	0.10	1.1	0.027	1.95	19.0	11.2	0.82	804	0.64	1.77	7.2	2.7	610
M895402		3.00	14.60	0.11	1.2	0.039	2.21	23.5	12.3	0.85	931	0.60	1.62	8.0	3.0	640
M895403		3.12	15.20	0.09	1.1	0.031	2.35	21.7	12.1	0.84	1180	0.81	1.56	7.8	2.9	650
M895404		3.73	22.3	0.08	1.2	0.076	2.41	17.2	21.7	0.65	1970	0.42	0.80	7.7	2.3	600
M895405		0.48	0.16	0.09	<0.1	0.006	0.03	0.5	0.9	13.20	216	0.11	0.01	0.1	1.7	170
M895406		3.16	15.45	0.13	1.2	0.038	2.04	22.1	15.5	0.83	1430	0.66	1.60	7.7	2.7	600
M895407		3.18	15.25	0.10	1.4	0.037	2.19	19.1	14.9	0.90	1130	0.87	1.89	8.1	3.1	660
M895408		3.19	16.60	0.12	1.2	0.048	1.92	24.6	12.8	0.90	1690	0.83	1.69	7.7	3.1	610
M895409		3.02	15.35	0.09	1.1	0.041	2.30	18.6	13.1	0.79	1640	1.04	1.80	8.0	3.1	630
M895410		2.73	14.50	0.08	1.0	0.055	2.32	17.0	16.9	0.52	1860	0.62	0.93	7.2	2.7	620
M895411		2.90	14.40	0.09	1.0	0.046	2.22	18.9	13.5	0.61	1780	0.81	1.33	7.6	2.9	620
M895412		3.19	14.80	0.09	1.0	0.055	2.06	19.7	14.8	0.64	1770	0.66	1.77	7.7	3.2	680
M895413		1.89	9.40	0.06	0.6	0.180	1.01	10.2	12.4	0.29	756	2.04	0.16	3.3	1.6	280
M895414		2.08	10.15	0.06	0.3	0.068	1.10	8.8	15.1	0.28	775	1.45	0.16	2.7	2.0	240
M895415		5.45	14.65	0.11	1.3	0.872	2.92	21.6	25.8	0.71	2010	12.05	0.27	7.6	16.0	510
M895416		2.20	12.30	0.06	0.6	0.118	1.41	11.6	14.7	0.27	802	1.30	0.13	3.5	2.0	290



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 3-AUG-2012
Account: ROCKHA

Project: Klaza - 74B

CERTIFICATE OF ANALYSIS WH12159050

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.1
M895381		16.6	76.3	0.002	0.04	2.43	10.3	<1	1.5	331	0.54	<0.05	8.8	0.272	2.5
M895382		43.0	76.0	<0.002	0.11	2.43	10.7	<1	1.9	315	0.55	<0.05	8.9	0.276	2.8
M895383		13.8	70.9	<0.002	0.06	1.97	10.5	<1	1.7	327	0.64	<0.05	7.8	0.285	2.8
M895384		83.6	97.9	<0.002	0.49	3.41	11.0	1	2.7	278	0.63	<0.05	9.6	0.279	2.9
M895385		11.5	78.1	<0.002	0.03	2.10	10.7	1	1.7	277	0.59	<0.05	10.0	0.271	3.0
M895386		17.9	84.5	<0.002	0.02	1.71	10.3	1	1.4	280	0.66	<0.05	10.6	0.254	3.3
M895387		1350	157.5	0.002	3.07	33.2	9.3	<1	5.7	151.5	0.63	0.26	11.4	0.211	5.2
M895388		10.7	78.2	<0.002	0.08	1.77	10.7	<1	1.6	318	0.63	<0.05	9.5	0.265	3.2
M895389		12.9	67.0	<0.002	0.03	2.41	11.0	1	1.7	311	0.74	<0.05	8.7	0.282	3.4
M895390		11.7	64.4	<0.002	0.04	2.08	11.0	1	1.6	315	0.71	<0.05	9.9	0.280	3.4
M895391		48.6	67.8	<0.002	0.05	3.10	11.3	<1	2.1	320	0.73	<0.05	9.8	0.285	3.7
M895392		14.0	86.2	<0.002	0.03	2.57	11.3	1	1.5	260	0.60	<0.05	9.6	0.274	3.0
M895393		15.3	73.3	<0.002	0.12	2.51	10.1	1	1.3	298	0.54	<0.05	7.8	0.255	2.0
M895394		1.1	0.9	0.002	0.01	0.06	0.2	<1	<0.2	40.5	<0.05	<0.05	<0.2	<0.005	0.6
M895395		19.8	90.4	0.002	0.02	1.90	10.7	1	1.3	210	0.65	<0.05	11.5	0.251	3.3
M895396		24.4	91.4	<0.002	0.03	2.07	11.7	<1	1.4	242	0.68	<0.05	11.1	0.280	3.5
M895397		32.3	81.5	0.002	0.06	3.30	12.7	<1	1.4	277	0.64	<0.05	11.1	0.294	3.3
M895398		41.9	91.7	<0.002	0.06	3.17	11.9	1	1.3	262	0.64	<0.05	11.3	0.276	3.5
M895399		62.4	79.9	<0.002	0.05	1.77	12.1	<1	1.4	257	0.62	<0.05	11.6	0.286	3.8
M895400		37.2	81.6	<0.002	0.05	1.96	12.2	1	1.4	280	0.66	<0.05	12.4	0.280	3.6
M895401		35.1	65.1	<0.002	0.05	1.62	10.7	<1	1.2	262	0.62	<0.05	10.8	0.264	3.0
M895402		35.0	81.5	<0.002	0.09	1.78	11.9	1	1.4	311	0.71	<0.05	12.3	0.276	5.1
M895403		17.5	82.2	<0.002	0.02	1.20	11.7	<1	1.5	242	0.63	<0.05	11.9	0.279	3.6
M895404		42.1	75.3	<0.002	0.03	11.65	10.3	1	2.1	504	0.62	<0.05	10.4	0.264	3.6
M895405		1.2	0.8	0.002	0.01	0.07	0.2	<1	<0.2	43.7	<0.05	<0.05	<0.2	<0.005	0.6
M895406		21.3	81.3	0.002	0.03	4.03	11.5	<1	1.5	356	0.67	<0.05	12.5	0.264	3.9
M895407		15.3	77.6	<0.002	0.01	1.68	12.0	1	1.6	280	0.72	<0.05	11.4	0.290	3.8
M895408		24.7	88.6	<0.002	0.02	5.50	12.2	<1	1.5	335	0.62	<0.05	14.7	0.266	4.5
M895409		16.9	85.4	<0.002	0.03	2.25	11.9	1	1.4	216	0.66	<0.05	12.1	0.275	3.9
M895410		15.1	82.4	<0.002	0.06	10.30	10.9	<1	2.4	217	0.59	<0.05	9.4	0.266	2.2
M895411		18.1	84.3	<0.002	0.04	9.98	11.4	1	1.4	245	0.61	<0.05	9.9	0.265	3.2
M895412		14.1	83.8	<0.002	0.02	3.54	11.8	1	1.3	229	0.62	<0.05	11.1	0.289	2.5
M895413		8.8	51.8	<0.002	0.02	7.24	4.3	<1	0.9	115.0	0.24	<0.05	5.3	0.118	1.2
M895414		7.4	58.2	0.002	0.01	9.49	3.8	1	0.7	111.0	0.21	<0.05	4.4	0.101	1.1
M895415		1360	160.5	<0.002	3.07	33.5	9.3	1	5.6	154.5	0.63	0.26	11.5	0.214	5.1
M895416		13.9	85.8	<0.002	0.01	8.34	5.8	<1	1.1	121.5	0.29	<0.05	5.9	0.126	1.5



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
 C/O ARCHER, CATHRO & ASSOCIATES (1981)
 LIMITED
 1016 - 510 W HASTINGS STREET
 VANCOUVER BC V6B 1L8

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 3-AUG-2012
 Account: ROCKHA

Project: Klaza - 74B

CERTIFICATE OF ANALYSIS WH12159050

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
M895381		82	1.6	8.3	65	22.9
M895382		80	1.6	8.6	98	20.4
M895383		82	1.7	8.5	64	23.5
M895384		79	1.9	9.7	213	27.3
M895385		78	1.8	9.4	65	28.0
M895386		78	1.6	8.8	111	22.8
M895387		58	5.3	10.9	3080	36.9
M895388		76	1.7	9.8	64	24.9
M895389		79	1.9	8.8	74	25.4
M895390		79	1.9	9.2	74	23.3
M895391		77	2.1	9.5	145	28.1
M895392		77	2.3	9.3	109	25.8
M895393		69	1.9	8.7	145	19.1
M895394		1	0.1	0.7	14	<0.5
M895395		72	1.6	10.0	160	24.6
M895396		75	1.2	10.8	136	27.7
M895397		76	1.2	10.5	128	27.0
M895398		78	1.3	10.6	106	25.8
M895399		79	1.9	10.5	96	24.6
M895400		76	1.6	10.7	92	26.8
M895401		71	1.5	10.1	89	24.7
M895402		76	1.6	11.6	97	29.7
M895403		79	1.6	10.7	169	24.9
M895404		130	1.8	12.5	198	26.1
M895405		2	0.1	0.7	16	<0.5
M895406		87	1.5	12.3	134	27.9
M895407		81	1.7	11.4	124	31.7
M895408		82	1.8	14.8	225	26.5
M895409		75	2.6	11.5	229	26.7
M895410		76	2.1	10.2	196	23.4
M895411		70	2.0	10.6	205	24.5
M895412		74	2.2	9.9	163	22.9
M895413		59	1.1	3.6	47	8.7
M895414		61	0.9	3.2	39	7.8
M895415		58	5.3	10.8	3120	37.0
M895416		78	1.1	4.4	53	15.9



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: ROCKHAVEN RESOURCES LTD.
C/O ARCHER, CATHRO & ASSOCIATES (1981)
LIMITED
1016 - 510 W HASTINGS STREET
VANCOUVER BC V6B 1L8

Project: Klaza - 74B

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3-AUG-2012
Account: ROCKHA

CERTIFICATE OF ANALYSIS WH12159050

Method	CERTIFICATE COMMENTS
ME-MS61 ME-MS61	Interference: Ca>10% on ICP-MS As,ICP-AES results shown. REE's may not be totally soluble in this method.